

Study 13485

SciBERT

Class: 1

Conf: 0.8%


BERT
Class: 1
Conf: 1.0%

BioBERT
Class: 1
Conf: 1.0%

Confidence Levels

- Class 1: Not sure (< 0.50)
- Class 1: Uncertainty (0.50-0.60)
- Class 1: Low confidence (0.60-0.70)
- Class 1: High confidence (0.70-0.85)
- Class 1: Confident (> 0.85)
- Class 0: Not sure (< 0.50)
- Class 0: Uncertainty (0.50-0.60)
- Class 0: Low confidence (0.60-0.70)
- Class 0: High confidence (0.70-0.85)
- Class 0: Confident (> 0.85)

Study 13485




Study 13485

SciBERT

Class: 1

Conf: 0.7%

BERT
Class: 1
Conf: 1.0%



Confidence Levels

- Class 1: Not sure (< 0.50)
- Class 1: Uncertainty (0.50-0.60)
- Class 1: Low confidence (0.60-0.70)
- Class 1: High confidence (0.70-0.85)
- Class 1: Confident (> 0.85)
- Class 0: Not sure (< 0.50)
- Class 0: Uncertainty (0.50-0.60)
- Class 0: Low confidence (0.60-0.70)
- Class 0: High confidence (0.70-0.85)
- Class 0: Confident (> 0.85)

BioBERT

Class: 1

Conf: 1.0%

Study 13485

