

Cucumber Report

Apr 25, 2024, 10:18:58 AM

Start : Apr 25, 10:16:58.083 AM

End : Apr 25, 10:18:54.584 AM

Duration : 1 m 56.501 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 2
SKIPPED - 0


Steps

PASSED - 4
FAILED - 2
SKIPPED - 0




| Feature | | Scenario | | | | Step | | | |
|--|-----------------|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | Duration | T | P | F | S | T | P | F | S |
| <i>Trying to login with google using invalid credentials</i> | 1 m 56.501 s | 2 | 0 | 2 | 0 | 6 | 4 | 2 | 0 |

| # | Feature Name | Scenario Name |
|---|--|--------------------------------|
| 1 | <u>Trying to login with google using invalid credentials</u> | <u>Login Data Driven Excel</u> |
| 2 | | <u>Login Data Driven Excel</u> |




| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | <u>Trying to login with google using invalid credentials</u> | 2 | 0 | 2 | 0 | 1 m 56.501 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--------------------------------|---|---|---|---|--------------|
| 1 | <u>Trying to login with google using invalid credentials</u> | <u>Login Data Driven Excel</u> | 3 | 2 | 1 | 0 | 40.379 s |
| 2 | | <u>Login Data Driven Excel</u> | 3 | 2 | 1 | 0 | 1 m 16.081 s |


Trying to login with google using invalid credentials




Login Data Driven Excel




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user navigates to home page AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Login Data Driven Excel | PASSED | 2.932 s |
| | | PASSED | 0.415 s |
| 2 | When clicking on Login button And clicking on google AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Login Data Driven Excel | PASSED | 5.824 s |
| | | PASSED | 0.293 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | <p>Then entering the invalid email "1"</p> <pre>java.io.FileNotFoundException: C:\Users\2318310\eclipse-workspace\SME_Project\Hackathon_NewBikes\testdata\testDataCucumber.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.FileOutputStream.open0(Native Method) at java.base/java.io.FileOutputStream.open(FileOutputStream.java:293) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:235) at java.base/java.io.FileOutputStream.<init>(FileOutputStream.java:123) at Utilities.ExcelWriter.loginResult(ExcelWriter.java:28) at stepDefinitions.Login.entering_the_invalid_email(Login.java:75) at ?.entering the invalid email "1"(file:///C:/Users/2318310/eclipse-workspace/SME_Project/Hackathon_NewBikes./Features/Login.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 22.572 s |
| | <p>AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>Login Data Driven Excel</p>  <p>The screenshot shows a Google sign-in interface. A red box highlights the email input field containing 'bhuyuij@gmail.com'. Below the field, an error message says 'Couldn't find your Google Account'. There are 'Forgot email?' and 'Next' buttons. At the bottom, there's a note about sharing profile info and links to privacy policy and terms of service.</p> | PASSED | 0.115 s |

Login Data Driven Excel



| # | Step / Hook Details | Status | Duration |
|---|---------------------------------------|--------|----------|
| 1 | Given the user navigates to home page | PASSED | 14.860 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Login Data Driven Excel  | PASSED | 0.860 s |
| 2 | When clicking on Login button And clicking on google | PASSED | 6.163 s |
| | AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Login Data Driven Excel  | PASSED | 0.338 s |
| 3 | Then entering the invalid email "2" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=121.0.6167.86) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [953ba32f06da062db0af6444f086cdf8, findElement {using=id, value=identifierId}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.86, chrome: {chromedriverVersion: 121.0.6167.184 (057a8ae7deb..., userDatadir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50895}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50895/devtoo..., se:cdpVersion: 121.0.6167.86, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 953ba32f06da062db0af6444f086cdf8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | FAILED | 14.865 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226) at pageObjects.BasePage.explicitWait(BasePage.java:24) at pageObjects.LoginPage.setEmail(LoginPage.java:35) at stepDefinitions.Login.entering_the_invalid_email(Login.java:68) at ?.entering the invalid email "2"(file:///C:/Users/2318310/eclipse-workspace/SME_Project/Hackathon_NewBikes/.Features/Login.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=121.0.6167.86) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [953ba32f06da062db0af6444f086cdf8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.86, chrome: {chromedriverVersion: 121.0.6167.184 (057a8ae7deb..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50895}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50895/devtoo..., se:cdpVersion: 121.0.6167.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 953ba32f06da062db0af6444f086cdf8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) </pre> | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at stepDefinitions.Hooks.addScreenshot(Hooks.java:44) | | |