

# Cucumber Report

13-Apr-2024, 9:53:03 pm

**Start : Apr 13, 9:50:05.500 pm**

**End : Apr 13, 9:53:02.125 pm**

**Duration : 2 m 56.625 s**

Features







PASSED - 2  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 4  
FAILED - 1  
SKIPPED - 0


Steps

PASSED - 17  
FAILED - 1  
SKIPPED - 0




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Trying to login with google using invalid credentials</u>	1 m 52.187 s	3	3	0	0	9	9	0	0
<u>Getting list of all upcoming new bikes which are under 4 lakh</u>	15.672 s	1	1	0	0	5	5	0	0
<u>Getting list of Popular car modles in Chennai</u>	48.754 s	1	0	1	0	4	3	1	0

#	Feature Name	Scenario Name
1	<u>Getting list of Popular car modles in Chennai</u>	<u>Successfully printing car modles</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Trying to login with google using invalid credentials</u>	3	3	0	0	1 m 52.187 s
2	<u>Getting list of all upcoming new bikes which are under 4 lakh</u>	1	1	0	0	15.672 s
3	<u>Getting list of Popular car modles in Chennai</u>	1	0	1	0	48.754 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Trying to login with google using invalid credentials</u>	<u>Login Data Driven Excel</u>	3	3	0	0	38.617 s
2		<u>Login Data Driven Excel</u>	3	3	0	0	37.112 s
3		<u>Login Data Driven Excel</u>	3	3	0	0	36.423 s
4	<u>Getting list of all upcoming new bikes which are under 4 lakh</u>	<u>Successfully printing Bikes under 4 lakh</u>	5	5	0	0	15.671 s
5	<u>Getting list of Popular car modles in Chennai</u>	<u>Successfully printing car modles</u>	4	3	1	0	48.754 s


## Trying to login with google using invalid credentials

PASSED	DURATION - 1 m 52.187 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 9:50:05.500 pm // 9:51:57.687 pm /					


## Login Data Driven Excel

PASSED	DURATION - 38.617 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:50:05.521 pm // 9:50:44.138 pm /					
Trying to login with google using invalid credentials					


#	Step / Hook Details	Status	Duration
1	Given the user navigates to home page	PASSED	1.407 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	Login Data Driven Excel		
			
2	When clicking on Login button And clicking on google	PASSED	5.350 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	Login Data Driven Excel		
			

#	Step / Hook Details	Status	Duration
3	Then entering the invalid email "1"  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  Login Data Driven Excel  	PASSED	21.841 s
		PASSED	0.114 s


## Login Data Driven Excel




#	Step / Hook Details	Status	Duration
1	Given the user navigates to home page  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)  Login Data Driven Excel  	PASSED	1.166 s
		PASSED	0.333 s
2	When clicking on Login button And clicking on google  AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.443 s
		PASSED	0.296 s

#	Step / Hook Details	Status	Duration
	Login Data Driven Excel 		
3	Then entering the invalid email "2"	PASSED	20.916 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Login Data Driven Excel 	PASSED	0.113 s


## Login Data Driven Excel




#	Step / Hook Details	Status	Duration
1	Given the user navigates to home page	PASSED	1.809 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	Login Data Driven Excel		


#	Step / Hook Details	Status	Duration
			
2	When clicking on Login button And clicking on google AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Login Data Driven Excel 	PASSED	5.392 s
3	Then entering the invalid email "3" AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Login Data Driven Excel 	PASSED	20.992 s


## Getting list of all upcoming new bikes which are under 4 lakh

PASSED	DURATION - 15.672 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:51:57.693 pm // 9:52:13.365 pm /					

## Successfully printing Bikes under 4 lakh




#	Step / Hook Details	Status	Duration
1	Given user navigates to ZigWheels page AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Successfully printing Bikes under 4 lakh 	PASSED	0.002 s
2	When user hovers to Newbikes toggle AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Successfully printing Bikes under 4 lakh 	PASSED	0.180 s
3	And user clicks on Upcoming bikes AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Successfully printing Bikes under 4 lakh 	PASSED	1.495 s
4	And chooses manufacturer as Honda AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.636 s
		PASSED	0.140 s

#	Step / Hook Details	Status	Duration
	Successfully printing Bikes under 4 lakh 		
5	Then All the upcomings bikes of Honda manufacturer are displayed	PASSED	2.688 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) Successfully printing Bikes under 4 lakh 	PASSED	0.223 s

## Getting list of Popular car modles in Chennai



## Successfully printing car modles



#	Step / Hook Details	Status	Duration
1	Given user navigates to ZigWheels page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>Successfully printing car modles</p> 	PASSED	0.509 s
2	<p>When user hovers to Used cars toggle</p> <p>AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>Successfully printing car modles</p> 	PASSED	0.539 s
3	<p>And user clicks on Chennai as preferd location</p> <p>AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>Successfully printing car modles</p> 	PASSED	0.132 s
4	<p>Then All the popular car modles list will be diplayed</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@class='zm-cmn-colorBlack ml-30 mob-nonclick div-h3 mt-20 mb-10']' (tried for 5 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)   at pageObjects.BasePage.explicitWait(BasePage.java:24)   at pageObjects.UsedCarspage.ListOfPopularcars(UsedCarspage.java:25)   at stepDefinitions.UsedCarDetails.all_the_popular_car_modles_list_will_be_displayed(UsedCarDetails.java:41)   at ?.All the popular car modles list will be displayed(file:///C:/Users/2318396/OneDrive%20-%20Cognizant/Desktop/Codefellas_ZigWheel/Hackathon_NewBikes/.Features/UsedCars.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='zm-cmn-colorBlack ml-30 mob-nonclick div-h3 mt-20 mb-10']"} (Session info: chrome=118.0.5993.71) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [38cc5f44d12e37771f9187528db1f349, findElement {using&gt;xpath, value=//div[@class='zm-cmn-colorBlack ml-30 mob-nonclick div-h3 mt-20 mb-10']}]</pre>	FAILED	40.086 s

#	Step / Hook Details	Status	Duration
	<pre>mb-10']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.71, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57681}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57681/devtoo..., se:cdpVersion: 118.0.5993.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 38cc5f44d12e37771f9187528db1f349 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204) at pageObjects.BasePage.explicitWait(BasePage.java:24) at pageObjects.UsedCarspage.ListOfPopularcars(UsedCarspage.java:25) at stepDefinitions.UsedCarDetails.all_the_popular_car_modles_list_will_be_diplayed(UsedCarDetails.java:41) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		

#	Step / Hook Details	Status	Duration
	<p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>Successfully printing car modles</p> 	PASSED	0.358 s