

/home/z/Documents/AVR
/repo_Avr/ATMega32_Drivers
/01-MCAL/01-DIO/DIO_program.c

```
graph TD; A["/home/z/Documents/AVR  
/repo_Avr/ATMega32_Drivers  
/01-MCAL/01-DIO/DIO_program.c"] --> B["STD_TYPES.h"]; A --> C["BIT_MATH.h"]; A --> D["DIO_interface.h"]; A --> E["DIO_private.h"]; A --> F["DIO_config.h"];
```

The diagram illustrates the file dependencies for the source file `DIO_program.c`. The source file is located at `/home/z/Documents/AVR/repo_Avr/ATMega32_Drivers/01-MCAL/01-DIO/DIO_program.c`. It includes five header files: `STD_TYPES.h`, `BIT_MATH.h`, `DIO_interface.h`, `DIO_private.h`, and `DIO_config.h`. The arrows indicate the direction of the dependency from the source file to each header file.

STD_TYPES.h

BIT_MATH.h

DIO_interface.h


DIO_private.h

DIO_config.h

/home/z/Documents/AVR
/repo_Avr/ATMega32_Drivers
/01-MCAL/01-DIO/DIO_config.h

main.c


/home/z/Documents/AVR
/repo_Avr/ATMega32_Drivers
/01-MCAL/01-DIO/DIO_program.c



/home/z/Documents/AVR
/repo_Avr/ATMega32_Drivers
/01-MCAL/01-DIO/DIO_private.h

main.c

/home/z/Documents/AVR
/repo_Avr/ATMega32_Drivers
/01-MCAL/01-DIO/DIO_program.c



/home/z/Documents/AVR
/repo_Avr/ATMega32_Drivers
/01-MCAL/01-DIO/DIO_interface.h

main.c

/home/z/Documents/AVR
/repo_Avr/ATMega32_Drivers
/01-MCAL/01-DIO/DIO_program.c

