Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 1: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 2: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 3: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 4: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 5: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 6: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 7: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 8: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 9: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 10: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 11: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD

Router LED Diagnostic Flowchart & Technician SLA (Scan Mode: 200 DPI)

Phase 1: Check Power LED

Solid Green: Power OK.

OFF: Check adapter/socket.

Red: Internal router hardware fault.

Phase 2: Check LOS LED

OFF: Optical signal normal.

Flashing RED: Broken fiber cable

or disconnected street FAT box.

Phase 3: Check PON LED

Solid Green: ONT registered.

Flashing Green: Registering...

OFF: No optical link detected.

Phase 4: Check Internet LED

Blinking Green: Normal traffic.

RED: Authentication failed

(Incorrect PPPoE credentials).

Phase 5: Emergency Mobile Data

Offer customer 50GB free

emergency 5G backup data

while outage is open.

Phase 6: Technician Dispatch

Priority/WFH: within 4 hours.

Standard account: within 24 hours.

Free on-site visit guarantee.

SECTION 12: DETAILED HARDWARE DIAGNOSTICS & TECHNICIAN DISPATCH SLA

1. CUSTOMER OUTAGE VERIFICATION PROTOCOL:

- Verify account status in CRM BSS. Confirm line is not administratively suspended for non-payment.

- Instruct customer to inspect the front LED lights of the VDSL / FTTH router.

2. OPTICAL FIBER FAULT (RED LOS LIGHT):

- If the LOS light is blinking RED, optical power has dropped below -28.0 dBm (Optical Loss of Signal).

- Advise customer NOT to bend or sharply pull the thin yellow/white optical cable.

- Create high-priority field repair ticket with SLA: 4 hours for Priority Accounts, 24 hours for Standard.

3. EMERGENCY 50GB MOBILE BACKUP DATA GUARANTEE:

- If the outage exceeds 2 hours during business working hours, immediately provision 50GB free 5G data

to the customer's registered WE mobile number valid for 72 hours.

4. TECHNICIAN DISPATCH & REPAIR REPORTING:

- Technicians must log arrival at premise, optical power meter reading, and root-cause component replacement.

- Zero fee policy for technical visits resulting from external network infrastructure faults.

TELEMETRY SPECTRUM ANALYSIS & FIELD DISPATCH SIGN-OFF RECORD