

Registration with correct username and password

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

The registration with correct username and password

G10-38

Preconditions

Username is not exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The registration window is opened
3	Input a username (3 characters, it includes letters, numbers, and symbols: _)		The username is displayed
4	Input a password (at least 8 characters long, including at least one letter and one number)		The password is displayed
5	Click the "Зарегистрироваться" button		The button "Войти" is changed to "Выйти"
6	Log out		The user is logged out
7	Log in with username and password		Log in is success

Registration with invalid username (the username contains 16 characters)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Registration with an invalid username (the username contains 16 characters)

G10-38

Preconditions

Username is not exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The registration window is opened
3	Input a username (the username contains 16 characters)		The username is displayed
4	Input a password (at least 8 characters long, including at least one letter and one number)		The password is displayed
5	Click the "Зарегистрироваться" button		The error message is displayed with text: "The username must contain 3 to 15 characters and can include letters, numbers, and symbols: _ . The password must be at least 8 characters long, including at least one letter and one number".

Log in with invalid username and password

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Log in with the invalid username and password

G10-38

Preconditions

Username is not exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The window is opened
3	Input the invalid username and password		The username and password are displayed
4	Click the "Войти" button		The user is not log in, the message displayed is: "Incorrect username or password"

Log out

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

The log in with the correct username and password

G10-38

Preconditions

Username exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The window is opened
3	Input the correct username and password		The user is logged in
4	Click the "Выход" button		The user logs out, the login page is opened

G10-567 / Testing Documentation / Testing Documentation - Alsu Ziganshina / Registration and Authorization

Log in with correct username and password

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

The log in with the correct username and password

G10-38

Preconditions

Username exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The window is opened
3	Input the correct username and password		The username and password are displayed
4	Click the "Войти" button		The user is log in

Registration with invalid username (the username is empty)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Registration with invalid username (the username is empty)

G10-38

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The registration window is opened
3	The field username stays empty		The field is empty
4	Input a password (at least 8 characters long, including at least one letter and one number)		The password is displayed
5	Click the "Зарегистрироваться" button		The error message is displayed with text: "The username must contain 3 to 15 characters and can include letters, numbers, and symbols: _ . The password must be at least 8 characters long, including at least one letter and one number".

Registration with invalid username (the username contains 1 character)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Registration with invalid username (the username contains 1 character)

G10-38

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The registration window is opened
3	Input a username (the username contains 1 character)		The username is displayed
4	Input a password (at least 8 characters long, including at least one letter and one number)		The password is displayed
5	Click the "Зарегистрироваться" button		The error message is displayed with text: "The username must contain 3 to 15 characters and can include letters, numbers, and symbols: _ . The password must be at least 8 characters long, including at least one letter and one number".

G10-570 / Testing Documentation / Testing Documentation - Alsu Ziganshina / Registration and Authorization

Registration with invalid username (the username contains 17 characters)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Registration with invalid username (the username contains 2 characters)

G10-38

Preconditions

Username is not exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The registration window is opened
3	Input a username (the username contains 17 characters)		The username is displayed
4	Input a password (at least 8 characters long, including at least one letter and one number)		The password is displayed
5	Click the "Зарегистрироваться" button		The error message is displayed with text: "The username must contain 3 to 15 characters and can include letters, numbers, and symbols: _ . The password must be at least 8 characters long, including at least one letter and one number".

G10-571 / Testing Documentation / Testing Documentation - Alsu Ziganshina / Registration and Authorization

Registration with invalid username (the username contains character "!")

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Registration with an invalid username (the username contains character "!")

G10-38

Preconditions

Username is not exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The registration window is opened

#	Step	Action	Expected Result
3	Input a username (the username contains 5 characters and the symbol "!")		The username is displayed
4	Input a password (at least 8 characters long, including at least one letter and one number)		The password is displayed
5	Click the "Зарегистрироваться" button		The error message is displayed with text: "The username must contain 3 to 15 characters and can include letters, numbers, and symbols: _ . The password must be at least 8 characters long, including at least one letter and one number".

G10-572 / Testing Documentation / Testing Documentation - Alsu Ziganshina / Registration and Authorization

Registration with invalid username (the username contains 2 characters)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Registration with invalid username (the username contains 2 characters)
G10-38

Preconditions

Username is not exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Регистрация/Войти" button		The registration window is opened
3	Input a username (the username contains 2 characters)		The username is displayed

#	Step	Action	Expected Result
4	Input a password (at least 8 characters long, including at least one letter and one number)		The password is displayed
5	Click the "Зарегистрироваться" button		The error message is displayed with text: "The username must contain 3 to 15 characters and can include letters, numbers, and symbols: _ . The password must be at least 8 characters long, including at least one letter and one number".

G10-576 / Testing Documentation / Testing Documentation - Alsu Ziganshina / Product Catalog

Viewing the product list and product details (a title)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Viewing the product list and product details (an image)

G10 - 55

Preconditions

There are 6 or more products in the store database

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of products is opened
3	Check that all products have a title		The list of products with cards include the title

Customers navigate through product list pages using pagination successfully

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Viewing the product list and product details (an image)

G10 - 55

Preconditions

There are 6 or more products in the store database

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of first 6 products is opened
3	Click the "2" button		The list of second 6 products is open

The minimum price must be less than the maximum in filtering

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

The minimum price must be less than the maximum in filtering

G10 - 53

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened

#	Step	Action	Expected Result
2	Click on the "Каталог" button		The list of products is opened
3	Input a minimum price (field "Мин. цена") and maximum price (field "Макс. цена") , minimum price>maximum price		The fields are displayed
4	Click on "Применить фильтры" button		Error message about the minimum price must be less than the maximum in filtering

G10-580 / Testing Documentation / Testing Documentation - Alsu Ziganshina / Product Catalog

Filter by category (Watches)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Filter by category (Phones)

G10 - 53

Preconditions

There are 6 or more products in the store database, there are products - laptops, phones, watches

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of products is opened
3	Make a filter by category Watches, click on the "Применить фильтры" button		The list of watches is displayed

Viewing the product list and product details (an image)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Viewing the product list and product details (an image)

G10 - 55

Preconditions

There are 6 or more products in the store database

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of products is opened
3	Check that all products have an image		The list of products with cards include an image

Filter by category (Laptops)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Filter by category (Laptops)

G10 - 53

Preconditions

There are 6 or more products in the store database, there are products - laptops, phones, watches

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of products is opened
3	Make filter by category laptops, click on "Применить фильтры" button		The list of laptops is displayed

G10-583 / Testing Documentation / Testing Documentation - Alsu Ziganshina / Product Catalog

Filter by category (Phones)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Filter by category (Phones)

G10 - 53

Preconditions

There are 6 or more products in the store database, there are products - laptops, phones, watches

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of products is opened
3	Make a filter by category Phones, click on the "Применить фильтры" button		The list of phones is displayed

Filter by manufacturer (Samsung)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Filter by manufacturer (Samsung)

G10 - 53

Preconditions

There are 6 or more products in the store database, there are products - laptops, phones, watches with manufacturer - Apple, Xiaomi, Huawei, Samsung

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of products is opened
3	Make a filter by manufacturer Samsung, click on the "Применить фильтры" button		The list of Samsung products is displayed

Filter by manufacturer (Huawei)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Filter by manufacturer (Huawei)

G10 - 53

Preconditions

There are 6 or more products in the store database, there are products - laptops, phones, watches with manufacturer - Apple, Xiaomi, Huawei, Samsung

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of products is opened
3	Make a filter by manufacturer Huawei, click on the "Применить фильтры" button		The list of Huawei products is displayed

G10-587 / Testing Documentation / Testing Documentation - Alsu Ziganshina / Product Catalog

Filter by manufacturer (Apple)

Priority	Severity	Behavior	Type
Not set	-	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Filter by manufacturer (Apple)
G10 - 53

Preconditions

There are 6 or more products in the store database, there are products - laptops, phones, watches with manufacturer - Apple, Xiaomi, Huawei, Samsung

Steps to reproduce

#	Step	Action	Expected Result
1	Go to example.com		The main page is opened
2	Click the "Каталог" button		The list of products is opened
3	Make a filter by manufacturer Apple, click on the "Применить фильтры" button		The list of Apple products is displayed