# FUNCTIONAL REQUIREMENTS DOCUMENT

## ZigTrackr (Bug-Tracker) - End-to-End Ticket and Issue Management

*Client-Facing Complete Requirement Baseline*

| Item | Details |
|---|---|
| Client / Requesting Department | IT Support, Development, QA and Requesting Business Departments - business owner to be confirmed |
| Prepared For | Client Review and Functional Sign-off |
| Prepared By | Zigma Global Environ Solutions Private Limited |
| Document Type | Comprehensive FRD using the supplied ISP-07A mapped reference structure |
| Version | V0.1 - Complete Application Draft |
| Status | Draft for Review; baseline evidence is not client approval |
| Date | 08 October 2026 |

Approval of this FRD confirms agreement on functional scope, requirements, assumptions, pending clarifications and acceptance criteria. Internal technical design and implementation documents remain separate, provided the approved functional behaviour is maintained.

## Document Control

| Item | Details |
|---|---|
| Document Name | ZigTrackr (Bug-Tracker) - Functional Requirements Document |
| Current Version | V0.1 - Complete Application Draft with ISP Coverage |
| Reference Format | Payroll_Enhancement_Client_Facing_FRD_Compact_ISP_Mapped.docx (V0.4) |
| Baseline Evidence | Current frontend routes/navigation, master/report configurations, backend validation/workflow/access rules and agreed deployment changes reviewed on 08 October 2026 |
| Client Sign-off Required | Full functional scope, role access, open questions, acceptance criteria and approved exceptions |
| Post-Approval Documents | Project Timeline (R06), Technical Design (R09), Test Plan (R10), UAT Checklist (R11), Deployment Checklist (R12) and Release Notes (R20), as applicable |

### Preparation, Review and Approval

| Role | Name | Signature | Date |
|---|---|---|---|
| Prepared By | Mohamed Imran | | |
| Reviewed By - Team Lead | Moulyeswaren | | |
| Approved By - IT Head | Dinesh Kumar | | |

## ISP Document Coverage

Following the supplied reference, this client-facing FRD consolidates the approval-stage contents mapped below. The mapping is inherited from the reference document; acceptance of this consolidated format as controlled ISP documentation must be confirmed by the document/process owner.

| ISP Ref. | ISP Document | Coverage in this FRD |
|---|---|---|
| ZGES/IT/S/R03 | Business Requirement Document (BRD) | Purpose, business need, scope, users, assumptions and client-confirmation items. |
| ZGES/IT/S/R04 | Scope Definition & Deliverables Sheet | All application submodules, inclusions/exclusions, affected areas and expected functional deliverables. |
| ZGES/IT/S/R05 | Software Requirement Specification (SRS) | Detailed functional requirements, business rules, workflows, validation, reports/output and acceptance criteria. |
| ZGES/IT/S/R16 | Impact Analysis Report - High Level | Module impact, dependencies, risks and controls relevant to functional approval. |

After approval and closure of pending questions, remaining ISP records such as Project Plan & Timeline (R06), Technical Design (R09), Test Plan (R10), UAT Checklist & Sign-off (R11), Deployment Checklist (R12), Project Closure (R13), Handover (R14) and Release Notes (R20) will be prepared/shared as applicable.

## 1. Purpose, Background and Scope

ZigTrackr centralizes software bugs, service requests and access requests from receipt through review, assignment, execution, verification and closure. It gives requesting users a traceable reference and Track page, while development/QA teams maintain ownership, remarks, communication and evidence in one controlled workflow.

This FRD covers the full application rather than a single feature enhancement. It records the observed application baseline and accepted workflow changes, and identifies business/UI decisions still required for formal scope approval. It does not represent an unexecuted requirement as an approved or tested production feature.

### 1.1 Scope Summary

| Area | Scope Summary |
|---|---|
| Authentication / Navigation | Login, sessions/logout, profile/password, permission-based menus, search, filters and shared form behaviour. |
| Workspace | Dashboard workload, bug charts, attention queues, recent activity and Chat inbox. |
| Request Intake | Bug email to itdesk@zigma.in, mail validation, classification/mapping, duplicates, reply threading and outbound notices. |
| Ticket Creation | Create Ticket, Unassigned Tickets, Review and Assign, ReAssign Tickets and controlled unassigned removal. |
| Ticket Management | All Tickets; Bug, Service and Access Requests; Critical; Overdue; Testing / Verification; Closed Tickets. |
| Work / Verification | Start, Resume, Pending, Hold, Rectified, Under Review retake, tester return, verified closure and work timing. |
| Ticket Detail / Evidence | Request details, activity timeline, progress updates, chat, attachments and linked bug investigation/closure data. |
| Daily Work / Team | Daily Updates calendar and activity categories; supporting Developer Workload and Bug Assignment routes. |
| Masters | Project, Module, Submodule, Priority, Severity, Root Cause Type, Department, Team and Site. |
| Reports | Daily Bug, Employee Wise, Project Wise, Module Wise, Priority Wise, Aging, Overdue, Closure and Root Cause Analysis. |
| Administration | User Management, Role Management, Permission Management, Audit Log and restricted operational administration. |
| Requester / Operations | Public Track page, requester chat, 48-hour reopening, notifications, retention, backup and release decisions. |

### 1.2 Out of Scope

AI-based classification or automatic autonomous resolution; current classification is rule-based.

Automatic WhatsApp ingestion/bot integration, SMS, mobile applications and external ERP/accounting/source-control integrations unless separately approved.

Historical data migration, bulk recalculation of previous metrics or retrospective cleanup beyond the approved baseline.

Native summary-report or all-ticket exports beyond current print and bug Excel export unless approved through the open-question/change process.

Detailed database/API/infrastructure design, server credentials and implementation-specific deployment commands in this client-facing FRD.

### 1.3 Users and Functional Responsibilities

| Role / User | Responsibility |
|---|---|
| Admin | System administration, permitted global access, users/roles/permissions, masters and controlled support operations. Privileged access must be assigned deliberately. |
| Team Lead | Review/classify and assign/reassign permitted work, review team activity, approve eligible access requests and verify/close where granted. |

| Role / User | Responsibility |
|---|---|
| Developer | Execute assigned permitted work, post updates, pause/resume, submit fixes and retake eligible Under Review work. No access-request approval authority in the baseline role. |
| Tester / QA | Review verification/reopened queues, return failed work to Assigned and verify/close eligible requests. Does not approve access requests in the baseline role. |
| Reporter / User | Create requests where granted and view their permitted submissions. Own-request visibility does not confer assignment or verification authority. |
| Management | Read permitted dashboards/reports and wider records where granted; no workflow or administrative write authority from this role alone. |
| Email Requester | Submit requests by email and, after assignment, verify one ticket through TKT number plus original email to track/chat/reopen within policy. |

Responsibilities are the functional baseline, not unconditional grants. Effective access depends on active role permissions, the selected submodule, record visibility, ownership and current workflow status. Client approval of the final access matrix is required.

### 1.4 Access Links and Reference Definitions

| Item | Current Baseline |
|---|---|
| Staff Application | http://192.168.1.128:1811/ - office-network deployment |
| Requester Tracking | http://192.168.1.128:1811/track - assigned TKT number plus original sender email |
| Bug Request Email | itdesk@zigma.in - subject starts with [BUG] |
| REF Reference | Receipt/review reference allocated at intake; used in initial acknowledgement and reply linkage. |
| TKT Number | Assigned-ticket number used for requester tracking and work identification. |
| Under Review / Rectified | User-facing development labels for work awaiting Testing / Verification; these are not editable master statuses. |

## 2. Consolidated Requirement Matrix

The following 128 requirements combine screen details, business rules and validations to avoid duplicate scope documents. Baseline = evidenced in the current application or agreed deployment workflow, with client sign-off still pending. Pending = a decision or completion requirement needing confirmation. Recommended = proposed operational control requiring approval. None of these labels means client sign-off has already occurred.

### 2.1 Authentication, Profile and Common Navigation

Applies to signed-in staff and shared application screens. Requester tracking has a separate access flow in Section 2.12.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-001** | Login | Accept username and password for active accounts. Reject invalid credentials with a generic message; apply login throttling and record successful and failed sign-in attempts. | Baseline |
| **REQ-002** | Sessions / Logout | Maintain authenticated staff sessions, renew them through the supported refresh flow and provide logout. Protected pages and actions require a valid session. | Baseline |
| **REQ-003** | Profile | Show the signed-in person’s account identity and roles. Allow a password change using the current password, a new password and confirmation; apply configured password validation. | Baseline |
| **REQ-004** | Role-based Access | Generate menus and screen access from role permissions. Enforce action permissions and record visibility on the server; a hidden menu alone does not authorize or secure an action. | Baseline |
| **REQ-005** | Sidebar | Group workspace, ticket creation, ticket management, daily work, reporting, masters and administration. Support menu search, expandable groups, active-page indication and relevant queue badges. | Baseline |
| **REQ-006** | Global Search | Search permitted menu entries and visible bug records after at least two characters. Match supported bug number, title and related attributes; opening a result must retain access controls. | Baseline |

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-007** | Lists / Filters | Provide search, supported filters, sort order, pagination and clear-filter actions. Loading, empty results, permission failures and request errors must be distinguishable and offer retry where applicable. | Baseline |
| **REQ-008** | Forms / Dialogs | Label mandatory fields and reject incomplete or invalid input. Preserve entered values after a failed save; show progress during submission and a clear success or error result. | Baseline |
| **REQ-009** | Appearance | Provide the application's existing light/dark theme and responsive layouts. The green theme requested for this FRD applies to the document; application branding changes require separate approval. | Baseline |

## 2.2 Workspace Dashboard

The dashboard combines ticket workload with bug-specific analytics. Totals reflect the signed-in user's permitted records.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-010** | Summary | Show available summary indicators such as open workload, in-progress work, verification, critical items and overdue items. Confirm exact labels and counting rules through UAT rather than treating ticket and bug totals as interchangeable. | Baseline |
| **REQ-011** | Bug Activity | Show opened and closed bug trends for supported 7, 14 and 30-day periods. A selected period changes the chart and preserves the viewer's visibility scope. | Baseline |
| **REQ-012** | Priority Distribution | Show open bug distribution by priority with counts, percentages and configured colours. Renaming a priority must not change the meaning of its stable business code. | Baseline |
| **REQ-013** | My Work | List the current user's assigned bug, service and access tickets. Provide all-active, in-progress and verification views, and open the selected ticket's details. | Baseline |
| **REQ-014** | Needs Attention | Show overdue, critical and unassigned ticket queues where permitted. Queue entries identify the ticket and request type and open the correct detail record. | Baseline |
| **REQ-015** | Workflow / Modules | Show visible bug counts by workflow status and top affected modules. Display an explanatory empty state when there are no matching records. | Baseline |
| **REQ-016** | Recent Activity | Show permitted ticket activity from the last seven days with reference, event text, actor and timestamp. Provide access to Daily Updates for users holding the required permissions. | Baseline |

## 2.3 Email Requests, Intake and Classification

Email is an operational intake channel. Automatic processing and support administration capabilities are distinguished from the ordinary staff sidebar.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-017** | Bug Email | Accept bug requests sent to itdesk@zigma.in with [BUG] at the start of the subject. Example: [BUG] ERP - Login page not opening. Capture sender identity, subject, readable body and permitted attachments. | Baseline |
| **REQ-018** | Request Details | Guide the requester to provide project/module, issue summary, steps to reproduce, expected result, actual result, occurrence time and screenshots or error messages when available. The email body remains the original request evidence. | Baseline |
| **REQ-019** | Other Request Types | Support explicit [SERVICE] and [ACCESS] subject markers for service and access classification. Confirm the client-facing mailbox guidance for these types before wider communication. | Pending |
| **REQ-020** | Polling / Processing | Fetch eligible messages from the configured support mailbox through the scheduled intake process. Processing is asynchronous; a successfully received mail may appear after the next processing cycle. | Baseline |
| **REQ-021** | Validation | Check sender/recipient rules, meaningful content and configured mail-size limits. Identify bounce messages, automatic replies, no-reply senders and promotional mail; retain the processing outcome and reason. | Baseline |
| **REQ-022** | Duplicate Control | Detect previously processed message identifiers and supported duplicate signatures. Reprocessing the same accepted message must not create a second support ticket. | Baseline |

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-023** | Subject Markers | Treat an explicit supported subject marker as the requester's intended type. Messages without a supported marker, ambiguous matches or uncertain classification require controlled review rather than silent routing as a confirmed bug. | Baseline |
| **REQ-024** | Classification Rules | Provide controlled rule-based type classification using normalized content, patterns, scores and priority order. Store the decision and review reason; AI classification is outside this baseline. | Baseline |
| **REQ-025** | Project Mapping | Use configured project/module/submodule mapping rules to suggest routing. Reject mappings that cross the selected hierarchy and prevent duplicate live mapping phrases within the applicable project. | Baseline |
| **REQ-026** | Assignment Rules | Support configured assignment resolution for request type and routing context. Human review must confirm required fields and a valid active assignee before a ticket becomes executable work. | Baseline |
| **REQ-027** | Human Review | Allow authorized review of unknown or uncertain classifications, correction of request type and confirmation of routing. Preserve the original mail and a record of the manual decision. | Baseline |
| **REQ-028** | Reply Threading | Link follow-up mail to the existing request using supported request references and message-thread identifiers. Keep the ticket's conversation history; flag uncertain links for review instead of creating an unjustified association. | Baseline |
| **REQ-029** | Initial Reference | Issue an intake reference in the REF-YYMM-NNNN format. The initial acknowledgement identifies receipt; it is separate from the TKT number used for the public tracking page. | Baseline |
| **REQ-030** | Assigned Notice | Allocate a TKT-YYMM-NNNN number when the request is assigned through the review/assignment process. Send the assignment notice and tracking link to the recorded requester email when notifications are enabled. | Baseline |
| **REQ-031** | Outbound Reliability | Queue acknowledgement, assignment and closure messages with event-based duplicate prevention. Retry transient delivery failures through the outbound process; a mail delivery failure must not discard the ticket. | Baseline |
| **REQ-032** | Mail Operations | Provide authorized support capabilities to inspect processing history and diagnostics, fetch/reprocess eligible mail or ignore unsuitable mail. Dedicated mail/rule screens are not present in the main staff navigation; confirm their operating interface and ownership. | Pending |

## 2.4 Ticket Creation, Review, Assignment and Reassignment

Ticket Creation includes the Create Ticket action, Unassigned Tickets and ReAssign Tickets. Creation and assignment are separate steps.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-033** | Create Ticket | Require ticket type, source, title/subject and description/request details. Supported manually recorded sources are Email, WhatsApp and In Person; these source labels do not mean an automatic WhatsApp integration exists. | Baseline |
| **REQ-034** | Requester Identity | Support recorded requester name/email and an eligible selected internal requester where available. Use the saved requester address for notices and tracking; validate the address format when supplied. | Baseline |
| **REQ-035** | Unassigned Tickets | Show requests waiting for classification, routing or an owner. Search and filter the queue; authorized reviewers open Review and Assign instead of starting work on an incomplete record. | Baseline |
| **REQ-036** | Review and Assign | Select request type and an active assignee. For a bug require project, priority and severity; optionally capture module, submodule, expected closure and remarks. Assigning the record does not automatically start the work timer. | Baseline |
| **REQ-037** | Dependent Choices | Filter modules by the selected project and submodules by the selected module. Changing a parent clears incompatible children. Reject cross-project or cross-module selections on submission. | Baseline |
| **REQ-038** | ReAssign Tickets | List eligible assigned requests. Require a different active assignee and a reassignment reason; allow permitted routing corrections and retain previous/new owner, actor and time in assignment history. | Baseline |

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-039** | Reassignment Limits | Permit reassignment before rectification or after return to development. Refuse it during verification and for closed/rejected work; prevent transferring an in-progress item to a developer who already has another active item. | Baseline |
| **REQ-040** | Unassigned Removal | Allow authorized deletion only while the request is unassigned, has no linked bug and has no allocated TKT number. Remove it from working queues through a recorded soft-delete action. | Baseline |

## 2.5 Ticket Management Submodules

These are filtered views of the unified ticket domain. The detail record and allowed workflow actions remain consistent across views.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-041** | All Tickets | Show the user's permitted requests across all supported types. Identify reference, title/requester, description, type, effective status, source, project/module, owner, priority, age, expected closure and applicable row actions. | Baseline |
| **REQ-042** | Bug Requests | Restrict the queue to bug requests. Keep the linked bug and ticket workflow synchronized, including owner, effective status, expected closure, root cause, resolution, verification and closure details. | Baseline |
| **REQ-043** | Service Requests | Restrict the queue to service requests. Record assignment, execution remarks and completion/verification history without requiring bug-specific root cause and resolution fields. | Baseline |
| **REQ-044** | Access Requests | Restrict the queue to access requests. Require approval before implementation, allow rejection with a reason and prevent requesters from approving their own requests by account or matching email identity. | Baseline |
| **REQ-045** | Critical Tickets | Show requests matching the controlled Critical priority code and supported critical-queue rules. Business urgency is separate from technical severity and from a critical aging band. | Baseline |
| **REQ-046** | Overdue Tickets | Show applicable unfinished requests whose expected closure is before the evaluation date. Show days overdue; exclude terminal closed/rejected records from active overdue workload. | Baseline |
| **REQ-047** | Testing / Verification | Show rectified tickets and applicable reopened tickets awaiting a tester's decision. Place Send back to developer and Verified - close ticket in the table Actions column for authorized testers/leads. | Baseline |
| **REQ-048** | Closed Tickets | Show the preset's completed terminal records, with their final disposition and history. Confirm whether the business wants rejected requests in this same view or a separate rejection queue. | Pending |
| **REQ-049** | Search / Sorting | Support the list's available text, type, source, status and relevant date filters with sorting and pagination. Preset constraints remain in force; clearing a filter must not change the intended submodule. | Baseline |

## 2.6 Developer Work and Tester Verification Rules

This baseline includes the workflow changes agreed during deployment: explicit Start/Resume, remarks for state changes, developer retake and a manual start after tester return.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-050** | Start Work | For an eligible assigned ticket, show Start work. Ask for confirmation once; confirmation changes the effective status to In Progress and starts the work timer. Cancelling leaves the record unchanged. | Baseline |
| **REQ-051** | Resume Work | For eligible Pending or On Hold work, show Resume work. Ask for confirmation once; resume moves the item to In Progress and restarts timing from the recorded work state. | Baseline |
| **REQ-052** | Active Work Limit | Allow a developer to have at most one ticket in In Progress. Block a second start, resume or retake until the current item is paused or completed; identify the conflicting active ticket. | Baseline |

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-053** | Pending | Move work to Pending with mandatory remarks describing what is needed. Open the remarks form directly; avoid an additional generic confirmation dialog and retain the developer's assignment. | Baseline |
| **REQ-054** | On Hold | Move work to On Hold with mandatory remarks explaining the dependency or reason. Pause the active work state and provide the supported resume action when the dependency is cleared. | Baseline |
| **REQ-055** | Rectified | Send completed development work to Testing / Verification. For a bug require root cause and resolution; for other types require work remarks. Record the handover and stop active development timing. | Baseline |
| **REQ-056** | Under Review | Use the text Under Review for developer work awaiting verification. Before a tester has completed the decision, allow the assigned developer to retake the item with a mandatory Remark and move it to In Progress. | Baseline |
| **REQ-057** | Send Back | Require tester/lead verification authority and mandatory remarks stating the failed verification. Return the item to Assigned with the existing developer; do not start it automatically. The developer must use Start work again. | Baseline |
| **REQ-058** | Verified / Close | Require tester/lead verification authority and mandatory closure/verification remarks. For linked bugs preserve root cause and resolution, record a passed verification result and closure identity/time, then close the ticket and queue the closure notice. | Baseline |
| **REQ-059** | Reopened Review | Keep a requester-reopened bug/service ticket in the verification decision queue. A tester may return it to Assigned for another fix or close it after review; the developer does not automatically resume a reopened item. | Baseline |
| **REQ-060** | Action Placement | Use table Actions for development and verification decisions. Remove the generic Change status and duplicated verification buttons from the ticket detail dialog; clicking an action must not open the detail dialog behind its form. | Baseline |
| **REQ-061** | Stale Decisions | Validate the current status and permissions again at submission. Refuse an obsolete return, closure or retake request after another user has already completed verification; show a refreshable error instead of overwriting the newer state. | Baseline |
| **REQ-062** | Timing / Traceability | Maintain work start, pause/resume and elapsed-work information through transitions. Record actor, prior/new state, remarks and time, and keep ticket/bug state consistent. | Baseline |

## 2.7 Ticket Details, Communication and Attachments

The ticket detail dialog exposes Activity timeline, Chat and Attachments. A linked bug also retains its detailed issue and investigation record.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-063** | Detail Header | Show reference, request type, current effective status, assignee and request title. Show the original request and sender details with the recorded timestamp; open only a record the user can access. | Baseline |
| **REQ-064** | Activity Timeline | Present receipt, classification, assignment, reassignment, starts, pauses, rectification, tester return, closure and reopening in chronological order with actor/time and relevant remarks. | Baseline |
| **REQ-065** | Bug Evidence | Retain linked bug details supported by the bug record: environment, reproduction information, expected/actual behaviour, investigation, root cause type, root cause, resolution and testing/closure evidence. Confirm which extended fields must be exposed in the unified ticket form. | Pending |
| **REQ-066** | Progress Updates | Allow authorized users to append non-empty work updates and remarks. Preserve prior updates rather than replacing history; identify user, email and system-origin records. | Baseline |
| **REQ-067** | Chat Workspace | Provide a conversation inbox with All, Mine, Unread and Closed filters, request/reference search, unread counts, latest-message preview and ticket details. Selecting a conversation opens the correct ticket chat. | Baseline |

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-068** | Chat Availability | Open sending only after assignment for the authorized requester/staff participants. Make chat read-only during verification and after closure/rejection; display the reason when sending is unavailable. | Baseline |
| **REQ-069** | Messages | Accept non-empty chat messages up to 4,000 characters, associate them with the ticket and identify sender name/type. Support the existing live update flow and persisted history. | Baseline |
| **REQ-070** | Message Actions | Support reply, permitted reactions, star/unstar and pin/unpin actions. Users may edit/delete only their own non-system messages; editing is blocked once the message is read, and retained revisions preserve the previous text. | Baseline |
| **REQ-071** | Receipts | Record delivered/read receipts for applicable messages and update unread indicators. Viewing one ticket's chat must not grant access to another ticket's messages. | Baseline |
| **REQ-072** | Upload | Allow permitted users to add ticket/bug evidence with file name, type, size, uploader, time and optional reason/context. Associate each upload with the correct ticket or supported bug update/testing context. | Baseline |
| **REQ-073** | File Validation | Apply configured size, extension and content checks before saving. The base configuration allows a 10 MB attachment limit with specified image/document/archive/video extensions; final business limits and permitted types need confirmation. | Pending |
| **REQ-074** | Preview / Download | Offer available preview/open/download actions through permission-checked file access. Files must not become publicly accessible solely through a storage path. | Baseline |
| **REQ-075** | Attachment Removal | Restrict removal to permitted users and eligible records. Use recorded soft deletion and preserve audit evidence; retention/purge periods require an approved policy. | Baseline |
| **REQ-076** | Email Conversation | Show supported requester email replies within the existing ticket's history. Preserve original sender/content linkage; do not imply that every web chat message is automatically emailed. | Baseline |

## 2.8 Daily Updates and Supporting Team Screens

Daily Updates is a main-menu submodule. Developer Workload and Bug Assignment are supporting permission-controlled routes that currently sit outside the main navigation.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-077** | Daily Updates Calendar | Show a month calendar of visible ticket activity. Support one-day and date-range selection, month/year changes and a clear selection action using the application's Asia/Kolkata business timezone. | Baseline |
| **REQ-078** | Activity Categories | Provide All, Unassigned, Assigned, Rectified and Closed category summaries and filtered activity. Categorize the event that occurred on the selected date rather than only the ticket's current status. | Baseline |
| **REQ-079** | Daily Activity Detail | Show reference, request/title, event/update text, actor, owner/role, timestamp and priority. Support search and pagination, prevent duplicate counts for linked system updates and open ticket details from the reference. | Baseline |
| **REQ-080** | Developer Workload | Show permitted open bug workload per developer by relevant status, overdue and missing-update indicators. Use the view to balance work; it is a bug workload view rather than a total of all request types. | Baseline |
| **REQ-081** | Bug Assignment Board | Show visible unassigned bugs beside current workload so an authorized lead can allocate work with context. Confirm menu exposure and operating ownership of these supporting team routes. | Pending |
| **REQ-082** | Daily Update Policy | Use the existing missing-update indicators for required open bug states. Confirm update frequency, cutoff time, holidays, reminder recipients and escalation rules before adding automated enforcement. | Pending |

## 2.9 Masters - All Nine Submodules

Every master supports permitted list/search, create/edit, active status and controlled removal. New-entry dropdowns use active records; editing preserves an existing inactive parent where supported.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-083** | Project | Maintain required unique project code and name, plus description. Projects represent supported applications/systems and provide the parent options for Modules. Additional project-lead/start-date data exists in the model; UI exposure is subject to confirmation. | Baseline |
| **REQ-084** | Module | Require a Project and module name; allow code and description. Names are unique within a project, not across unrelated projects. Show valid project options with loading, empty and error feedback. | Baseline |
| **REQ-085** | Submodule | Require a Module and submodule name; allow code and description. Names are unique within the selected module. Save the chosen parent correctly and reject duplicate or incompatible relationships. | Baseline |
| **REQ-086** | Priority | Maintain required stable code and name, optional rank, badge colour, SLA days and description. Lower rank sorts earlier; SLA days suggest the expected closure date from the reported date where applicable. | Baseline |
| **REQ-087** | Severity | Maintain required stable code and name, optional rank, badge colour and description. Severity expresses technical impact separately from the business urgency stored as Priority. | Baseline |
| **REQ-088** | Root Cause Type | Maintain required stable code and name with optional rank and description. Use these controlled categories for bug analysis and the Root Cause Analysis report. | Baseline |
| **REQ-089** | Department | Maintain department name with optional code and description. Use active departments wherever the application exposes organizational selection. | Baseline |
| **REQ-090** | Team | Maintain team name with optional code and description. Team relationships support access scope and work coordination; confirm how the existing team-lead data will be maintained from the staff UI. | Baseline |
| **REQ-091** | Site | Maintain site name with optional code, address and description. Sites represent physical reporting/support locations and are available for supported bug context. | Baseline |
| **REQ-092** | Names / Codes | Trim names and validate applicable live-record duplicates during both create and edit. Keep report-critical/system codes protected where defined; descriptive names must not redefine fixed workflow statuses. | Baseline |
| **REQ-093** | Parent Integrity | Load the correct parent master for Modules and Submodules. Block Save while required parent data is unavailable; provide retry/empty guidance. Preserve the selected parent identifier when reopening an edit form. | Baseline |
| **REQ-094** | Default Values | Preserve numeric defaults when optional rank is blank instead of sending an invalid empty number. Allow a nullable priority SLA where intended; validate types and required names/codes consistently. | Baseline |
| **REQ-095** | Deactivation | Restrict master changes to authorized roles and protect seeded/system rows. Inactive/deleted options should not be offered as new selections; existing linked history remains available under the supported retention rules. | Baseline |

## 2.10 Reports - All Nine Submodules and Output

The current nine report screens are bug reports over the viewer's visible bug records. They do not automatically include all service/access requests.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-096** | Daily Bug Report | Select a report date and show Opening, New, Closed, Closing, Reopened and Overdue. Current closing calculation is Opening + New - Closed; treatment of multiple close/reopen cycles must be agreed for exact historical reconciliation. | Pending |
| **REQ-097** | Employee Wise | Show developer-wise Assigned, In Progress, Testing, Closed, Overdue, No Update and Total Open bug counts. Use visible ownership records and keep aggregate labels consistent with workflow definitions. | Baseline |
| **REQ-098** | Project Wise | Show supported project-wise Total, Open, Closed, Overdue and Critical bug counts. Include the applicable project name and maintain data visibility limits. | Baseline |

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-099** | Module Wise | Show module and project with Total, Open and Closed bug counts. Backend support includes project filtering and submodule drill-down; confirm whether these controls must be exposed on the report screen. | Baseline |
| **REQ-100** | Priority Wise | Show priority-wise Total, Open, Closed and Overdue bug counts. Use the stable priority code and configured display label rather than interpreting priority as severity. | Baseline |
| **REQ-101** | Aging Report | Show total open bugs, average age and counts in Normal, Attention, Warning and Critical Aging bands. Use the configured age rules and exclude terminal records from active aging. | Baseline |
| **REQ-102** | Overdue Report | Show overdue bug count and total overdue days with bug number, title, owner and days late. Evaluate against expected closure; do not label a missing expected date as automatically overdue. | Baseline |
| **REQ-103** | Closure Report | Support From/To date selection and show total closed bugs, average closure days and closing-user counts. Count the supported recorded closure dates and disclose the agreed historical-cycle interpretation. | Baseline |
| **REQ-104** | Root Cause Analysis | Show categorized root cause counts and percentage share. Use assigned root-cause-type data; unclassified items and supported filtering must follow the approved reporting interpretation. | Baseline |
| **REQ-105** | Report Printing | Provide Print on each report screen with its current summary/table. Retain selected dates and readable report content while omitting interactive controls from the print view. | Baseline |
| **REQ-106** | Bug Export | Provide permission-controlled Excel export of the filtered bug list. Current fields include bug number, reported date, project/module/submodule, title, priority/severity, status, owner/reporter, age, expected closure, overdue days, last update, root cause, resolution and closure details. | Baseline |
| **REQ-107** | Export Extensions | The existing report screens provide printing; summary-report downloads and unified ticket/service/access exports require confirmation. Confirm approved column order, file format and the current bug-export cap of 10,000 rows. | Pending |

## 2.11 Administration - All Four Submodules

Administrative functions require separate permissions and preserve audit evidence. Role labels do not bypass workflow and ownership checks.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-108** | User Management | List/search users and create/edit username, email, full name, employee code, phone and permitted role assignments. Require a valid password at creation and show active/role status. | Baseline |
| **REQ-109** | User Activation | Allow permitted activation/deactivation. Deactivation prevents login and invalidates active sessions; protect the supported self-deactivation/privileged-account restrictions. | Baseline |
| **REQ-110** | Password Reset | Allow an authorized administrator to set a validated replacement password and revoke active sessions. Do not expose current passwords; confirm whether first-login forced change is mandatory for the organization. | Baseline |
| **REQ-111** | Role Management | Maintain supported role names, descriptions and active status. Baseline roles are Admin, Team Lead, Developer, Tester / QA, Reporter / User and Management; protect stable system role identity. | Baseline |
| **REQ-112** | Permission Management | Display submodule access by role. Support search/group filtering, pending-change indication and Save/Reset behaviour; selecting a bundle enables the configured actions for that submodule. | Baseline |
| **REQ-113** | Shared Grants | Preserve shared actions needed by other enabled submodules when one submodule is disabled. Retain Admin role/permission management access to avoid administrative lockout. | Baseline |
| **REQ-114** | Audit Log | Show recorded significant changes with searchable entity/user information and applicable filters. Preserve actor, time, action, changed values and remarks for supported ticket, bug, master, account and permission operations. | Baseline |

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-115** | Privileged Administration | Keep Django administration as a restricted support facility. Confirm which support staff may maintain mail/routing rules or operational data there; it is separate from the requester portal and normal ticket workflow. | Pending |

## 2.12 Requester Tracking, Communication and Reopening

The Track page is available without a staff login on the permitted network. It verifies access to one assigned ticket using its ticket number and original requester email.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-116** | Track Login | Require a valid TKT number and the same sender email saved on the request. An initial REF acknowledgement is not a trackable TKT number; provide tracking guidance in the assignment notice. | Baseline |
| **REQ-117** | Requester View | After a match, show the request reference/title, public status, assignee and supported public activity. Limit access to that ticket; do not reveal staff-only diagnostics, other requesters or unrestricted administrative data. | Baseline |
| **REQ-118** | Tracking Session | Use a limited verification session for subsequent tracking/chat actions. Current validity is 20 minutes; expired or mismatched access must require verification again. | Baseline |
| **REQ-119** | Requester Chat | Allow the verified original requester to chat while the assigned ticket is in a send-enabled state. Show history and a clear read-only reason while under verification or closed. | Baseline |
| **REQ-120** | Reopen Window | Allow an eligible closed request to be reopened within two days / 48 hours of its latest recorded closure. Require a reason of up to 2,000 characters; after the window ends instruct the requester to submit a new request. | Baseline |
| **REQ-121** | Reopen Routing | Route reopened bug/service work to the verification review process. A reopened access request returns to Pending Approval. Preserve the reopening reason, requester and history instead of erasing the previous closure. | Baseline |
| **REQ-122** | Public Verification Policy | The current page checks TKT number plus requester email without an OTP. Confirm whether this identity check is sufficient for the approved deployment, especially if access is later extended beyond the office network. | Pending |

## 2.13 Notifications, Controls and Operational Support

These requirements record supporting behaviour and operational decisions needed for a complete baseline, without prescribing internal implementation design.

| ID | Area / Submodule | Requirement | Status |
|---|---|---|---|
| **REQ-123** | In-app Notifications | Backend capabilities include recipient-specific notification lists, unread count and marking read. The header links to a notifications route without a completed routed page in the current frontend; confirm required events and delivery UI before acceptance. | Pending |
| **REQ-124** | History / Retention | Preserve request, assignment, status, testing, closure, reopening and administrative history. Define retention periods and authorized purge rules for tickets, mail, attachments, chat revisions and audit data. | Pending |
| **REQ-125** | Data Access | Apply staff role and record scope to detail, list, search, attachments, communication, dashboard, reports and export. Management visibility is read-only unless separately granted a permitted write role. | Baseline |
| **REQ-126** | Backup / Recovery | Approve backup frequency, recovery responsibilities and restore validation for application records and attachments. Recovery must include linked evidence and queue consistency, not only the current ticket status. | Recommended |
| **REQ-127** | Availability / Performance | Confirm supported user concurrency, acceptable page/processing response times, service hours and escalation contacts. Avoid interpreting this functional baseline as an agreed performance SLA. | Pending |
| **REQ-128** | Deployment Access | Document the current office-network app and Track links. Confirm the approved audience, future domain/HTTPS exposure, effective release and change process; do not embed server, mailbox or user credentials in this FRD. | Pending |

# 3. Proposed Bug-Tracker Process Flow

## 3.1 Bug Request - Receipt to Closure

| Step | Process | Output |
|---|---|---|
| 1 | Requester emails itdesk@zigma.in with [BUG] subject and issue details, or staff creates a Bug ticket. | Original request; REF intake reference |
| 2 | Intake validates, deduplicates and classifies; uncertain requests are queued for authorized review. | Recorded intake outcome / review queue |
| 3 | Reviewer selects project/module/submodule, priority/severity, owner and expected closure as required. | Assigned ticket; TKT number; assignment notice |
| 4 | Developer confirms Start work; one active ticket rule applies. | In Progress; work timing and activity |
| 5 | Developer records updates; if needed moves to Pending/Hold with remarks, then confirms Resume. | Retained update/pause/resume history |
| 6 | Developer supplies root cause/resolution and submits Rectified. | Testing / Verification; Under Review label |
| 7 | Before the tester decision, the assigned developer may retake with a required Remark. | In Progress again, subject to active-work limit |
| 8 | Tester chooses Send back with remarks or Verified - close ticket with verification remarks. | Assigned awaiting manual Start, or Closed |
| 9 | Requester receives applicable closure notice and views the public Track page. | Tracked closure; eligible 48-hour reopen window |

## 3.2 Service and Access Requests

| Step | Process | Output |
|---|---|---|
| 1 | Staff creates the request or intake receives a supported marked message. | Service or Access request with saved requester |
| 2 | Authorized reviewer confirms type, routing and implementation owner. | Assigned service work / Pending Approval access work |
| 3 | For access, an authorized approver approves or rejects; self-approval is blocked. | Approved access or recorded rejection |
| 4 | Implementer starts only eligible approved/assigned work and records remarks. | Recorded execution; applicable work history |
| 5 | Use the shared verification flow for the unified staff UI; existing named completion/implementation support actions remain controlled. | Rectification/completion and verified closure |
| 6 | Confirm one approved operational path for access/service completion and closure during UAT. | Agreed workflow and action availability |

## 3.3 Reassignment and Requester Reopening

| Step | Process | Output |
|---|---|---|
| 1 | Lead selects an eligible assigned ticket, a different active owner and mandatory reason. | Recorded reassignment; previous/new owner |
| 2 | Requester verifies TKT and original email and supplies a reopen reason before the deadline. | Reopening history; prior closure retained |
| 3 | Bug/service returns to verification review; access returns to Pending Approval. | Correct review/approval queue |
| 4 | Tester returns eligible bug/service work to Assigned or confirms closure after review. | Manual developer Start if a new fix is needed |

## 3.4 Master Maintenance, Reporting and Control

| Step | Process | Output |
|---|---|---|
| 1 | Authorized staff maintains the nine masters and validates parent relationships. | Active, consistent selection data |
| 2 | Administrative owner maintains users, role access and permission bundles. | Controlled screen/action access; audit evidence |

| Step | Process | Output |
|---|---|---|
| 3 | Permitted users inspect dashboard, daily activity, reports and supported Excel export. | Scoped operational visibility and approved outputs |
| 4 | Team resolves open questions, performs requirement-based UAT and signs off the baseline/release. | Approved scope, acceptance evidence and release records |

### 3.5 Status and Action Summary

| Action | Eligible Current State | Result | Mandatory Gate / Behaviour |
|---|---|---|---|
| Start | Eligible assigned/new/confirmed/approved work | In Progress | One confirmation; active-work limit |
| Pending / Hold | In Progress | Pending / On Hold | Required remarks; pause work |
| Resume | Pending / On Hold | In Progress | One confirmation; active-work limit |
| Rectified | In Progress / Pending / On Hold | Testing / Verification | Bug root cause + resolution; other types remarks |
| Developer Retake | Testing, before completed verification | In Progress | Assigned developer; required Remark; active-work limit |
| Tester Send Back | Testing / eligible Reopened | Assigned | Verification authority; required remarks; manual Start next |
| Verified Closure | Testing / eligible Reopened | Closed | Verification authority; required closure remarks |
| Requester Reopen | Closed within 48 hours | Reopened; access: Pending Approval | TKT/email match; required reason; deadline check |
| Access Approval | Pending Approval | Approved / Rejected | Approval authority; no self-approval; reject reason |

Status paths are subject to request type, ownership and server permissions. Rejected and Closed are terminal. Legacy/specialized bug or service/access support actions may exist, but the approved normal staff workflow must be the one accepted through UAT; arbitrary status editing is not a master-data function.

## 4. High-Level Module Impact

| Module / Area | Impact Summary |
|---|---|
| Requesting Departments | Consistent [BUG] email guidance and required issue evidence; acknowledgement REF differs from tracking TKT. |
| Support / Development | Centralized intake/review/assignment and one active developer item; explicit start/resume and recorded pause/retake. |
| QA / Verification | Table-based verify actions, required test remarks, failed verification returning to Assigned and controlled reopened review. |
| Service / Access | Distinct request types, access approval separation and an agreed implementation/verification path. |
| Master Data | Nine masters with project/module hierarchy, stable codes and valid active dropdown data. |
| Communication / Evidence | Linked email replies, ticket chat, upload/download access, public-safe timeline and retained history. |
| Daily Work / Team | Date-specific activity with no duplicate system counting and supported workload/assignment views. |
| Reporting | Nine bug-focused summaries, printing and filtered bug Excel output; all-type report extensions need approval. |
| Administration | User lifecycle, password/session controls, role bundles and audit; operational owners need nomination. |
| Operations / Requester Portal | Office-network access, background mail delivery, Track identity policy, notifications UI and recovery/retention decisions. |

### 4.1 Assumptions and Dependencies

The baseline depends on approved active users/roles, valid project/module/submodule masters, a configured support mailbox and outbound sender, reliable background mail processing, synchronized bug/ticket records, business timezone settings and the office-network environment. Mail intake and delivery are asynchronous. Business rules, role assignments, retention and report interpretation remain subject to the open-question decisions below.

## 5. Open Questions for Client Confirmation

| ID | Topic | Question |
|---|---|---|
| **OQ-001** | Business Ownership | Who owns the Bug-Tracker baseline and who signs functional approval/UAT? Confirm review, preparation and approval names. |
| **OQ-002** | Complete Submodule Scope | Approve all listed modules and supporting team/mail/rule facilities. Should currently non-menu support routes have staff menu entries? |
| **OQ-003** | Mailbox / Request Types | Confirm itdesk@zigma.in for bug intake, accepted sender/recipient rules and whether [SERVICE]/[ACCESS] should use the same published mailbox. |
| **OQ-004** | Subject / Incomplete Mail | Confirm the required [BUG] subject prefix, review handling for missing markers and minimum information needed before assignment. |
| **OQ-005** | Assignment / Visibility | Who may classify, assign, reassign, review global/team requests and verify/close? Confirm the role-to-submodule matrix and team membership maintenance. |
| **OQ-006** | Active Work Limit | Confirm one In Progress item per developer, permitted exceptions and how active work should behave when reassigned. |
| **OQ-007** | Verification / Retake | Confirm that tester return remains Assigned until manual Start, and define who may retake Under Review work before the tester decision. |
| **OQ-008** | Service / Access Workflow | Approve one user-facing completion/verification path for service and access requests, the approver/implementer separation and reopened-access approval behaviour. |
| **OQ-009** | Closure / Reopening | Confirm mandatory verification fields, closure recipients, 48-hour reopen policy, business/calendar-hour interpretation and treatment of later requests. |
| **OQ-010** | Priority / Expected Closure | Confirm priority and severity definitions, SLA days, automatic suggested date basis, overrides, holidays/weekends and overdue evaluation rules. |
| **OQ-011** | Bug Investigation Fields | Which environment, reproduction, expected/actual, root-cause-type, organizational and test fields must be exposed in the unified ticket UI? |
| **OQ-012** | Masters | Confirm master ownership, deactivation rules, seeded code restrictions and UI maintenance for project/team leads and staff team/department/site relationships. |
| **OQ-013** | Daily Updates | Confirm required update frequency, cutoff time, non-working days, reminder recipients and escalation for missing updates. |
| **OQ-014** | Report Scope | Should the nine reports remain bug-only, or include service/access requests? Approve definitions for aging bands, totals and module/submodule drill-down. |
| **OQ-015** | Historical Reports | Is the current daily/closure interpretation sufficient, or must reports reconcile every historical close/reopen cycle exactly? |
| **OQ-016** | Export | Confirm approved columns/order, XLSX/CSV/PDF requirements, row limits and whether summary-report/all-ticket export is required beyond current print/bug export. |
| **OQ-017** | Closed / Rejected | Should rejected requests appear in Closed Tickets, in a separate view, or be excluded? Confirm terminal-record retention and visibility. |
| **OQ-018** | Attachments / Retention | Approve file-size/type limits, evidence contexts, removal authority and retention/purge periods for mail, chat, attachments and audit. |
| **OQ-019** | Notifications | Which in-app events/recipients are required, and should a dedicated notifications page be completed? Confirm email recipients and retry escalation. |
| **OQ-020** | Requester Identity / Network | Approve TKT-plus-email verification and 20-minute validity. Confirm whether OTP or another check is required and whether future access will extend beyond the office LAN. |
| **OQ-021** | Account Policy | Confirm initial/reset password delivery, first-login forced changes, privileged-account controls and approved organizational password/session policy. |
| **OQ-022** | Operations / Release | Confirm backup/restore targets, user concurrency, response/availability targets, effective release, support contacts and ISP document consolidation approval. |

## 6. Risks and Controls

| ID | Risk | Description | Control |
|---|---|---|---|
| **R-001** | Incomplete Requests | Missing context delays diagnosis and assignment. | Publish [BUG] guidance; require review completeness before work. |

| ID | Risk | Description | Control |
|---|---|---|---|
| **R-002** | Duplicate / Wrong Thread | Repeated mail or uncertain reply matching can duplicate or mislink requests. | Idempotent intake; duplicate checks; controlled ambiguous-thread review. |
| **R-003** | Misclassification | Automatic routing may select the wrong type/project. | Explicit markers; auditable rules; human review; hierarchy validation. |
| **R-004** | Access / Role Scope | Overbroad grants may expose or modify unrelated tickets. | Review role bundles; enforce server permissions and record scope on every channel. |
| **R-005** | Premature Access Work | Implementation without approval or self-approval bypasses authorization. | Approval prerequisite; separate authority; account/email self-approval check. |
| **R-006** | Automatic Restart | Returning failed work directly to In Progress starts unintended developer work. | Tester return to Assigned; require explicit developer Start. |
| **R-007** | Concurrent Decisions | Retake, return and close can conflict when two users act. | Validate current state at submission; reject stale decisions; retain history. |
| **R-008** | Multiple Active Work | Parallel starts make ownership and time interpretation unclear. | One active developer item and conflict checks on start/resume/retake. |
| **R-009** | Inconsistent Bug / Ticket | Linked records may show different status or routing. | Use synchronized effective state and validate mirrored workflow history. |
| **R-010** | Parent Master Failure | Empty or mismatched parent options prevent correct module/submodule entry. | Correct parent loading, retry/empty feedback, edit persistence and server validation. |
| **R-011** | Report Interpretation | Bug-only reports or latest-closure calculations may be treated as total ticket history. | Declare report scope; approve counting rules and historical-cycle expectations. |
| **R-012** | Delivery Failure | Users may miss assignment or closure notices. | Queued event notices, retry/outcome records and nominated delivery escalation owner. |
| **R-013** | Track Identity | TKT-plus-email verification may be insufficient for an expanded audience. | Approve current LAN identity policy; reassess stronger verification before wider exposure. |
| **R-014** | Evidence Loss / Exposure | Uncontrolled downloads or premature purge can disclose or lose evidence. | Permission-checked access, recorded soft deletion and approved retention/backups. |
| **R-015** | Unfinished Support UI | Notification or mail administration capabilities may be assumed to be ready staff screens. | Identify backend/support-only coverage and close UI acceptance decisions before scope freeze. |
| **R-016** | Unapproved Scope Growth | New integrations or export/workflow changes can alter effort and release dates. | Requirement traceability, explicit open-question closure and change control. |

## 7. Acceptance Criteria

Execute the following criteria against approved sample records and permitted roles. Use positive and refusal cases, including developer, tester, lead, management and original email requester. These are acceptance conditions, not a claim that all listed UAT has already passed. Pending requirements require decision/completion before their associated criteria can be signed off.

| ID | Area | Acceptance Criteria | Requirement Coverage |
|---|---|---|---|
| **AC-001** | Authentication / Profile | Valid active-user login succeeds; invalid/deactivated login fails. Protected access, logout, password validation and account/session controls behave as approved. | REQ-001 to REQ-009 |
| **AC-002** | Navigation / Forms | Each permitted route opens correctly; denied routes/actions are refused. Search, list filters, pagination, required-field errors, retries and dialog submission feedback are usable. | REQ-001 to REQ-009 |
| **AC-003** | Dashboard | Summary, charts, personal workload, attention queues and recent activity match permitted fixture records; no unauthorized records appear. | REQ-010 to REQ-016 |
| **AC-004** | Bug Email / Intake | A valid [BUG] request to itdesk@zigma.in creates one intake record and acknowledgement. Invalid/duplicate/automatic mail follows the approved outcome without duplicate tickets. | REQ-017 to REQ-032 |

| ID | Area | Acceptance Criteria | Requirement Coverage |
|---|---|---|---|
| **AC-005** | Classification / Replies | Explicit markers and review decisions route correctly; uncertain mail is reviewed. A linked reply appends to the correct request and retains original evidence. | REQ-017 to REQ-032 |
| **AC-006** | Create / Review / Assign | Mandatory creation/review data is validated; hierarchy choices match. Assignment allocates a TKT number and does not start work automatically. | REQ-033 to REQ-040 |
| **AC-007** | Reassignment / Removal | Different-owner reasoned reassignment records history; blocked states are refused. Only an eligible unassigned record can be removed. | REQ-033 to REQ-040 |
| **AC-008** | All Tickets / Bug Requests | Each preset returns the intended visible domain with consistent owner, effective status, reference and linked bug details. | REQ-041 to REQ-049 |
| **AC-009** | Service / Access Requests | Each type appears in its correct queue. Access work cannot bypass approval or permit self-approval; completion and reopening match the approved workflow. | REQ-041 to REQ-049 |
| **AC-010** | Critical / Overdue / Closed | Critical and overdue fixtures enter the correct queues. Terminal records leave active overdue workload; Closed/Rejected membership follows the agreed rule. | REQ-041 to REQ-049 |
| **AC-011** | Start / Resume | One confirmation appears. Cancel performs no transition; confirm starts/resumes In Progress and timing. A second active developer item is refused. | REQ-050 to REQ-062 |
| **AC-012** | Pending / Hold / Rectified | The required remarks/investigation form opens directly. Missing input blocks submission; successful actions pause or hand work to verification and preserve assignment/history. | REQ-050 to REQ-062 |
| **AC-013** | Under Review Retake | Only the approved actor can retake eligible unverified work with a required Remark. Active-work conflicts and completed/stale verification refuse retake. | REQ-050 to REQ-062 |
| **AC-014** | Tester Return | Send back is available from Testing Actions, requires remarks and returns the same owner's work to Assigned. The timer stays stopped until the developer explicitly starts. | REQ-050 to REQ-062 |
| **AC-015** | Verified Closure / Reopen | Authorized closure requires verification remarks and retains bug evidence. Reopened work waits for tester review; no unapproved developer restart occurs. | REQ-050 to REQ-062 |
| **AC-016** | Detail / Timeline | Opening a row shows the correct request, public/internal permitted history and tabs. Action clicks open only their relevant form; no background detail dialog obscures it. | REQ-063 to REQ-076 |
| **AC-017** | Chat | Authorized participants send/read permitted messages; validation, replies, receipts and supported own-message actions work. Verification/terminal states display read-only history. | REQ-063 to REQ-076 |
| **AC-018** | Attachments | Approved files upload to the correct record; invalid type/size/content is refused. Authorized preview/download/removal works and unauthorized access fails. | REQ-063 to REQ-076 |
| **AC-019** | Daily Updates | Selected day/range and category show actual dated events with correct timezone, totals, search and pagination. Mirrored system records do not double-count an event. | REQ-077 to REQ-082 |
| **AC-020** | Team Support Screens | Where approved for use, developer workload and assignment views return scoped bug data and permit only authorized allocation. | REQ-077 to REQ-082 |
| **AC-021** | Project Master | Required project code/name validate; create/edit persists; duplicate and inactive/system restrictions behave as approved. | REQ-083 to REQ-095 |
| **AC-022** | Module Master | Projects appear in the parent control; saved selection survives edit. Duplicate names within the same project fail and unrelated-project names remain permitted. | REQ-083 to REQ-095 |
| **AC-023** | Submodule Master | Modules appear in the parent control; saved selection survives edit. Duplicate names within a module and invalid parent relationships fail. | REQ-083 to REQ-095 |
| **AC-024** | Priority Master | Code/name, rank, colour and nullable SLA persist; default expected-closure behaviour follows the approved SLA basis. | REQ-083 to REQ-095 |

| ID | Area | Acceptance Criteria | Requirement Coverage |
|---|---|---|---|
| **AC-025** | Severity Master | Code/name, rank and colour persist; technical severity remains independent of priority and report codes. | REQ-083 to REQ-095 |
| **AC-026** | Root Cause Type Master | Code/name/rank persist and selected categories appear consistently in supported bug analysis and root-cause reporting. | REQ-083 to REQ-095 |
| **AC-027** | Department / Team / Site | Each of the three masters supports its approved fields and create/edit/active controls, with applicable name validation and history preservation. | REQ-083 to REQ-095 |
| **AC-028** | Daily Bug Report | An approved date fixture produces expected opening/new/closed/closing/reopened/overdue values, including the agreed historical-cycle interpretation. | REQ-096 to REQ-107 |
| **AC-029** | Employee / Project / Module Reports | Each report produces the approved grouped totals, labels and scope; approved module/submodule filtering is verified. | REQ-096 to REQ-107 |
| **AC-030** | Priority / Aging / Overdue Reports | Priority totals, age bands/average and overdue rows/days match approved fixture dates and classification rules. | REQ-096 to REQ-107 |
| **AC-031** | Closure / Root Cause Reports | Date-range closures, average closure days, closing-user counts and root-cause shares match the agreed bug dataset. | REQ-096 to REQ-107 |
| **AC-032** | Printing / Export | All nine report screens print readable selected content. Filtered bug Excel output follows agreed columns/limits and refuses unauthorized export. | REQ-096 to REQ-107 |
| **AC-033** | User Management | Approved create/edit/roles, activation/deactivation and reset-password operations work; invalid values and protected-account operations are refused. | REQ-108 to REQ-115 |
| **AC-034** | Role / Permission Management | Role labels and permitted bundles persist; Save/Reset/partial grants are clear. Removing one bundle preserves other enabled shared actions and protected Admin management access. | REQ-108 to REQ-115 |
| **AC-035** | Audit Log | Supported changes show the correct actor, time, action, values and remarks; access is limited to authorized audit viewers. | REQ-108 to REQ-115 |
| **AC-036** | Track / Requester Chat | TKT plus original email grants access to one ticket; REF-only, wrong-email and expired access fail. Public activity and chat availability follow the approved policy. | REQ-116 to REQ-122 |
| **AC-037** | 48-hour Reopening | A reasoned reopen before the deadline succeeds and retains closure history. At/after the deadline it fails; access requests return to approval and bug/service work to review. | REQ-116 to REQ-122 |
| **AC-038** | Operational Coverage | Approved notification UI/events, retention, backup/restore and release access requirements are resolved and verified; unresolved scope is not represented as completed acceptance. | REQ-123 to REQ-128 |

## 8. Post-FRD Approval Documentation Plan

After functional approval and closure of pending scope questions, prepare release planning, design and validation records using the reference's ISP mapping. Existing live deployment evidence can support the baseline but does not replace approved requirements or client UAT sign-off.

| Document | Purpose | Approval / Usage |
|---|---|---|
| Project Timeline (R06) | Plan approved enhancements, testing, UAT and release milestones. | Client + Internal Approval |
| Technical Design (R09) | Document data, access, workflows, mail/routing and integration implementation. | Internal Approval |
| Test Plan (R10) | Trace positive, negative and role/scope tests to approved REQ and AC items. | Internal Approval |
| UAT Checklist & Sign-off (R11) | Provide client-friendly execution records for all approved submodules. | Client Execution and Sign-off |
| Deployment Checklist (R12) | Record release readiness, configuration, recovery/rollback and operational checks. | Internal Approval |

| Document | Purpose | Approval / Usage |
|---|---|---|
| Project Closure / Handover (R13 / R14) | Close approved delivery and hand over ownership, support guidance and known limits. | Client / Internal, as applicable |
| Release Notes (R20) | State released behaviour, version, resolved changes and accepted limitations. | Shared with Client / Users |

## 9. Change Control

After FRD sign-off, a new submodule, calculation/report rule, workflow, permission change, external integration or export format change is a change request. Assess impact, effort, acceptance criteria and release timeline before implementation.

Close all pending clarification items before final development scope freeze, or record an explicit approved deferral/exclusion with owner and release. Preserve requirement identifiers and record version changes so a future revision can be traced to the signed baseline.

## 10. Client Sign-off

By signing below, the client confirms review and agreement on the complete functional scope, requirement matrix, workflows, responsibilities, risks and acceptance criteria. Open questions must be resolved or explicitly deferred in the approved baseline. This FRD signature approves scope; UAT and release acceptance are recorded separately as applicable.

| Name | Designation / Responsibility | Signature | Date |
|---|---|---|---|
| Megha Wabhitkar | Senior ERP Executive | | |
| Neha Bhatnagar | HR Executive | | |