

AllMarket



עבודת גמר

בתכנון ותכנות מערכות

במסלול שירותי רשת אינטרנט

שנת הלימודים

שם התלמיד : יואב חיימוב

בית ספר : גינסבורג

ת.ז : 215819954

שם המורה : ירון שמעון

תוכן עניינים

2	הקדשה/תודה:
3	תוכן עניינים
5	מבוא
5	מטרות האתר
5	קהל יעד
5	תאור האתר
6	מבנה בסיס הנתונים
6	תמונת הטבלאות מתוך מסד הנתונים
6	תמונת קשרי הגומלין מתוך מסד הנתונים (DSD)
7	מבנה התיקיות
9	שרותי הרשת באתר
9	שירותי רשת נצרכים ממקור חיצוני
9	שירותי רשת שהאפליקציה מספקת
10	מבנה בסיס הנתונים של שירותי הרשת
10	תמונת הטבלאות מתוך מסד הנתונים
10	תמונת קשרי הגומלין מתוך מסד הנתונים (DSD)
11	מפת האתר
12	מדריך האפליקציה למשתמש
13	מדריך האפליקציה למנהל
14	רשימת מקורות (ביבליוגרפיה)
15	נספחים
16	ReadMe

מבוא

מטרות האתר

מטרת האתר AllMarket היא להוות פלטפורמה למכירה וקנייה של מוצרים משומשים, ולספק שירותי קישור בין מוכרים לקונים. האתר נועד לאפשר חיפוש ופרסום נוחים של מוצרים, ולתמוך בצרכנות ברת קיימא ובקהילה שמעריכה ערך ואיכות. בנוסף, AllMarket מציע חווית קנייה בטוחה ואישית, ומסייע למוכרים להגיע לקהל רחב יותר.

קהל יעד


קהל היעד של אתר AllMarket מורכב מאנשים שמחפשים לקנות או למכור מוצרים משומשים. הם יכולים להיות מגוונים מבחינת גיל, מיקום והעדפות אישיות, אך מה שמאחד אותם הוא הרצון למצוא עסקאות משתלמות ולהשתמש בפלטפורמה שמקלה על התהליך של קנייה ומכירה. קהל זה יכול לכלול אנשים שמעוניינים בצרכנות ברת קיימא, חובבי דילים ומציאות, וכן אלו שמחפשים למצוא פריטים ייחודיים או נדירים. בנוסף, קהל היעד יכול לכלול גם אנשים שמעוניינים למכור מוצרים שאינם זקוקים להם יותר, ולהפוך אותם למזומנים.

תיאור האתר

AllMarket הוא פלטפורמת מסחר אלקטרונית המתמחה במכירת מוצרים משומשים ומספקת שירותי קישור בין מוכרים לקונים. האתר מאפשר למוכרים לפרסם מוצרים בקלות ולקונים למצוא פריטים ייחודיים במחירים נוחים, תוך תמיכה בצרכנות ברת קיימא והפחתת פסולת. AllMarket מציע חווית קנייה אישית ומאובטחת, עם מגוון רחב של קטגוריות ואפשרויות סינון לחיפוש המדויק של המוצר המבוקש.


מדריך האפליקציה למשתמש

דף הבית: (Index)



- נקודת הכניסה הראשית לאתר.
- אפשרויות: התחברות, הרשמה (Login), תרומה (Register), צור קשר (Donate), (ContactUs).

Login



Register

The screenshot shows a web browser window with the address bar displaying 'localhost:3649/User/Register.aspx'. The page has a light orange background. On the left, there is a vertical list of labels: 'pe', 'pe שמות', 'pe שמות', 'pe שמות', 'שמות', and 'שמות'. To the right of these labels are three dropdown menus with the following values: 'אבר', '050', and 'יבנה'. Further to the right, there are two labels: 'האם אספר שמות' and 'בזכות'. At the bottom center, there is a blue button labeled 'הרש' and a link labeled 'החבר באזור'.


Donate

The screenshot displays a web browser window with a registration form in Hebrew. The browser's address bar shows the URL 'localhost:3649/User/Donate.aspx'. The form is titled 'הצטרפות' (Registration) and includes the following fields and elements:

- הערה:** A note at the top stating 'הפרטים יישלחו אליך בדואר אלקטרוני' (Details will be sent to you by email).
- דואר אלקטרוני:** A text input field for the email address.
- סיסמה:** A text input field for the password.
- סיסמה חוזרת:** A text input field for the confirm password.
- בחר סכום:** A dropdown menu with the value '100' selected.
- דיווח כשן סכום שונה:** A text input field for reporting a different amount.
- שם פרטי:** A text input field for the first name.
- שם משפחה:** A text input field for the last name.
- תאריך לידה:** A date selection field with 'YYYY' and 'MM' indicators.
- מין:** A dropdown menu with 'מ' (Male) selected.
- CVC:** A text input field for the card security code.
- סוג כרטיס:** A dropdown menu with 'סוג כרטיס' (Card Type) selected.
- הרחקו:** A text input field for the cardholder's name.


The browser's taskbar at the bottom shows the system clock as 15:15 on 09/12/2014, and the Windows taskbar includes icons for various applications and the Start button.


Contact us




למשתמשים מחוברים:

- צפייה ב"המוצרים שלי (MyProducts) "וב"מוצרים מועדפים (LovedProducts) "






- עדכון פרטי משתמש: (UpdateUserInfo)




- העלאת מוצר: (UploadProduct)



קטלוג השני: (Catalog2)


- הקטלוג השני באתר הנותן פריסה יותר מצומצמת של המוצרים. (Catalog2)




מדריך האפליקציה למנהל


למנהלים: (Admins)

- גישה לממשק ניהול. (IndexAdmin)



- אפשרויות נוספות: צפייה ברשימת משתמשים לפי מגדר (Userslistbygender) או עיר. (Userslistbycities)





המדריך למתכנת

מבנה בסיס הנתונים

תמונות/תמונות הטבלאות מתוך מסד הנתונים

טבלאות		
tbl_Category		
tbl_Comment		
tbl_Condition		
tbl_Donation		
tbl_FavoriteProducts		
tbl_gender		
tbl_Products		
tbl_User		
tblCity		

tbl_Category		
שם שדה	סוג נתונים	
CategoryId	מספור אוטומטי	
CategoryName	טקסט קצר	


tbl_Comment		
שם שדה	סוג נתונים	
Id	מספור אוטומטי	
DateOfComment	טקסט קצר	
Comment	טקסט קצר	
Email	טקסט קצר	
tbl_Condition		
שם שדה	סוג נתונים	
ConditionId	מספור אוטומטי	
ConditionName	טקסט קצר	
tbl_Donation		
שם שדה	סוג נתונים	
id	מספור אוטומטי	
DateoOfDonation	טקסט קצר	
AmountDonated	טקסט קצר	
tbl_FavoriteProducts		
שם שדה	סוג נתונים	
id	מספור אוטומטי	
ProductID	מספר	
UserName	טקסט קצר	
tbl_gender		
שם שדה	סוג נתונים	
GenderID	מספור אוטומטי	
Genders	טקסט קצר	

tbl_Products	
שם שדה	סוג נתונים
ProductId	מספור אוטומטי
Title	טקסט קצר
SellerName	מספר
DateOfUpload	טקסט קצר
Category	מספר
Subcategory	טקסט קצר
WillingToTrade	טקסט קצר
Img	טקסט קצר
Condition	מספר
Price	טקסט קצר
Description	טקסט קצר




tbl_User	
שם שדה	סוג נתונים
CustomerId	מספור אוטומטי
UserName	טקסט קצר
PassWord	טקסט קצר
IsAdmin	טקסט קצר
Fname	טקסט קצר
Lname	טקסט קצר
Gender	מספר
Address	טקסט קצר
PhoneNumber	טקסט קצר
City	מספר
Email	טקסט קצר

tblCity	
שם שדה	סוג נתונים
CityId	מספור אוטומטי
citys	טקסט קצר

תמונת/תמונות קשרי הגומלין מתוך מסד הנתונים (DSD)




מבנה התיקיות




המחלקות

העתקה והדבקה של ממשקי המחלקות, ללא מימוש.

על הממשקים להיות מתועדים ב-UML.





מבנה בסיס הנתונים של שירותי הרשת


תמונת הטבלאות מתוך מסד הנתונים

wsBankYoav

tblCredit	
id	
cardNum	
exprMonth	
company	
cvv	
fName	
lName	
adress	
city	
experYear	


tblCredit	
שם שדה	סוג נתונים
id	טקסט קצר
cardNum	טקסט קצר
exprMonth	טקסט קצר
company	טקסט קצר
cvv	טקסט קצר
fName	טקסט קצר
lName	טקסט קצר
adress	טקסט קצר
city	טקסט קצר
experYear	טקסט קצר

wsVerify



Email	
סוג נתונים	שם שדה
מספור אוטומטי	id
טקסט קצר	Email

מפת האתר



רפלקציה – סיכום אישי

רפלקציה אישית על יצירת האתר

כשהתחלתי לעבוד על פרויקט זה, הייתי מתרגש ומתחרט גם קצת כי בחרתי בנושא קשה למימוש. זה היה הפרויקט הראשון שלי בתחום התכנות והעיצוב, והייתי חשוב לי להוכיח לעצמי שאני יכול להצליח.

העבודה על הפרויקט

בהתחלה, הייתי מתקשה להבין את המבנה הלוגי של האתר. יצירת הדפים והקשרים ביניהם היו אתגרים גדולים. אבל עם הזמן, התחלתי להבין את הקונספטים ולהרגיש יותר בנוח עם הכלים שהשתמשתי בהם.

מה הקשיים שעמדו בפני

הקשיים הגדולים ביותר היו הקוד והעיצוב. יצירת קוד נקי ויעיל הייתה אתגר, וגם למצוא את הסגנון המתאים לאתר.

מה הייתי עושה אחרת

אם הייתי מתחיל את הפרויקט מחדש, הייתי מתחיל עם תכנון טוב יותר. הייתי מגדיר את המבנה הלוגי והקונספטים מראש, ואז הייתי מתקדם ליצירת הקוד והעיצוב.

מסקנות

הפרויקט הזה היה לי חוויה מרתקת. למדתי המון דברים חדשים והרגשתי שהתפתחתי כמתכנת ומעצב. אני מרוצה מהתוצאה ומקווה שהאתר יהיה שימושי למשתמשים.

רשימה ביבליוגרפית/ רשימת מקורות

freeCodeCamp.org. (No date). freeCodeCamp.org [Online].
Available: [freeCodeCamp.org](https://www.freecodecamp.org) [2024, May 7].

נספחים

נספח א:

27/3/24

מבחן

10 נק

1. צור דף חדש בתיקיית user בפרוייקט האישי שלך ותן צבע רקע שמטרתו להציג פרטים של מוצר עפ שם ותמונה שלו, תן כותרת מתאימה בראש הדף ושמור אותו בשם משמעותי.
צור button חדש בדף הבית שדרכו ניתן להיכנס לדף זה, אם אין דף(הבית) כזה יש ליצור אותו ותן לו שם משמעותי צבע רקע וכותרת מתאימה.

15 נק

2. יש להיכנס לדף מסעיף א רק אם המשתמש התחבר ועם פניה אישית למשתמש המחובר כגון "צוהריים טובים aa" (גם אם נריץ דף זה לא דרך דף הבית כגון solution explorer נעבור להתחברות משתמש)

30 נק

3. יש להוריד לדף שיצרת בסעיף 1 TextBox ולידו Imagebutton עם תמונה של זכוכית מגדלת(יש להוריד את התמונה), יש להזין ב- TextBox שם של מוצר הקיים בטבלת מוצרים (אצל אחרים יש טבלת מורים, טבלת סרטים, טבלת מירוצים, טבלת מוצרים יד 2, טבלת עבודות, תכשיטים, נעליים, טלפונים פיצות טלפונים, יעד טיסה מכוניות ביגוד וכך הלאה... **בכל מקרה תמונה ומחיר מכל טבלה שהיא הקיימת אצלך**). ולהציג ב- Imagebutton את התמונה במידה ומוזן שם פריט או מוצר שלא קיים תוצג הודעה מתאימה והתמונה מהפעם (אם היה) הקודמת תוסתר.

10 נק

4. יש ליצור פנל (שם משמעותי) ולתת לו צבע רקע שונה מצבע הרקע של הדף. בפנל זה יהיה הקונטרול Image או ImageButton (לבחירתך) ו תיבות טקסט (TextBox) שיכילו את קוד המוצר שם המוצר ומחיר וכמו כן אפשרות לבחור כמות להזמנה וסהכ למוצר נכפתור הוספה לסל וכפתור חזרה לקטלוג **בזמן עליית הדף פנל זה יהיה מוסתר.**

10 נק

5. בזמן לחיצה על Imagebutton המכילה את התמונה של (שהוספת בסעיף 3), יעלה הפנל מסעיף 4 (שהוסתר קודם) עם כל הפרטים המתאימים עם אפשרות לשנות את מס המוצרים לקניה והנתונים יתעדכנו בהתאם

15 נק

6. בהמשך לסעיף 5 בזמן הלחיצה על imagebutton יעלה בנוסף פנל שהיה מוסתר קודם ובו 3

ImageButton עם תמונות של המוצרים שלך

באופן רנדומלי שתכין מראש עם קו מופרד בחלק התחתון של המסך עם הכותרת מוצרים דומים .

10 נק'


7. בזמן לחיצה על אחת מהתמונות הרנדומליות מסעיף 5 הפרטים יופיעו בפנל שעשית בסעיף 4.

מצב –יש מוצר

הכנס שם ספר 



מצב שני –יש מוצר ולחיצה על התמונה הפנל ומוצרים דומים מוצגים למסך.



קוד ספר

3

שם ספר

דורה החוקרת

מחיר ספר

27

כמות להזמנה

1

סך


27

סיים הזמנה




הוסף לסל

הכנס שם ספר


דורה החוקרת



ספרים דומים

מצב שלישי-אין ספר



אין ספר בשם זה במערכת

בהצלחה

27/04/2023

עבודת הגשה סמסטר ב

15 נק'

1. צור טבלה חדשה במסד הנתונים (אקסס) בשם משמעותי כלשהו המייצגת פרטים של יצירת קשר ובה השדות הבאים כפי שבתמונה (הינך יכול לשנות את שמות השדות כרצונך): לכל שדה יש לתת במאפייני שדה כיתוב בעברית. יש לישמור את הטבלה ללא מפתח ראשי (סוג הנתונים שלכם יהיה טקסט קצר במקום טקסט). הטבלה ללא קשרי גומלין לטבלאות האחרות במסד הנתונים

books2 : מסד נתונים (תבנית קובץ של 2002 - 2003)

כלי טבלאות

קובץ בית יצירה נתונים חיצוניים כלי מסד נתונים עיצוב

תצוגה מפתח ראשי בונה בחן כללי אימות שנה בדיקות מידע מאפיינים גליון אינדקסים הצגה/הסתרה צור פקודות מאקרו שנה שם/מחק מאקרו קשרי יחסי תלות קשרי גומלין של אובייקט קשרי גומלין

tblComment

סוג נתונים	שם שדה
טקסט	Email
טקסט	commentDate
טקסט	commentType
טקסט	comment1

כל האובייקטים של Access

טבלאות

- tblAdmin
- tblBooks
- tblBooktype
- tblCities
- tblComment
- tblgender
- tblOrders
- tblShoppingcart
- tblSuborders
- tblUsers

שאלות

- הכנס שם עיר והצגת מספר המשתמשים-פרמטר
- הכנסת מגדר והצגת שם ושם משפחה של משתמש-פרמטר
- הכנסת שם מנהל וסיסמתו וקבלתה-פרמטר
- הכנסת שם משתמש וקבלת אי די
- הכנסת שם עיר והצגת פרטי המשתמשים-פרמטר
- המחיר הכי נמוך
- הספרים עם המחירים הגדולים מהמוצע
- הצגת טלפון בהתאם לשם משתמש-פרמטר
- הצגת כתובת בהתאם לשם משתמש-פרמטר
- הצגת מלאי לפי סוג
- הצגת ממוצע המחירים
- הצגת מספר ההזמנה בהתאם לקוד המשתמש בטבלה
- הצגת פרטי משתמש בהתאם לשם משתמש

תצוגת עיצוב. F6 = החלף חלונית הסבר. F1 = עזרה.

גודל שדה	תבנית עיצוב	מסכת קלט	כיתוב	ערך ברירת מחדל	כלל אימות	טקסט אימות	נדרש	אפשר אורך אפס	אינדקס	דחיסת Unicode	IME Mode	IME Sentence Mode	תגיות חכמות
255			מייל				לא	כן	לא	כן	No Control	ללא	

2. צור דף חדש בתיקייה User ובו הטופס הבא -כפי שבתמונה, צבע רקע כרצונך

ובותרת " צור קשר " (או כותרת אחרת כרצונך) . יש לתת שמות משמעותיים לקונטרולים

למעט הכותרות, את הנתונים ל ddl יש להזין עצמאית ללא שאלות


או טבלה כלשהיא. חייב לתת את האפשרות "בחר".

בשדה תאריך בזמן עליית בדף (page_load) יש להציב את התאריך הנוכחי של המחשב `DateTime.ToString()` ב- `TextBox`.

בשדה ה `TextBox` של ההערה יש לשנות בתכונות `Properties`

את המאפיין `TextMode` ל- `MultiLine`. שמור את הדף בשם משמעותי כרצונך.

לדוגמא:



35 נק'

3. צור מחלקה חדשה בשם משמעותי שלך (בניח `contact` לצורך הדוגמא) המייצגת קשר עם האתר, מחק את הבנאי הקיים והעתק את הקוד הבא לתוך המחלקה שיצרת. יש ליצור אירוע שבזמן לחיצה על ה `button` שלח, הנתונים שהוזנו בטופס ייכנסו לטבלת שייצרת בסיסי 1 בעזרת פעולה מתאימה שיצרת במחלקה בסיסי זה.

```
sqlDb sql = new sqlDb();
private string email;
private string commentDate;
private string commentType;
private string comment1;

//public contact (string mail,string coDate,string coType,string comt)
//{
//    this.email = mail;
//    this.commentDate = coDate;
//    this.commentType = coType;
```



```

//      this.comment1 = comt;
//}
public contact ()
{

}

public string Email
{
    get { return this.email; }
    set { this.email = value; }
}

public string CommentDate
{
    get { return this.commentDate; }
    set { this.commentDate = value; }

}

public string CommentType
{
    get { return this.commentType; }
    set { this.commentType = value; }

}

public string Comment1
{
    get { return this.comment1; }
    set { this.comment1 = value; }

}
{

```

10 נק'

4. יש ליצור לדף זה button מתאים בדף הבית, שדרכו יתאפשר להיכנס לדף זה.

5 נק'

5. לא לשכוח ליצור label שמודיע לנו שההודעה נקלט בהצלחה לאחר לחיצה על "שלח", בשלפני הלחיצה הוא יהיה מוסתר.

25 נק'

6. בזמן עלייתו של הדף, אם המשתמש התחבר לאתר, המייל יופיע באופן אוטומטי ללא צורך בהכנסה ידנית.

בהצלחה

ReadMe

יש להפעיל באמצעות VisualStudio2015 את האתר דרך הפעלת האתר המובנת בתוכנה לחבר את שני השרתים ואז להריץ את האתר.

יש להעתיק את התיקייה AllMarket&Servers למחשבך , ולהפוך אותה לתיקייה וירטואלית כלומר יש ללחוץ עליה עם כפתור ימני , מאפיינים (Properties) ללכת לתגית Web Sharing ולהוסיף את התיקייה . (לא לשכוח לסמן את תיבת ה write).

הרצת הפרויקט ע"י קישור אל ה- <http://localhost/AllMarket> בשורת הכתובת בדפדפן.

לצורך כניסה בתור משתמש (רגיל) רשום באתר יש למלא את הפרטים הבאים בLogin :

שם משתמש : yy

סיסמה: yy

לצורך כניסה בתור מנהל האתר יש למלא את הפרטים הבאים בLogin :

שם משתמש : aa

סיסמה : aa

```
Page Language="C#" AutoEventWireup="true" @%>
CodeFile="ContactUs.aspx.cs" Inherits="User_ContactUs" %>
```

```
DOCTYPE html>!>
```

```
html xmlns="http://www.w3.org/1999/xhtml">>
    head runat="server">>
        title>/>קשר</title>>
        link href="~/Styles/MainStyle.css" rel="stylesheet" />>
    head/>
    body>>
        form id="form1" runat="server">>
            div>>
                ul>>
                    ID="btn_Index" "לדף הבית"><asp:Button CssClass="Button" Text="
                        runat="server" OnClick="btn_Index_Click" /></li>
                    ul/>
                div style="height: 296px; z-index: 1; left: 371px; top: 144px; position: >
                    absolute; width: 1389px">
                        runat="server" "א"ימ"ל"><asp:TextBox ID="txt_Email" placeholder="
                            CssClass="TextBoxData" style="font-size:15px;margin-
                                bottom:55px;position:relative;"></asp:TextBox>
                        ReadOnly="true" "תאריך"><asp:TextBox ID="txt_date" placeholder="
                            CssClass="TxtSellProduct" Style="z-index:2;" runat="server"></asp:TextBox>
                        "תגובה"><asp:TextBox ID="txt_Comment" placeholder="
                            CssClass="TxtSellProduct" Style="z-index:2;" runat="server"></asp:TextBox>
                        div>/>
                        "העלה"><asp:Button ID="btn_UploadProduct" Text="
                            CssClass="SimpleButton" style="position:absolute;top:75%;left:50%;font-
                                size:25px;" runat="server" OnClick="btn_UploadProduct_Click" />
                        asp:Label ID="lbl_Upload" runat="server" Text="" style="z-index: 1; left: >
                            705px; top: 566px; position: absolute"></asp:Label>
                        div>/>
```

```

form>/>
body>/>
html>/>

```

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class User_ContactUs : System.Web.UI.Page
    }

    protected void Page_Load(object sender, EventArgs e)
    }

    txt_date.Text = DateTime.Now.ToString("dddd, MMMM dd");
    {

protected void btn_UploadProduct_Click(object sender, EventArgs e)
    }

    if(txt_Comment != null && txt_Email != null)
    }

        users AddComment = new users();
        AddComment.addComment(txt_date.Text, txt_Comment.Text,
                                txt_Email.Text);

        ;"להעלה בהצלחה"
        lbl_Upload.Text = "

```

```

        lbl_Upload.Visible = true;
    }
}

protected void btn_Index_Click(object sender, EventArgs e)
    }

    Response.Redirect("./Index.aspx");
    {
    {

<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="DeleteFromFavorite.aspx.cs" Inherits="User_DeleteFromFavorite"
    %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
    <head runat="server">
        <title></title>
    </head>
    <body>
        <form id="form1" runat="server">
            <div>

                </div>
            </form>
        </body>
    </html>

```

```
Page Language="C#" AutoEventWireup="true" @%>  
CodeFile="DeleteFromFavorite.aspx.cs" Inherits="User_DeleteFromFavorite"  
%>
```

```
DOCTYPE html!>
```

```
html xmlns="http://www.w3.org/1999/xhtml">>
```

```
head runat="server">>
```

```
title></title>>
```

```
head>/>
```

```
body>>
```

```
form id="form1" runat="server">>
```

```
div>>
```

```
div>/>
```

```
form>/>
```

```
body>/>
```

```
html>/>
```

```
using System;
```

```
using System.Collections.Generic;
```

```
using System.Linq;
```

```
using System.Web;
```

```
using System.Web.UI;
```

```
using System.Web.UI.WebControls;
```

```
public partial class User_DeleteFromFavorite : System.Web.UI.Page  
    }
```

```
protected void Page_Load(object sender, EventArgs e)
```

```

    }

    string userValue =
HttpContext.Current.Request.QueryString["userValue"].ToString();

    string userName =
HttpContext.Current.Request.QueryString["userName"].ToString();

    Products Favorite = new Products();
    Favorite.deletecartrow(userName,userValue);

System.Web.HttpContext.Current.Response.Write("<script>if(window.opener)
    {window.opener.location.reload(true);}</script>");

System.Web.HttpContext.Current.Response.Write("<script>self.close();</scrip
    t>");

    {
        {

    Page Language="C#" AutoEventWireup="true" @%>
    CodeFile="DeleteProduct.aspx.cs" Inherits="User_DeleteProduct" %>

DOCTYPE html>!>

    html xmlns="http://www.w3.org/1999/xhtml">>
        head runat="server">>
            title></title>>
        head/>
        body>>
            form id="form1" runat="server">>
                div>>

                    div/>
                form/>

```

```
body>/>
```

```
html>/>
```

```
using System;
```

```
using System.Collections.Generic;
```

```
using System.Linq;
```

```
using System.Web;
```

```
using System.Web.UI;
```

```
using System.Web.UI.WebControls;
```

```
public partial class User_DeleteProduct : System.Web.UI.Page
    {
```

```
    protected void Page_Load(object sender, EventArgs e)
    {
```

```
        string userValue =
        HttpContext.Current.Request.QueryString["userValue"].ToString();
```

```
        Products DeleteFromAllProducts = new Products();
```

```
        DeleteFromAllProducts.DeleteFromAllProducts(userValue);
```

```
System.Web.HttpContext.Current.Response.Write("<script>if(window.opener)
    {window.opener.location.reload(true);}</script>");
```

```
System.Web.HttpContext.Current.Response.Write("<script>self.close();</scrip
    t>");
```

```
    {
```

```
    {
```



```
Page Language="C#" AutoEventWireup="true" @%>
CodeFile="Donate.aspx.cs" Inherits="User_Donate" %>
```

```
DOCTYPE html>!>
```

```
html xmlns="http://www.w3.org/1999/xhtml">>
```

```
head runat="server">>
```

```
title>/>תורמו לנו>>
```

```
link href=" ../Styles/MainStyle.css" rel="stylesheet" />>
```

```
script src=" ../JS/JSScript.js"></script>>
```

```
head>/>
```

```
body>>
```

```
form id="form1" runat="server">>
```

```
ul>>
```

```
ID="btn_Index" "לדף הבית"><asp:Button CssClass="Button" Text=">
runat="server" OnClick="btn_Index_Click" /></li>
```

```
ul>/>
```

```
div>>
```

```
asp:Panel ID="pnl_CreditCard" >
```

```
style="position:absolute;width:800px;height:800px; top: 25px; left: 436px;"
runat="server">
```

```
asp:TextBox CssClass="TxtBoxData" style="position:relative;margin->
top:80px;display: inline-block;vertical-align: middle;margin-left:300px;"
MaxLength="16" "מספר כרטיס"ID="txt_CardNumber" placeholder ="
runat="server" />
```

```
br />>
```

```
asp:TextBox CssClass="TxtBoxData" style="position:relative;margin->
top:80px;display: inline-block;vertical-align: middle;margin-left:300px;"
runat="server" /> "מספר תעודת זהות"ID="txt_Id" placeholder="
```

```
br />>
```

```

asp:TextBox CssClass="TxtBoxData" style="position:relative;margin->
    top:80px;display: inline-block;vertical-align: middle;margin-left:175px;"
    ID="txt_Year" placeholder="YYYY" MaxLength="4" runat="server" />

asp:TextBox CssClass="TxtBoxData" style="position:relative;margin->
    top:80px;display: inline-block;vertical-align: middle;" ID="txt_Month"
    placeholder="MM" MaxLength="2" runat="server" />
    br />>

asp:TextBox CssClass="TxtBoxData" style="position:relative;margin->
    top:80px;display: inline-block;vertical-align: middle;margin-left:300px;"
    ID="txt_CVC" placeholder="CVC" MaxLength="3" runat="server" />
    br />>

    asp:DropDownList CssClass="ddlStyle" >
style="position:relative;margin-top:80px;display: inline-block;vertical-align:
    middle;margin-left:365px;" ID="ddl_CardType" runat="server">
        </ "סוג כרטיס" asp:ListItem Text=">
        asp:ListItem Text="Mastercard" />>
        asp:ListItem Text="Visa" />>
        asp:ListItem Text="Americanexpress" />>
        asp:ListItem Text="IsraCard" />>
    asp:DropDownList>/>

asp:Label Text="Error" ID="lbl_Error" Visible="false" style="color:red;" >
    runat="server" />
    br />>

    asp:Button ID="btn_Donate" CssClass="SimpleButton" >
Style="margin-left:380px;margin-top:80px;font-size:20px;text-align:center;"
    runat="server" onClick="btn_Donate_Click" /> "תרומתו לנו"Text="
    asp:Panel>/>

    asp:Panel ID="pnl_amountDonated" >
style="position:absolute;width:200px;height:200px; top: 145px; left: 1458px;"
    runat="server">

    asp:DropDownList ID="ddl_Amount" CssClass="ddlStyle" >
    style="margin-left:60px;" runat="server" AutoPostBack="True"
    OnSelectedIndexChanged="ddl_Amount_SelectedIndexChanged">
        </ "בחר סכום" asp:ListItem Text=">
        asp:ListItem Text="10₪" />>

```

```

asp:ListItem Text="20" />>
asp:ListItem Text="30" />>
</ "סכום שונה"asp:ListItem Text=">
asp:DropDownList>/>
br />>
asp:TextBox CssClass="TxtBoxData" style="margin-top:40px;" >
runat="server" /> "כאן סכום שונה" ID="txt_Amount" placeholder="
br />>

```

```

asp:Panel>/>
div>/>
form>/>
body>/>
html>/>

```

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class User_Donate : System.Web.UI.Page
    }

protected void Page_Load(object sender, EventArgs e)
    }

{

```

```

protected void btn_Donate_Click(object sender, EventArgs e)
    }

    if (AreFieldsValid() && ChoseAmountToDonate())
    }

    ServiceReference1.ServiceSoapClient BankServer = new
        ServiceReference1.ServiceSoapClient();

    if (BankServer.chkCard(txt_CardNumber.Text, txt_Month.Text,
        txt_Year.Text, ddl_CardType.SelectedItem.ToString(),
        txt_CVC.Text, txt_Id.Text))
    }

    DateTime dateTime = DateTime.UtcNow.Date;
    CreditCardDonation CCD1 = new CreditCardDonation();
    CCD1.InsertNewDonation(dateTime.ToString("dd/MM/yyyy"),
        txt_Amount.Text);

    lbl_Error.Visible = true;
    lbl_Error.Text = "
        ;"התרומה בוצעה בהצלחה";

    {
        else
    }

    lbl_Error.Visible = true;
    lbl_Error.Text = "
        ;"אפרטי כרטיס האשראי אינם נכונים";

    {
        {
        else
    }

    lbl_Error.Visible = true;
    lbl_Error.Text = "
        ;"השדות אינם נכונים";

    {

```

```

    {

        // בודק אם תחומי האשראי הוכנסו כמו שצריך
        protected bool AreFieldsValid()

    }

    Check if the credit card number is not empty //
    if (string.IsNullOrEmpty(txt_CardNumber.Text.Trim()))
        return false;

    Check if the ID number is not empty //
    if (string.IsNullOrEmpty(txt_Id.Text.Trim()))
        return false;

    Check if the expiration year and month are valid (you can add more //
        specific checks)
        int year;
    if (!int.TryParse(txt_Year.Text.Trim(), out year) || year <
        DateTime.Now.Year)
        return false;

        int month;
    if (!int.TryParse(txt_Month.Text.Trim(), out month) || month < 1 || month >
        12)
        return false;

    Check if the CVC is not empty //
    if (string.IsNullOrEmpty(txt_CVC.Text.Trim()))
        return false;

    Check if a card type is selected (assuming the first item is not a valid //
        selection)

```

```

        if (ddl_CardType.SelectedIndex <= 0)
            return false;

        All fields are valid //
        return true;
    }

    //בודק אם שמו סכום מסיום לתרום
    protected bool ChoseAmountToDonate()
    }

    Check if an amount is selected from the DropDownList //
    if (ddl_Amount.SelectedIndex <= 0)
        return false;

    Check if a custom amount is entered (if applicable) //
    if (ddl_Amount.SelectedItem.Text == "סכום שונה")
    }

    Validate the custom amount (you can add more specific checks) //
    decimal customAmount;
    if (!decimal.TryParse(txt_Amount.Text.Trim(), out customAmount) ||
        customAmount <= 0)
        return false;
    }

    All fields are valid //
    return true;
}

protected void ddl_Amount_SelectedIndexChanged(object sender,
                                                EventArgs e)

```

```

    }
    if (ddl_Amount.SelectedIndex == 0 || ddl_Amount.SelectedIndex == 4)
    {
        txt_Amount.Text = "";
    }
    else
    {
        txt_Amount.Text = ddl_Amount.SelectedItem.Text.Substring(0,2);
    }
}

protected void btn_Index_Click(object sender, EventArgs e)
{
    Response.Redirect("./Index.aspx");
}
}

```

```

Page Language="C#" AutoEventWireup="true" @%>
CodeFile="GetCreditUsingId.aspx.cs" Inherits="User_GetCreditUsingId" %>

```

```

DOCTYPE html>!>

```

```

html xmlns="http://www.w3.org/1999/xhtml">>
    head runat="server">>
        title>/>שחזור פרטי אשראי</title>>
        link href="~/Styles/MainStyle.css" rel="stylesheet" />>
        style type="text/css">>
            auto-style1 {
                border-style: none;

```

```

border-color: inherit;
border-width: medium;
font-family: ploni;
font-weight: 500;
text-align: center;
font-size: 16px;
display: block;
padding: 4px 11px;
border-radius: 50px;
color: var(--blue);
background: none;
transition: all 0.2s ease-in-out;
height: 32px;
width: 60px;
position: absolute;
top: 181px;
left: 665px;
z-index: 1;
    {
        auto-style3 {
            width: 693px;
            height: 341px;
            position: absolute;
            top: 187px;
            left: 270px;
            z-index: 1;
        }
    }
style>/>
head>/>
body>>

```



```

        form id="form1" runat="server">>
            div>>
                ul>>
                    ID="btn_Index" " ולדף הבית"><asp:Button CssClass="Button" Text=">
                        runat="server" OnClick="btn_Index_Click" /></li>
                ul/>
            div>>
                asp:Panel ID="pnl_CreditCard" >
                    style="position:absolute;width:800px;height:800px; top: 25px; left: 436px;"
                        runat="server">
                        asp:TextBox CssClass="TxtBoxData" Visible="false" >
                            style="position:relative;margin-top:80px;display: inline-block;vertical-align:
                                "מספר כרטיס"middle;margin-left:300px;" ID="txt_CardNumber" placeholder ="
                                    MaxLength="16" runat="server" />
                            br />>
                            asp:TextBox CssClass="TxtBoxData" >
                                style="position:relative;margin-top:80px;display: inline-block;vertical-align:
                                    "תעודת זהות"middle;margin-left:300px;" ID="txt_Id" placeholder="
                                        runat="server" />
                                br />>
                                asp:TextBox CssClass="TxtBoxData" Visible="false" >
                                    style="position:relative;margin-top:80px;display: inline-block;vertical-align:
                                        "YYYY"middle;margin-left:175px;" ID="txt_Year" placeholder="
                                            MaxLength="4" runat="server" />
                                    asp:TextBox CssClass="TxtBoxData" Visible="false" >
                                        style="position:relative;margin-top:80px;display: inline-block;vertical-align:
                                            "MM"middle;" ID="txt_Month" placeholder="
                                                MaxLength="2" runat="server" />
                                        br />>
                                        asp:TextBox CssClass="TxtBoxData" Visible="false" >
                                            style="position:relative;margin-top:80px;display: inline-block;vertical-align:
                                                "CVC"middle;margin-left:300px;" ID="txt_CVC" placeholder="
                                                    MaxLength="3"
                                                        runat="server" />
                                            br />>
                                            asp:DropDownList CssClass="ddlStyle" Visible="false" >
                                                style="position:relative;margin-top:80px;display: inline-block;vertical-align:
                                                    "ID="ddl_CardType" runat="server">
                                                    </ "סוג כרטיס"asp:ListItem Text=">

```

```

        asp:ListItem Text="Mastercard" />>
        asp:ListItem Text="Visa" />>
        asp:ListItem Text="Americanexpress" />>
        asp:ListItem Text="IsraCard" />>
        asp:DropDownList>/>
asp:Label Text="Error" ID="lbl_Error" Visible="false" style="color:red;" >
        runat="server" />
        br />>
asp:Button ID="btn_GetCredit" runat="server" CssClass="auto->
        OnClick="btn_GetCredit_Click" /> "אשר" Text="
        asp:Panel>/>
asp:GridView runat="server" Visible="false" ID="grd_Credit" >
        CssClass="auto-style3"></asp:GridView>
        div>/>
        form>/>
        body>/>
html>using System;/>
        using System.Collections.Generic;
        using System.Linq;
        using System.Web;
        using System.Web.UI;
        using System.Web.UI.WebControls;

public partial class User_GetCreditUsingId : System.Web.UI.Page
    }

    protected void Page_Load(object sender, EventArgs e)
    }

    if (Session["userName"] == null) Response.Redirect("./Index.aspx");
    {
        protected void btn_Index_Click(object sender, EventArgs e)
        }

```

```

        Response.Redirect("./Index.aspx");
    }

protected void btn_GetCredit_Click(object sender, EventArgs e)
    }

    ServiceReference1.ServiceSoapClient BankServer = new
        ServiceReference1.ServiceSoapClient();

    grd_Credit.DataSource = BankServer.chkInfo(txt_Id.Text);
        grd_Credit.DataBind();

    foreach (GridViewRow row in grd_Credit.Rows)
        }

        txt_CardNumber.Text = row.Cells[1].Text;
            txt_Month.Text = row.Cells[2].Text;
            ddl_CardType.Text = row.Cells[3].Text;
            txt_CVC.Text = row.Cells[4].Text;
            txt_Year.Text = row.Cells[9].Text;

            {

                txt_CardNumber.Visible = true;
                    txt_Month.Visible = true;
                    ddl_CardType.Visible = true;
                        txt_CVC.Visible = true;
                        txt_Year.Visible = true;

                        {

                            Page Language="C#" AutoEventWireup="true" @%>{
CodeFile="GetCreditUsingId.aspx.cs" Inherits="User_GetCreditUsingId" %>

```

DOCTYPE html>!>

html xmlns="http://www.w3.org/1999/xhtml">>

head runat="server">>

```

title>/>אשראי</title>>
link href="~/Styles/MainStyle.css" rel="stylesheet" />
style type="text/css">
    auto-style1 {
        border-style: none;
        border-color: inherit;
        border-width: medium;
        font-family: ploni;
        font-weight: 500;
        text-align: center;
        font-size: 16px;
        display: block;
        padding: 4px 11px;
        border-radius: 50px;
        color: var(--blue);
        background: none;
        transition: all 0.2s ease-in-out;
        height: 32px;
        width: 60px;
        position: absolute;
        top: 181px;
        left: 665px;
        z-index: 1;
    }
    auto-style3 {
        width: 693px;
        height: 341px;
        position: absolute;
        top: 187px;
        left: 270px;

```

```

z-index: 1;
    {
style>/>
head>/>
body>>
    form id="form1" runat="server">>
        div>>
            ul>>
ID="btn_Index" "לדף הבית"><asp:Button CssClass="Button" Text=">
    runat="server" OnClick="btn_Index_Click" /></li>
            ul>/>
        div>>
            asp:Panel ID="pnl_CreditCard" >
style="position:absolute;width:800px;height:800px; top: 25px; left: 436px;"
    runat="server">
        asp:TextBox CssClass="TxtBoxData" Visible="false" >
style="position:relative;margin-top:80px;display: inline-block;vertical-align:
"middle;margin-left:300px;" ID="txt_CardNumber" placeholder ="
    MaxLength="16" runat="server" />
        br />>
        asp:TextBox CssClass="TxtBoxData" >
style="position:relative;margin-top:80px;display: inline-block;vertical-align:
"middle;margin-left:300px;" ID="txt_Id" placeholder="
    runat="server" />
        br />>
        asp:TextBox CssClass="TxtBoxData" Visible="false" >
style="position:relative;margin-top:80px;display: inline-block;vertical-align:
"middle;margin-left:175px;" ID="txt_Year" placeholder="YYYY"
    MaxLength="4" runat="server" />
        asp:TextBox CssClass="TxtBoxData" Visible="false" >
style="position:relative;margin-top:80px;display: inline-block;vertical-align:
"middle;" ID="txt_Month" placeholder="MM" MaxLength="2" runat="server" />
        br />>
        asp:TextBox CssClass="TxtBoxData" Visible="false" >
style="position:relative;margin-top:80px;display: inline-block;vertical-align:

```

```

middle;margin-left:300px;" ID="txt_CVC" placeholder="CVC" MaxLength="3"
runat="server" />

br />>

asp:DropDownList CssClass="ddlStyle" Visible="false" >
style="position:relative;margin-top:80px;display: inline-block;vertical-align:
middle;margin-left:365px;" ID="ddl_CardType" runat="server">
    </ "כרטיס"asp:ListItem Text=">
    asp:ListItem Text="Mastercard" />>
    asp:ListItem Text="Visa" />>
    asp:ListItem Text="Americanexpress" />>
    asp:ListItem Text="IsraCard" />>
    asp:DropDownList>/>
asp:Label Text="Error" ID="lbl_Error" Visible="false" style="color:red;" >
runat="server" />

br />>

asp:Button ID="btn_GetCredit" runat="server" CssClass="auto->
OnClick="btn_GetCredit_Click" /> "אשר" style="text-align:center;" />
asp:Panel>/>

asp:GridView runat="server" Visible="false" ID="grd_Credit" >
    CssClass="auto-style3"></asp:GridView>

div>/>

form>/>

body>/>

html>using System;/>
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class User_GetCreditUsingId : System.Web.UI.Page
    }

```

```

        protected void Page_Load(object sender, EventArgs e)
        {
            if (Session["userName"] == null) Response.Redirect("./Index.aspx");
        }

        protected void btn_Index_Click(object sender, EventArgs e)
        {
            Response.Redirect("./Index.aspx");
        }

        protected void btn_GetCredit_Click(object sender, EventArgs e)
        {
            ServiceReference1.ServiceSoapClient BankServer = new
                ServiceReference1.ServiceSoapClient();
            grd_Credit.DataSource = BankServer.chkInfo(txt_Id.Text);
            grd_Credit.DataBind();

            foreach (GridViewRow row in grd_Credit.Rows)
            {
                txt_CardNumber.Text = row.Cells[1].Text;
                txt_Month.Text = row.Cells[2].Text;
                ddl_CardType.Text = row.Cells[3].Text;
                txt_CVC.Text = row.Cells[4].Text;
                txt_Year.Text = row.Cells[9].Text;

                {
                    txt_CardNumber.Visible = true;
                    txt_Month.Visible = true;
                    ddl_CardType.Visible = true;
                    txt_CVC.Visible = true;
                    txt_Year.Visible = true;
                }
            }
        }
    }
}

```

```

{
Page Language="C#" AutoEventWireup="true" @%>
CodeFile="Index.aspx.cs" Inherits="Pages_Index" %>

DOCTYPE html>!>

html xmlns="http://www.w3.org/1999/xhtml">>
    head runat="server">>
        title>/>דף הביתtitle>>
        link href="~/Styles/MainStyle.css" rel="stylesheet" />>
        script src="~/JS/JSScript.js"></script> >
    head>/>
    body>>
        form id="form1" runat="server">>
            ul> >
li><asp:Button Visible="false" style="color:red; right:430px; z-index:2;>
    ID="btn_logout" "position:absolute;" CssClass="Button" Text="
        runat="server" OnClick="btn_logout_to_Login" /></li>
id="btn_login_goto" "לוהתחבר">asp:Button CssClass="Button" Text=">
        runat="server" OnClick="btn_login_goto_Click" /></li>
        "לוהרשם">asp:Button CssClass="Button" Text=">
    ID="btn_register_goto" runat="server" OnClick="btn_register_goto_Click"
        /></li>
        "ולודף מנהל">asp:Button CssClass="Button" Visible="false" Text=">
    ID="btn_Admin_goto" runat="server" OnClick="btn_Admin_goto_Click" /></li>
        "ולצרו קשר">asp:Button CssClass="Button" Text=">
    ID="btn_ContactUs" runat="server" OnClick="btn_ContactUs_Click" /></li>
        "לוהעלו מוצר">asp:Button CssClass="Button" Text=">
    ID="btn_uploadProduct" runat="server" OnClick="btn_uploadProduct_Click"
        /></li>
    CssClass="Button" ID="btn_Catalog2" "ולקטלוג שני">asp:Button Text=">
        runat="server" OnClick="btn_Catalog2_Click" /></li>
        "ולעדכן">asp:Button ID="btn_UpdateUserInfo" runat="server" Text=">
    CssClass="Button" OnClick="btn_UpdateUserInfo_Click" /></li> פרטי משתמש"

```



```

        <asp:Button CssClass="Button" Text="להמוצרים שלי"
id="btn_MyProducts" runat="server" OnClick="btn_MyProducts_Click" /></li>
    </li>>

    <asp:Button Text="תתמו לנו" CssClass="Button"
ID="btn_DonateGoTo" runat="server" OnClick="btn_DonateGoTo_Click"
/></li>

    <asp:Button Text="Test" id="btn_Test" >
        runat="server" OnClick="btn_Test_Click" /></li>
    </li>>

    <asp:Button Text="שחכתי אשראי" CssClass="Button" runat="server"
/></li>
</ul>

    <asp:Label ID="lbl_Welcome" Text="ברוך הבא אורח" runat="server"
style="z-index: 3; right: 2%; top: 15px; position: fixed; border-bottom:solid
black 1px;" />

    <asp:ImageButton ID="ib_Heart" ImageUrl="~/img/heart-Logo.png" >
        class="CartLogo" style="position:fixed;" runat="server"
        OnClick="ib_Heart_Click" />

    <asp:ImageButton ID="ib_Logo" ImageUrl="~/img/AllMarketLogo.png" >
        Cssclass="Logo" runat="server" />

    <asp:SqlDataSource ID="SqlDataSource1" runat="server" >
        ConnectionString="<%%$ ConnectionStrings:ConnectionString3 %>"
        ProviderName="<%%$ ConnectionStrings:ConnectionString3.ProviderName
%>" SelectCommand="SELECT [CategoryId], [CategoryName] FROM
[tbl_Category]"></asp:SqlDataSource>

    <asp:DropDownList ID="ddl_Category" CssClass="dropdown_category" >
        runat="server" DataSourceID="SqlDataSource1"
        DataTextField="CategoryName" DataValueField="CategoryId"
        OnSelectedIndexChanged="ddl_Category_SelectedIndexChanged"></asp:Dr
opDownList>

    <asp:DropDownList ID="ddl_Condition" CssClass="dropdown_category" >
        runat="server" DataSourceID="SqlDataSource2"
        DataTextField="ConditionName"
        DataValueField="ConditionId"></asp:DropDownList>

    <asp:SqlDataSource ID="SqlDataSource2" runat="server" >
        ConnectionString="<%%$ ConnectionStrings:ConnectionString4 %>"
        ProviderName="<%%$ ConnectionStrings:ConnectionString4.ProviderName

```

```

%>" SelectCommand="SELECT [ConditionId], [ConditionName] FROM
                                [tbl_Condition]"></asp:SqlDataSource>

    CssClass= "סגן"asp:Button ID="btn_Filter" runat="server" Text=">
                                "FilterButton" OnClick="btn_Filter_Click"/>

"כל המוצרים"asp:Button ID="btn_allProducts" runat="server" Text=">
    CssClass= "Button_allProducts" OnClick="btn_allProducts_Click" />

asp:Button id="btn_AddToFavorite" Visible="false" runat="server" >
    Text="Button" OnClick="GetButtonId" />

asp:Label id="lbl_FavoriteId" Text="text" Visible="false" runat="server" >
    ></asp:Label>

asp:Label id="lbl_UserName" style="position:absolute;z-index:-1;" >
    Visible="true" Text="text" runat="server" ></asp:Label>

    asp:GridView Visible="false" ID="grd_AllProducts" >
        runat="server"></asp:GridView>

div class="Products">>
    Blocks(); %>%>
div/>
form/>

body/>
html/>

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.OleDb;
using System.Web.Services;

```

```

public partial class Pages_Index : System.Web.UI.Page
    }

    bool Filter = false; //
    protected void Page_Load(object sender, EventArgs e)
    {

        if (Session["userName"] == null)
        {
            ;"lbl_Welcome.Text = "
            btn_logout.Visible = false;
            btn_UpdateUserInfo.Visible = false;
            btn_uploadProduct.Visible = false;
            btn_MyProducts.Visible = false;
            lbl_UserName.Text = "guest";
        }
        else
        {
            users us = new users();
            ;"lbl_Welcome.Text = Session["userName"].ToString() + "
            lbl_UserName.Text = Session["userName"].ToString();
            lbl_UserName.Text = "yy";//
            btn_logout.Visible = true;
            if (us.Isadmin(Session["userName"].ToString()))
            {
                btn_Admin_goto.Visible = true;
                lbl_Welcome.Text = "Welcome Admin " +
                    Session["userName"].ToString();
            }
        }
    }
}

```

```

{

protected void btn_login_goto_Click(object sender, EventArgs e)
    }

    Response.Redirect("~/User/Login.aspx");
    {

protected void btn_register_goto_Click(object sender, EventArgs e)
    }

    Response.Redirect("~/User/Register.aspx");
    {

protected void btn_uploadProduct_Click(object sender, EventArgs e)
    }

    Response.Redirect("~/User/UploadProduct.aspx");
    {

protected void btn_logout_to_Login(object sender, EventArgs e)
    }

    Session["userName"] = null;
    Response.Redirect("~/User/Login.aspx");
    {

protected void ddl_Category_SelectedIndexChanged(object sender,
                                                    EventArgs e)
    }

    {

protected void btn_Filter_Click(object sender, EventArgs e)
    }

    Filter = true;

```

```

        Response.Write("<div class='Products'>");//
                                BlockFilter();
        Response.Write("</div>");//
                                {
                                public void BlockFilter()
                                }

        users us = new users();
                                מכניס נתונים לטבלה //
        Products filteProducts = new Products();
                                grd_AllProducts.DataSource =
        filteProducts.FilterProducts(ddl_Category.SelectedValue.ToString(),ddl_Condi
                                tion.SelectedValue.ToString());
                                grd_AllProducts.DataBind();
                                string name = "";
                                מעלה את הנתונים מהטבלה לצורה יפה //
        Response.Write("<div class='Products'>");//
        Response.Write("<div class='Products'>");
        foreach (GridViewRow row in grd_AllProducts.Rows)
                                }

                                if (Session["userName"] == null)

                                }

        name = us.GetUsernameById(row.Cells[2].Text);
        Response.Write("<div class='blocks'>");
        Response.Write("    <div class='BlockIbl'>");
        Response.Write("        <p>" + row.Cells[1].Text + "</p>");
                                Response.Write("    </div>");
                                Response.Write("<div>");

        Response.Write("    <button onclick='AddToFavorite()'
                                class='InvisableButton'>");

        Response.Write("        <img id='" + row.Cells[0].Text + "
                                src='../img/heart-Logo.png' class='ImgBlack CartLogo' />");

```

```

        Response.Write("    </button>");
        Response.Write("</div>");
        Response.Write("    <div class='image'>");
        Response.Write("        ");
        Response.Write("    </div>");
        Response.Write("    <div class='description'>");
        Response.Write("        <p>" + row.Cells[10].Text + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Phone_Number'>");
        Response.Write("        <p>מספר טלפון: " +
            us.GetPhoneNumberByUserName(name) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Seller_Name'>");
        Response.Write("        <p>שם המוכר: " +
            name + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Usage_Level'>");
        Response.Write("        <p>רמת השימוש: " +
            filteProducts.GetConditionById(row.Cells[8].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Categorys'>");
        Response.Write("        <p>קטגוריה: " +
            filteProducts.GetCategoryById(row.Cells[4].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Price'>");
        Response.Write("        <p>מחיר: " +
            row.Cells[9].Text + "</p>");
        Response.Write("    </div>");
        Response.Write("</div>");
    }
    else if
        (filteProducts.IsFavoriteProductsExists(Session["userName"].ToString(),
            row.Cells[0].Text))

```

```

    }

    name = us.GetUsernameById(row.Cells[2].Text);

    Response.Write("<div class='blocks'>");
    Response.Write("    <div class='BlockIbl'>");
    Response.Write("        <p>" + row.Cells[1].Text + "</p>");
    Response.Write("    </div>");
    Response.Write("<div>");
    Response.Write("    <button onclick='AddToFavorite()'
        class='InvisableButton'>");
    Response.Write("        <img id='" + row.Cells[0].Text + "'
        src='../img/heart-Logo.png' class='CartLogo' />");
    Response.Write("    </button>");
    Response.Write("</div>");
    Response.Write("    <div class='image'>");
    Response.Write("        <img class='" alt='product image' src='" +
        row.Cells[7].Text + "' width='300' height='300'>");
    Response.Write("    </div>");
    Response.Write("    <div class='description'>");
    Response.Write("        <p>" + row.Cells[10].Text + "</p>");
    Response.Write("    </div>");
    Response.Write("    <div class='Phone_Number'>");
    Response.Write("        + " מספר טלפון: " +
        us.GetPhoneNumberByUserName(name) + "</p>");
    Response.Write("    </div>");
    Response.Write("    <div class='Seller_Name'>");
    Response.Write("        name + "</p>"; + " שם המוכר: " +
        us.GetSellerNameByProductId(row.Cells[8].Text) + "</p>");
    Response.Write("    </div>");
    Response.Write("    <div class='Usage_Level'>");
    Response.Write("        + " רמת השימוש: " +
        filteProducts.GetConditionById(row.Cells[8].Text) + "</p>");
    Response.Write("    </div>");
    Response.Write("    <div class='Categorys'>");

```

```

        + "קטגוריה: " + row.Cells[4].Text + "</p>";
        Response.Write("</div>");
        Response.Write("<div class='Price'>");
        row.Cells[9].Text + "</p>"; + "מחיר: " + row.Cells[10].Text + "</p>";
        Response.Write("</div>");
        Response.Write("</div>");
    }
    else
    {
        name = us.GetUsernameById(row.Cells[2].Text);
        Response.Write("<div class='blocks'>");
        Response.Write("<div class='Blocklbl'>");
        Response.Write("<p>" + row.Cells[1].Text + "</p>");
        Response.Write("</div>");
        Response.Write("<div>");
        Response.Write("<button onclick='AddToFavorite()'>");
        Response.Write("class='InvisableButton'>");
        Response.Write("<img id='" + row.Cells[0].Text + "'>");
        Response.Write("src='../img/heart-Logo.png' class='ImgBlack CartLogo' />");
        Response.Write("</button>");
        Response.Write("</div>");
        Response.Write("<div class='image'>");
        Response.Write("<img class='product image' src='" + row.Cells[7].Text + "'>");
        Response.Write("width='300' height='300'>");
        Response.Write("</div>");
        Response.Write("<div class='description'>");
        Response.Write("<p>" + row.Cells[10].Text + "</p>");
        Response.Write("</div>");
        Response.Write("<div class='Phone_Number'>");
        Response.Write("<p>מספר טלפון: " + us.GetPhoneNumberByUserName(name) + "</p>");
    }
}

```



```

        Response.Write("    </div>");
        Response.Write("    <div class='Seller_Name'>");
        name + "</p>"); + " שם המוכר: "; Response.Write("    <p>
        Response.Write("    </div>");
        Response.Write("    <div class='Usage_Level'>");
        + " רמת השימוש: "; Response.Write("    <p>
        filteProducts.GetConditionById(row.Cells[8].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Categorys'>");
        + " קטגוריה: "; Response.Write("    <p>
        filteProducts.GetCategoryById(row.Cells[4].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Price'>");
        row.Cells[9].Text + "</p>"); + " מחיר: "; Response.Write("    <p>
        Response.Write("    </div>");
        Response.Write("</div>");
    }
}

Response.Write("</div>");
Response.Write("</div>");//
}

public void Blocks()
}

if (!Filter)
}

users us = new users();
// מכניס נתונים לטבלה

Products allproducts = new Products();
grd_AllProducts.DataSource = allproducts.AllProducts(allproducts);
grd_AllProducts.DataBind();

string name = "";

```

```

// מעלה את הנתונים מהטבלה לצורה יפה
foreach (GridViewRow row in grd_AllProducts.Rows)
    }

    if (Session["userName"] == null)
        }

    name = us.GetUsernameById(row.Cells[2].Text);
    Response.Write("<div class='blocks'>");
    Response.Write("    <div class='BlockIbl'>");
    Response.Write("        <p>" + row.Cells[1].Text + "</p>");
    Response.Write("    </div>");
    Response.Write("<div>");
    Response.Write("    <button onclick='AddToFavorite()'
                                class='InvisibleButton'>");
    Response.Write("        <img id='" + row.Cells[0].Text + "'
                                src='../img/heart-Logo.png' class='ImgBlack CartLogo' />");
    Response.Write("    </button>");
    Response.Write("</div>");
    Response.Write("    <div class='image'>");
    Response.Write("        <img class='' alt='product image' src='" +
                                row.Cells[7].Text + "' width='300' height='300'>");
    Response.Write("    </div>");
    Response.Write("    <div class='description'>");
    Response.Write("        <p>" + row.Cells[10].Text + "</p>");
    Response.Write("    </div>");
    Response.Write("    <div class='Phone_Number'>");
    Response.Write("        <p>
                                מספר טלפון: " +
                                us.GetPhoneNumberByUserName(name) + "</p>");
    Response.Write("    </div>");
    Response.Write("    <div class='Seller_Name'>");
    Response.Write("        <p>
                                שם המוכר: " +
                                name + "</p>");
    Response.Write("    </div>");

```

```

Response.Write(" <div class='Usage_Level'>");
    + " רמת השימוש: " Response.Write(" <p>
allproducts.GetConditionById(row.Cells[8].Text) + "</p>");
    Response.Write(" </div>");
Response.Write(" <div class='Categorys'>");
    + " קטגוריה: " Response.Write(" <p>
allproducts.GetCategoryById(row.Cells[4].Text) + "</p>");
    Response.Write(" </div>");
    Response.Write(" <div class='Price'>");
row.Cells[9].Text + "</p>"); + " מחיר: " Response.Write(" <p>
    Response.Write(" </div>");
    Response.Write("</div>");

    {
        else if
(allproducts.IsFavoriteProductsExists(Session["userName"].ToString(),
        row.Cells[0].Text))
    }

    name = us.GetUsernameById(row.Cells[2].Text);
    Response.Write("<div class='blocks'>");
    Response.Write(" <div class='BlockIbl'>");
Response.Write(" <p> " + row.Cells[1].Text + "</p>");
    Response.Write(" </div>");
    Response.Write("<div>");
Response.Write(" <button onclick='AddToFavorite()'
        class='InvisibleButton'>");
Response.Write(" <img id='" + row.Cells[0].Text + "
        src='../img/heart-Logo.png' class='CartLogo' />");
    Response.Write(" </button>");
    Response.Write("</div>");
    Response.Write(" <div class='image'>");
Response.Write(" <img class=' alt='product image' src=' " +
        row.Cells[7].Text + " width='300' height='300'>");

```

```

        Response.Write("    </div>");
        Response.Write("    <div class='description'>");
        Response.Write("        <p>" + row.Cells[10].Text + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Phone_Number'>");
        + " מספר טלפון: "
        us.GetPhoneNumberByUserName(name) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Seller_Name'>");
        name + "</p>"); + " שם המוכר: "
        Response.Write("        <p>
        Response.Write("    </div>");
        Response.Write("    <div class='Usage_Level'>");
        + " רמת השימוש: "
        allproducts.GetConditionById(row.Cells[8].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Categories'>");
        + " קטגוריה: "
        allproducts.GetCategoryById(row.Cells[4].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Price'>");
        row.Cells[9].Text + "</p>"); + " מחיר: "
        Response.Write("        <p>
        Response.Write("    </div>");
        Response.Write("</div>");
        {
            else
        }
        name = us.GetUsernameById(row.Cells[2].Text);
        Response.Write("<div class='blocks'>");
        Response.Write("    <div class='Block1'>");
        Response.Write("        <p>" + row.Cells[1].Text + "</p>");
        Response.Write("    </div>");

```

```

        Response.Write("<div>");
        Response.Write("    <button onclick='AddToFavorite()'
                                class='InvisibleButton'>");
        Response.Write("        <img id='" + row.Cells[0].Text + "'
                                src='../img/heart-Logo.png' class='ImgBlack CartLogo' />");
        Response.Write("    </button>");
        Response.Write("</div>");
        Response.Write("    <div class='image'>");
        Response.Write("        <img class='' alt='product image' src='" +
                                row.Cells[7].Text + "' width='300' height='300'>");
        Response.Write("    </div>");
        Response.Write("    <div class='description'>");
        Response.Write("        <p>" + row.Cells[10].Text + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Phone_Number'>");
        + " מספר טלפון: ";
        Response.Write("        <p>
                                us.GetPhoneNumberByUserName(name) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Seller_Name'>");
        name + "</p>";
        + " שם המוכר: ";
        Response.Write("        <p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Usage_Level'>");
        + " רמת השימוש: ";
        Response.Write("        <p>
                                allproducts.GetConditionById(row.Cells[8].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Categorys'>");
        + " קטגוריה: ";
        Response.Write("        <p>
                                allproducts.GetCategoryById(row.Cells[4].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Price'>");
        row.Cells[9].Text + "</p>";
        + " מחיר: ";
        Response.Write("        <p>");
        Response.Write("    </div>");

```

```

Response.Write("</div>");
        {
            {
                {
                    {

```

```

protected void btn_allProducts_Click(object sender, EventArgs e)
    }
    Filter = false;
    {

```

```

protected void ib_Heart_Click(object sender, ImageClickEventArgs e)
    }
    if (Session["userName"] != null)
        Response.Redirect("../LovedProducts.aspx");
    {

```

```

protected void btn_ContactUs_Click(object sender, EventArgs e)
    }
    Response.Redirect("../ContactUs.aspx");
    {

```

```

protected void btn_Admin_goto_Click(object sender, EventArgs e)
    }
    Response.Redirect("../Admin/IndexAdmin.aspx");
    {

```

```

protected void btn_MyProducts_Click(object sender, EventArgs e)
    }

```

```

        Response.Redirect("./MyProducts.aspx");
    }

protected void btn_UpdateUserInfo_Click(object sender, EventArgs e)
    {
        //מונע מהדף לרוץ פעמיים ולאבד את העדכון
        Session["yy"] = false;
        Response.Redirect("./UpdateUserInfo.aspx");
    }

protected void btn_AddToFavorite_Click(object sender, EventArgs e)
    {
        TestLBL.Text = "Good " + Session["FavoriteId"].ToString() ;//
    }

    public void GetButtonId(object sender, EventArgs e)
    {
        string idFavorite = lbl_FavoriteId.Text;
        Console.WriteLine(idFavorite);
        TestLBL.Text = buttonId;//
    }

protected void btn_Catalog2_Click(object sender, EventArgs e)
    {
        Response.Redirect("~/User/Catalog2/Catalog2.aspx");
    }

protected void btn_DonateGoTo_Click(object sender, EventArgs e)
    {

```

```

Response.Redirect("./Donate.aspx");
    }

protected void btn_Test_Click(object sender, EventArgs e)
    }

Response.Redirect("./Test.aspx");
    {

protected void Unnamed1_Click(object sender, EventArgs e)
    }

Response.Redirect("./GetCreditUsingId.aspx");
    {
Page Language="C#" AutoEventWireup="true" @%>{
CodeFile="Login.aspx.cs" Inherits="User_Login" %>

DOCTYPE html>!>

html xmlns="http://www.w3.org/1999/xhtml">>
    head runat="server">>
        title>/>התחברותtitle>>
        link href="~/Styles/MainStyle.css" rel="stylesheet" />>
        script src="~/JS/JSScript.js"></script>>
    head>/>
    body>>
        form id="form1" runat="server">>
            div>>
                "שם משתמש"asp:TextBox ID="txt_Username" placeholder=">
                    runat="server" CssClass="TextBoxData"
style="position:absolute;right:45%;top:30%;font-size:15px;"></asp:TextBox>
                "סוּמָא"asp:TextBox ID="txt_Password" type="password" placeholder=">
                    runat="server" CssClass="TextBoxData"
style="position:absolute;right:45%;top:35%;font-size:15px;"></asp:TextBox>

```



```

        "התחבר"asp:Button ID="btn_Login" runat="server" Text=">
        CssClass="SimpleButton" style="position:absolute;right:50%;top:40%;font-
        size:20px;" OnClick="btn_Login_Click"/>

        asp:Label ID="lbl_error" runat="server" CssClass="Errorlbl" >
        style="color:red;font- "לא תקין"Visible="false" Text="
        size:30px;"></asp:Label>

        "התחבר כאורח"asp:Button ID="btn_Guest" runat="server" Text=">
        OnClick="btn_GuestClick" CssClass="SimpleButton"
        style="right:48.5%;top:45%;font-size:20px;margin-
        bottom:35px;position:absolute;" />

        div>/>

        input class="ShowPass" type="checkbox" >
        onclick="password('txt_Password')" id="ShowPassBox" style="top:34%;"/>

        form>/>

        body>/>

        html>/>

```

```

        using System;
        using System.Collections.Generic;
        using System.Linq;
        using System.Web;
        using System.Web.UI;
        using System.Web.UI.WebControls;

```

```

        public partial class User_Login : System.Web.UI.Page
        {
        protected void Page_Load(object sender, EventArgs e)
        {

```

```

        protected void btn_Login_Click(object sender, EventArgs e)

```

```

    }

    users loginUs = new users();
    loginUs.User_Name = txt_Username.Text;
    loginUs.Pass = txt_Password.Text;
    if (loginUs.loginuser(loginUs))
    }

    Session["userName"] = txt_Username.Text;
    Response.Redirect("~/User/Index.aspx");

    {
        else lbl_error.Visible = true;
    }

    public void btn_GuestClick(Object sender, EventArgs e)
    }

    Session["userName"] = null;
    Response.Redirect("../Index.aspx");

    {
        {
            Page Language="C#" AutoEventWireup="true" @%>
            CodeFile="LovedProducts.aspx.cs" Inherits="User_LovedProducts" %>

```

DOCTYPE html>!>

```

    html xmlns="http://www.w3.org/1999/xhtml">>
        head runat="server">>
            title>/>מוצרים אהוביםtitle>>
            link href="~/Styles/MainStyle.css" rel="stylesheet" />>
            script src="../JS/JSScript.js"></script> >
        head>/>
        body>>
            form id="form1" runat="server">>
                div>>

```

```

ul>>
li><asp:Button id="btn_index" runat="server" CssClass="Button" >
    OnClick="btn_index_Click" /></li> "לדף הבית"Text="
ul>/>
asp:Label id="lbl_UserName" style="position:absolute;top:0%;z-index:->
    1;" Visible="true" Text="text" runat="server" ></asp:Label>

asp:GridView runat="server" ID="grd_Favorite"></asp:GridView>
    div class="Products">>
        Blocks(); %>%>
    div>/>
    div>/>
    form>/>
    style>>
        CartLogo: hover{.
            filter: grayscale(100%);
            webkit-filter: grayscale(100%);-
                {
            style>/>
        body>/>
    html>/>

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class User_LovedProducts : System.Web.UI.Page
    }

```

```

        protected void Page_Load(object sender, EventArgs e)
        {
            if (Session["userName"] == null) Response.Redirect("./Index.aspx");
            lbl_UserName.Text = Session["userName"].ToString();
        }

        protected void btn_index_Click(object sender, EventArgs e)
        {
            Response.Redirect("./Index.aspx");
        }

        public void Blocks()
        {
            users us = new users();
            מכניס נתונים לטבלה //
            Products FavoriteUser = new Products();
            grd_Favorite.DataSource =
            FavoriteUser.GetFavotiteProductsOfUserByUserName(Session["userName"].
                ToString());
            grd_Favorite.DataBind();
            string name = "";
            מעלה את הנתונים מהטבלה לצורה יפה //
            foreach (GridViewRow row in grd_Favorite.Rows)
            {
                name = us.GetUsernameById(row.Cells[3].Text);
                Response.Write("<div class='blocks'>");
                Response.Write("    <div class='Blocklbl'>");
                Response.Write("        <p>" + row.Cells[2].Text + "</p>");
                Response.Write("    </div>");
                Response.Write("<div>");
                Response.Write("    <button onclick='DeleteFavorite('
                    class='InvisableButton'>");
            }
        }
    }
}

```

```

Response.Write("    <img id='" + row.Cells[1].Text + "'
                    src='../img/heart-Logo.png' class='CartLogo' />");
                    Response.Write("    </button>");
                    Response.Write("</div>");
                Response.Write("    <div class='image'>");
                Response.Write("        <img alt='product image' src='" +
                    row.Cells[8].Text + "' width='300' height='300'>");
                    Response.Write("    </div>");
                Response.Write("    <div class='description'>");
                Response.Write("        <p>" + row.Cells[11].Text + "</p>");
                    Response.Write("    </div>");
                Response.Write("    <div class='Phone_Number'>");
                    + " מספר טלפון: ";
                Response.Write("        <p>
                    us.GetPhoneNumberByUserName(name) + "</p>");
                    Response.Write("    </div>");
                Response.Write("    <div class='Seller_Name'>");
                    name + "</p>");
                + " שם המוכר: ";
                Response.Write("        <p>
                    Response.Write("    </div>");
                Response.Write("    <div class='Usage_Level'>");
                    + " רמת השימוש: ";
                Response.Write("        <p>
                    FavoriteUser.GetConditionById(row.Cells[9].Text) + "</p>");
                    Response.Write("    </div>");
                Response.Write("    <div class='Categories'>");
                    + " קטגוריה: ";
                Response.Write("        <p>
                    FavoriteUser.GetCategoryById(row.Cells[5].Text) + "</p>");
                    Response.Write("    </div>");
                Response.Write("    <div class='Price'>");
                    row.Cells[10].Text + "</p>");
                + " מחיר: ";
                Response.Write("        <p>
                    Response.Write("    </div>");
                    Response.Write("</div>");
            }

```

```

{

    Page Language="C#" AutoEventWireup="true" @%>{
    CodeFile="MyProducts.aspx.cs" Inherits="User_MyProducts" %>

    DOCTYPE html!>

    html xmlns="http://www.w3.org/1999/xhtml">>
        head runat="server">>
            title>/>שליחמוצריםtitle>>
            link href="~/Styles/MainStyle.css" rel="stylesheet" />>
            script src="~/JS/JSScript.js"></script>>
        head>/>
        body>>
            form id="form1" runat="server">>
                div>>
                    ul>>


```

```
asp:GridView ID="grd_AllProducts" runat="server" Height="454px" >
style="z-index: 1; left: 461px; top: 179px; position: absolute; height: 454px;
width: 539px" Width="539px"></asp:GridView>
```

```
div class="Products">>
    Blocks(); %>%>
div>/>
form>/>
body>/>
html>/>
```

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
```

```
public partial class User_MyProducts : System.Web.UI.Page
    }
```

```
protected void Page_Load(object sender, EventArgs e)
    }
```

```
if (Session["userName"] == null) Response.Redirect("./Login.aspx");
    users us = new users();
    if (us.Isadmin(Session["userName"].ToString()))
    }
```

```
    btn_Admin_goto.Visible = true;
    {
```

```
        else btn_Admin_goto.Visible = false;
    }
```

```
protected void ib_Heart_Click(object sender, ImageClickEventArgs e)
```

```

    }

    Response.Redirect("./LovedProducts.aspx");
    {

protected void btn_ContactUs_Click(object sender, EventArgs e)
    }

    Response.Redirect("./ContactUs.aspx");
    {

protected void btn_Admin_goto_Click(object sender, EventArgs e)
    }

    Response.Redirect("../Admin/IndexAdmin.aspx");
    {

protected void btn_UpdateUserInfo_Click(object sender, EventArgs e)
    }

    //מונע מהדף לרוץ פעמיים ולאבד את העדכון
    Session["yy"] = false;
    Response.Redirect("./UpdateUserInfo.aspx");
    {

protected void btn_Index_Click(object sender, EventArgs e)
    }

    Response.Redirect("./Index.aspx");
    {

protected void btn_logout_to_Login(object sender, EventArgs e)
    }

    Session["userName"] = null;
    Response.Redirect("~/User/Login.aspx");
    {

protected void btn_uploadProduct_Click(object sender, EventArgs e)

```



```

    }

    Response.Redirect("~/User/UploadProduct.aspx");

    {
        public void Blocks()
    }

    users us = new users();
    מכניס נתונים לטבלה //
    Products allproducts = new Products();
    grd_AllProducts.DataSource =
    allproducts.GetProductsBySellerName("aa");
    Session["userName"].ToString();//
    grd_AllProducts.DataBind();

    string name = "";
    מעלה את הנתונים מהטבלה ליצורה יפה //
    foreach (GridViewRow row in grd_AllProducts.Rows)
    }

    name =row.Cells[2].Text;
    Response.Write("<div class='blocks'>");
    Response.Write("    <div class='BlockIbl'>");
    Response.Write("        <p>" + row.Cells[1].Text + "</p>");
    Response.Write("    </div>");
    Response.Write("<div>");
    Response.Write("    <button onclick='DeleteProduct()'
                                class='InvisableButton'>");
    Response.Write("        <img id='" + row.Cells[0].Text + "'
                                src='../img/TrashIcon2.png' class='CartLogo' />");
    Response.Write("    </button>");
    Response.Write("</div>");
    Response.Write("    <div class='image'>");

```

```

Response.Write("    <img class='product image' src='" +
    row.Cells[7].Text + "' width='300' height='300'>");
    Response.Write("    </div>");
    Response.Write("    <div class='description'>");
Response.Write("        <p>" + row.Cells[10].Text + "</p>");
    Response.Write("    </div>");
Response.Write("    <div class='Phone_Number'>");
    + " מספר טלפון: ";
    Response.Write("        <p>
us.GetPhoneNumberByUserName(name) + "</p>");
    Response.Write("    </div>");
Response.Write("    <div class='Seller_Name'>");
    name + "</p>"; + " שם המוכר: ";
    Response.Write("        <p>
    Response.Write("    </div>");
Response.Write("    <div class='Usage_Level'>");
    + " רמת השימוש: ";
    Response.Write("        <p>
allproducts.GetConditionById(row.Cells[8].Text) + "</p>");
    Response.Write("    </div>");
Response.Write("    <div class='Categories'>");
    + " קטגוריה: ";
    Response.Write("        <p>
allproducts.GetCategoryById(row.Cells[4].Text) + "</p>");
    Response.Write("    </div>");
Response.Write("    <div class='Price'>");
    row.Cells[9].Text + "</p>"; + " מחיר: ";
    Response.Write("        <p>
    Response.Write("    </div>");
    Response.Write("</div>");
    {
    {
    {
    Page Language="C#" AutoEventWireup="true" @%>
CodeFile="Register.aspx.cs" Inherits="User_Register" Debug="true" %>

```

DOCTYPE html>!>

```

html xmlns="http://www.w3.org/1999/xhtml">>
    head runat="server">>
        title>/>הרשמהtitle>>
        link href="~/Styles/MainStyle.css" rel="stylesheet" />>
        script src=" ../JS/JSScript.js"></script>>
    head/>
    body>>
        form id="form1" runat="server">>
            div style="position:absolute;right:45%;top:30%;display:grid;">>
                runat="server" "שםasp:TextBox ID="txt_Fname" placeholder=">
                    CssClass="TxtBoxData" style="font-size:15px;margin-
                    bottom:55px;position:relative;"></asp:TextBox>
                runat="server" "שם משפחהasp:TextBox ID="txt_Lname" placeholder=">
                    CssClass="TxtBoxData" style="font-size:15px;margin-
                    bottom:55px;position:relative;"></asp:TextBox>
                "משתמש"asp:TextBox ID="txt_Username" placeholder=">
                runat="server" CssClass="TxtBoxData" style="font-size:15px;margin-
                bottom:55px;position:relative;"></asp:TextBox>
                "סיסמא"asp:TextBox ID="txt_Password" type="password" placeholder=">
                runat="server" CssClass="TxtBoxData" style="font-size:15px;margin-
                bottom:55px;position:relative;"></asp:TextBox>
                runat="server" "אימייל"asp:TextBox ID="txt_Email" placeholder=">
                CssClass="TxtBoxData" style="font-size:15px;margin-
                bottom:55px;position:relative;"></asp:TextBox>
                "הרשם"asp:Button ID="btn_Register" runat="server" Text=">
                OnClick="btn_RegisterClick" CssClass="SimpleButton" style="font-
                size:20px;margin-bottom:35px;position:relative;" />
                "התחבר כאורח"asp:Button ID="btn_Guest" runat="server" Text=">
                OnClick="btn_GuestClick" CssClass="SimpleButton" style="font-
                size:20px;margin-bottom:35px;position:relative;" />
            div/>
        div style="position:absolute;display:grid;top:35%;right:33%;">>

```

```

asp:DropDownList ID="ddl_Gender" CssClass="ddlStyle" >
  runat="server" AutoPostBack="True" DataSourceID="SqlDataSource1"
  DataTextField="Genders" DataValueField="GenderID" Style="margin-bottom:
  30px;"></asp:DropDownList>

  asp:SqlDataSource ID="SqlDataSource1" runat="server" >
    ConnectionString="<%%$ ConnectionStrings:ConnectionString %>"
    ProviderName="<%%$ ConnectionStrings:ConnectionString.ProviderName %>"
    SelectCommand="SELECT [GenderID], [Genders] FROM
    [tbl_gender]"></asp:SqlDataSource>

asp:DropDownList CssClass="ddlStyle" ID="ddl_PhoneStart" >
  runat="server" style="margin-bottom:30px;" AutoPostBack="True">

    asp:ListItem>050</asp:ListItem>>
    asp:ListItem>051</asp:ListItem>>
    asp:ListItem>052</asp:ListItem>>
    asp:ListItem>053</asp:ListItem>>
    asp:ListItem>054</asp:ListItem>>
    asp:ListItem>055</asp:ListItem>>
    asp:ListItem>056</asp:ListItem>>
    asp:ListItem>057</asp:ListItem>>
    asp:ListItem>058</asp:ListItem>>
    asp:ListItem>059</asp:ListItem>>

    asp:DropDownList>/>

asp:DropDownList ID="ddl_City" CssClass="ddlStyle" runat="server" >
  DataSourceID="SqlDataSource2" DataTextField="citys"
  DataValueField="CityId" AutoPostBack="True"></asp:DropDownList>

  asp:SqlDataSource ID="SqlDataSource2" runat="server" >
    ConnectionString="<%%$ ConnectionStrings:ConnectionString %>"
    ProviderName="<%%$ ConnectionStrings:ConnectionString.ProviderName %>"
    SelectCommand="SELECT [citys], [CityId] FROM
    [tblCity]"></asp:SqlDataSource>

    div>/>

    div style="font-
size:15px;position:absolute;top:42%;right:16%;height:auto;width:auto;display:
grid;">

```

```

        asp:TextBox ID="txt_PhoneNumber" placeholder="מספר הטלפון"
        runat="server" style="margin-bottom:34px;position:relative;"
        CssClass="TxtBoxData" ></asp:TextBox>

        asp:TextBox ID="txt_Address" placeholder="כתובת"
        runat="server" style="position:relative;" ></asp:TextBox>

    div>/>

    input class="ShowPass" type="checkbox" >
    onclick="password('txt_Password')" id="ShowPassBox"/>

    asp:Label ID="lbl_error" runat="server" CssClass="Errorlbl" >
    style="color:red;font-size:30px;top:45%;left:10%;font-size:30px;
    Visible="false" Text="לא תקין" ></asp:Label>

    form>/>

    body>/>

html>using System;/>
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class User_Register : System.Web.UI.Page
    {

        protected void Page_Load(object sender, EventArgs e)
        {

        }

        public void btn_GuestClick(Object sender, EventArgs e)
        {

            Session["userName"] = null;
            Response.Redirect("./Index.aspx");
        }
    }

```

```

public void btn_RegisterClick(Object sender, EventArgs e)
    }

    ServiceReference2.ServiceSoapClient EmailServer = new
        ServiceReference2.ServiceSoapClient();

        users newUser = new users();

        if(!(txt_Username.Text == "" || txt_PhoneNumber.Text == "" ||
txt_Password.Text == "" || txt_Lname.Text == "" || txt_Fname.Text == "" ||
txt_Email.Text == ""||txt_Address.Text==""))
            }

            newUser.User_Name = txt_Username.Text;
            newUser.Mail = txt_Email.Text;
            if (newUser.ifExistes(newUser))
                }

                ;"lbl_error.Text = "
                    lbl_error.Visible = true;
                {
                    else if (newUser.ifExistesEmail(newUser))
                        }

                        ;"lbl_error.Text = "
                            lbl_error.Visible = true;
                        {
                            else if (!(EmailServer.IsEmailValid(txt_Email.Text)))
                                }

                                ;"lbl_error.Text = "
                                    lbl_error.Visible = true;
                                {
                                    else
                                        }

                                        lbl_error.Visible = false;
                                        newUser.Pass = txt_Password.Text;

```

```

newUser.PhoneNumber =
ddl_PhoneStart.SelectedItem.Value.ToString() + txt_PhoneNumber.Text;
newUser.FName = txt_Fname.Text;
newUser.LName = txt_Lname.Text;
newUser.Gender = ddl_Gender.SelectedItem.Value.ToString();
newUser.CityName = ddl_City.SelectedItem.Value.ToString();
newUser.Address = txt_Address.Text;
newUser.addUser(newUser);
Session["userName"] = txt_Username.Text;
Response.Redirect("~/User/Index.aspx");

```

```

{
{
else
}

```

```

; "lbl_error.Text = "

```

```

lbl_error.Visible = true;

```

```

{

```

```

{

```

```

{

```

```

Page Language="C#" AutoEventWireup="true" @%>
CodeFile="Test.aspx.cs" Inherits="Pages_Index" %>

```

```

DOCTYPE html>!>

```

```

html xmlns="http://www.w3.org/1999/xhtml">>

```

```

head runat="server">>

```

```

title>Test</title>>

```

```

link href="~/Styles/MainStyle.css" rel="stylesheet" />>

```

```

script src=" ../JS/JSScript.js"></script> >

```

```

style type="text/css">>

```

```

        auto-style1 {
position: absolute;
        top: 91px;
        left: 653px;
        z-index: 1;
        }
        auto-style2 {
position: absolute;
        height: 50px;
        width: 50px;
        left: 918px;
        top: 80px;
        }
        auto-style3 {
        width: 640px;
        height: 374px;
position: absolute;
        top: 212px;
        left: 681px;
        z-index: 1;
        }
        auto-style4 {
position: absolute;
        top: 178px;
        left: 1153px;
        z-index: 1;
        width: 189px;
        height: 190px;
        }
        auto-style5 {

```



```

width: 549px;
height: 312px;
position: absolute;
top: 203px;
left: 340px;
z-index: 1;
    {
        auto-style6 {
width: 618px;
height: 529px;
position: absolute;
top: 96px;
left: 99px;
z-index: 1;
        {
            auto-style7 {
position: absolute;
top: 110px;
left: 29px;
z-index: 1;
width: 100px;
height: 100px;
            {
                auto-style8 {
position: absolute;
top: 129px;
left: 299px;
z-index: 1;
                {
                    auto-style9 {

```

```
position: absolute;
    top: 233px;
    left: 307px;
    z-index: 1;
    {
    auto-style10 {
position: absolute;
    top: 323px;
    left: 300px;
    z-index: 1;
    {
    auto-style11 {
position: absolute;
    top: 280px;
    left: 535px;
    z-index: 1;
    {
    auto-style12 {
position: absolute;
    top: 414px;
    left: 306px;
    z-index: 1;
    {
    auto-style13 {
position: absolute;
    top: 370px;
    left: 37px;
    z-index: 1;
    {
    auto-style14 {
```

```

position: absolute;
    top: 374px;
    left: 160px;
    z-index: 1;
    {
        auto-style15 {
width: 1510px;
    height: 16px;
position: absolute;
    top: 678px;
    left: 4px;
    z-index: 1;
    {
        auto-style16 {
position: absolute;
    height: 100px;
    width: 100px;
    left: 172px;
    top: 743px;
    {
        auto-style17 {
position: absolute;
    height: 100px;
    width: 100px;
    left: 330px;
    top: 743px;
    {
        auto-style18 {
position: absolute;
    height: 100px;

```

```

width: 100px;
left: 486px;
top: 744px;
    {
style>/>
head>/>
body>>
form id="form1" runat="server">>
ul>>
li><asp:Button Visible="false" style="color:red; right:430px; z-index:2;>
ID="btn_logout" " "position:absolute;" CssClass="Button" Text="
runat="server" OnClick="btn_logout_to_Login" /></li>
id="btn_login_goto" " "ואתחבר><asp:Button CssClass="Button" Text=">
runat="server" OnClick="btn_login_goto_Click" /></li>
"וארשם"><asp:Button CssClass="Button" Text=">
ID="btn_register_goto" runat="server" OnClick="btn_register_goto_Click"
/></li>
"ואדף מנהל"><asp:Button CssClass="Button" Visible="false" Text=">
ID="btn_Admin_goto" runat="server" OnClick="btn_Admin_goto_Click" /></li>
"ואצור קשר"><asp:Button CssClass="Button" Text=">
ID="btn_ContactUs" runat="server" OnClick="btn_ContactUs_Click" /></li>
"ואעלו מוצר"><asp:Button CssClass="Button" Text=">
ID="btn_uploadProduct" runat="server" OnClick="btn_uploadProduct_Click"
/></li>
CssClass="Button" ID="btn_Catalog2" "ואקטלוג שני"><asp:Button Text=">
runat="server" OnClick="btn_Catalog2_Click" /></li>
"ואעדכן"><asp:Button ID="btn_UpdateUserInfo" runat="server" Text=">
CssClass="Button" OnClick="btn_UpdateUserInfo_Click" /></li>
פרטי משתמש"
"ואמוצרים שלי"><asp:Button CssClass="Button" Text=">
id="btn_MyProducts" runat="server" OnClick="btn_MyProducts_Click" /></li>
li>>
asp:Button Text=">
ID="btn_DonateGoTo" runat="server" OnClick="btn_DonateGoTo_Click"
/></li>
ul>/>

```

```

runat="server" "צורה טובים אורח"asp:Label ID="lbl_Welcome" Text=">
style="z-index: 3; right: 2%; top: 15px; position: fixed; border-bottom:solid
black 1px;" />

asp:ImageButton ID="ib_Heart" ImageUrl="~/img/heart-Logo.png" >
class="CartLogo" style="position:fixed;" runat="server"
OnClick="ib_Heart_Click" />

asp:ImageButton ID="ib_Logo" ImageUrl="~/img/AllMarketLogo.png" >
Cssclass="Logo" runat="server" />

asp:TextBox runat="server" CssClass="auto-style1 TxtBoxData" >
ID="txt_search"/>

asp:ImageButton ImageUrl="~/img/61088.png" runat="server" >
CssClass="auto-style2" ID="imgb_Search" OnClick="Unnamed2_Click" />

```

```

asp:Panel runat="server" Visible="false">>

asp:SqlDataSource ID="SqlDataSource1" runat="server" >
ConnectionString="<%%$ ConnectionStrings:ConnectionString3 %>"
ProviderName="<%%$ ConnectionStrings:ConnectionString3.ProviderName
%>" SelectCommand="SELECT [CategoryId], [CategoryName] FROM
[tbl_Category]"></asp:SqlDataSource>

asp:DropDownList ID="ddl_Category" CssClass="dropdown_category" >
runat="server" DataSourceID="SqlDataSource1"
DataTextField="CategoryName" DataValueField="CategoryId"
OnSelectedIndexChanged="ddl_Category_SelectedIndexChanged"></asp:Dr
opDownList>

asp:DropDownList ID="ddl_Condition" CssClass="dropdown_category" >
runat="server" DataSourceID="SqlDataSource2"
DataTextField="ConditionName"
DataValueField="ConditionId"></asp:DropDownList>

asp:SqlDataSource ID="SqlDataSource2" runat="server" >
ConnectionString="<%%$ ConnectionStrings:ConnectionString4 %>"
ProviderName="<%%$ ConnectionStrings:ConnectionString4.ProviderName
%>" SelectCommand="SELECT [ConditionId], [ConditionName] FROM
[tbl_Condition]"></asp:SqlDataSource>

```

```

asp:Button ID="btn_allProducts" runat="server" Text="כל המוצרים"
    CssClass= "Button_allProducts" OnClick="btn_allProducts_Click" />
        asp:Panel>/>
asp:Label id="lbl_FavoriteId" Text="text" Visible="false" runat="server" >
    ></asp:Label>
asp:Label id="lbl_UserName" style="position:absolute;z-index:-1;" >
    Visible="true" Text="text" runat="server" ></asp:Label>
asp:GridView Visible="false" ID="grd_AllProducts" runat="server" >
    CssClass="auto-style3"></asp:GridView>
asp:GridView runat="server" ID="grd_productbyimg" Visible="false" >
    CssClass="auto-style5"
    OnSelectedIndexChanged="grd_productbyimg_SelectedIndexChanged"></asp:
        p:GridView>

asp:ImageButton Visible="false" ImageUrl="./img/CartLogo.png" >
    ID="imgb_SearchedImage" runat="server" CssClass="auto-style4"
    OnClick="imgb_SearchedImage_Click" />

    asp:Panel ID="pnl_product" Visible="false" runat="server" >
        CssClass="auto-style6" style="z-index: 1">
asp:TextBox runat="server" ID="txt_productId" CssClass="auto->
    style8" />
asp:TextBox runat="server" ID="txt_ProductTitle" CssClass="auto->
    style9" />
asp:TextBox runat="server" Id="txt_ProductPrice" CssClass="auto->
    style10"/>
asp:Image ImageUrl="" runat="server" ID="img_Product" >
    CssClass="auto-style7" />
asp:DropDownList ID="ddl_Amount" runat="server" CssClass="auto->
    style11" AutoPostBack="True"
    OnSelectedIndexChanged="ddl_Amount_SelectedIndexChanged">
    </ "(1) כמות"asp:ListItem Text=">
        asp:ListItem Text="2" />>
        asp:ListItem Text="3" />>
        asp:ListItem Text="4" />>

```

```

asp:ListItem Text="5" />>
asp:ListItem Text="6" />>
asp:DropDownList>/>
asp:TextBox runat="server" Id="txt_Total" CssClass="auto-style12"/>>
runat="server" CssClass="auto-style13" "הוספה לסל" asp:Button Text=">
/>

runat="server" CssClass="auto- חזרה לקטלוג" asp:Button Text=">
style14" Height="26px" />

asp:Panel>/>

asp:Panel runat="server" style="background-color:black" >
CssClass="auto-style15"></asp:Panel>

asp:ImageButton ID="imgb_1" ImageUrl="" runat="server" >
Visible="false" CssClass="auto-style17" OnClick="imgb_1_Click" />

asp:ImageButton ID="imgb_2" ImageUrl="" runat="server" >
Visible="false" CssClass="auto-style18" OnClick="imgb_2_Click" />

asp:ImageButton ID="imgb_3" ImageUrl="" runat="server" >
Visible="false" CssClass="auto-style16" OnClick="imgb_3_Click" />

form>/>

body>/>

html>/>

```

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.OleDb;
using System.Web.Services;

```

```

public partial class Pages_Index : System.Web.UI.Page
    }

protected void Page_Load(object sender, EventArgs e)
    }

    if (Session["userName"] == null)
    }

    ;"lbl_Welcome.Text = "
        btn_logout.Visible = false;
        btn_UpdateUserInfo.Visible = false;
        btn_uploadProduct.Visible = false;
        btn_MyProducts.Visible = false;
        lbl_UserName.Text = "guest";
        Response.Redirect("./Login.aspx");
    {
        else
    }

    "lbl_Welcome.Text = Session["userName"].ToString() + "
    ;

    lbl_UserName.Text = Session["userName"].ToString();
        btn_logout.Visible = true;

    {
        {

protected void btn_login_goto_Click(object sender, EventArgs e)
    }

    Response.Redirect("~/User/Login.aspx");
    {

```



```

protected void btn_register_goto_Click(object sender, EventArgs e)
    }

    Response.Redirect("~/User/Register.aspx");
    {

protected void btn_uploadProduct_Click(object sender, EventArgs e)
    }

    Response.Redirect("~/User/UploadProduct.aspx");
    {

protected void btn_logout_to_Login(object sender, EventArgs e)
    }

    Session["userName"] = null;
    Response.Redirect("~/User/Login.aspx");
    {

protected void ddl_Category_SelectedIndexChanged(object sender,
                                                    EventArgs e)
    }

    {

protected void btn_Filter_Click(object sender, EventArgs e)//
    }//

    Response.Write("<div class='Products'>");// //
    BlockFilter(); //
    Response.Write("</div>");// //
    {//

    public void BlockFilter(string searchText)
    }

    users us = new users();

```

```

מכניס נתונים לטבלה //
Products filteProducts = new Products();

grd_AllProducts.DataSource =
filteProducts.SearchProducts(searchText.ToString());

grd_AllProducts.DataBind();

string name = "";

מעלה את הנתונים מהטבלה לצורה יפה
Response.Write("<div class='Products'>");//
Response.Write("<div class='Products'>");
foreach (GridViewRow row in grd_AllProducts.Rows)
    }

    if (Session["userName"] == null)
        }

name = us.GetUsernameById(row.Cells[2].Text);
Response.Write("<div class='blocks'>");
Response.Write("    <div class='BlockIbl'>");//
Response.Write("        <p>" + row.Cells[1].Text + "</p>");//
Response.Write("    </div>");//
Response.Write("<div>");//
Response.Write("    <button onclick='AddToFavorites()' //
                                class='InvisibleButton'>");
Response.Write("        <img id='" + row.Cells[0].Text + "' //
src='../img/heart-Logo.png' class='ImgBlack CartLogo' />");
Response.Write("    </button>");//
Response.Write("</div>");//
Response.Write("    <div class='image'>");
Response.Write("        <img class=' alt='product image' src='" +
row.Cells[1].Text + "' width='300' height='300'>");
Response.Write("    </div>");
Response.Write("    <div class='description'>");//
Response.Write("        <p>" + row.Cells[10].Text + "</p>");//

```

```

        Response.Write("    </div>");//
    Response.Write("    <div class='Phone_Number'>");//
        + " מספר טלפון: "Response.Write("    <p>");//
        us.GetPhoneNumberByUserName(name) + "</p>");
        Response.Write("    </div>");//
    Response.Write("    <div class='Seller_Name'>");//
    name + "</p>"); + " שם המוכר: "Response.Write("    <p>");//
        Response.Write("    </div>");//
    Response.Write("    <div class='Usage_Level'>");//
        + " רמת השימוש: "Response.Write("    <p>");//
        filteProducts.GetConditionById(row.Cells[8].Text) + "</p>");
        Response.Write("    </div>");//
    Response.Write("    <div class='Categorys'>");//
        + " קטגוריה: "Response.Write("    <p>");//
        filteProducts.GetCategoryById(row.Cells[4].Text) + "</p>");
        Response.Write("    </div>");//
    Response.Write("    <div class='Price'>");//
    row.Cells[9].Text + "</p>"); + " מחיר: "Response.Write("    <p>");//
        Response.Write("    </div>");//
        Response.Write("</div>");

        {
            else if
            (filteProducts.IsFavoriteProductsExists(Session["userName"].ToString(),
                row.Cells[0].Text))
        }

        name = us.GetUsernameById(row.Cells[2].Text);
        Response.Write("<div class='blocks'>");
        Response.Write("    <div class='Blocklbl'>");
    Response.Write("        <p>" + row.Cells[1].Text + "</p>");
        Response.Write("    </div>");
        Response.Write("</div>");

```

```

Response.Write("    <button onclick='AddToFavorite()'
                                class='InvisableButton'>");

Response.Write("        <img id='" + row.Cells[0].Text + "'
                                src='../img/heart-Logo.png' class='CartLogo' />");

                                Response.Write("    </button>");

                                Response.Write("</div>");

Response.Write("    <div class='image'>");

Response.Write("        <img class=' alt='product image' src='" +
                                row.Cells[7].Text + "' width='300' height='300'>");

                                Response.Write("    </div>");

                                Response.Write("    <div class='description'>");

Response.Write("        <p>" + row.Cells[10].Text + "</p>");

                                Response.Write("    </div>");

Response.Write("    <div class='Phone_Number'>");

                                + " מספר טלפון: Response.Write("    <p>
                                us.GetPhoneNumberByUsername(name) + "</p>");

                                Response.Write("    </div>");

Response.Write("    <div class='Seller_Name'>");

                                name + "</p>"); + " שם המוכר: Response.Write("    <p>

                                Response.Write("    </div>");

Response.Write("    <div class='Usage_Level'>");

                                + " רמת השימוש: Response.Write("    <p>
                                filteProducts.GetConditionById(row.Cells[8].Text) + "</p>");

                                Response.Write("    </div>");

Response.Write("    <div class='Categorys'>");

                                + " קטגוריה: Response.Write("    <p>
                                filteProducts.GetCategoryById(row.Cells[4].Text) + "</p>");

                                Response.Write("    </div>");

Response.Write("    <div class='Price'>");

                                row.Cells[9].Text + "</p>"); + " מחיר: Response.Write("    <p>

                                Response.Write("    </div>");

                                Response.Write("</div>");

```

```

        {
            else
        }

        name = us.GetUsernameById(row.Cells[2].Text);
        Response.Write("<div class='blocks'>");
        Response.Write("    <div class='Blocklbl'>");
        Response.Write("        <p>" + row.Cells[1].Text + "</p>");
        Response.Write("    </div>");
        Response.Write("<div>");
        Response.Write("    <button onclick='AddToFavorite()'
                        class='InvisibleButton'>");
        Response.Write("        <img id='" + row.Cells[0].Text + "'
                        src='../img/heart-Logo.png' class='ImgBlack CartLogo' />");
        Response.Write("    </button>");
        Response.Write("</div>");
        Response.Write("    <div class='image'>");
        Response.Write("        <img class='" alt='product image' src='" +
                        row.Cells[7].Text + "' width='300' height='300'>");
        Response.Write("    </div>");
        Response.Write("    <div class='description'>");
        Response.Write("        <p>" + row.Cells[10].Text + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Phone_Number'>");
        Response.Write("        + " מספר טלפון:
        us.GetPhoneNumberByUserName(name) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Seller_Name'>");
        Response.Write("        name + "</p>"; + " שם המוכר:
        Response.Write("    <p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Usage_Level'>");
        Response.Write("        + " רמת השימוש:
        fileProducts.GetConditionById(row.Cells[8].Text) + "</p>");

```

```

        Response.Write("    </div>");
        Response.Write("    <div class='Categorys'>");
            + " :קטגוריה: " + Response.Write("        <p>
        filteProducts.GetCategoryById(row.Cells[4].Text) + "</p>");
        Response.Write("    </div>");
        Response.Write("    <div class='Price'>");
        row.Cells[9].Text + "</p>"); + " :מחיר: " + Response.Write("        <p>
        Response.Write("    </div>");
        Response.Write("</div>");
    }
}

Response.Write("</div>");
Response.Write("</div>");//
}

public void Blocks()//
}

if (!Filter) //
} //

users us = new users(); //
    מכניס נתונים לטבלה // //
Products allproducts = new Products(); //
grd_AllProducts.DataSource = allproducts.AllProducts(allproducts); //
grd_AllProducts.DataBind(); //
    string name = ""; //
    מעלה את הנתונים מהטבלה לצורה יפה // //
foreach (GridViewRow row in grd_AllProducts.Rows) //
} //

if (Session["userName"] == null) //
} //

name = us.GetUsernameById(row.Cells[2].Text); //

```

```

        Response.Write("<div class='blocks'>"); //
        Response.Write("    <div class='BlockIbl'>"); //
        Response.Write("        <p>" + row.Cells[1].Text + "</p>"); //
        Response.Write("    </div>"); //
        Response.Write("<div>"); //
        Response.Write("    <button onclick='AddToFavorite()' //
                        class='InvisableButton'>");
        Response.Write("        <img id='" + row.Cells[0].Text + " //
                        src='../img/heart-Logo.png' class='ImgBlack CartLogo' />");
        Response.Write("    </button>"); //
        Response.Write("</div>"); //
        Response.Write("    <div class='image'>"); //
        Response.Write("        <img class=' alt='product image' src='" + //
                        row.Cells[7].Text + " width='300' height='300'>");
        Response.Write("    </div>"); //
        Response.Write("    <div class='description'>"); //
        Response.Write("        <p>" + row.Cells[10].Text + "</p>"); //
        Response.Write("    </div>"); //
        Response.Write("    <div class='Phone_Number'>"); //
        Response.Write("        + " : מספר טלפון: Response.Write("        <p> //
                        us.GetPhoneNumberByUserName(name) + "</p>");
        Response.Write("    </div>"); //
        Response.Write("    <div class='Seller_Name'>"); //
        Response.Write("        name + "</p>"); + " שם המוכר: Response.Write("        <p> //
        Response.Write("    </div>"); //
        Response.Write("    <div class='Usage_Level'>"); //
        Response.Write("        + " רמת השימוש: Response.Write("        <p> //
                        allproducts.GetConditionById(row.Cells[8].Text) + "</p>");
        Response.Write("    </div>"); //
        Response.Write("    <div class='Categorys'>"); //
        Response.Write("        + " קטגוריה: Response.Write("        <p> //
                        allproducts.GetCategoryById(row.Cells[4].Text) + "</p>");

```

```

        Response.Write("    </div>"); //
        Response.Write("    <div class='Price'>"); //
        row.Cells[9].Text + "</p>"); + " מחיר: Response.Write("    <p> //
        Response.Write("    </div>"); //
        Response.Write("</div>"); //
        { //
            else if //
            (allproducts.IsFavoriteProductsExists(Session["userName"].ToString(),
            row.Cells[0].Text))
        } //
        name = us.GetUsernameById(row.Cells[2].Text); //
        Response.Write("<div class='blocks'>"); //
        Response.Write("    <div class='BlockIbl'>"); //
        Response.Write("        <p>" + row.Cells[1].Text + "</p>"); //
        Response.Write("    </div>"); //
        Response.Write("<div>"); //
        Response.Write("    <button onclick='AddToFavorite()' //
            class='InvisibleButton'>");
        Response.Write("        <img id='" + row.Cells[0].Text + " //
            src='../img/heart-Logo.png' class='CartLogo' />");
        Response.Write("    </button>"); //
        Response.Write("</div>"); //
        Response.Write("    <div class='image'>"); //
        Response.Write("        ");
        Response.Write("    </div>"); //
        Response.Write("    <div class='description'>"); //
        Response.Write("        <p>" + row.Cells[10].Text + "</p>"); //
        Response.Write("    </div>"); //
        Response.Write("    <div class='Phone_Number'>"); //
        + " מספר טלפון: Response.Write("    <p> //
            us.GetPhoneNumberByUsername(name) + "</p>");

```



```

        Response.Write("    </div>"); //
        Response.Write("    <div class='Seller_Name'>"); //
        name + "</p>"); + " שם המוכר: Response.Write("    <p> //
        Response.Write("    </div>"); //
        Response.Write("    <div class='Usage_Level'>"); //
        + " רמת השימוש: Response.Write("    <p> //
        allproducts.GetConditionById(row.Cells[8].Text) + "</p>");
        Response.Write("    </div>"); //
        Response.Write("    <div class='Categorys'>"); //
        + " קטגוריה: Response.Write("    <p> //
        allproducts.GetCategoryById(row.Cells[4].Text) + "</p>");
        Response.Write("    </div>"); //
        Response.Write("    <div class='Price'>"); //
        row.Cells[9].Text + "</p>"); + " מחיר: Response.Write("    <p> //
        Response.Write("    </div>"); //
        Response.Write("</div>"); //
        { //
        else //
        } //
        name = us.GetUsernameById(row.Cells[2].Text); //
        Response.Write("<div class='blocks'>"); //
        Response.Write("    <div class='Blocklbl'>"); //
        Response.Write("    <p>" + row.Cells[1].Text + "</p>"); //
        Response.Write("    </div>"); //
        Response.Write("<div>"); //
        Response.Write("    <button onclick='AddToFavorite(' //
        class='InvisableButton'>");
        Response.Write("    <img id='" + row.Cells[0].Text + " //
        src='../img/heart-Logo.png' class='ImgBlack CartLogo' />");
        Response.Write("    </button>"); //
        Response.Write("</div>"); //

```

```

        Response.Write("    <div class='image'>");           //
Response.Write("        <img class='' alt='product image' src='' +           //
                    row.Cells[7].Text + "" width='300' height='300'>");
        Response.Write("    </div>");                       //
        Response.Write("    <div class='description'>");     //
Response.Write("        <p>" + row.Cells[10].Text + "</p>");   //
        Response.Write("    </div>");                       //
        Response.Write("    <div class='Phone_Number'>");    //
        + " מספר טלפון: ";
        Response.Write("        <p>                               //
            us.GetPhoneNumberByUserName(name) + "</p>");
        Response.Write("    </div>");                       //
        Response.Write("    <div class='Seller_Name'>");     //
        name + "</p>"); + " שם המוכר: ";
        Response.Write("        <p>                               //
            Response.Write("    </div>");                       //
        Response.Write("    <div class='Usage_Level'>");    //
        + " רמת השימוש: ";
        Response.Write("        <p>                               //
            allproducts.GetConditionById(row.Cells[8].Text) + "</p>");
        Response.Write("    </div>");                       //
        Response.Write("    <div class='Categorys'>");       //
        + " קטגוריה: ";
        Response.Write("        <p>                               //
            allproducts.GetCategoryById(row.Cells[4].Text) + "</p>");
        Response.Write("    </div>");                       //
        Response.Write("    <div class='Price'>");           //
        row.Cells[9].Text + "</p>"); + " מחיר: ";
        Response.Write("        <p>                               //
            Response.Write("    </div>");                       //
            Response.Write("</div>");                       //
        {           //
        {           //
        {           //
        {           //

```

```
protected void btn_allProducts_Click(object sender, EventArgs e)
    }
    {
```

```
protected void ib_Heart_Click(object sender, ImageClickEventArgs e)
    }

    if (Session["userName"] != null)
        Response.Redirect("./LovedProducts.aspx");
    {
```

```
protected void btn_ContactUs_Click(object sender, EventArgs e)
    }

    Response.Redirect("./ContactUs.aspx");
    {
```

```
protected void btn_Admin_goto_Click(object sender, EventArgs e)
    }

    Response.Redirect("../Admin/IndexAdmin.aspx");
    {
```

```
protected void btn_MyProducts_Click(object sender, EventArgs e)
    }

    Response.Redirect("./MyProducts.aspx");
    {
```

```
protected void btn_UpdateUserInfo_Click(object sender, EventArgs e)
    }
```

//מונע מהדף לרוץ פעמיים ולאבד את העדכון

```
Session["yy"] = false;
```

```

        Response.Redirect("./UpdateUserInfo.aspx");
    }

protected void btn_AddToFavorite_Click(object sender, EventArgs e)
    }

    TestLBL.Text = "Good " + Session["FavoriteId"].ToString() ;//
    {
        public void GetButtonId(object sender, EventArgs e)
        }

        string idFavorite = lbl_FavoriteId.Text;
        Console.WriteLine(idFavorite);
        TestLBL.Text = buttonId;//
    }

protected void btn_Catalog2_Click(object sender, EventArgs e)
    }

    Response.Redirect("~/User/Catalog2/Catalog2.aspx");
    {

protected void btn_DonateGoTo_Click(object sender, EventArgs e)
    }

    Response.Redirect("./Donate.aspx");
    {

protected void Unnamed2_Click(object sender, ImageClickEventArgs e)
    }

        מכניס נתונים לטבלה //
        Products filteProducts = new Products();

```

```

        grd_AllProducts.DataSource =
        filteProducts.SearchProducts(txt_search.Text.ToString());
        grd_AllProducts.DataBind();
        foreach (GridViewRow row in grd_AllProducts.Rows)
        {
            imgb_SearchedImage.ImageUrl = row.Cells[1].Text;
            {
                imgb_SearchedImage.Visible = true;
                {

protected void imgb_SearchedImage_Click(object sender,
                ImageClickEventArgs e)
                {
                    string imgId = "";
                    Products filteProducts = new Products();
                    grd_AllProducts.DataSource =
                    filteProducts.SearchProducts(txt_search.Text.ToString());
                    grd_AllProducts.DataBind();
                    foreach (GridViewRow row in grd_AllProducts.Rows)
                    {
                        imgId = row.Cells[1].Text;
                        {
                            grd_productbyimg.DataSource =
                            filteProducts.SearchProductsByImg(imgId);
                            grd_productbyimg.DataBind();
                            pnl_product.Visible = true;
                            foreach (GridViewRow row in grd_productbyimg.Rows)
                            {

                                img_Product.ImageUrl= row.Cells[3].Text;
                                txt_productId.Text = row.Cells[0].Text;

```

```

        txt_ProductTitle.Text = row.Cells[1].Text;
        txt_ProductPrice.Text = row.Cells[2].Text;
    }

    Products allproducts = new Products();
    grd_AllProducts.DataSource = allproducts.AllProducts(allproducts);
    grd_AllProducts.DataBind();
    Random r = new Random();
    r.Next(0, grd_AllProducts.Rows.Count - 1);
    foreach (GridViewRow row in grd_AllProducts.Rows)
    }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_1.ImageUrl = row.Cells[7].Text;
    {
        foreach (GridViewRow row in grd_AllProducts.Rows)
        }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_2.ImageUrl = row.Cells[7].Text;
    {
        foreach (GridViewRow row in grd_AllProducts.Rows)
        }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_3.ImageUrl = row.Cells[7].Text;
    {
        imgb_1.Visible = true;
        imgb_2.Visible = true;
        imgb_3.Visible = true;
    }

protected void grd_productbyimg_SelectedIndexChanged(object sender,
    EventArgs e)

```

```

    }

    int amount = ddl_Amount.SelectedIndex; int textbox =
        int.Parse(txt_ProductPrice.Text);

    int Total = amount * textbox;
    txt_Total.Text = Total.ToString();

    {

protected void imgb_1_Click(object sender, ImageClickEventArgs e)

    }

    Products filteProducts = new Products();
    grd_productbyimg.DataSource =
    filteProducts.SearchProductsByImg(imgb_1.ImageUrl.ToString());
    grd_productbyimg.DataBind();
    pnl_product.Visible = true;
    foreach (GridViewRow row in grd_productbyimg.Rows)

    }

    img_Product.ImageUrl = row.Cells[3].Text;
    txt_productId.Text = row.Cells[0].Text;
    txt_ProductTitle.Text = row.Cells[1].Text;
    txt_ProductPrice.Text = row.Cells[2].Text;

    {

    Products allproducts = new Products();
    grd_AllProducts.DataSource = allproducts.AllProducts(allproducts);
    grd_AllProducts.DataBind();
    Random r = new Random();
    r.Next(0, grd_AllProducts.Rows.Count - 1);
    foreach (GridViewRow row in grd_AllProducts.Rows)

    }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_1.ImageUrl = row.Cells[7].Text;

```

```

        {
            foreach (GridViewRow row in grd_AllProducts.Rows)
        }
        if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
            imgb_2.ImageUrl = row.Cells[7].Text;
        {
            foreach (GridViewRow row in grd_AllProducts.Rows)
        }
        if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
            imgb_3.ImageUrl = row.Cells[7].Text;
        {
            imgb_1.Visible = true;
            imgb_2.Visible = true;
            imgb_3.Visible = true;
        }

protected void imgb_2_Click(object sender, ImageClickEventArgs e)
    }

    Products filteProducts = new Products();
    grd_productbyimg.DataSource =
    filteProducts.SearchProductsByImg(imgb_2.ImageUrl.ToString());
    grd_productbyimg.DataBind();
    pnl_product.Visible = true;
    foreach (GridViewRow row in grd_productbyimg.Rows)
    }

    img_Product.ImageUrl = row.Cells[3].Text;
    txt_productId.Text = row.Cells[0].Text;
    txt_ProductTitle.Text = row.Cells[1].Text;
    txt_ProductPrice.Text = row.Cells[2].Text;

```



```

{
    Products allproducts = new Products();
    grd_AllProducts.DataSource = allproducts.AllProducts(allproducts);
    grd_AllProducts.DataBind();
    Random r = new Random();
    r.Next(0, grd_AllProducts.Rows.Count - 1);
    foreach (GridViewRow row in grd_AllProducts.Rows)
    }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_1.ImageUrl = row.Cells[7].Text;
    {
        foreach (GridViewRow row in grd_AllProducts.Rows)
        }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_2.ImageUrl = row.Cells[7].Text;
    {
        foreach (GridViewRow row in grd_AllProducts.Rows)
        }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_3.ImageUrl = row.Cells[7].Text;
    {
        imgb_1.Visible = true;
        imgb_2.Visible = true;
        imgb_3.Visible = true;

    }

    protected void imgb_3_Click(object sender, ImageClickEventArgs e)
    }

    Products filteProducts = new Products();

```

```

                                grd_productbyimg.DataSource =
    filteProducts.SearchProductsByImg(imgb_3.ImageUrl.ToString());
                                grd_productbyimg.DataBind();
                                pnl_product.Visible = true;
    foreach (GridViewRow row in grd_productbyimg.Rows)
                                }

    img_Product.ImageUrl = row.Cells[3].Text;
    txt_productId.Text = row.Cells[0].Text;
    txt_ProductTitle.Text = row.Cells[1].Text;
    txt_ProductPrice.Text = row.Cells[2].Text;
                                {
                                Products allproducts = new Products();
    grd_AllProducts.DataSource = allproducts.AllProducts(allproducts);
                                grd_AllProducts.DataBind();
                                Random r = new Random();
                                r.Next(0, grd_AllProducts.Rows.Count - 1);
    foreach (GridViewRow row in grd_AllProducts.Rows)
                                }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_1.ImageUrl = row.Cells[7].Text;
                                {
    foreach (GridViewRow row in grd_AllProducts.Rows)
                                }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))
        imgb_2.ImageUrl = row.Cells[7].Text;
                                {
    foreach (GridViewRow row in grd_AllProducts.Rows)
                                }

    if (row.RowIndex == r.Next(0, grd_AllProducts.Rows.Count - 1))

```

```

        imgb_3.ImageUrl = row.Cells[7].Text;
    }
    imgb_1.Visible = true;
    imgb_2.Visible = true;
    imgb_3.Visible = true;
}

protected void ddl_Amount_SelectedIndexChanged(object sender,
    EventArgs e)
    }

    int amount = ddl_Amount.SelectedIndex; int textbox =
        int.Parse(txt_ProductPrice.Text);
    int Total = amount * textbox;
    txt_Total.Text = Total.ToString();

    {
    {

```

```

        Page Language="C#" AutoEventWireup="true" @%>
CodeFile="TransferValue.aspx.cs" Inherits="User_TransferValue" %>

```

```

DOCTYPE html>!>

```

```

html xmlns="http://www.w3.org/1999/xhtml">>
    head runat="server">>
        title></title>>
    head/>
    body>>
        form id="form1" runat="server">>
            div>>
                asp:Label Text="1" ID="lbl_ID_1" runat="server"/>>
                asp:Label Text="2" ID="lbl_ID_2" runat="server"/>>
            div/>

```

```

        form>/>
    body>/>
html>/>

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Web.Services;

public partial class User_TransferValue : System.Web.UI.Page
    }

    protected void Page_Load(object sender, EventArgs e)
    }

        string userValue =
HttpContext.Current.Request.QueryString["userValue"].ToString();
        string userName =
HttpContext.Current.Request.QueryString["userName"].ToString();
        lbl_ID_1.Text = userValue;
        lbl_ID_2.Text = userName;
        Products Favorite = new Products();
        if (!(Favorite.IsFavoriteProductsExists(userName, userValue)))
            Favorite.AddToFavorites(userValue, userName);

System.Web.HttpContext.Current.Response.Write("<script>if(window.opener)
{window.opener.location.reload(true);}</script>");

```

```
System.Web.HttpContext.Current.Response.Write("<script>self.close();</scrip
t>");
{
{
```

```
Page Language="C#" AutoEventWireup="true" @%>
CodeFile="UpdateUserInfo.aspx.cs" Inherits="User_UpdateUserInfo" %>
```

```
DOCTYPE html>!>
```

```
html xmlns="http://www.w3.org/1999/xhtml">>
    head runat="server">>
        title>/>עדכן פרטי משתמש</title>>
        link href="~/Styles/MainStyle.css" rel="stylesheet" />>
        script src="../JS/JSScript.js"></script>>
    head/>
    body>>
        form id="form1" runat="server">>
            div>>
                ul>>
                    li>>
asp:Button ID="btn_index" runat="server" CssClass="Button" >
    OnClick="btn_index_Click" /></li> "לדף הבית"Text="
                ul/>
            div style="position:absolute;right:45%;top:30%;display:grid;">>
runat="server" "שם"asp:TextBox ID="txt_Fname" placeholder="
    CssClass="TextBoxData" style="font-size:15px;margin-
        bottom:55px;position:relative;"></asp:TextBox>
```

```

runat="server" "שם משפחה"asp:TextBox ID="txt_Lname" placeholder=">
    CssClass="TxtBoxData" style="font-size:15px;margin-
        bottom:55px;position:relative;"></asp:TextBox>

    "שם משתמש"asp:TextBox ID="txt_Username" placeholder=">
runat="server" CssClass="TxtBoxData" style="font-size:15px;margin-
    bottom:55px;position:relative;"></asp:TextBox>

"סוסימא"asp:TextBox ID="txt_Password" type="password" placeholder=">
runat="server" CssClass="TxtBoxData" style="font-size:15px;margin-
    bottom:55px;position:relative;"></asp:TextBox>

runat="server" "אימייל"asp:TextBox ID="txt_Email" placeholder=">
    CssClass="TxtBoxData" style="font-size:15px;margin-
        bottom:55px;position:relative;"></asp:TextBox>

    "עדכן"asp:Button ID="btn_Update" runat="server" Text=">
        CssClass="SimpleButton" style="font-size:20px;margin-
        bottom:35px;position:relative;" OnClick="btn_Update_Click" />
div>/>

div style="position:absolute;display:grid;top:35%;right:33%;">>

    asp:DropDownList ID="ddl_Gender" CssClass="ddlStyle" >
runat="server" DataSourceID="SqlDataSource1" DataTextField="Genders"
    DataValueField="GenderID" Style="margin-bottom:
        30px;"></asp:DropDownList>

    asp:SqlDataSource ID="SqlDataSource1" runat="server" >
        ConnectionString="<%%$ ConnectionStrings:ConnectionString %>"
        ProviderName="<%%$ ConnectionStrings:ConnectionString.ProviderName %>"
        SelectCommand="SELECT [GenderID], [Genders] FROM
            [tbl_gender]"></asp:SqlDataSource>

    asp:DropDownList CssClass="ddlStyle" ID="ddl_PhoneStart" >
        runat="server" style="margin-bottom:30px;">

        asp:ListItem>050</asp:ListItem>>
        asp:ListItem>051</asp:ListItem>>
        asp:ListItem>052</asp:ListItem>>
        asp:ListItem>053</asp:ListItem>>
        asp:ListItem>054</asp:ListItem>>
        asp:ListItem>055</asp:ListItem>>
        asp:ListItem>056</asp:ListItem>>

```

```

asp:ListItem>057</asp:ListItem>>
asp:ListItem>058</asp:ListItem>>
asp:ListItem>059</asp:ListItem>>
asp:DropDownList>/>
asp:DropDownList ID="ddl_City" CssClass="ddlStyle" runat="server" >
    DataSourceID="SqlDataSource2" DataTextField="citys"
    DataValueField="CityId"></asp:DropDownList>

asp:SqlDataSource ID="SqlDataSource2" runat="server" >
    ConnectionString="<%= $ConnectionStrings:ConnectionString %>"
    ProviderName="<%= $ConnectionStrings:ConnectionString.ProviderName %>"
    SelectCommand="SELECT [citys], [CityId] FROM
    [tblCity]"></asp:SqlDataSource>

div>/>

div style="font-size:15px;position:absolute;top:42%;right:16%;height:auto;width:auto;display:
grid;">

מספר הטלפון
asp:TextBox ID="txt_PhoneNumber" placeholder="מספר הטלפון"
runat="server" style="margin-bottom:34px;position:relative;"
    CssClass="TxtBoxData" ></asp:TextBox>

כתובת
asp:TextBox ID="txt_Address" placeholder="כתובת"
runat="server"
    CssClass="TxtBoxData" style="position:relative;" ></asp:TextBox>

div>/>

☐

```

```

html>/>

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class User_UpdateUserInfo : System.Web.UI.Page
    {

        users UpdateUser = new users();
        protected void Page_Load(object sender, EventArgs e)
            {

                if (Session["userName"] == null)
                    {

                        Response.Redirect("./Index.aspx");
                    }
                else
                    {

                        //מונע מהדף לרוץ פעמיים ולאבד את העדכון
                        if (Session["yy"].Equals(false))
                            {

                                grd_user.DataSource =
                                UpdateUser.GetUserByUsername(Session["userName"].ToString());
                                grd_user.DataBind();
                                txt_Username.Text = Session["userName"].ToString();
                                foreach (GridViewRow row in grd_user.Rows)
                                    {

                                        txt_Fname.Text = row.Cells[4].Text;
                                        txt_Lname.Text = row.Cells[5].Text;

```



```

txt_Password.Text = row.Cells[2].Text;
txt_Email.Text = row.Cells[10].Text;
txt_PhoneNumber.Text = row.Cells[8].Text.Remove(0,3);
txt_Address.Text = row.Cells[7].Text;
ddl_Gender.SelectedIndex = int.Parse(row.Cells[6].Text)-1;
ddl_City.SelectedIndex = int.Parse(row.Cells[9].Text)-1;
ddl_PhoneStart.SelectedValue = row.Cells[8].Text.Substring(0,3);

        {
            Session["yy"] = true;
        }
    }

    // מעדכן את טבלת tbl_User לפי הערכים החדשים
    protected void btn_Update_Click(object sender, EventArgs e)
    {
        if (!(txt_Username.Text == "" || txt_PhoneNumber.Text == "" ||
            txt_Password.Text == "" || txt_LName.Text == "" || txt_FName.Text == "" ||
            txt_Email.Text == "" || txt_Address.Text == ""))
        {
            UpdateUser.Pass = txt_Password.Text;

            UpdateUser.PhoneNumber =
            ddl_PhoneStart.SelectedItem.Value.ToString() + txt_PhoneNumber.Text;

            UpdateUser.FName = txt_FName.Text;
            UpdateUser.LName = txt_LName.Text;
            UpdateUser.Gender = ddl_Gender.SelectedItem.Value.ToString();
            UpdateUser.CityName = ddl_City.SelectedItem.Value.ToString();
            UpdateUser.Address = txt_Address.Text;
            UpdateUser.User_Name = txt_Username.Text;
            UpdateUser.Mail =txt_Email.Text;

```

```
UpdateUser.UpdateUserInfo(UpdateUser,Session["userName"].ToString());
```

```
lbl_error.Visible = true;
```

```
;lbl_error.Text = "עודכנו בהצלחה";
```

```
{
```

```
{
```

```
protected void btn_index_Click(object sender, EventArgs e)
```

```
}
```

```
Response.Redirect("./Index.aspx");
```

```
{
```

```
{
```

```
Page Language="C#" AutoEventWireup="true" @%>
```

```
CodeFile="UploadProduct.aspx.cs" Debug="true"
```

```
Inherits="User_UploadProduct" %>
```

```
DOCTYPE html>!>
```

```
html xmlns="http://www.w3.org/1999/xhtml">>
```

```
head runat="server">>
```

```
title>/>מוצר העלה</title>>>
```

```
link href="~/Styles/MainStyle.css" rel="stylesheet" />>
```

```
script src="~/JS/JSScript.js"></script>>
```

```
head>/>
```

```
body>>
```

```
form id="form1" runat="server">>
```

```
ul>>
```

```
ID="btn_login_goto" <asp:Button CssClass="Button" Text="להתחבר">
```

```
runat="server" OnClick="btn_login_goto_Click" /></li>
```

```

"ולוהרשם"><asp:Button CssClass="Button" Text=">
ID="btn_register_goto" runat="server" OnClick="btn_register_goto_Click"
/></li>

"ולודף מנהל"><asp:Button CssClass="Button" Visible="false" Text=">
ID="btn_Admin_goto" runat="server" /></li>

"ולצרו קשר"><asp:Button CssClass="Button" Text=">
ID="btn_ContactUs" runat="server" /></li>

ID="btn_Index" "ולודף הבית"><asp:Button CssClass="Button" Text=">
runat="server" OnClick="Button1_Click_Index" /></li>

"ולוהמוצרים שלי"><asp:Button CssClass="Button" Text=">
id="btn_MyProducts" runat="server" OnClick="btn_MyProducts_Click" /></li>
ul/>

```

```
div>>
```

```

asp:FileUpload ID="Fu_Img" CssClass="FileUpload" accept="image/*" >
multiple="false" runat="server" onchange="showimagepreview1(event)" />

asp:Image ID="image_upload_preview" CssClass="imgUpload" >
runat="server" Height="300px" Width="300px" />

asp:Label ID="lbl_t" runat="server" Text="Label" >
Visible="false"></asp:Label>

"העלה"asp:Button ID="btn_UploadProduct" Text=">
CssClass="SimpleButton" style="position:absolute;top:75%;left:50%;font-
size:25px;" runat="server" OnClick="btn_UploadProduct_Click" />

div class="txtDiv">>

"הכנס כותרת"asp:TextBox ID="txt_title" placeholder=">
CssClass="TxtSellProduct" Style="z-index:2;" runat="server"></asp:TextBox>

"הכנס מחיר"asp:TextBox ID="txt_price" placeholder=">
CssClass="TxtSellProduct" Style="z-index:2;" runat="server"></asp:TextBox>

"הכנס תיאור"asp:TextBox ID="txt_description" placeholder=">
CssClass="TxtSellProduct" Style="z-index:2;" runat="server"></asp:TextBox>

ReadOnly="true" "תאריך"asp:TextBox ID="txt_date" placeholder=">
CssClass="TxtSellProduct" Style="z-index:2;" runat="server"></asp:TextBox>

div/>

div/>

```

```

        asp:DropDownList CssClass="ddlStyle" >
style="position:absolute;right:25%;" ID="ddl_Category" runat="server"
DataSourceID="SqlDataSource1" DataTextField="CategoryName"
DataValueField="CategoryId"></asp:DropDownList>

        asp:SqlDataSource ID="SqlDataSource1" runat="server" >
ConnectionString="<%%$ ConnectionStrings:ConnectionString5 %>"
ProviderName="<%%$ ConnectionStrings:ConnectionString5.ProviderName
%>" SelectCommand="SELECT [CategoryId], [CategoryName] FROM
[tbl_Category]"></asp:SqlDataSource>

        asp:DropDownList ID="ddl_Condition" CssClass="ddlStyle" >
style="position:absolute;right:25%;top:50%;" runat="server"
DataSourceID="SqlDataSource2" DataTextField="ConditionName"
DataValueField="ConditionId"></asp:DropDownList>

        asp:SqlDataSource ID="SqlDataSource2" runat="server" >
ConnectionString="<%%$ ConnectionStrings:ConnectionString6 %>"
ProviderName="<%%$ ConnectionStrings:ConnectionString6.ProviderName
%>" SelectCommand="SELECT [ConditionId], [ConditionName] FROM
[tbl_Condition]"></asp:SqlDataSource>

asp:Label ID="lbl_Error" Text="Error" style="color:red; z-index: 1; left: >
442px; top: 583px; position: absolute;" Visible="false" runat="server" />

        form>/>

        body>/>

        html>/>

```

```

        using System;
        using System.Collections.Generic;
        using System.Linq;
        using System.Web;
        using System.Web.UI;
        using System.Web.UI.WebControls;
        using System.IO;

        public partial class User_UploadProduct : System.Web.UI.Page

```

```

    }

```

```

protected void Page_Load(object sender, EventArgs e)
    }

    if(Session["userName"] == null)
    }

    Response.Redirect("./Login.aspx");
    {
    else
    }

    txt_date.Text = DateTime.Now.ToString("dddd, MMMM dd");
    {
    {

protected void btn_UploadProduct_Click(object sender, EventArgs e)
    } // ניתן לבדוק אורך כי אם הוא הגיע לשם ניתן לדעת שהוא עבר גבר בדיקה לראות אם
    הוא ריק כי אם היה ריק הIF היה עוצר בהתחלה

    if (Fu_Img.HasFile && txt_date.Text != null && txt_description != null &&
        txt_price != null && txt_title != null && txt_description.Text.Length<42 &&
        txt_title.Text.Length<29)
    }

    Fu_Img.SaveAs(Server.MapPath("ImgProducts/" +
        Fu_Img.FileName.ToString()));

    lbl_t.Text = Fu_Img.FileName.ToString();

    image_upload_preview.ImageUrl = "../User/ImgProducts/" + lbl_t.Text;

    Products NewProduct = new Products();
    NewProduct.img = "../User/ImgProducts/" +
        Fu_Img.FileName.ToString();
    NewProduct.title = txt_title.Text;

```

```

        NewProduct.price = txt_price.Text;
        NewProduct.category// להמשיך להעלות
        users TmpUser = new users();
        NewProduct.sellerName = TmpUser.GetIDByUserName(
            Session["userName"].ToString());
        NewProduct.description = txt_description.Text;
        NewProduct.dateOfUpload = txt_date.Text;
        NewProduct.category = ddl_Category.SelectedItem.Value;
        NewProduct.condition = ddl_Condition.SelectedItem.Value;
        NewProduct.addProduct(NewProduct);
        lbl_Error.Text = "
            הוצר הועלה בהצלחה";
        lbl_Error.Visible = true;
    }
}

protected void btn_MyProducts_Click(object sender, EventArgs e)
    }

    Response.Redirect("./MyProducts.aspx");
    {

protected void btn_login_goto_Click(object sender, EventArgs e)
    }

    Session["userName"] = null;
    Response.Redirect("./Login.aspx");
    {

protected void btn_register_goto_Click(object sender, EventArgs e)
    }

```

```
        Session["userName"] = null;
        Response.Redirect("./Register.aspx");
    }

protected void Button1_Click_Index(object sender, EventArgs e)
    }

    Response.Redirect("./Index.aspx");
    {
    {
```