

1.

```
create database EliteVideo
use EliteVideo;
```

```
create table Membership(
    Mem_num int(3) primary key,
    Mem_Fname char(20),
    Mem_Lname char(20),
    Mem_Street varchar(40),
    Mem_State char(2),
    Mem_Zip int (5),
    Mem_Balance int,
    Mem_City char(20),
);
```

```
create table Price (
    Price_Code int(1) PRIMARY KEY,
    Price_Description char(20),
    Price_Rentfee decimal(10,2),
    Price_Dailyatefee int(1));
```

```
create table Rental (
    Rent_num int(4) primary key,
    Rent_Date varchar(10),
    Mem_num int(3),
    foreign key (Mem_num) references Membership(Mem_num));
```

```
CREATE TABLE Movie(
    Movie_num int(4) PRIMARY KEY,
    Movie_Name char(30),
    Movie_Year char(4),
    Movie_cost decimal(4,2),
    Movie_Genre char(10),
    Price_Code int(1),
    FOREIGN KEY (Price_Code) REFERENCES Price(Price_Code));
```

```
CREATE TABLE Video (
    Vid_Num int(5) PRIMARY KEY,
    Vid_indate varchar(0),
    Movie_num int(4),
    FOREIGN KEY (Movie_num) REFERENCES Movie(Movie_num));
```

```
CREATE TABLE DetailRental (
    Rent_num int (4),
    Vid_Num int(5),
    Detail_Fee decimal(9,2),
    Detail_Duedate varchar(10),
    Detail_Returndate varchar(10),
    Detail_Dailylatefee int(10),
    PRIMARY KEY(Rent_num,Vid_Num),
    FOREIGN KEY (Rent_num) REFERENCES Rental(Rent_num),
    FOREIGN KEY (Vid_Num) REFERENCES Video(Vid_Num));
```

2. Inserting Values

Insert into Membership(Mem_num, Mem_Fname, Mem_Lname, Mem_Street, Mem_City, Mem_State, Mem_Zip, Mem_Balance)values

```
(102, 'Tami', 'Dawson', '2632 Takli Circle', 'Norene', 'TN', '37136', 11),
(103, 'Curt', 'Knight', '4025 Cornell Court', 'Flatgap', 'KY', '41219', 6),
(104, 'Jamal', 'Melendez', '788 East 145th Avenue', 'Quebeck', 'TN', '38579', 0),
(105, 'Iva', 'Mcclain', '6045 Musket Ball Circle', 'Summit', 'KY', '42783', 15),
(106, 'Miranda', 'Parks', '4469 Maxwell Place', 'Germantown', 'TN', '38183', 0),
(107, 'Rosario', 'Elliott', '7578 Danner Avenue', 'Columbia', 'TN', '38402', 5),
(108, 'Mattie', 'Guy', '4390 Evergreen Street', 'Lily', 'KY', '40740', 0),
(109, 'Clint', 'Ochoa', '1711 Elm Street', 'Greeneville', 'TN', '37745', 10),
(110, 'Lewis', 'Rosales', '4524 Southwind Circle', 'Counce', 'TN', '38326', 0),
(111, 'Stacy', 'Mann', '2789 East Cook Avenue', 'Murfreesboro', 'TN', '37132', 8),
(112, 'Luis', 'Trujillo', '7267 Melvin Avenue', 'Heiskell', 'TN', '37754', 3),
(113, 'Minnie', 'Gonzales', '6430 Vasili Drive', 'Williston', 'TN', '38076', 0);
```

Insert into Price(Price_Code, Price_Description, Price_Rentfee, Price_Dailylatefee)values

```
(1, 'Standard', 2, 1),
(2, 'New Release', 3.5, 3),
(3, 'Discount', 1.5, 1),
(4, 'Weekly Special', 1, .5);
```

Insert into Rental(Rent_num ,Rent_Date,Mem_num)values

```
(1001, '2016-03-01', 103),
(1002, '2016-03-01', 105),
(1003, '2016-03-02', 102),
(1004, '2016-03-02', 110),
(1005, '2016-03-02', 111),
(1006, '2016-03-02', 107),
(1007, '2016-03-02', 104),
(1008, '2016-03-03', 105),
(1009, '2016-03-03', 111);
```

Insert into

```
Movie(Movie_Num,Movie_Name,Movie_Year,Movie_cost,Movie_genre,Price_code)values
(1234, 'The Cesar Family Christmas', 2014, 39.95, 'FAMILY', 2),
(1235, 'Smokey Mountain Wildlife', 2011, 59.95, 'ACTION', 1),
(1236, 'Richard Goodhope', 2015, 59.95, 'DRAMA', 2),
(1237, 'Beatnik Fever', 2014, 29.95, 'COMEDY', 2),
(1238, 'Constant Companion', 2015, 89.95, 'DRAMA', NULL),
(1239, 'Where Hope Dies', 2005, 25.49, 'DRAMA', 3),
(1245, 'Time to Burn', 2012, 45.49, 'ACTION', 1),
(1246, 'What He Doesn't Know', 2013, 58.29, 'COMEDY', 1);
```

```
Insert into Video (Vid_Num,Vid_indate,Movie_num)values
```

```
(54324, '18-JUN-15', 1234),
(54325, '18-JUN-15', 1234),
(34341, '22-JAN-14', 1235),
(34342, '22-JAN-14', 1235),
(34366, '02-MAR-16', 1236),
(34367, '02-MAR-16', 1236),
(34368, '02-MAR-16', 1236),
(34369, '02-MAR-16', 1236),
(44392, '21-OCT-15', 1237),
(44397, '21-OCT-15', 1237),
(59237, '14-FEB-16', 1237),
(61388, '25-JAN-14', 1239),
(61353, '28-JAN-13', 1245),
(61354, '28-JAN-13', 1245),
(61367, '30-JUL-15', 1246),
(61369, '30-JUL-15', 1246);
```

```
Insert into DetailRental (Rent_num, Vid_Num, Detail_Fee, Detail_Duedate, Detail_Returndate,
Detail_Dailylatefee) values
```

```
(1001, 34342, 2, '04-MAR-16', '02-MAR-16', NULL),
(1001, 61353, 2, '04-MAR-16', '03-MAR-16', 1),
(1002, 59237, 3.5, '04-MAR-16', '04-MAR-16', 1),
(1003, 54325, 3.5, '04-MAR-16', '09-MAR-16', 3),
(1003, 61369, 2, '06-MAR-16', '09-MAR-16', 3),
(1003, 61388, 0, '06-MAR-16', '09-MAR-16', 1),
(1004, 44392, 3.5, '05-MAR-16', '07-MAR-16', 3),
(1004, 34367, 3.5, '05-MAR-16', '07-MAR-16', 3),
(1004, 34341, 2, '07-MAR-16', '07-MAR-16', 1),
(1005, 34342, 2, '07-MAR-16', '05-MAR-16', 1),
(1005, 44397, 3.5, '05-MAR-16', '05-MAR-16', 3),
(1006, 34366, 3.5, '05-MAR-16', '04-MAR-16', 3),
(1006, 61367, 2, '07-MAR-16', NULL, 1),
(1007, 34368, 3.5, '05-MAR-16', NULL, 3),
(1008, 34369, 3.5, '05-MAR-16', '05-MAR-16', 3),
(1009, 54324, 3.5, '05-MAR-16', NULL, 3),
(1001, 34366, 3.5, '04-MAR-16', '02-MAR-16', 3);
```

3.

update Movie

Set Movie_Year= '2010'

where Movie_num = 1245;

before

Movie_num	Movie_Year
1234	2014
1235	2011
1236	2015
1237	2014
1238	2015
1239	2005
1245	2012
1246	2013

after

Movie_num	Movie_Year
1234	2014
1235	2011
1236	2015
1237	2014
1238	2015
1239	2005
1245	2010
1246	2013

4.

update Movie

set Price_Code = 1

where Movie_Genre = 'ACTION'

before

Movie_num	Movie_Genre	Price_Code
1234	FAMILY	2
1235	ACTION	1
1236	DRAMA	2

1237	COMEDY	2
1238	DRAMA	NULL
1239	DRAMA	3
1245	ACTION	1
1246	COMEDY	1

after

Movie_num	Movie_Genre	Price_Code
1234	FAMILY	2
1235	ACTION	3
1236	DRAMA	2
1237	COMEDY	2
1238	DRAMA	NULL
1239	DRAMA	3
1245	ACTION	3
1246	COMEDY	1

5. Update

Set Price_Rentfee = Price_Rentfee + 0.50

6. Select Movie_Name, Movie_Year , Movie_Genre
from Movie;

7. Select Movie_Year, Movie_Name,Movie_cost
from Movie Order by Movie_Year DESC;

8. Select Movie_Name, Movie_Year, Movie_Genre from Movie
Order by Movie_Genre ASC, Movie_Year DESC;

9. Select Movie_num,Movie_Name , Price_Code from Movie
where Movie_Name like '%R%';

10. Select Movie_Name, Movie_Year, Movie_cost feom Movie
where Movie_Name like "%hope%";

11. Select Movie_Name, Movie_Year, Movie_Genre from Movie
where Movie_Genre = 'Action';

12. Select Movie_num, Movie_Name, Movie_cost from Movie
where Movie_cost > 40;

13. Select Movie_num, Movie_Name, Movie_cost , Movie_Genre from Movie
where (Movie_Genre ='Action' or Movie_Genre = 'Comedy') and Movie_cost < 50 order by
Movie_Genre ASC;

14. Select Mem_num, Mem_Fname, Mem_Lname , Mem_Street, Mem_Balance from Membership
where Mem_Balance < 5 AND Mem_Street like '%Avenue%';
15. Select Movie_Genre, Count(*) AS "Number_of_Movies" from Movie
group by Movie_Genre;
16. Select Avg(Movie_cost) AS "Average_Movie_Cost"
from Movie ;
17. Select Movie_Genre, AVG(Movie_cost) AS "Average_Cost"
from Movie group by Movie_Genre;
18. Select Movie.Movie_Name, Movie.Movie_Genre, Price.Price_Description, Price.Price_RentFee
from Movie
Inner Join Price On Movie.Price_Code = Price.Price_Code ;
19. Select M.Movie_Genre, AVG(P.Price_RentFee) As 'Average Rental Fee' from Movie M
Inner Join Price P on M.Price_Code= P.Price_Code
Where M.Price_Code IS NOT NULL group by M.Movie_Genre ;
20. Select M.Movie_Name, Movie_Cost / Price_RentFee AS 'Breakeven Rentals' from Movie M
Inner Join Price P on M.Price_Code= P.Price_Code
Where M.Movie_Cost IS NOT NULL group by M.Movie_Name ;
21. Select Movie_Name, Movie_Year from Movie
where Price_Code IS NOT NULL;
22. Select Movie_Name, Movie_Genre, Movie_cost from Movie
where Movie_cost > 44.99 AND Movie_cost < 49.99;
23. Select M.Movie_Name, P.Price_Description , P.Price_Rentfee, M.Movie_Genre from Movie M
Inner Join Price P on M.Price_Code = P.Price_Code
where M.Movie_Genre in ('FAMILY', 'COMEDY', 'DRAMA');
24. Select M.Mem_num, M.Mem_Fname, M.Mem_Lname, M.Mem_Balance from Membership M
Inner Join Rental R on M.Mem_Num = R.Mem_Num;
25. Select MIN(M.Mem_Balance), MAX(M.Mem_Balance), AVG(M.Mem_Balance) from
Membership M
Inner Join Rental R on M.Mem_Num = R.Mem_Num ;
26. Select R.Rent_num, R.Rent_Date, D.Vid_Num, M.Movie_Name, D.Detail_Duedate,
D.Detail_Returndate from Rental R
Join DetailRental D on R.Rent_num = D.Rent_num
join Video v on D.Vid_Num = v.Vid_Num Join Movie M On V.Movie_num = M.Movie_num
Where D.Detail_Returndate > D.Detail_Duedate Order By R.Rent_num, M.Movie_Name;
27. Select R.Rent_num, R.Rent_Date, M.Movie_Name, D.Detail_Fee from Rental R

Join DetailRental D on R.Rent_num = D.Rent_num
Join Video V on D.Vid_Num= V.Vid_Num
Join Movie M On V.Movie_num = M.Movie_num
where D.Detail_Returndate <= D.Detail_Duedate Order by R.Rent_num,M.Movie_Name;

28. Select Movie_num, Movie_Genre, round(avg(Movie_Cost) over (partition by Movie_Genre), 2)
as 'Average Cost', Movie_Cost, round(((Movie_Cost - avg(Movie_Cost)
over (partition by Movie_Genre)) / avg(Movie_Cost)
over (partition by Movie_Genre) * 100), 2) as 'Percent Difference' from Movie;
select Movie_num, Movie_Genre, round(avg(Movie_Cost) over (partition by Movie_Genre), 2)
as 'Average Cost', Movie_Cost, round(((Movie_Cost - avg(Movie_Cost)
over (partition by Movie_Genre)) / avg(Movie_Cost)
over (partition by Movie_Genre) * 100), 2) as 'Percent Difference' from Movie;

DRAFT