NomReNom Database Summary

Complete Technical Audit of All 16 Tables in `nomrenom_db`

Database: nomrenom_db | **Engine:** MySQL / MariaDB InnoDB | **Total Tables:** 16 Tables | **Charset:** utf8mb4_unicode_ci | **Language:** English (Basic Grammar)

Direct Answer: Which Database Table Did We NOT Use?

1. `phone_verification_tokens` — 100% UNUSED: This table is never queried anywhere in the PHP code (0 references). It was created for SMS phone OTP verification, but the platform uses real email verification and instant customer activation instead.

2. `email_verification_tokens` — DORMANT (Not Used in Normal Flow): Although this table exists and is referenced in `verify_email.php`, the registration page (`register.php`) activates new customers instantly (`is_email_verified = 1`) and sends a direct welcome email. Therefore, this table currently contains 0 rows and remains inactive.

Active Tables with 0 Rows (Normal Behavior)

Two tables currently have **0 rows**, but their code is **100% active**:
• **`feedback`**: Ready for customer ratings and reviews. Empty because no customer reviews have been submitted yet.
• **`password_reset_tokens`**: Ready for forgot password requests. Empty because no user has requested a password reset.


1. Executive Summary Table (All 16 Tables)

#	Table Name	Rows	Status	Purpose & Plain English Description
1	`phone_verification_tokens`	0	UNUSED	Completely unused anywhere in code. Created for SMS phone OTP, but real email verification was used instead.
2	`email_verification_tokens`	0	DORMANT	Only read in verify_email.php. Never written because customer registration is auto-activated immediately.
3	`password_reset_tokens`	0	ACTIVE (EMPTY)	Actively wired to forgot_password.php and reset_password.php. Currently 0 rows because no reset was requested.
4	`feedback`	0	ACTIVE (EMPTY)	Actively wired to feedback.php and admin/feedback.php. Currently 0 rows because no reviews submitted yet.
5	`pilot_surveys`	22	RESEARCH / DEMO	Stores 22 student survey responses for university campus food waste pilot demonstration.

#	Table Name	Rows	Status	Purpose & Plain English Description
6	`users`	2	ACTIVE	Registered customer accounts and Administrator credentials with bcrypt password hashes.
7	`guest_customers`	1	ACTIVE	Contact details for customers who choose Guest Checkout without creating an account.
8	`bakeries`	3	ACTIVE	Partner artisan bakery profiles, addresses, opening hours, logos, and store contacts.
9	`categories`	6	ACTIVE	Product categories: Snack Boxes, Meal Boxes, Croissants, Artisan Sourdough, Sweet Treats, Drinks.
10	`food_boxes`	10	ACTIVE	Core food products, surplus mystery boxes, discounted prices, original values, stock quantities.
11	`pickup_slots`	10	ACTIVE	Available bakery pickup and local campus delivery timeslots.
12	`reservations`	4	ACTIVE	Primary orders table. Tracks order codes (NRN-...), fulfillment type, totals, and live statuses.
13	`reservation_items`	4	ACTIVE	Individual line items inside each customer order (food box, unit price, quantity, subtotal).
14	`payments`	4	ACTIVE	Payment transaction logs (MoMo, VNPay, 24/7 Bank Transfer QR, and Cash on Pickup).
15	`contact_messages`	1	ACTIVE	Customer inquiries and bakery partnership messages sent from the Contact page.
16	`admin_activity_logs`	7	ACTIVE	Security audit trail recording admin actions, logouts, order status changes, and IP addresses.

2. Database Relationships & Architecture (ERD)

The NomReNom database uses relational Foreign Keys to guarantee data integrity across partner bakeries, food boxes, reservations, payments, and users:



3. Group A: Catalog & Bakery Infrastructure (3 Tables)

bakeries

ACTIVE • 3 ROWS

Partner artisan bakery profiles, addresses, opening hours, logos, and store contacts.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
name	varchar(150)	NO	-	-
slug	varchar(160)	NO	UNI	-
description	text	NULL	-	-
address	varchar(255)	NO	-	-
district	varchar(100)	NO	MUL	-
city	varchar(100)	NO	-	Ho Chi Minh City
phone	varchar(30)	NO	-	-
email	varchar(191)	NO	-	-
opening_time	time	NO	-	07:00:00
closing_time	time	NO	-	21:30:00
logo_url	varchar(255)	NULL	-	-
image_url	varchar(255)	NULL	-	-
is_active	tinyint(1)	NO	MUL	1
created_at	datetime	NO	-	current_timestamp()
updated_at	datetime	NO	-	current_timestamp()

categories

ACTIVE • 6 ROWS

Product categories: Snack Boxes, Meal Boxes, Croissants, Artisan Sourdough, Sweet Treats, Drinks.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
name	varchar(100)	NO	-	-
slug	varchar(110)	NO	UNI	-
description	text	NULL	-	-
icon	varchar(60)	NULL	-	bi-cup-hot
image_url	varchar(255)	NULL	-	-
sort_order	int(11)	NULL	-	0
is_active	tinyint(1)	NULL	-	1
created_at	datetime	NULL	-	current_timestamp()

food_boxes

ACTIVE • 10 ROWS

Core food products, surplus mystery boxes, discounted prices, original values, stock quantities.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
bakery_id	int(10) unsigned	NO	MUL	-
category_id	int(10) unsigned	NULL	-	-
name	varchar(180)	NO	-	-
slug	varchar(190)	NO	UNI	-
box_type	varchar(60)	NO	MUL	snack_box
price	decimal(12,2)	NO	-	-
original_value	decimal(12,2)	NO	-	-
description	text	NO	-	-
contents_sample	text	NULL	-	-
image_url	varchar(255)	NULL	-	-
available_qty	int(10) unsigned	NO	-	0
is_active	tinyint(1)	NO	MUL	1
created_at	datetime	NO	-	current_timestamp()
updated_at	datetime	NO	-	current_timestamp()

4. Group B: User Accounts & Security (3 Tables)

`users`

ACTIVE • 2 ROWS

Registered customer accounts and Administrator credentials with bcrypt password hashes.

Field Name	Data Type	Null	Key	Default / Notes
id	`int(10) unsigned`	NO	PRI	auto_increment
full_name	`varchar(120)`	NO	-	-
email	`varchar(191)`	NO	UNI	-
phone	`varchar(20)`	NO	-	-
password_hash	`varchar(255)`	NO	-	-
role	`enum('customer','admin')`	NO	MUL	customer
is_email_verified	`tinyint(1)`	NO	-	0
is_phone_verified	`tinyint(1)`	NO	-	0
remember_token	`varchar(100)`	NULL	-	-
created_at	`datetime`	NO	-	current_timestamp()
updated_at	`datetime`	NO	-	current_timestamp()

`guest_customers`

ACTIVE • 1 ROWS

Contact details for customers who choose Guest Checkout without creating an account.

Field Name	Data Type	Null	Key	Default / Notes
id	`int(10) unsigned`	NO	PRI	auto_increment
full_name	`varchar(120)`	NO	-	-
email	`varchar(191)`	NO	MUL	-
phone	`varchar(20)`	NO	MUL	-
is_email_verified	`tinyint(1)`	NO	-	0
is_phone_verified	`tinyint(1)`	NO	-	0
created_at	`datetime`	NO	-	current_timestamp()

admin_activity_logs

ACTIVE • 7 ROWS

Security audit trail recording admin actions, logouts, order status changes, and IP addresses.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
admin_user_id	int(10) unsigned	NO	MUL	-
action	varchar(80)	NO	MUL	-
entity_type	varchar(60)	NO	-	-
entity_id	int(10) unsigned	NULL	-	-
details	text	NULL	-	-
ip_address	varchar(45)	NULL	-	-
created_at	datetime	NO	-	current_timestamp()

5. Group C: Orders, Fulfillment & Payments (4 Tables)

`pickup_slots`

ACTIVE • 10 ROWS

Available bakery pickup and local campus delivery timeslots.

Field Name	Data Type	Null	Key	Default / Notes
id	`int(10) unsigned`	NO	PRI	auto_increment
bakery_id	`int(10) unsigned`	NO	MUL	-
pickup_date	`date`	NO	-	-
start_time	`time`	NO	-	-
end_time	`time`	NO	-	-
max_capacity	`int(10) unsigned`	NO	-	20
reserved_count	`int(10) unsigned`	NO	-	0
is_active	`tinyint(1)`	NO	-	1
created_at	`datetime`	NO	-	current_timestamp()

reservations

ACTIVE • 4 ROWS

Primary orders table. Tracks order codes (NRN-...), fulfillment type, totals, and live statuses.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
reservation_code	varchar(32)	NO	UNI	-
user_id	int(10) unsigned	NULL	MUL	-
guest_id	int(10) unsigned	NULL	MUL	-
customer_name	varchar(120)	NULL	-	-
customer_email	varchar(191)	NULL	-	-
customer_phone	varchar(30)	NULL	-	-
bakery_id	int(10) unsigned	NO	MUL	-
pickup_slot_id	int(10) unsigned	NO	MUL	-
fulfillment_type	enum('pickup','delivery')	NO	-	pickup
delivery_address	varchar(255)	NULL	-	-
total_amount	decimal(12,2)	NO	-	-
reservation_status	varchar(50)	NO	MUL	Pending
payment_method	varchar(50)	NO	-	Cash on Pickup
payment_status	varchar(50)	NO	-	Pending
special_instructions	varchar(255)	NULL	-	-
collected_at	datetime	NULL	-	-
cancelled_at	datetime	NULL	-	-
cancellation_reason	varchar(255)	NULL	-	-
created_at	datetime	NO	MUL	current_timestamp()
updated_at	datetime	NO	-	current_timestamp()

reservation_items

ACTIVE • 4 ROWS

Individual line items inside each customer order (food box, unit price, quantity, subtotal).

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
reservation_id	int(10) unsigned	NO	MUL	-
food_box_id	int(10) unsigned	NO	MUL	-
box_name	varchar(180)	NO	-	-
unit_price	decimal(12,2)	NO	-	-
quantity	int(10) unsigned	NO	-	1
subtotal	decimal(12,2)	NO	-	-

payments

ACTIVE • 4 ROWS

Payment transaction logs (MoMo, VNPay, 24/7 Bank Transfer QR, and Cash on Pickup).

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
reservation_id	int(10) unsigned	NO	MUL	-
payment_method	varchar(50)	NO	-	Cash on Pickup
gateway_provider	varchar(50)	NO	-	pickup
transaction_reference	varchar(100)	NULL	MUL	-
amount	decimal(12,2)	NO	-	-
payment_status	varchar(50)	NO	-	Pending
gateway_response	text	NULL	-	-
payment_date	datetime	NULL	-	-
created_at	datetime	NO	-	current_timestamp()

6. Group D: Communications, Feedback & Token Tables (6 Tables)

`contact_messages`

ACTIVE • 1 ROWS

Customer inquiries and bakery partnership messages sent from the Contact page.

Field Name	Data Type	Null	Key	Default / Notes
id	`int(10) unsigned`	NO	PRI	auto_increment
name	`varchar(120)`	NO	-	-
email	`varchar(191)`	NO	-	-
phone	`varchar(30)`	NULL	-	-
subject	`varchar(150)`	NO	-	-
message	`text`	NO	-	-
is_read	`tinyint(1)`	NULL	-	0
created_at	`datetime`	NULL	-	current_timestamp()

feedback

ACTIVE (EMPTY) • 0 ROWS

Actively wired to feedback.php and admin/feedback.php. Currently 0 rows because no reviews submitted yet.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
reservation_id	int(10) unsigned	NULL	MUL	-
user_id	int(10) unsigned	NULL	MUL	-
guest_id	int(10) unsigned	NULL	MUL	-
food_box_id	int(10) unsigned	NULL	MUL	-
customer_name	varchar(120)	NO	-	-
rating	tinyint(3) unsigned	NO	-	-
comment	text	NO	-	-
is_public	tinyint(1)	NO	MUL	1
created_at	datetime	NO	-	current_timestamp()

password_reset_tokens

ACTIVE (EMPTY) • 0 ROWS

Actively wired to forgot_password.php and reset_password.php. Currently 0 rows because no reset was requested.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
user_id	int(10) unsigned	NO	MUL	-
token	varchar(100)	NO	UNI	-
expires_at	datetime	NO	-	-
is_used	tinyint(1)	NO	-	0
created_at	datetime	NO	-	current_timestamp()

email_verification_tokens

DORMANT • 0 ROWS

Only read in verify_email.php. Never written because customer registration is auto-activated immediately.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
user_id	int(10) unsigned	NULL	MUL	-
guest_id	int(10) unsigned	NULL	MUL	-
email	varchar(191)	NO	-	-
token	varchar(100)	NO	UNI	-
expires_at	datetime	NO	-	-
is_used	tinyint(1)	NO	-	0
created_at	datetime	NO	-	current_timestamp()

phone_verification_tokens

UNUSED • 0 ROWS

Completely unused anywhere in code. Created for SMS phone OTP, but real email verification was used instead.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
phone	varchar(20)	NO	MUL	-
otp_code	varchar(8)	NO	-	-
expires_at	datetime	NO	-	-
is_used	tinyint(1)	NO	-	0
created_at	datetime	NO	-	current_timestamp()

pilot_surveys

RESEARCH / DEMO • 22 ROWS

Stores 22 student survey responses for university campus food waste pilot demonstration.

Field Name	Data Type	Null	Key	Default / Notes
id	int(10) unsigned	NO	PRI	auto_increment
student_name	varchar(120)	NO	-	-
student_email	varchar(191)	NO	MUL	-
student_role	varchar(80)	NO	-	Undergraduate Student
snack_box_price_rating	enum('Great Value','Fair Price','A Bit High')	NO	-	Great Value
meal_box_price_rating	enum('Great Value','Fair Price','A Bit High')	NO	-	Fair Price
pickup_convenience	enum('Very Convenient','Acceptable','Inconvenient')	NO	-	Very Convenient
would_recommend	tinyint(1)	NO	-	1
feedback_notes	text	NULL	-	-
created_at	datetime	NO	-	current_timestamp()