```
pg hba.conf - Mousepad
                                                                                             ↑ □ □ X
 Файл Правка Поиск Вид Документ Справка
 Внимание, вы используете учетную запись суперпользователя, при этом вы можете повредить вашу систему.
# DO NOT DISABLE!
# If you change this first entry you will need to make sure that the
# database superuser can access the database using some other method.
 # Noninteractive access to all databases is required during automatic
 # maintenance (custom daily cronjobs, replication, and similar tasks).
 # Database administrative login by Unix domain socket
 local
         all
                         postgres
                                                                 peer
# TYPE DATABASE
                         USER
                                        ADDRESS
                                                                 METHOD
 # "local" is for Unix domain socket connections only
 local
         all
                         all
                                                                 peer
 # IPv4 local connections:
lhost
         all
                         all
                                        127.0.0.1/32
                                                                md5
 # IPv6 local connections:
host
         all
                         all
                                         ::1/128
                                                                 md5
# Allow replication connections from localhost, by a user with the
# replication privilege.
        replication
 local
                         all
                                                                 peer
         replication
                         all
                                        127.0.0.1/32
                                                                md5
 host
 host
                                        192.168.1.76/32
                                                                 md5
         all
                         pgadmin
```

epian includes PostgreSOL by default. To install PostgreSOL on Depian, use the apt-det for other apt-driving) command

v<u>.bostdresdl.ord/download/linux/deblan</u>

