



**IDX G10 Chemistry S**  
**Study Guide Issue #S1 Midterms**  
**Written By Tyler Li**  
**Edited by Bugeon Kim**

**NOTE: This is an official document by Indexademics. Unless otherwise stated, this document may not be accredited to individuals or groups other than the club IDX, nor should this document be distributed, sold, or modified for personal use in any way.**


---

Table of Contents:

1. Chapter 11.1
  2. Chapter 11.2
- 

## **Chapter 11.1**

- Chemical reaction: a process in which atoms of substances are rearranged to form different substances.
- An arrow rather than an equal sign is used to separate the reactants from the products. The arrow is read as “reacts to produce” or “yield”.
- When there are two or more reactants, or two or more products, a plus sign separates each reactant or each product.
- Chemical equation is a representation of a chemical reaction; the formulas of the reactants (on the left) are connected by an arrow with the formulas of the products (on the right).



- Skeleton equations: Equations that show just the formulas of the reactants and products (they are unbalanced)
- Physical states: resembled by adding a symbol after each formula. In which, for Solid is (s), liquid is (l), gas is (g), a substance dissolved in water or in an aqueous solution is (aq)
- A catalyst is a substance that speeds up the reaction but is not used up in the reaction.
  - A catalyst is neither a reactant nor a product, so its formula is written above the arrow in a chemical equation
- Law of Conservation of Mass: In any chemical change, mass is conserved.
  - In deference to the law of conservation of mass, in any chemical change, mass is conserved.
- To balance the equation, place numbers before the formula (coefficient).

## Chapter 11.2

- The five general type of reactions include
  - Direct combination (DC)
  - Decomposition (D)
  - Single replacement (SR)
  - Double replacement (DR)
  - Combustion (C)
- Direct combination: two or more reactants but only 1 product
- Decomposition: only 1 reactant but two or more products
- Single replacement: is a chemical change in which one element replaces a second element in a compound

- E.g.  $A + BC \rightarrow B + AC$
- And the element that's being replaced must be of the same type (both be metal or nonmetal)
- And the element being replaced must be less active than the one that replace it
- Only the top 3 active metals could react with water (produce  $H_2$  and  $OH^-$ )
- The nonmetals that could react should be only from the 7A group (not true but true in this midterm test)
- And the activity of the nonmetals from high to low is the same order from high to low (down a group) in the 7A group
- Cu and Fe are all  $2+$  charged in this reaction
- Double replacement: a chemical change involving an exchange of positive ions between two compounds
  - E.g.  $AB + CD \rightarrow CB + AD$
  - For a double-replacement reaction to occur, one of the following is usually true
  - One of the products is only slightly soluble and precipitates from solution.
    - E.g.  $Na_2S(aq) + Cd(NO_3)_2(aq) \rightarrow CdS(s) + 2NaNO_3(aq)$
  - One of the products is gas.
    - E.g.  $2NaCN(aq) + H_2SO_4(aq) \rightarrow 2HCN(g) + Na_2SO_4(aq)$
  - One product is a molecular compound such as water.
    - E.g.  $Ca(OH)_2(aq) + 2HCl(aq) \rightarrow CaCl_2(aq) + 2H_2O(l)$
- Combustion reactions: chemical change in which an element or a compound reacts with oxygen, often producing energy in the form of heat and light
  - E.g.  $C_xH_y + O_2 \rightarrow CO_2 + H_2O$ (unbalanced), and then balance it according to the question

P.S. Always remember to balance the equation!!