record_id	e_of_refere	primary_title	irst_author	blication_y	ernate_titl	volume	start_page
26	JOUR	Using Behavioural Insights t	Linder, N, L	2018	FRONTIERS	9	
14	JOUR	"The road to food waste is p	Barone, A M	2019	RESOURCE	149	97
407	JOUR	Seeing Is Not Believing: Perc	Wilson, N L	2018	JOURNAL C	24	611
27	JOUR	Food Waste Drivers in Europ	Canali, M, A	2017	SUSTAINAE	9	
687	JOUR	When product attitudes go t	van Herper	2019	JOURNAL C	210	410
144	JOUR	Wasted food: A qualitative s	Nikolaus, C	2018	APPETITE	130	70
496	JOUR	Food Sustainability and Was	Gracia, A, C	2020	SUSTAINAE	12	
518	JOUR	It is easy to do the right thin	Birau, M M	2018	JOURNAL C	87	102
117	JOUR	The interactive effect of nun	Khalil, M, S	2021	JOURNAL C	60	
104	JOUR	Exploring Effective Incentive	Lee, S, Jung	2017	SUSTAINAE	9	
1028	JOUR	Representative Bureaucracy	Riccucci, N	2016	PUBLIC ADI	76	121
220	JOUR	Self-affirmation theory and p	Graham-Rc	2019	JOURNAL C	62	124
293	JOUR	Who Buys Oddly Shaped Foc	Loebnitz, N	2015	PSYCHOLO	32	408
57	JOUR	Model selection and averagi	Grainger, M	2018	PLOS ONE	13	
86	JOUR	Preventing household food v	von Kamek	2018	JOURNAL C	184	32
94	JOUR	Action-related information t	Neubig, C M	2020	JOURNAL C	261	
35	JOUR	Household food waste: attit	Nunkoo, R,	2021	BRITISH FO	123	2016
5	JOUR	Behavioral approach to food	Jagau, H L,	2017	BRITISH FO	119	882
36	JOUR	Sorting out food waste beha	Visschers, V	2016	JOURNAL C	45	66
53	JOUR	Household food waste in an	Aschemanr	2019	RESOURCE	145	332
67	JOUR	Helping You to Waste Less?	Aschemanr	2018	JOURNAL C	24	522
63	JOUR	Foodservice Composting Crc	Qi, D Y, Roe	2017	AMERICAN	99	1159
15	JOUR	Food, nutrient, and energy v	Kowalewsk	2018	BRITISH FO	120	1807
0	JOUR	Explaining and promoting hc	Schmidt, K	2016	RESOURCE	111	53
1043	JOUR	Contextualising food waste p	Hebrok, Ma	2019	Journal of (	210	1435
47	JOUR	Domestic food practices: A s	Romani, S,	2018	APPETITE	121	215
81	JOUR	Food Waste and Social Pract	Keegan, E,	2021	SUSTAINAE	13	
2	JOUR	Where to start fighting the f	Schmidt, K,	2018	RESOURCE	139	1
7	JOUR	Waste watchers: A food was	Wharton, C	2021	RESOURCE	164	
30	JOUR	Quantifying the prevention p	Leverenz, D	2019	RESOURCE	150	
1	JOUR	"Reduce Food Waste, Save M	van der We	2021	ENVIRONM	53	151
165	JOUR	Delivery and impact of hous	Sharp, V, G	2010	WASTE MA	28	256
3	JOUR	Food waste: Disapproving, b	Pelt, A, Sai	2020	RESOURCE	162	
43	JOUR	Comparison of two measure	Ammann, J	2021	RESOURCE	166	
6	JOUR	An evaluation of a consume	Soma, T, Li,	2021	RESOURCE	168	
17	JOUR	Food Waste Reduction: A Te	Soma, T, Li,	2020	SUSTAINAE	12	
1013	THES	Everyday transformations of	Moreno, La	2020	Dissertatio	81	
38	JOUR	Consumer food waste behav	Lazell, J	2016	JOURNAL C	15	430
161	JOUR	Does food sharing lead to fo	Morone, P,	2018	JOURNAL C	185	749
97	JOUR	Is it godly to waste food? Ho	Minton, E A	2020	JOURNAL C	54	1246
241	JOUR	Behavioral approach to food	Yazdankhal	2020	JOURNAL C	9	
218	JOUR	Perceived probability of foo	Le Borgne,	2018	JOURNAL C	42	11
118	JOUR	Outcome Evaluation of an E	Kim, J, Run	2020	SOCIAL MA	26	111
103	JOUR	Consumer's food waste in di	Matzemba	2020	WASTE MA	114	263
77	JOUR	Thanks, but no thanks: The i	Septianto,	2020	JOURNAL C	258	
1038	JOUR	Consumerâs food waste in d	Eckert Mat	2020	Waste Mar	114	263
34	JOUR	Smaller servings vs. informa	Visschers, V	2020	WASTE MA	103	323
310	JOUR	What makes people leave LE	Lorenz-Wa	2019	APPETITE	139	127
11	JOUR	Can social media be a tool fc	Young, W,	2017	RESOURCE	117	195
1058	JOUR	Written Messages Improve E	Whitehair,	2013	JOURNAL C	113	63

8	JOUR	Cost-effectiveness of four fo	Read, Q D,	2021	RESOURCE	168	
1020	THES	Investigation of strategies tc	Whitehair,	2012	Dissertatio	73	1953
62	JOUR	A problem unstuck? Evaluati	Shearer, L,	2017	WASTE MA	60	164
189	JOUR	Impact of plate shape and si	Richardson	2021	RESOURCE	168	
69	JOUR	Local setting influences the (	Chakona, G	2017	PLOS ONE	12	
180	JOUR	Reducing the plate waste of	Dolnicar, S,	2020	TOURISM M	80	
130	JOUR	Nudging' hotel guests to red	Kallbekken	2013	ECONOMIC	119	325
193	JOUR	Children older than five year	Sorokowsk	2020	JOURNAL C	71	
236	JOUR	Like throwing a piece of me	Ilyuk, V	2018	JOURNAL C	41	20
20	JOUR	Strategies to reduce plate w	Martins, M	2016	PUBLIC HE/	19	1517
110	JOUR	The use of feedback to enha	Nomura, H	2011	LOCAL ENV	16	637
136	JOUR	Consumer Imperfect Inform	Collart, A J,	2018	SUSTAINAE	10	
89	JOUR	Why the waste? A large-scal	Boschini, M	2020	JOURNAL C	246	
32	JOUR	How Neighbourhood Food E	van der We	2020	SUSTAINAE	12	
175	JOUR	Societal Well-Being: Embedc	Tagliabue,	2019	BEHAVIOR	28	99
4	JOUR	Food waste generation and	Painter, K,	2016	WASTE MA	56	491
121	JOUR	Door-stepping as a strategy	Bernstad, A	2013	RESOURCE	73	94
167	JOUR	Can economic incentive help	Katare, B, V	2019	APPLIED EC	26	1448
10	JOUR	Return to sender: a behavio	Boulet, M,	2019	AUSTRALA	26	328
12	JOUR	Food Waste in Schools: A Pr	Elnakib, S A	2021	INTERNATI	18	
49	JOUR	Evaluation of an Alimentary	Favuzzi, N,	2020	INTERNATI	17	
83	JOUR	Consider a broccoli stalk: Ho	Moreno, L	2020	JOURNAL C	256	
176	JOUR	Promoting Food Waste Redu	Anton-Pese	2021	SUSTAINAE	13	
309	JOUR	Implementation of a Multi-C	Hamdi, N, I	2020	INTERNATI	17	
95	JOUR	The new norms of food wast	Geislar, S	2017	WASTE MA	68	571
1131	JOUR	Impact of the Updated USDA	Cohen, J F	2019	JOURNAL C	119	1511
1021	JOUR	New school meal regulations	Schwartz, M	2015/06//	Childhood	11	242
1031	THES	The Green Eating project: W	Nash, Jessi	2015	Dissertatio	75	
74	JOUR	Food Waste in School Cateri	Falasconi, L	2015	SUSTAINAE	7	14745
701	JOUR	Doggy bags and downsizing:	Zuraikat, F	2018	APPETITE	129	162
133	JOUR	Foodwaste within Swiss hou	Delley, M, I	2017	RESOURCE	122	172
1019	JOUR	Individual differences and m	Robinson, I	2021/04//	Appetite	159	
403	JOUR	Factors that predict taking r	Hamerman	2018	JOURNAL C	17	94
126	JOUR	Consumers' perceptions of f	Zepeda, L,	2017	INTERNATI	41	627
1009	JOUR	Consumer in-store choice of	Aschemanr	2018	FOOD QUA	68	29
143	JOUR	Can eco-design packaging re	Zeng, T, Du	2021	TECHNOLO	162	
1014	JOUR	Food waste: The role of date	Wilson, N L	2017	FOOD QUA	55	35
9	JOUR	Love Food, Hate Waste? Am	Buttlar, B, I	2021	SUSTAINAE	13	
68	JOUR	Reducing food waste in hote	Leverenz, D	2021	INDUSTRIA	93	617
1004	JOUR	Arbiters of waste: date label	Milne, R	2012	SOCIOLOGI	60	84
1035	JOUR	Evaluating materiality in foo	Chawla, Ga	2020	Annals of T	1	100002
265	JOUR	Environmental profile, packa	Hanssen, C	2017	JOURNAL C	142	395
437	JOUR	Evaluation of the "Eat Bette	Garcia, A L,	2017	INTERNATI	14	
122	JOUR	The incentives may not be th	Li, C, Wang	2021	RESOURCE	168	
88	JOUR	Evaluation of Food Waste Pr	Goossens,	2020	SUSTAINAE	12	
79	JOUR	Visual Prompts or Volunteer	Lin, Z Y, Wa	2016	SUSTAINAE	8	
135	JOUR	Development and implemen	Garcia, T, F	2021	PUBLIC HE/	24	549
41	JOUR	Influence of intervention on	de Souza, V	2019	CIENCIA &	24	411
150	JOUR	Behavioral spillovers from fc	Ek, C, Miliu	2018	JOURNAL C	89	168
155	JOUR	Cost of New Nordic Diet sch	Jensen, J D,	2015	BRITISH FO	117	2372
13	JOUR	Normative prompts reduce (	Stockli, S, D	2018	WASTE MA	77	532

198	JOUR	Improved meals service and	Yona, O, G	2020	ISRAEL JOU	9	
243	JOUR	Sustainable Food Consumpti	Hansen, K	2020	SUSTAINAE	12	
371	JOUR	Collaborative decision-maki	Anderson,	2019	JOURNAL C	216	520
228	JOUR	The who, where and why of	Aschemanr	2019	JOURNAL C	236	
1002	JOUR	An observational study of re	Masson, M	2017	FOOD QUA	56	294
178	JOUR	Nudging food waste decisior	Giaccherini	2021	EUROPEAN	135	
488	JOUR	The FIT Game III: Reducing t	Joyner, D,	2017	GAMES FO	6	111
428	JOUR	Cognitive Accessibility as a M	Sintov, N,	2019	ENVIRONM	51	50
251	JOUR	Consumers' Perspective on (	Borrello, M	2017	SUSTAINAE	9	
234	JOUR	Managing a Circular Food Sy	Eralinna, L,	2021	SUSTAINAE	13	
1026	JOUR	Reducing food waste at a mi	Montesino	1985	Education a	8	179
137	JOUR	The Validity, Time Burden, a	Roe, B E, Q	2020	RESOURCE	160	
23	JOUR	Exploring Food Waste at a R	Chen, S S, Kraak, V I, P		JOURNAL OF HUNGER & ENVIRON		
420	JOUR	Compost from the food was	Kumari, N,	2020	INTERNATI	9	367
536	JOUR	Hydrogen and methane pro	Silva, F M S	2018///	WASTE MA	76	339
321	JOUR	Multi-hydrolytic enzyme acc	Luo, K, Xie,	2020///	ENVIRONM	41	478
756	JOUR	Using Hermetia illucens larv	Lopes, I G,	2020///	JOURNAL C	251	
271	JOUR	Optimization of methane pr	Perin, J K H	2020///	JOURNAL C	272	
246	JOUR	Life cycle environmental anc	Yoshikawa,	2021///	INTERNATI	26	963
604	JOUR	Zeolite favours propionate s	Cardona, L,	2021///	CHEMOSPH	262	
412	JOUR	The Role of Enzyme Loading	Salimi, E, S	2019///	WASTE AN	10	3753
33	JOUR	Representations of Food Wa	Thompson,	2017///	SUSTAINAE	9	
787	JOUR	The Influence of Extruded St	Simic, S, Pe	2021///	SUSTAINAE	13	
1108	JOUR	Halloysite nanotubes loaded	Biddeci, G,	2016///	CARBOHYD	152	548
353	JOUR	Long-term anaerobic digesti	Tonanzi, B,	2018///	BIOMASS &	118	55
973	JOUR	Sludge Blanket Height (SBH)	Zinatizadeh	2020///	WASTE AN	11	4003
462	JOUR	Enhancement of acidogenic	Yin, J, Yu, X	2016///	BIORESOUI	216	996
225	JOUR	Efficient production of optic	Li, X, Chen,	2015///	WATER RES	70	148
1052	JOUR	Agronomic effectiveness of (	Bhatta Kau	2018///	Waste Mar	77	87
459	JOUR	Thermophilic anaerobic dige	Forster-Car	2008///	BIORESOUI	99	6763
529	JOUR	Combination of Biochar and	Gupta, S, K	2020///	WASTE AN	11	2807
304	JOUR	Thermal degradation of fooc	Ming, X, Xu	2020///	JOURNAL C	244	
945	JOUR	Clean production of ethyl le	Tian, L, Zha	2020///	JOURNAL C	268	
950	JOUR	Monitoring and optimizing t	Komilis, D,	2011///	JOURNAL C	92	2241
492	JOUR	Using Imagination to Overco	Yang, X K, I	2021///	SUSTAINAE	13	
710	JOUR	Biochar, compost and bioch	Oldfield, T	2018///	JOURNAL C	218	465
752	JOUR	Effectiveness of alkaline am	Kastyuchik,	2016///	ENVIRONM	6	49
852	JOUR	Relieving ammonia inhibitio	Meng, X S,	2020///	WASTE MA	118	452
606	JOUR	Maximising Potential of Met	Idaty, M G	2017///	PERTANIKA	25	153
52	JOUR	From surplus-to-waste: A st	Messner, R	2021///	JOURNAL C	278	
282	JOUR	IoT-Based Smart Garbage Sy	Hong, I, Pa	2014///	SCIENTIFIC WORLD JOURNAL		
815	JOUR	Mechanical pretreatment of	Moretti, P,	2021///	ENVIRONM	28	20586
974	JOUR	In-vessel composting syster	Pandey, P I	2016///	JOURNAL C	139	407
503	JOUR	Synthesis optimisation and c	Pap, S, Kirk	2020///	ENVIRONM	27	9790
653	JOUR	Biohydrogen production fro	Yang, G, Hu	2019///	BIORESOUI	285	
1001	JOUR	An exploration and investiga	Baker, Mel	2016/02//	Psychology	33	94
1074	JOUR	Effects of low pH conditions	Sun, Meng,	2020///	Water Res	179	115883
399	JOUR	A prototype single-stage ana	Ratanatam	2014///	INTERNATI	95	176
289	JOUR	Multi-phased anaerobic baff	Ahamed, A	2015///	BIORESOUI	182	239
893	JOUR	Experimental investigation c	Jagadish, C, Gumtapur		ENERGY SOURCES PART A-RECOVE		
886	JOUR	Optimization of solid-state a	Pezzolla, D,	2017///	BIOMASS &	96	112

152	JOUR	Aged refuse enhances anaer	Zhao, J W,	2019///	BIORESOUI	289	
684	JOUR	Enhanced volatile fatty acids	Sawatdeen	2017///	BIORESOUI	237	139
1140	JOUR	Biochemical properties of cc	Pant, A P, F	2012///	SCIENTIA H	148	138
632	JOUR	Effect of thermal activated p	Wu, Y Q, Sc	2019///	BIORESOUI	292	
879	JOUR	Kinetic modeling of enzymat	Cekmecelic	2013///	WASTE MA	33	735
827	JOUR	Nationwide expansion of a f	An, R P	2015///	SOCIAL SCI	147	80
281	JOUR	Semi-continuous anaerobic c	Mu, L, Zhar	2018///	BIORESOUI	247	103
963	JOUR	Effect of pH on Continuous E	Stavropoul	2016///	WASTE AN	7	753
654	JOUR	Characterization and variatic	Kong, Z, Li,	2018///	BIORESOUI	268	434
659	JOUR	Anaerobic co-digestion of w	Wu, Y Q, Sc	2021///	JOURNAL C	279	
1037	JOUR	Applications of food waste-c	Tan, Jonath	2021///	Waste Mar	130	155
358	JOUR	Quantitative effects of comp	Sun, W, Hu	2011///	SCIENCE OI	409	1243
224	JOUR	Circular utilization of food w	Leininger, A	2021///	BIORESOUI	332	
478	JOUR	Biochemical, hydrological an	Zhan, L T, X	2017///	WASTE MA	68	307
696	JOUR	Enhancement of anaerobic c	Mu, L, Zhar	2020///	BIORESOUI	313	
664	JOUR	Enhanced volatile fatty acids	Huang, X D	2019///	BIORESOUI	274	430
856	JOUR	Aspen Plus process-simulatic	Bravo, D, A	2018///	JOURNAL C	213	530
745	JOUR	Evaluation of microbial proli	Voegel, C, I	2020///	ENVIRONM	41	2439
608	JOUR	Experimental and modeling	Yu, L, Zhao	2012///	BIORESOUI	124	8
393	JOUR	Food system strategies for p	Miller, D D,	2013///	FOOD POLI	42	115
736	JOUR	Rapid generation of volatile	Kuruti, K, M	2017///	BIORESOUI	238	188
581	JOUR	Phases' characteristics of po	Mau, V, Qu	2016///	BIORESOUI	219	632
1110	JOUR	Vermicomposting of sewage	DomÃ-ngu	2000///	Pedobiolog	44	24
579	JOUR	Thermophilic anaerobic dige	Nguyen, D	2019///	BIORESOUI	280	269
367	JOUR	Effects of pH and microbial c	Sundberg,	2013///	WASTE MA	33	204
346	JOUR	Recalcitrant organic residue	Giwa, A S,	2021///	JOURNAL C	23	1479
527	JOUR	Two-phase thermophilic ana	Cavinato, C	2011///	WATER SCI	64	715
448	JOUR	Using natural clinoptilolite z	Zarrabi, M,	2018///	ENVIRONM	25	23045
375	JOUR	Quantitative assessment of c	Rousta, K, I	2015///	WASTE MA	40	22
573	JOUR	Guiding environmental susta	Hu, X M, Su	2021///	ENVIRONM	269	
1125	JOUR	Re-framing post-harvest loss	TrÃ¶ger, K	2020///	Geoforum	111	48
877	JOUR	Nutrient characterisation an	Longjan, G	2018///	WASTE MA	36	426
232	JOUR	Re(Focussing) on behaviour	David, P, R	2019///	JOURNAL C	9	130
129	JOUR	Material flow cost accountin	Christ, K L,	2017///	BRITISH FO	119	600
689	JOUR	Biohydrogen from thermopl	Tenca, A, S	2011///	BIORESOUI	102	8582
605	JOUR	Environmental planning bas	Yu, K H, Zh	2021///	ENVIRONM	86	
215	JOUR	Life Cycle Assessment of Bio	Hobbs, S R,	2021///	SUSTAINAE	13	
173	JOUR	Material flow analysis of alte	Guo, H W,	2019///	RESOURCE	149	197
1078	JOUR	Coupling of polyhydroxyalka	Zhang, M N	2014///	PROCESS S	92	171
977	JOUR	Economic and environmenta	Mayer, F, E	2020///	SCIENCE OI	721	
219	JOUR	The properties and combust	Zheng, C P,	2019///	BIORESOUI	285	
284	JOUR	Preparation of biochar from	Liu, J X, Hu	2020///	BIORESOUI	302	
808	JOUR	Changes in the microbial cor	Franke-Wh	2014///	WASTE MA	34	632
782	JOUR	Co-digestion of kitchen wast	Yang, Y Q,	2013///	ENVIRONM	20	2162
511	JOUR	Physically processing imperf	Barone, A M, Donato,		JOURNAL OF CONSUMER BEHAVIC		
760	JOUR	Microbial and nutritional re	Mu, H, Li, Y	2018///	ENVIRONM	39	405
123	JOUR	Growth performance of rose	bin Shuhail	2019///	INTERNATI	8	S299
1093	JOUR	Acidogenic fermentation of	Bolaji, I O,	2017///	JOURNAL C	5	5933
1104	JOUR	When are âDish of the Dayâ	Saulais, La	2019///	Food Policy	85	15
546	JOUR	Anaerobic Co-Digestion of W	Pilarska, A	2018///	POLISH JOL	27	237
751	JOUR	Effect of inoculum type and	Rajput, A A	2019///	SUSTAINAE	29	

238	JOUR	An experimental study on fe	Cappai, G,	2014///	WASTE MA	34	1510
690	JOUR	New Compact Biodigester M	de Araujo,	2021///	JOURNAL C	147	
111	JOUR	Industry challenges and app	Tavill, G	2020///	PHYSIOLOC	223	
561	JOUR	Maximizing the production c	Stein, U H,	2017///	SCIENCE OI	598	993
416	JOUR	A two-step process for ener	Liu, J Y, Wa	2021///	SCIENCE OI	752	
242	JOUR	Surely you don't eat parsnip	Nicholes, M	2019///	RESOURCE	147	179
528	JOUR	Nitrogen fertilizer recomme	Rashid, M ˜	2005///	JOURNAL C	34	2045
705	JOUR	Methane potential of fruit a	Edwiges, T,	2020///	ENVIRONM	41	921
405	JOUR	A novel approach of modelir	Alexandrop	2018///	BIORESOUI	250	784
1024	JOUR	Portion size me: Plate-size ir	Wansink, B	2013/12//	Journal of I	19	320
1053	JOUR	A comparative experimental	Liu, Gang, I	2018///	Journal of I	218	435
1105	JOUR	Selective and continuous rec	Veloso, A V	2020///	FOOD AND	119	268
370	JOUR	Source separation of housel	Zhuang, Y,	2008///	WASTE MA	28	2022
376	JOUR	Performance optimization a	Atallah, N I	2014///	BIORESOUI	174	243
774	JOUR	Energy recovery from waste	Zhang, Y Y,	2019///	ENVIRONM	26	30544
452	JOUR	Thermally assisted bio-dryin	Ma, J, Zhar	2018///	WASTE MA	80	327
998	THES	A socio-ecological analysis o	Eddie, Regi	2018///	Dissertatio	79	
965	JOUR	Build-up and impact of volat	Riungu, J, F	2018///	JOURNAL C	215	22
909	JOUR	Waste Potential, Barriers an	Glivin, G, S	2020///	BIOENERG	13	668
866	JOUR	Experimental and feasibility	Masebinu,	2018///	WASTE MA	75	236
207	JOUR	Opportunities to improve th	RedCorn, R	2017///	WASTE MA	35	1112
44	JOUR	Attitudes and behaviors sha	Mattar, L, A	2018///	JOURNAL C	198	1219
60	JOUR	Household-level dynamics o	Parizeau, K	2015///	WASTE MA	35	207
51	JOUR	An Exploratory Study of Con	Huang, C H	2020///	SUSTAINAE	12	
29	JOUR	Consumer behaviour types i	Di Talia, E,	2019///	JOURNAL C	214	166
45	JOUR	Quantification of food waste	Caldeira, C,	2019///	RESOURCE	149	479
1025	JOUR	Predicting the consumption	Schmidt, K	2019///	FOOD QUA	78	
19	JOUR	Towards a multi-level frame	Boulet, M,	2021///	APPETITE	156	
154	JOUR	Food waste in Australian ho	Nabi, N, Karunasena, G		JOURNAL OF CONSUMER BEHAVIC		
90	JOUR	Convenience or price orient	Aschemanr	2018///	GLOBAL EN	49	85
59	JOUR	Comprehensive Measureme	Scalvedi, M	2021///	SUSTAINAE	13	
84	JOUR	Do discounted food product	Giordano, (	2019///	INTERNATI	43	199
106	JOUR	Generation Z Food Waste, D	Kymalainer	2021///	SUSTAINAE	13	
1059	JOUR	Food for thought: Comparin	van der We	2020///	Waste Mar	101	18
22	JOUR	Household food waste beha	Secondi, L,	2015///	FOOD POLI	56	25
139	JOUR	Reducing Food Waste: A Pra	Pearson, D,	2018///	SOCIAL MA	24	45
515	JOUR	Consumer segmentation bas	Funk, A, Su	2021///	SUSTAINAE	25	173
50	JOUR	"I'm a bit of a waster": Ident	Wakefield,	2020///	JOURNAL C	275	
37	JOUR	Material and visceral engage	Urrutia, I, E	2019///	RESOURCE	150	
42	JOUR	Quantification of Household	Kasza, G, D	2020///	SUSTAINAE	12	
76	JOUR	Blaming the consumer - onc	Evans, D	2011///	CRITICAL P	21	429
250	JOUR	Consumer behaviour towarc	Aschemanr	2017///	APPETITE	116	246
131	JOUR	Predicting household food w	Graham-Rc	2015///	RESOURCE	101	194
56	JOUR	Understanding the Effect of	Goodman-S	2020///	SUSTAINAE	12	
1003	THES	Applying the theory of planr	Miller, Jess	2016///	Dissertatio	77	
58	JOUR	Religiosity and food waste re	Elhoushy, S	2021///	INTERNATI	45	287
80	JOUR	Reducing waste of food left	Mirosa, M,	2016///	BRITISH FO	118	2326
280	JOUR	Sustainable food security fut	Irani, Z, Sha	2016///	JOURNAL C	29	171
1042	JOUR	Food waste as the conseque	van Geffen	2020///	Resources,	5	100026
40	JOUR	Determinants of food waste	Qian, L, Li,	2021///	RESOURCE	167	
99	JOUR	Why Is Airline Food Always I	You, F Z, Bl	2020///	SUSTAINAE	12	

1027	JOUR	Religiosity and food waste r	Elhoushy, S	2020/10//	International Journal of Consumer	
1015	JOUR	Food, waste and safety: neg	Watson, M	2012///	SOCIOLOGI	60 102
1032	JOUR	This apple is too ugly for me	de Hooge,	2017///	FOOD QUA	56 80
1010	JOUR	Consumer perception and p	Aschemanı	2018///	FOOD QUA	63 119
78	JOUR	Economics of household foo	Lusk, J L, El	2020///	CANADIAN	68 379
72	JOUR	Food waste accounting alon	Corrado, S,	2018///	WASTE MA	79 120
999	JOUR	A systematic review of scho	Metcalfe, J	2020/06//	The Interna	17
71	JOUR	From the table to waste: An	Mondejar-.	2016///	JOURNAL C	138 8
205	JOUR	Influence of the involvemen	Altintzoglo	2021///	JOURNAL C	285
1050	JOUR	From the table to waste: An	MondÃ©ja	2016///	Journal of (	138 8
229	JOUR	Evaluating OzHarvest's prim	Karpouzis,	2021///	BMC PUBLI	21
16	JOUR	Sustainable Retailing - Influe	Young, C W	2018///	BUSINESS S	27 1
28	JOUR	On the Measurement of Foo	Bellemare,	2017///	AMERICAN	99 1148
91	JOUR	Comparing wasted apples ar	van Herper	2019///	WASTE MA	88 71
46	JOUR	Household Food Waste Solu	Wansink, B	2018///	JOURNAL C	24 500
487	JOUR	Challenges and opportunitie	Watson, M	2020///	GLOBAL EN	62
21	JOUR	No time to waste: assessing	De Laurent	2020///	RESOURCE!	161
141	JOUR	Food waste tendencies: Beh	Dusoruth, '	2020///	PLOS ONE	15
490	JOUR	The role of social media on r	Sujata, M,	2019///	SUSTAINAE	20 365
113	JOUR	Eating away at sustainability	Garcia-Her	2021///	JOURNAL C	279
597	JOUR	Solid waste management be	Limon, M R	2020///	GLOBAL JO	6 441
31	JOUR	Restaurant food waste and t	Filimonau,	2019///	TOURISM M	32
24	JOUR	Environmentally friendly soc	Pearson, D	2019///	AUSTRALA!	26 311
100	JOUR	Opportunities, challenges ar	Patel, S, Dc	2021///	WASTE MA	39 473
1023	JOUR	Plate waste in school lunch:	Zhao, Chen	2019/09//	Journal of I	51 967
55	JOUR	The weight of unfinished pla	Wang, L E,	2017///	WASTE MA	66 3
1049	JOUR	Food wasters: Profiling cons	Gaiani, Silv	2018///	Waste Mar	72 17
1036	JOUR	Eating away at sustainability	GarcÃ-a-He	2021///	Journal of (	279 123571
82	JOUR	Adopting waste-prevention	Le Borgne,	2021///	APPETITE	163
119	JOUR	Food waste in school cantee	Boschini, M	2018///	JOURNAL C	182 1024
92	JOUR	Benefits, Barriers, and Challe	Burton, K, !	2016///	JOURNAL C	11 428
1022	THES	Optimizing school meals tod	Eustachio (	2021///	Dissertatio	82
39	JOUR	Reducing Food Waste and In	Boehme, J	2017///	HEALTH BE	4 282
300	JOUR	School Lunch Waste Among	Cohen, J F '	2013///	AMERICAN	44 114
826	JOUR	The role of norms in predicti	Setiawan, B, Afiff, A Z,		JOURNAL OF SOCIAL MARKETING	
64	JOUR	?Maybe it?s still good?? A q	Ceryes, C A	2021///	APPETITE	161
1048	JOUR	Food waste management in	Filimonau,	2020///	Journal of (	258 120975
577	JOUR	Factors affecting fruit and ve	Yoder, A B	2015///	PUBLIC HE/	18 2855
140	JOUR	Integrating community pers	Benyam, A	2018///	RESOURCE!	134 174
1081	JOUR	How to promote a new and	Morone, Pi	2019///	Journal of (	208 563
997	JOUR	A picture says it all? The vali	van Herper	2019///	FOOD QUA	75 71
25	JOUR	Quantifying food waste in H	Loke, M K,	2015///	WASTE MA	33 1076
436	JOUR	An explorative assessment o	Batlle-Baye	2021///	SCIENCE OI	756
1030	JOUR	Review of Food waste: Hom	Spring, Cha	2015/08//	The Sociolc	63 740
1051	JOUR	Food Waste in the National !	Byker Shan	2017///	Journal of t	117 1792
188	JOUR	Quantifying the Impact of G	Kim, K, Mo	2012///	JOURNAL C	7 482
1008	JOUR	Consumer associations abou	Aschemanı	2020///	FOOD QUA	80
1007	THES	Closing the food systems loc	Geislar, Sal	2018///	Dissertatio	78
1045	JOUR	What is driving consumer fo	Carolan, M	2021///	Appetite	166 105478
506	JOUR	From trash to treasure: The	Russo, I, Cc	2019///	JOURNAL C	218 966
157	JOUR	A ranking method for priorit	Dreyer, H C	2019///	JOURNAL C	210 505

66	JOUR	Pet Food as the Most Concre	Castrica, M	2018///	SUSTAINAE	10	
177	JOUR	Why doorstepping can incre	Dai, Y C, Gc	2015///	RESOURCE:	102	9
507	JOUR	Does participating in comm	Tharrey, M	2019///	BMC PUBLI	19	
48	JOUR	A sleeping giant? Food wast	Filimonau,	2021///	JOURNAL C	297	
313	JOUR	Local strategies for efficient	Bernstad, A	2012///	WASTE MA	30	200
1139	JOUR	Development of conscious f	TÃ³th, And	2017///	Food Contr	73	644
75	JOUR	Costs of food waste along th	Nahman, A	2013///	WASTE MA	33	2493
550	JOUR	Nutritional, Economic, and E	Blondin, S	2017///	AMERICAN	107	590
267	JOUR	Utilising stakeholder theory	Hodgkins, S	2019///	JOURNAL C	9	270
85	JOUR	Nutritional and environmen	Chen, C X,	2020///	RESOURCE:	160	
1106	JOUR	Information with a smile â D	Huang, Y Y,	2018///	Journal of	178	947
245	JOUR	Suboptimal food, careless st	Aschemanı	2020///	JOURNAL C	262	
1012	JOUR	Disrupting household food c	Devaney, L	2017///	JOURNAL C	17	823
1069	JOUR	Backcasting to identify food	Ryan-Foga	2017///	Waste Mar	61	405
1005	JOUR	Biting Off More Than They C	Juvan, E, G	2018///	JOURNAL C	57	232
132	JOUR	Food waste disposal units in	Iacovidou,	2012///	SCIENCE OI	423	1
54	JOUR	The role of food waste hiera	Giordano,	2020///	JOURNAL C	252	
1071	JOUR	Drivers of plate waste at buf	Juvan, Emil	2021///	Annals of T	2	100010
482	JOUR	Understanding the Self-Perc	Scannell, N	2020///	INTERNATI	17	
549	JOUR	Establishing Design Strategie	Tu, J C, Nag	2018///	SUSTAINAE	10	
179	JOUR	Same but Different: Using A	Cooreman	2019///	JOURNAL C	38	232
449	JOUR	Consumers are willing to pa	Borrello, M	2020///	JOURNAL C	259	
158	JOUR	Combining Quantitative Risk	Duret, S, H	2019///	RISK ANAL	39	906
435	JOUR	Gaps between fruit and vege	Mason-D'C	2019///	LANCET PL	3	E318
340	JOUR	Normalising the "ugly" to re	Makhal, A,	Robertson,	JOURNAL OF CONSUMER BEHAVIC		
1017	JOUR	How circular will you eat? Th	Aschemanı	2019///	FOOD QUA	77	15
73	JOUR	Food Waste Generation in G	Leverenz, D	2021///	SUSTAINAE	13	
732	JOUR	"The good news about bad r	Jeworrek, S	2021///	LEADERSHI	32	
315	JOUR	The Self-Perception Connect	Grewal, L, I	2019///	JOURNAL C	83	89
70	JOUR	Analyzing the economics of	de Gorter,	2021///	FOOD POLI	98	
269	JOUR	Willingness to pay for a dom	Benyam, A	2020///	JOURNAL C	270	
1087	JOUR	Pathways to better nutrition	Dizon, F, Jo	2021///	GLOBAL FC	28	
466	JOUR	Prioritizing Health and Comr	Kaiser, M L	2013///	SOCIAL WC	28	509
509	JOUR	The impact of expiration dat	Li, T Z, Mes	2020///	FOOD POLI	93	
514	JOUR	Environmental impacts of ar	Chen, W H,	2021///	SCIENCE OI	783	
392	JOUR	People's Tendency Toward N	Srun, P, Ku	2019///	SUSTAINAE	11	
1090	JOUR	Validity and Interrater Reliat	Getts, K M,	2017///	JOURNAL C	117	1816
112	JOUR	The Legitimation of a Sustair	Gollnhofer,	2017///	JOURNAL C	36	156
455	JOUR	Estimation of willingness-to-	Chen, Y C	2019///	WASTE MA	37	365
451	JOUR	Environmental impact of a n	Vitale, G, M	2018///	SUSTAINAE	14	105
65	JOUR	Consumer's over-ordering b	Yu, Z Y, Ju,	2021///	APPETITE	160	
288	JOUR	Consumers' willingness to pa	Kawata, Y,	2018///	APPETITE	120	571
708	JOUR	Active Aging: Social Entrepre	Socci, M, C	2020///	INTERNATI	17	
1124	JOUR	The basis of a policy for mini	Fehr, M, Ca	2002///	Environme	5	247
700	JOUR	Improving lifestyles sustaina	Tharrey, M	2020///	BMC PUBLI	20	
1000	JOUR	Access to fresh fruits and ve	Schultz, Ce	2019/08//	The Journa	35	248
552	JOUR	Towards net zero nutrition:	Garvey, A,	2021///	JOURNAL C	290	
1034	JOUR	Food waste in hospitality an	Dhir, Aman	2020///	Journal of	270	122861
1040	JOUR	Awareness, intention, and b	StÃ¶ckli, Sa	2021///	Resources,	168	105431
425	JOUR	The effects of perceived soc	Dickie, R, R	2018///	PSYCHOLO	23	154
652	JOUR	Willingness to Pay for Impro	Ku, S J, Yoo	2009///	ENVIRONM	44	278

216	JOUR	Mapping the food waste-en	Subramani	2021///	JOURNAL C	301	
18	JOUR	Awareness, intention, and b	Stockli, S, [	2021///	RESOURCE	168	
93	JOUR	Life cycle assessment of the	Ahamed, A	2016///	JOURNAL C	131	607
108	JOUR	Effect of Paper vs. Bioplastic	Dolci, G, Catenacci, A,		WASTE AND BIOMASS		VALORIZAT
264	JOUR	What Is the Contribution of	Boyer, D, R	2017///	ENVIRONM	51	12035
1075	JOUR	Reliability and Accuracy of R	Hanks, A S,	2014///	JOURNAL C	114	470
1142	JOUR	COVID-19 demand-induced	Trollman, H	2021///	Sustainable	27	1255
571	JOUR	Source separation of munici	Chen, H B,	2017///	JOURNAL C	67	182
1006	JOUR	Buy, eat or discard? A case s	Jaeger, Sar	2018/10//	Food Quali	69	10
599	JOUR	The perceived influence of c	White, M J,	2018///	PUBLIC HE/	21	2866
629	JOUR	'It's not really about the foo	Ulug, C, Tre	2020///	INTERNATI	12	127
1133	JOUR	Food loss and waste in food	Chauhan, C	2021///	Journal of (	295	126438
1011	JOUR	Demographic relationships t	Hurley, Jan	2018/11//	American J	42	60
553	JOUR	Postharvest losses at the far	Popat, M, (	2020///	AGREKON	59	235
1095	JOUR	Effect of temperature in dor	Manzocco,	2017///	FOOD RESE	102	129
796	JOUR	When Less Is More: Evolutio	Kralik, J D,	2012///	PLOS ONE	7	
831	JOUR	Valorisation of fishery indus	Leceta, I, U	2015///	JOURNAL C	91	36
1098	JOUR	Recycling of domestic food v	Minsaas, Jo	1979///	Conservati	3	427
61	JOUR	HoReCa Food Waste and Su	Buczacki, A	2021///	SUSTAINAE	13	
247	JOUR	Life Cycle Inventory of Instit	Ng, C G, Yu	2015///	SAINS MAL	44	517
555	JOUR	Visually suboptimal bananas	Symmank,	2018///	APPETITE	120	472
891	JOUR	The diffusion of circular serv	Greer, R, v	2020///	JOURNAL C	267	
596	JOUR	The water footprint of food	Ridoutt, B (	2010///	JOURNAL C	18	1714
574	JOUR	Wasted seafood in the Unite	Love, D C, I	2015///	GLOBAL EN	35	116
1113	JOUR	Effects on plasma carotenoi	Castro, M,	2019///	JOURNAL C	60	
277	JOUR	Social influence fosters the	Dorn, M, Sl	2018///	WASTE MA	79	296
217	JOUR	From Waste to Taste: How "	Mookerjee	2021///	JOURNAL C	85	62
230	JOUR	Comparing diaries and wast	Quested, T	2020///	JOURNAL C	262	
101	JOUR	Creating Sustainable Busine	Kouwenho	2012///	INTERNATI	15	119
115	JOUR	Research on the drying kine	Sotiropoul	2016///	ENVIRONM	37	929
517	JOUR	Conceptualizing sustainable	Mayton, H,	2020///	FOOD POLI	91	
516	JOUR	Assessing food losses and w	Chaboud, C	2017///	RESOURCE	125	188
570	JOUR	Consumer perceptions and p	Lombart, C	2019///	JOURNAL C	48	28
156	JOUR	Retail price discrimination a	Richards, T	2020///	EUROPEAN	47	1861
298	JOUR	The prospects of waste man	Filimonau,	2021///	RESOURCE	168	
486	JOUR	If at first you don't succeed:	Holley, C E,	2018///	APPETITE	123	249
109	JOUR	The Effect of Ultrasonic Ene	Sabiani, N I	2015///	ENERGY SC	37	1397
374	JOUR	Digitally enabling sustainabl	Fuentes, C,	2021///	JOURNAL C	61	
576	JOUR	High-frequency forecasting f	Dharmawa	2021///	OPERATION	14	38
1082	JOUR	Circular economy practices i	Gedam, Vi	2021///	Journal of (	311	127670
586	JOUR	Do you bear to reject them?	Chen, T, Ra	2021///	JOURNAL C	61	
942	JOUR	Attaining food and environn	Hertel, T W	2016///	GLOBAL EN	41	195
709	JOUR	Rank-Ordered Analysis of Co	Choi, Y J, La	2020///	SUSTAINAE	12	
1084	JOUR	Loss and waste in fish value	Kruijssen, F	2020///	Global Foo	26	100434
120	JOUR	Discrepancies in N2O emissi	Feng, H L, \	2020///	JOURNAL C	265	
702	JOUR	Surveying the Environmenta	Goldstein,	2017///	JOURNAL C	21	151
308	JOUR	Opportunities and Challenge	Ellison, B, M	2019///	APPLIED EC	41	1
96	JOUR	Demand-Driven Model for G	Vaccari, D /	2019///	ENVIRONM	53	10417
1016	JOUR	From Oldie to Goldie: Huma	Koo, Minky	2019/10//	Journal of t	4	337
138	JOUR	Food waste composting - Is i	Voberkova	2020///	SCIENCE OI	723	
523	JOUR	Evaluation of landfill gas em	Lee, U, Har	2017///	JOURNAL C	166	335

145	JOUR	Greenhouse gas emissions fı	Ermolaev, I	2019///	WASTE MA	96	65
578	JOUR	Organic waste biorefineries:	Alibardi, L,	2020///	WASTE MA	114	274
978	JOUR	Zero waste strategy for gree	Iqbal, M W	2020///	JOURNAL C	245	
1018	JOUR	Importance of sensory quali	JÃ¼rkenbe	2021/06//	Food Quali	90	
419	JOUR	Biochemical, hydrological an	Zhan, L T, X	2017///	WASTE MA	63	27
445	JOUR	Indonesian aquaculture futu	Henriksson	2019///	ENVIRONM	14	
598	JOUR	The combined role of policy	Rajendran,	2019///	JOURNAL C	219	278
892	JOUR	Experimental and feasibility	Matrapazi,	2020///	SCIENCE OI	718	
489	JOUR	The vulnerabilities of agricul	Fitton, N, A	2019///	GLOBAL EN	58	
1079	JOUR	The effect of temperature, s	Nilsson PÃ¥	2018///	Waste Mar	71	636
539	JOUR	The effect of temperature, s	Paledal, S N	2018///	WASTE MA	71	636
227	JOUR	Hydrothermal carbonization	Li, L, Diede	2013///	WASTE MA	33	2478
1068	JOUR	[Re]Valuing Surplus: Transiti	Weymes, M	2019///	Geoforum	99	160
868	JOUR	Life Cycle Assessment of ma	Righi, S, Oli	2013///	JOURNAL C	44	8
202	JOUR	Life-cycle assessment on foo	Lam, C M, `	2018///	JOURNAL C	199	840
551	JOUR	Toward a Generic Analytical	Gu, B J, Lar	2019///	ENVIRONM	53	1109
789	JOUR	EARTHWORMS FOR FEED PR	Conti, C, Ba	2019///	ENVIRONM	18	2117
799	JOUR	Potential of Producing Comp	Jalalipour,	2020///	SUSTAINAE	12	
534	JOUR	SOME EFFECTS OF SELF-FEEI	Sadikaj, R,	2019///	JOURNAL C	20	165
181	JOUR	Effect of lipase addition on h	Meng, Y, Li	2015///	BIORESOUI	179	452
647	JOUR	Effect of initial moisture con	Gurusamy,	2021///	WASTE MA	125	215
105	JOUR	Multifunctional food waste f	Mahmood,	2019///	WASTE MA	94	77
1127	JOUR	Revalorization of spent coffe	Cruz, R, Me	2015///	FOOD RESE	73	190
272	JOUR	Assessment of the effect of (	Valta, K, So	2019///	WASTE MA	37	461
1029	THES	Restaurant food waste mana	Karunamoo	2021///	Dissertatio	82	
905	JOUR	Preliminary regression mode	Bhatt, A H,	2016///	ENVIRONM	5	188
151	JOUR	The effects of food waste dis	Thomas, P	2011///	WATER AN	25	250
127	JOUR	Background data on solar he	Melgaco, L	2021///	DATA IN BF	34	
214	JOUR	Production and Optimizatior	Gligorescu,	2020///	SUSTAINAE	12	
270	JOUR	Anaerobic Digestion of Food	Ferreira, T	2021///	WASTE AN	12	4407
201	JOUR	Energetic and environmenta	Banks, C J,	2011///	RESOURCE!	56	71
409	JOUR	Combining two wrongs to m	Lee, D S, Sc	2017///	FOOD POLI	68	40
421	JOUR	The concept of circular econ	Loizia, P, N	2019///	ENVIRONM	26	14766
98	JOUR	Comparison of the food was	Li, T Y, Liu,	2014///	WASTE MA	34	2641
87	JOUR	Exploring a zero food waste	Oh, J, Lee,	2018///	ENVIRONM	23	46
673	JOUR	A Systemic Design Approach	Fiore, E, St	2020///	SUSTAINAE	12	
869	JOUR	A transition management fra	Peterson, H M, Baker,		ENVIRONMENT DEVELOPMENT AN		
532	JOUR	EFFECTS OF USAGE OF MEC	Sadikaj, R,	2018///	JOURNAL C	19	1111
249	JOUR	Assessing the changes in E-c	Cao, W L, V	2016///	ENVIRONM	23	23195
147	JOUR	Bioaccumulation and health	Cheng, Z, C	2021///	CHEMOSPH	276	
212	JOUR	Replacing fish meal by food	Cheng, Z, N	2014///	ENVIRONM	73	22
124	JOUR	Digestion of frozen/thawed	Stabnikova	2008///	WASTE MA	28	1654
1135	JOUR	Use of recycled co-products	Fondevila,	2021///	Animal Fee	276	114932
1122	JOUR	Comparison of a Corn/Soybe	Altizio, B A,	2000///	The Profes	16	254
538	JOUR	M-3-IS-LCA: A Methodology	Kerdlap, P,	2020///	RESOURCE!	161	
341	JOUR	Effects of compositions on fo	Chang, J I, I	2008///	BIORESOUI	99	8068
164	JOUR	Data related to anaerobic di	Zhang, W, `	2019///	DATA IN BF	25	
912	JOUR	Potential of windrow food a	Chaher, N E, Chakchou		ENVIRONMENTAL SCIENCE AND P(		
1096	JOUR	Strategies for greenhouse ga	Sanz-Cobe	2017///	Agriculture	238	5
587	JOUR	Optimal Replenishment and	Pourmohar	2020///	ARABIAN J(	45	7005
1103	JOUR	Self - Circulating Biogas Gen	Mydeen, M	2016///	Procedia E	35	795

1121	JOUR	Kinetic desorption models fc	Hannon, J (	2017///	INNOVATIV	44	149
825	JOUR	IoT based intelligence for pr	Aytac, K, K	2021///	JOURNAL C	284	
531	JOUR	Production-phase greenhou	Porter, S D,	2018///	SCIENCE OI	631-632	1544
485	JOUR	Quantity, Components, and	Powell, J T,	2019///	JOURNAL C	23	466
841	JOUR	Anaerobic digestion of fourt	Gonzalez, F	2020///	ENVIRONM	192	
1055	JOUR	Effects of nutrient load on n	Sutherland	2020///	ALGAL RES	51	
213	JOUR	Introduction to the Concept	Vakalis, S, I	2018///	WASTE AN	9	2373
268	JOUR	Study of food waste degrad	Lin, H J, Wa	2019///	WASTE MA	37	1199
148	JOUR	Critical factors and their effe	Li, Z, Huan	2015///	ENVIRONM	187	
303	JOUR	Volumetric scale-up of a thr	Kim, J K, Ha	2008///	BIORESOUI	99	4394
1076	JOUR	A food waste utilization stuc	Ince, O K, I	2017///	FOOD CHEI	214	637
497	JOUR	Urban park vegetation cover	Morales-Va	2018///	URBAN FOI	32	92
742	JOUR	Valorisation of the organic fi	De Medina	2019///	WASTE MA	37	59
1089	JOUR	Urban park vegetation cover	Morales-Vá	2018///	Urban Fore	32	92
557	JOUR	Volatile emissions during stc	Agapiou, A	2016///	ENVIRONM	23	8890
839	JOUR	Methane production in low-	Lansing, S,	2010///	BIORESOUI	101	4362
360	JOUR	Biosulfides Precipitation in V	Hwang, T, I	2012///	JOURNAL C	41	1857
333	JOUR	Experimental and model enl	Aierzhati, A	2019///	BIORESOUI	284	139
266	JOUR	Laccase production by Phon	Zhou, J, Yai	2014///	JOURNAL C	64	1154
335	JOUR	Recycling soil nitrate nitroge	Rashid, M ~	2003///	JOURNAL C	32	1881
1134	JOUR	Prediction of growth of Pseu	Lin, H, Sha	2016///	JOURNAL C	99	1822
958	JOUR	Development and calibratio	Boni, M R,	2013///	WASTE MA	33	1128
191	JOUR	Optimization of operational	Le Man, H,	2010///	INTERNATI	7	157
1116	JOUR	Validation of coffee by-prod	Iriondo-De	2019///	INNOVATIV	51	194
899	JOUR	Life cycle assessment of por	Isola, C, Sie	2018///	RESOURCE	139	114
474	JOUR	Effect of vermiculite additio	Seo, J Y, He	2004///	WASTE MA	24	981
102	JOUR	A model based on feature ol	Yu, M J, Zh	2018///	WASTE MA	72	218
170	JOUR	Decrease of Pseudomonas a	Maderova,	2016///	WATER SCI	73	2143
510	JOUR	Full-set measurements data	Al-Hameed	2020///	DATA IN BF	28	
209	JOUR	Substrate composition and r	Niwagaba,	2009///	ENVIRONM	30	487
1117	JOUR	Combined effect of photope	Biswas, An	2016///	Aquacultur	452	183
712	JOUR	Biogas production as energy	Funmi, A E,	2021///	SN APPLIEI	3	
1066	JOUR	Suppression of tomato horn	Yardim, E N	2006///	PEDOBIOL(	50	23
929	JOUR	An experimental study of tu	Gillreath-B	2018///	PLOS ONE	13	
116	JOUR	Characterizing food waste st	Lisboa, M S	2013///	WASTE MA	33	2664
183	JOUR	An Artificial Neural Network	Lai, K C, Lin	2017///	POLISH JOI	26	1921
770	JOUR	Optimization of thermo-che	Vavouraki,	2013///	WASTE MA	33	740
274	JOUR	Collegial effect of maggots l	Negi, S, Ma	2020///	JOURNAL C	258	
1057	JOUR	Enzymatic digestion turns fo	Jinno, C, He	2018///	ANIMAL FE	242	48
278	JOUR	Co-composting of Green Wa	Oviedo-Oc	2019///	WASTE AN	10	63
254	JOUR	Decomposition of land appli	Plante, A F,	1998///	JOURNAL C	27	395
302	JOUR	Vermifiltration Ecological Tr	Lin, H, Dier	2013///	WATER EN	85	2184
833	JOUR	Investigation of the impact c	Jiang, Y, Zh	2017///	WATER RES	125	458
192	JOUR	A novel bioconversion for va	Niu, Y, Zhe	2017///	WASTE MA	61	455
784	JOUR	A mathematical modelling fr	Imteaz, M A, Hossain,		ENVIRONMENT DEVELOPMENT AN		
911	JOUR	The use of green waste to o	Neugebaue	2017///	JOURNAL C	156	865
769	JOUR	Prediction of free air space i	Soares, M A	2013///	JOURNAL C	128	75
1138	JOUR	Characterization and in vitro	Bussolo de	2018///	Bioactive C	16	90
402	JOUR	Effects of particle size on an	Izumi, K, O	2010///	INTERNATI	64	601
410	JOUR	Modelling the anaerobic dig	Poggio, D, '	2016///	WASTE MA	53	40
541	JOUR	Vermicomposting as manure	Lalander, C	2015///	WASTE MA	39	96

279	JOUR	Methane production from fc	Behera, S K	2010///	WASTE MA	30	1502
954	JOUR	Risk mitigation by waste-bas	Beiyuan, J,	2017///	ENVIRONM	39	75
951	JOUR	Recycling of organic wastes	Adebayo, C	2015///	JOURNAL C	17	769
719	JOUR	Amelioration of Composts fc	Stoknes, K,	2019///	SUSTAINAE	11	
1109	JOUR	Nitrogen and phosphorus flc	Boh, Micha	2020///	Resources,	154	104639
382	JOUR	Efficient capture of aqueous	Zhou, T, Zh	2019///	JOURNAL C	77	104
785	JOUR	Influence of the pH control s	Baldi, F, Iar	2019///	WASTE MA	37	478
447	JOUR	Microbiological culture brotl	Chalon, M	2013///	JOURNAL C	115	1
475	JOUR	Biogas generation from flora	Kulkarni, M	2019///	GLOBAL JO	5	17
1101	JOUR	Microbiological culture brotl	ChalÃ³n, M	2013///	Journal of I	115	1
976	JOUR	Comparative analysis of met	Rodrigues,	2019///	SCIENCE OI	649	1599
464	JOUR	The inhibitory effect of thios	Tao, Z L T, '	2020///	BIORESOUI	297	
172	JOUR	In Situ Immobilization of He	Hwang, T, I	2013///	WATER AIR	224	
982	JOUR	Growth Stage Classification	Hassanzad	2020///	REMOTE SI	12	
418	JOUR	Evaluation of the Methane P	Maranon, I	2021///	WASTE AN	12	1829
530	JOUR	Interpretable machine learn	De Clercq,	2020///	SCIENCE OI	712	
725	JOUR	A mass transfer model of an	Whelan, M	2010///	WASTE MA	30	1808
776	JOUR	Determining economically o	Hebda, C,	2016///	RESOURCE	108	88
504	JOUR	Thermal composting of faec	Vinneras, B	2003///	BIORESOUI	88	47
658	JOUR	Environmental assessment c	Colon, J, M	2010///	RESOURCE	54	893
149	JOUR	Sustainable lipid and lutein p	Wang, X, Zl	2020///	JOURNAL C	400	
146	JOUR	Fermented food waste for cı	Mo, W Y, M	2019///	JOURNAL C	236	236
438	JOUR	Valorization of Bokashi leacl	Lim, L S, Ta	2021///	ENVIRONM	198	
1119	JOUR	Optimization of the process	LopiÄiÄ, Zo	2017///	Journal of (	156	95
114	JOUR	A study on the drying charac	Choi, Y I, Ju	2015///	JOURNAL C	17	359
377	JOUR	Co-pyrolysis characteristics a	Tang, Y J, H	2018///	BIORESOUI	249	16
168	JOUR	Potential impact of salinity c	Zhao, J W,	2017///	WASTE MA	67	308
311	JOUR	Modeling solid waste decon	Vavilin, V A	2004///	BIORESOUI	94	69
711	JOUR	Design of experiment (DOE)	Kazemi, K,	2016///	WASTE MA	58	107
564	JOUR	A feasibility study to utilize k	Lal, S, Moh	2020///	ENERGY SC	42	1914
306	JOUR	Food waste mineralization a	Gonzales, I	2010///	CHEMOSPI	79	238
255	JOUR	Environmental mercury con	Cheng, Z, M	2015///	ENVIRONM	22	495
1141	JOUR	Mediterranean agri-food pr	Manara, P,	2015///	Food Resea	73	44
248	JOUR	Use of food waste as fish fe	Mo, W Y, C	2015///	ENVIRONM	22	17663
1130	JOUR	Changes in trophic structure	Gunadi, Bir	2002///	European J	38	161
754	JOUR	Methodologies to assess bio	Ruggero, F,	2019///	WASTE MA	37	959
846	JOUR	Comparative study of lactic a	Ahmad, A,	2021///	WASTE MA	120	585
361	JOUR	A study of the impact of moi	Chen, T, Jir	2015///	JOURNAL C	65	278
1080	JOUR	Valorization of lotus byprodı	Huang, H, I	2019///	FOOD AND	115	110
1123	JOUR	A review of dark fermentati	De Gioanni	2013///	Waste Mar	33	1345
258	JOUR	Fabrication of hydrochar bas	Feng, Y F, S	2019///	JOURNAL C	212	1423
540	JOUR	The Efficacy of Whole Oyste	Xu, Z Y, Val	2021///	SUSTAINAE	13	
847	JOUR	Efficient reduction of antibic	Liao, H P, Z	2019///	ENVIRONM	133	
934	JOUR	Experimental tests on comn	Malave, A (	2018///	WASTE MA	71	626
1132	JOUR	Evaluation of Feed Mixtures	Walker, P M	2002///	The Profes	18	237
995	JOUR	Production and Properties o	Wojdalski,	2016///	ROCZNIK O	18	89
759	JOUR	Effect of Hydrothermal Pret	Wang, C M	2017///	WASTE AN	8	369
667	JOUR	Environmental assessment c	Quiros, R, \	2014///	RESOURCE	90	9
187	JOUR	Deciphering the Effects of W	Ma, X, Zhai	2021///	SUSTAINAE	13	
1054	JOUR	Mass culture of Moina macr	Kamrunnał	2019///	EGYPTIAN .	45	75
305	JOUR	Emissions of toxic pollutants	Edo, M, Or	2018///	CHEMOSPI	203	506

646	JOUR	Economic aspects of carbon	Vochozka,	2017///	ENERGY SC	39	485
508	JOUR	Impact of food waste fractio	Onay, T T,	2010///	WASTE MA	28	936
366	JOUR	Effect of yeast addition on t	Gao, M, Zh	2020///	ROYAL SOC	7	
457	JOUR	Characterization of food wa	Shin, S G, H	2015///	BIORESOUI	196	200
473	JOUR	Carbon dioxide and ammoni	Komilis, D I	2006///	WASTE MA	26	62
162	JOUR	Techno-economic assessme	Peinemanr	2019///	BIORESOUI	289	
867	JOUR	Optimisation of sewage slud	Silvestre, G	2015///	WASTE MA	43	137
861	JOUR	Experimental studies of hyd	Wang, L X,	2021///	WASTE MA	39	165
648	JOUR	Impact of mesophilic co-con	Semitela, S	2019///	BIORESOUI	289	
775	JOUR	Low-cost composited accele	Zhang, C, Y	2018///	BIORESOUI	263	517
902	JOUR	Optimization of the process	Lopicic, Z R	2017///	JOURNAL C	156	95
395	JOUR	Hydrothermal carbonization	Idowu, I, Li	2017///	WASTE MA	69	480
617	JOUR	Recycling and utilization of a	Sharma, G,	2019///	JOURNAL C	21	801
1063	JOUR	Transformation of industrial	Yu, P H F, C	1999///	Water Scie	40	365
295	JOUR	Dry anaerobic digestion of f	Cho, S K, In	2013///	BIORESOUI	131	210
163	JOUR	The catalytic pyrolysis of foo	Liu, H L, M	2014///	BIORESOUI	166	45
423	JOUR	Agronomic effectiveness of	Kaudal, B B	2018///	WASTE MA	77	87
607	JOUR	Large-scale modular biofiltra	Lin, Y H, Ch	2013///	JOURNAL C	48	1420
1064	JOUR	Influences of vermicompost	Arancon, N	2008///	APPLIED SC	39	91
915	JOUR	A new perspective of using s	Cai, Y F, W	2018///	WATER RES	140	335
907	JOUR	Experimental process monit	Soobhany,	2015///	ECOLOGIC/	84	149
502	JOUR	Storage of Food Waste: Vari	Degueurce	2020///	WASTE AN	11	2441
239	JOUR	Enhanced Anaerobic Digesti	Ariunbaata	2016///	FRONTIERS	4	
396	JOUR	The effects of thiosulfinates	Tao, Z T, W	2020///	JOURNAL C	384	
590	JOUR	Nitrous oxide emissions fron	He, Y W, In	2001///	ENVIRONM	35	2347
356	JOUR	Improvement of home comp	Margaritis,	2018///	WASTE MA	73	87
634	JOUR	High-efficiency bioconversio	Chen, H, Sh	2017///	BIORESOUI	245	1110
918	JOUR	Influence of mixing ratio anc	Soto-Paz, J,	2020///	WASTE AN	11	2475
1061	JOUR	Fusarium proliferatum and F	Carrieri, Ra	2013///	Crop Prote	43	31
431	JOUR	Life cycle assessment of biol	Patterson,	2013///	BIORESOUI	131	235
984	JOUR	Experimental and modelling	Liang, Z S, S	2019///	ENVIRONM	131	
479	JOUR	ADM1-based mechanistic m	Frunzo, L, F	2019///	JOURNAL C	241	587
662	JOUR	Modeling of composttempe	Cekmecelic	2005///	TRANSACTI	48	849
1086	JOUR	Enhanced electrokinetic (E/K	Han, Jung-(	2010///	Journal of H	177	530
1136	JOUR	Biotransformation of the fur	FÃ¦ste, Chi	2016///	Toxicon	124	36
184	JOUR	Biogas Production by Co-Dig	Rattanapar	2019///	ENVIRONM	6	
663	JOUR	Anaerobic Co-Digestion of K	Wang, H H,	2020///	WATER	12	
935	JOUR	Nano-CeO2/SiO2 as an effici	Zandi-Atash	2017///	JOURNAL C	166	1010
1126	JOUR	Cost-effective approach to e	Uncu, Oya	2011///	Waste Mar	31	636
338	JOUR	Kinetic modelling and syner	Yu, M, Gao	2018///	ENVIRONM	25	30281
169	JOUR	Anaerobic co-digestion of al	Koyama, M	2017///	INTERNATI	125	208
895	JOUR	Thermal conversion of muni	Lu, X W, Jo	2012///	WASTE MA	32	1353
630	JOUR	Improving methane product	Wu, W Y, C	2016///	SCIENTIFIC	6	
480	JOUR	Valorisation of food waste u	Liu, N, Jian	2020///	BIOMASS &	143	
801	JOUR	Biogas production from ana	Prabhu, A \	2020///	ENERGY SC	42	375
222	JOUR	CONSERVATION OF AMMON	Al-Jabi, L F,	2008///	ENVIRONM	29	1067
930	JOUR	Potential promotion of activ	Zhou, J, Zhou, Y, You, X		ENVIRONMENTAL TECHNOLOGY		
441	JOUR	Enhancing growth and non-s	Mo, W Y, Li	2016///	ENVIRONM	219	475
864	JOUR	A new method for convertin	Pandey, P,	2016///	JOURNAL C	112	205
601	JOUR	Effects of adding EDTA and F	Cai, Y F, Hu	2019///	BIORESOUI	275	183
897	JOUR	How do novel and conventic	Gebremika	2020///	WASTE MA	113	132

910	JOUR	Organic cultivation of Ashwa	Kaur, A, Sir	2018///	PLOS ONE	13	
526	JOUR	Upcycling food waste using l	Song, S, Ee,	2021///	JOURNAL C	288	
873	JOUR	The use of biological waste a	Neugebaue	2018///	JOURNAL C	225	133
920	JOUR	Utilization of mixed organic-	Triyono, B,	2019///	WASTE MA	95	1
580	JOUR	A new method for the treatr	Gu, H F, Ge	2021///	WASTE MA	126	527
959	JOUR	Methane and hydrogen sulfi	Belle, A J, L	2015///	BIOMASS &	80	44
477	JOUR	In-vessel co-composting of y	Malakahm	2017///	INTERNATI	6	149
584	JOUR	Microwave assisted thermal	Franca, A S	2010///	BIORESOUI	101	1068
159	JOUR	ANAEROBIC DIGESTION OF L	Abu Qdais,	2017///	INTERNATI	7	91
568	JOUR	Malachite Green Adsorption	Franca, A S	2010///	CLEAN-SOI	38	843
613	JOUR	Dark fermentation metaboli	Rafieenia, I	2018///	BIORESOUI	267	445
498	JOUR	Enhancement of volatile fatt	Liu, N, Jian	2018///	JOURNAL C	217	797
845	JOUR	Anaerobic digestion of urba	Angeli, J R B, LeFloc'h,		ENVIRONMENTAL TECHNOLOGY		
722	JOUR	Anaerobic co-digestion of ki	Wang, L, Sh	2014///	WASTE MA	34	2627
355	JOUR	Energy-efficient co-biodryin	Ma, J, Zhar	2016///	WASTE MA	56	411
558	JOUR	Process efficiency and ventil	Lalander, C	2020///	SCIENCE OI	729	
900	JOUR	Technological application pc	Billen, P, Kl	2020///	SCIENCE OI	735	
525	JOUR	Prediction of Influential Ope	Lin, C, Wei,	2016///	ENVIRONM	33	494
944	JOUR	Multivariate analysis and bic	Gil, A, Tole	2018///	WASTE MA	78	819
917	JOUR	Assessment of organic loadi	Nasiruddin	2020///	JOURNAL C	265	
836	JOUR	Evaluation of gas removal ar	Chung, Y C	2007///	JOURNAL C	144	377
1044	JOUR	Cultivation of heterotrophic	Haske-Corr	2020///	ALGAL RES	50	
563	JOUR	Effect of digestate loading ra	Torres-Franco, A F, Silv		ENVIRONMENTAL TECHNOLOGY		
322	JOUR	Biogas stripping of ammonia	Serna-Maz	2015///	BIORESOUI	190	66
533	JOUR	The pyrolysis of canteen wa	Nagy, G, W	2018///	ENERGY SC	40	2124
524	JOUR	Ball-milled, solvent-free Sn-f	Yang, X, Yu	2020///	JOURNAL C	268	
791	JOUR	Bioelectricity production fro	Chatzikons	2018///	WASTE MA	36	1037
883	JOUR	Synergistic effect of co-diges	Anjum, M,	2017///	WASTE MA	35	967
1073	JOUR	Food waste treatment throu	El Ibrahimi,	2021///	PROCESS S	147	1171
901	JOUR	Water-soluble mercury indu	Hu, H L, Li,	2019///	CHEMOSPH	236	
166	JOUR	Exploring the selective lactic	Bonk, F, Ba	2017///	BIORESOUI	238	416
865	JOUR	A novel kinetic modeling me	Ebrahimza	2017///	WASTE MA	35	1226
670	JOUR	Study of different ratios of p	Pinto, N, C	2016///	WATER AN	30	203
1041	JOUR	Calibration of the EU-Rotate	Ãvsthus, In	2021///	European J	129	126336
675	JOUR	Adsorption of phosphate fro	Nguyen, A	2015///	SCIENCE OI	523	40
589	JOUR	Elucidating acetogenic H-2 c	Lalman, J A	2013///	BIORESOUI	146	775
637	JOUR	Correlations between the pH	Li, Y, Liu, H,	2019///	BIORESOUI	272	482
880	JOUR	Tailor-Made Conversion of N	Bello, F, Chimphango,		WASTE AND BIOMASS VALORIZAT		
415	JOUR	A comparison of various bull	Oarga-Mul	2019///	JOURNAL C	243	78
520	JOUR	Field-scale application of oil	Rashid, M ~	2005///	JOURNAL C	34	963
939	JOUR	Effect of green waste pretre	Karnchana	2017///	JOURNAL C	146	14
339	JOUR	Toward net-zero sustainable	Huq, N A, H	2021///	PROCEEDIN	118	
904	JOUR	Photoheterotrophy of photc	Phongjarus	2018///	ENVIRONM	10	290
823	JOUR	Upgraded bio-oil production	Wang, J, Zh	2017///	WASTE MA	60	357
223	JOUR	Catalytic upgrading of oil fra	Heo, H S, K	2011///	BIORESOUI	102	3952
884	JOUR	Pyrolysis, morphology and n	Zi, W H, Ch	2019///	SCIENCE OI	683	341
317	JOUR	Catalytic fast co-pyrolysis of	Zhang, B, Z	2015///	BIORESOUI	189	30
336	JOUR	Biohydrogen production fro	Valizadeh,	2021///	BIORESOUI	320	
890	JOUR	Comparative assessment of	Soobhany,	2015///	WASTE MA	39	130
888	JOUR	Simultaneous remediation a	Zhou, T, Zh	2021///	CHEMOSPH	275	
718	JOUR	OPTIMIZATION AND COMPA	Altuntas, O	2018///	APPLIED EC	16	7001

1137	JOUR	Suppression of green peach	Edwards, C	2010///	CROP PRO	29	80
556	JOUR	Kinetics of carbon dioxide, n	Van, D P, H	2018///	GLOBAL JO	4	401
334	JOUR	Response surface optimizati	Kim, H W, S	2007///	JOURNAL C	57	309
1067	JOUR	Effects of humic acids from v	Arancon, N	2006///	EUROPEAN	42	S65
1128	JOUR	Soil quality response to cove	Messiga, A	2015///	SCIENTIA H	188	6
592	JOUR	Simplex-centroid mixture fo	Abdullah, N	2010///	BIORESOUI	101	8205
628	JOUR	Anaerobic digestion of mech	Fantozzi, F,	2011///	BIORESOUI	102	8885
316	JOUR	Continuous fermentation of	Kim, H, Kim	2016///	BIORESOUI	207	440
1047	JOUR	Fe-loaded biochar obtained	Kang, Jin-K	2021///	Journal of E	9	105751
253	JOUR	A comparative study of singl	Jo, Y, Kim, .	2018///	WASTE MA	78	509
1118	JOUR	Ranking hazards pertaining t	Nag, Rajat,	2020///	Science of	710	136297
707	JOUR	Design and development of	Fach, S, Fu	2010///	WATER SCI	62	1580
960	JOUR	A simplified model to simula	Ferraro, A,	2019///	SCIENCE OI	691	885
125	JOUR	Valorization of solid waste b	Abbas, Y, Ja	2020///	CLEAN TEC	22	513
1111	JOUR	Phosphorus-Mobilizing Rhizo	Arif, M S, R	2017///	PEDOSPHE	27	1049
820	JOUR	Calcium peroxide pretreatm	Sheng, L, M	2020///	JOURNAL C	246	
513	JOUR	The effects of anionic and no	Sun, J, Zhai	2019///	ENVIRONM	40	2538
427	JOUR	Effects of mixing time on me	Mao, L W,	2019///	BIORESOUI	294	
956	JOUR	Effect of pH on ethanol-type	Wu, Y Y, W	2017///	WASTE MA	60	158
848	JOUR	Process simulation and life c	Meng, F R,	2019///	WASTE MA	89	177
535	JOUR	Anaerobic co-digestion of fo	Montecchio	2019///	WASTE MA	97	27
319	JOUR	Iron oxide alleviates acids st	Yuan, T G,	2020///	CHEMOSPH	247	
495	JOUR	Characterization of of physic	Li, S H, Che	2016///	INTERNATI	109	113
391	JOUR	Understanding the impact of	Tao, Z L T,	2021///	SCIENCE OI	776	
363	JOUR	Characterization of food was	Azarmanes	2020///	BIOMASS &	139	
505	JOUR	Effects of additional fermen	Zhang, Y M	2016///	ENVIRONM	23	12890
1085	JOUR	CO2 to fuel via pyrolysis of b	Kwon, Doh	2020///	Chemical E	392	123774
348	JOUR	Solid phase microbial fuel ce	Mohan, S V	2011///	BIORESOUI	102	7077
301	JOUR	Enhanced polyunsaturated f	Wang, X, B	2020///	BIORESOUI	296	
1112	JOUR	Anaerobic co-digestion asse	El Gnaoui,	2020///	JOURNAL C	8	
874	JOUR	Municipal solid waste recycl	Glushkov, I	2019///	JOURNAL C	231	896
703	JOUR	A lab fermenter level study o	Bhurat, K S	2021///	JOURNAL C	23	1617
993	JOUR	Using of indigenous bulking	Aghili, S M,	2019///	JOURNAL C	17	767
927	JOUR	Fertilization Value of Biosoli	Chow, H Y,	2020///	WATER AIR	231	
842	JOUR	Effect of clay on greenhouse	Ren, X N, W	2020///	SCIENCE OI	737	
276	JOUR	Pilot Scale Use of Compost C	Radziemsk	2019///	WASTE AN	10	1585
795	JOUR	Improve spent mushroom su	Sun, C Y, W	2021///	JOURNAL C	299	
1070	JOUR	SSF Production of L-lactic Ac	Wang, Juar	2016///	Procedia En	31	122
237	JOUR	Fungal hydrolysis in submer	Pleissner, D	2014///	BIORESOUI	158	48
171	JOUR	Enhancing biogas production	Thompson,	2021///	CHEMOSPH	275	
720	JOUR	Intrinsic molecular insights t	Singh, P K,	2019///	SCIENTIFIC	9	
387	JOUR	Agronomic characteristics of	Tampio, E,	2016///	JOURNAL C	169	293
952	JOUR	Experimental dataset investi	Efeovbokha	2020///	DATA IN BF	31	
331	JOUR	Understanding the fate and	Du, M T, Li	2021///	WATER RES	188	
400	JOUR	Bacterial community progre	Tran, H T, L	2021///	CHEMOSPH	265	
286	JOUR	Hydrothermal conversion of	Parshetti, G	2014///	BIORESOUI	161	310
762	JOUR	Evaluation of biogas product	Sahu, N, Sh	2017///	WASTE MA	70	236
468	JOUR	Defining the kinetics of the r	Sarker, M S	2018///	MODELING	4	1259
519	JOUR	Acidogenic outlet from bioh	Sarkar, O, G	2019///	JOURNAL C	208	490
522	JOUR	Kitchen waste valorization th	Gallipoli, A	2020///	JOURNAL C	89	167
733	JOUR	Energy performance of an in	Kan, X, Yao	2017///	BIORESOUI	228	77

231	JOUR	Use of housefly (Musca dom	Cheng, Z, Yu, L, Li, H H,	ENVIRONMENTAL SCIENCE AND P(			
174	JOUR	Co-fermentation of waste ac	Feng, L Y, Y	2011///	FRONTIERS	5	623
299	JOUR	An Investigation of Some Cri	Orthodoxo	2015///	WASTE AN	6	293
401	JOUR	Optimal combination of foo(	Owamah, I	2015///	ENVIRONM	4	311
565	JOUR	Influence of carbon and buff	Liang, Y, Le	2006///	BIORESOUI	97	748
1097	JOUR	Nanopriming with zero-vale	Guha, T, G(	2021///	PLANT PHY	163	261
612	JOUR	Sheep manure vermicompos	Gutierrez-M	2008///	BIORESOUI	99	7020
614	JOUR	Fate of nutrients and heavy	Knoop, C, T	2018///	BIORESOUI	251	238
660	JOUR	In-situ biogas upgrading by	Yin, C K, Sh	2019///	BIORESOUI	282	1
779	JOUR	Evaluation of hydrothermal	Oliver-Tom	2019///	RESOURCE!	147	111
199	JOUR	Pyrolysis and steam gasificat	Nakajima, T	2016///	ENERGY SC	38	1763
862	JOUR	Selectivity of SO2 and H2S re	Ahmad, W,	2020///	ENVIRONM	27	22065
894	JOUR	Effective utilisation of trickli	Wu, C F, W	2015///	BIOSYSTEM	129	378
829	JOUR	Production of volatile fatty a	Slezak, R, C	2020///	ENVIRONM	41	3767
1115	JOUR	Anaerobic digestates lower I	KÃ¶ster, Ja	2015///	Soil Biology	84	65
330	JOUR	Decomposition of food wast	Jalil, N A A,	2021///	JOURNAL C	42	756
422	JOUR	Effect of reactor operating c	Fernando-F	2021///	JOURNAL C	292	
989	JOUR	Determination of the relatio	Kulcu, R	2015///	ECOLOGICA	81	444
204	JOUR	Isolation of extremophilic ba	Al-Mahrouqi, N, Muth	ENERGY SOURCES PART A-RECOVE			
610	JOUR	Bioethanol Production from	Prajapati, V	2015///	WASTE AN	6	191
1114	JOUR	Development of a continuou	Arrutia, F, A	2020///	CHEMICAL	395	
432	JOUR	Effect of liquid digestate rec	Ma, X X, Yu	2020///	BIORESOUI	313	
469	JOUR	Synergistic effect from anae	Ma, X X, Yu	2019///	ENVIRONM	26	37114
1094	JOUR	Suppression of two-spotted	Arancon, N	2007///	CROP PROT	26	29
699	JOUR	Development of models for	Aslam, D N	2008///	BIORESOUI	99	8735
408	JOUR	Boosting biogas production	Maragkaki,	2018///	WASTE MA	71	605
810	JOUR	Predicting phytotoxicity of c	Aslam, D N	2008///	ENVIRONM	25	72
244	JOUR	Drinking water treatment slu	Ebrahimi-N	2018///	BIORESOUI	260	421
666	JOUR	Comparison of five organic v	de Guardia	2010///	WASTE MA	30	402
633	JOUR	Synergistic effect of activate	Zhang, L, L(	2019///	BIORESOUI	278	108
440	JOUR	Sustainable recycling of resi(	Giwa, A S, I	2018///	JOURNAL C	180	43
747	JOUR	Development and validation	Sun, H, Gu(	2017///	WASTE MA	67	43
195	JOUR	Enhanced hydrogen product	Kuang, Y, Z	2020///	ENVIRONM	27	18145
622	JOUR	Single and combined inhibiti	Lee, J, Hwa	2019///	BIORESOUI	281	401
685	JOUR	Initial air pressure influence	Makan, A, A	2014///	INTERNATI	11	53
240	JOUR	Thermophilic composting of	Chang, J I, T	2006///	BIORESOUI	97	116
314	JOUR	Batch anaerobic co-digestio	Kesharwan	2020///	SN APPLIEI	2	
547	JOUR	Solid phase bio-electroferme	Chandrasel	2015///	WASTE MA	45	57
925	JOUR	Effect of biochar addition on	Malinowsk	2019///	WASTE MA	84	364
681	JOUR	Degradation of antibiotics ar	Chu, L B, Cl	2019///	WASTE MA	96	190
379	JOUR	An anaerobic membrane bio	Sun, J, Kos	2020///	METHODS)	7	
692	JOUR	Dynamic effect of leachate r	Degueurce	2016///	BIORESOUI	216	553
521	JOUR	Effect of ammoniacal nitrog(	Ariunbaata	2015///	WASTE MA	38	388
763	JOUR	Optimization of process par	Iqbal, M K,	2015///	INTERNATI	12	1759
621	JOUR	Anaerobic membrane biore	Robles, A, I	2020///	BIORESOUI	314	
786	JOUR	Understanding and mitigatir	Xu, Q X, Li,	2017///	WATER RES	124	269
721	JOUR	Accelerated anaerobic hydr(	Jensen, T R	2017///	WATER SCI	75	1944
372	JOUR	Enhanced production of sho	Zhao, J W,	2015///	WASTE MA	46	133
413	JOUR	Short chain and medium cha	Reddy, M V	2018///	JOURNAL C	176	645
816	JOUR	Inactivation of Ascaris Eggs i	Harroff, L A	2017///	ENVIRONM	51	9729
914	JOUR	Post-thermal hydrolysis and	Yang, D H,	2019///	WASTE MA	92	39

312	JOUR	The anaerobic fermentation	Kastner, V,	2012///	JOURNAL C	34	82
406	JOUR	Comparison of microbial cor	Jiang, J F, V	2020///	BIORESOUI	317	
291	JOUR	Food waste based biochars f	Xue, S, Zha	2019///	BIORESOUI	292	
1092	JOUR	Machine learning aided bio-	Li, Jie, Zhar	2021///	Chemical E	425	130649
953	JOUR	Drum composting of nitroge	Jain, M S, K	2019///	JOURNAL C	231	770
1129	JOUR	Enhancement of resource re	Li, C, Ju, L k	2018///	PROCESS S	113	233
292	JOUR	Effect of nickel-containing a	Ko, J H, Wa	2018///	BIORESOUI	266	516
593	JOUR	Methane from CO2: Influenc	Koch, K, Hu	2016///	WASTE MA	49	36
948	JOUR	Chemical Pretreatments to E	Dominguez	2020///	WASTE AN	11	4181
1102	JOUR	Effects of vermicomposts pr	Arancon, N	2005///	PEDOBIOL(	49	297
501	JOUR	Fate of copper, nickel and zi	Dragicevic,	2017///	ENVIRONM	24	13095
849	JOUR	A comparative analysis of co	Soobhany,	2017///	ENVIRONM	24	11228
843	JOUR	Study of pequi peel pyrolysis	Martins, J F	2021///	BIOMASS &	149	
761	JOUR	Activated carbonaceous mat	Sikdar, D, C	2020///	SUSTAINAE	30	
442	JOUR	Adsorption characteristics o	Han, J G, Le	2010///	JOURNAL C	12	227
398	JOUR	The feasibility of putrescible	Safar, K M,	2018///	WASTE MA	36	169
484	JOUR	Recovery of dissolved metha	Li, X S, Dut	2020///	WATER RES	175	
975	JOUR	Methane Emissions Driven b	Liu, X L, Wa	2019///	WATER	11	
1062	JOUR	Anaerobic co-digestion of fo	Zhang, W L	2015///	CHEMICAL	259	795
287	JOUR	Characterization of hydrothe	Zhao, K, Li,	2018///	BIORESOUI	267	9
190	JOUR	Direct production of lactic a	Pleissner, D	2017///	JOURNAL C	143	615
821	JOUR	A stepwise-cluster microbial	Sun, W, Hu	2009///	WASTE MA	29	2956
381	JOUR	Dechlorination of Municipal	Zou, D Z, W	2020///	SUSTAINAE	12	
991	JOUR	Comparison of five organic v	de Guardia	2010///	WASTE MA	30	415
713	JOUR	Effects of Potassium, Magne	Wu, L J, Ko	2016///	ARABIAN J(	41	2417
591	JOUR	BIOHYDROGEN PRODUCTIOI	Cieciura-W	2019///	JOURNAL C	27	101
389	JOUR	Sustainable Second-Generat	Ntaikou, I,	2021///	SUSTAINAE	13	
196	JOUR	Ethanol Production from Aci	Gundupalli	2019///	WASTE AN	10	701
876	JOUR	Seasonal variation in chemic	Kawai, M, I	2012///	JOURNAL C	110	267
882	JOUR	Utilisation of raw palm oil m	Mubarak, M	2020///	MALAYSIAI	16	384
275	JOUR	Production of Biochar from I	Lee, C G, H	2019///	WATER AIR	230	
729	JOUR	Solubilisation of fruits and v	Shanthi, M	2021///	ENVIRONM	42	1703
955	JOUR	Hydrogen and Methane Pro	Michalopo	2020///	WASTE AN	11	1647
206	JOUR	Properties of Biochar from A	Alghashm,	2018///	SUSTAINAE	10	
668	JOUR	Effect of nanoscale zero-vale	Zhou, J, Yo	2020///	ENVIRONM	41	3199
329	JOUR	Nitrogen Conservation in Sir	Li, Y, Su, B	2011///	JOURNAL C	61	771
1120	JOUR	Effect of aqueous extracts fr	Edwards, C	2010///	Pedobiolog	53	141
788	JOUR	Roles of acid-producing bact	Ai, S J, Liu,	2018///	FRONTIERS	12	
656	JOUR	Corn silage fungal-based soli	Tisma, M, I	2018///	BIORESOUI	253	220
853	JOUR	Pilot Scale System of Two Hc	Loizidou, M	2017///	WASTE AN	8	1709
996	JOUR	Feasibility of medical stone a	Awasthi, M	2018///	JOURNAL C	216	49
307	JOUR	Resource recovery of food w	Waqas, M,	2018///	ENVIRONM	25	5212
252	JOUR	Appropriate conditions for a	Al-Mallahi,	2016///	WASTE MA	48	430
682	JOUR	Effect of Temperature and C	Achinas, S,	2020///	ENVIRONM	7	
844	JOUR	Improving pig manure comp	Wang, Q, L	2016///	ECOLOGIC/	87	157
349	JOUR	Fermentative H-2 productio	Akhlaghi, M	2019///	BIORESOUI	276	349
471	JOUR	Quantifying the percentage	Jiang, Y, Ba	2018///	WASTE MA	71	749
350	JOUR	Methanosarcina plays a mai	Capson-To	2018///	WASTE MA	76	423
642	JOUR	Impacts of medium composi	Dai, K, Wer	2019///	JOURNAL C	207	483
107	JOUR	Bio-Hydrogen Production fr	Godday, O	2014///	SAINS MAL	43	1927
476	JOUR	Effect of food to vegetable v	Chakrabort	2018///	BIORESOUI	254	256

828	JOUR	Formic acid pretreatment fo	Cesaro, A, (	2020///	BIOMASS &	133	
691	JOUR	A parametric response surfa	Akhlaghi, M	2017///	BIORESOUI	244	473
881	JOUR	Iron-enhanced primary sedi	Li, R H, Guc	2021///	RESOURCE!	164	
840	JOUR	Hydrothermal co-liquefactio	Ellersdorfe	2020///	BIOMASS &	142	
626	JOUR	Rice husk as a source for fun	Sala, A, Art	2020///	BIORESOUI	296	
680	JOUR	Using porphyritic andesite a	Li, D W, Zh	2009///	BIORESOUI	100	5594
806	JOUR	Hydrogen Production in the	Paudel, S, I	2015///	SUSTAINAE	7	16260
211	JOUR	Methane potential of food w	Wang, Y S,	1997///	WASTE MA	15	149
812	JOUR	Multivariate insights of bulki	Ma, J, Zhar	2019///	SCIENCE OI	681	18
609	JOUR	Enhancement of syntrophic	Shen, N, Li	2020///	BIORESOUI	306	
433	JOUR	Modelling anaerobic digesti	Satpathy, P	2016///	JOURNAL C	51	1226
364	JOUR	As(III) adsorption onto Fe-in	Lyonga, F N, Hong, S H		ENVIRONMENTAL GEOCHEMISTRY		
134	JOUR	Enhancement of Sewage Slu	Ahn, Y, Lee	2020///	WASTE AN	11	2421
567	JOUR	Biogas from confectionery w	Ramanathan, R M N, B		ENERGY SOURCES PART A-RECOVE		
470	JOUR	Using liquid waste streams a	Li, L, Hale, I	2014///	WASTE MA	34	2185
765	JOUR	Optimizing key factors for bi	Khalid, H, C	2019///	ENVIRONM	26	25084
896	JOUR	Anaerobic treatment of dein	Amare, D E	2019///	WASTE MA	85	417
780	JOUR	The evolution of compost st	Cesaro, A, (	2019///	JOURNAL C	232	264
962	JOUR	Producing desulfurized biog	Tijani, H, Y	2018///	WASTE MA	78	770
186	JOUR	Long-term bio-H-2 and bio-C	Algapani, D	2018///	BIORESOUI	248	204
854	JOUR	The effect of using pig manu	Luo, Z F, W	2020///	ECOLOGIC/	143	
467	JOUR	COMPARATIVE STUDIES OF	Simeonov,	2014///	COMPTES I	67	687
1099	JOUR	Synthetic fuel for imitation c	Thipse, Suk	2001///	Chemosph	44	1071
404	JOUR	Response of process perfor	Zhang, H, P	2020///	BIORESOUI	314	
603	JOUR	Pseudo catalytic transforma	Jung, J M, (	2016///	BIORESOUI	203	26
615	JOUR	Biochemical conversion of fr	Dahunsi, S	2018///	ENERGY SC	40	2799
560	JOUR	Methane Augmentation of A	Ali, A, Mah	2020///	WASTE AN	11	4093
1033	JOUR	Comparative evaluation of a	Barua, Visv	2018///	Bioresourc	4	202
460	JOUR	Enhanced anaerobic co-dige	Chen, S J, T	2020///	BIORESOUI	316	
600	JOUR	Activated carbon derived frc	Wang, Y, W	2020///	BIORESOUI	316	
208	JOUR	Experimental investigation c	Nagy, G, D	2020///	BIOMASS &	139	
635	JOUR	Enhancement of biohydroge	Zhang, J S,	2016///	BIORESOUI	209	73
153	JOUR	Study of anaerobic co-digest	Yoon, Y, Le	2018///	JOURNAL C	20	283
1072	JOUR	Sewage sludge and food wa	Prajapati, I	2018///	Bioresourc	2	121
964	JOUR	Improving two-stage thermc	Chen, H, Zh	2021///	CHEMOSPH	274	
323	JOUR	Effect of inoculum to substra	Xu, S Y, Kar	2012///	BIORESOUI	126	425
693	JOUR	Effects of high-pressure extr	Xu, S, Kong	2016///	WASTE MA	58	81
443	JOUR	Kinetic Modeling for Bioaugi	Ali, A, Mah	2019///	WASTE AN	10	3213
641	JOUR	Press-extrusion pretreatmer	Cesaro, A, (	2021///	JOURNAL C	23	130
688	JOUR	Valorization of Arid Region A	Bastidas-O	2018///	WASTE AN	9	2327
235	JOUR	In situ biogas stripping of an	Serna-Maz	2017///	ENVIRONM	38	3216
263	JOUR	Elevated biogas production f	Achinas, S,	2019///	WASTE MA	37	1240
949	JOUR	Advanced Compost and Ene	Lee, H S, Ki	2014///	ENERGY SC	36	1507
328	JOUR	Enhanced anaerobic digestic	Zhang, W L	2015///	WATER RES	84	266
483	JOUR	Destruction of representativ	Chen, S Y, (	2015///	ENVIRONM	22	4527
657	JOUR	Optimal operating paramete	Choi, K	1999///	JOURNAL C	34	975
797	JOUR	Parametric Optimization of E	Sekoai, P T,	2019///	WASTE AN	10	1177
430	JOUR	Kinetic modeling of hydroge	Pradhan, N	2021///	BIORESOUI	332	
494	JOUR	Greenhouse gas emissions fi	Dietrich, M	2020///	INTERNATI	9	1
439	JOUR	Rapid degradation of long-cl	Xu, J L, Zha	2019///	WASTE MA	85	361
365	JOUR	Effect of calcium peroxide a	Deheri, C, A	2021///	JOURNAL C	279	

640	JOUR	Fly ash as an additive for enl	Mandpe, A	2019///	BIORESOUI	293	
572	JOUR	A membrane bioreactor witl	Li, R H, Wa	2018///	WATER RES	129	402
850	JOUR	The sustainable recovery of	Cesaro, A, I	2019///	RESOURCE:	141	390
723	JOUR	Comparison of biogas recov	Xu, Q Y, Tia	2016///	WASTE MA	56	190
798	JOUR	VOLATILE SOLID KINETIC DE(	Alkarimiah,	2019///	APPLIED EC	17	11551
980	JOUR	Effect of Temperature Varia	Franqueto,	2020///	BIOENERG\	13	630
357	JOUR	Effects of bulking agents on	Chang, J I, (	2010///	BIORESOUI	101	5917
362	JOUR	Fate of LCFA in the co-digest	Neves, L, O	2009///	WATER RES	43	5142
1039	JOUR	Ammonia recovery from foo	MelgaÃ§o,	2020///	Waste Mar	113	244
715	JOUR	Trace elements effect on hy(	Wyman, V,	2019///	JOURNAL C	234	320
755	JOUR	Simulation of hybrid biomas	Ramzan, N,	2011///	BIOMASS &	35	3962
753	JOUR	Role of Iron Concentration o	Yogeswari,	2016///	JOURNAL C	142	
943	JOUR	Medium-Chain fatty acids ar	Wu, S L, W	2020///	WATER RES	186	
583	JOUR	Anaerobic fermentation by a	Liu, A M, Xi	2014///	CLEAN TEC	16	415
669	JOUR	Improved biogas production	Wang, C Q,	2017///	PLOS ONE	12	
923	JOUR	Parametric and Nonparamet	Oslaj, M, Si	2019///	POLISH JOU	28	291
990	JOUR	A mass balance model to est	Rafiee, R, C	2017///	WASTE MA	63	196
814	JOUR	Optimising the anaerobic co	Fitamo, T, I	2016///	WATER RES	106	283
750	JOUR	Semi-Continuous Anaerobic	Calabro, P !	2019///	SUSTAINAE	11	
260	JOUR	Effect of temperature on VF.	Komemoto	2009///	WASTE MA	29	2950
638	JOUR	Co-digestion of solid waste:	Kouas, M, ~	2018///	BIORESOUI	254	40
414	JOUR	Evaluating the biogas poten	Murto, M,	2013///	WASTE MA	33	1282
386	JOUR	Optimization of Food Waste	Chaher, N I	2020///	SUSTAINAE	12	
1046	JOUR	Stimulatory effect of magne	Koirala, N,	2021///	JOURNAL C	40	
543	JOUR	A kinetic analysis of solid wa	Komilis, D I	2006///	WASTE MA	26	82
429	JOUR	Sustainable valorization of f(	Akarsu, K, I	2019///	BIORESOUI	292	
695	JOUR	Analysis of the stability of hi	Aymerich, I	2013///	BIORESOUI	144	107
1088	JOUR	Emission of volatile organic (	Komilis, Di	2004///	Water Res	38	1707
378	JOUR	Pyrolysis process for the tre	Grycova, B,	2016///	BIORESOUI	218	1203
822	JOUR	Biodegradation of main carb	Ryznar-Lut	2018///	WATER SCI	78	764
803	JOUR	Production of biogas from c(	Arhoun, B,	2017///	JOURNAL C	52	856
811	JOUR	An efficient phosphorus sca\	Ahmad, M,	2018///	ENVIRONM	39	1638
698	JOUR	Biogas production from und	Sun, C, Cao	2016///	BIORESOUI	218	1215
807	JOUR	Co-digestion of by-products	Valenti, F, I	2020///	SCIENCE OI	700	
992	JOUR	Nitrogen availability and ind	Rigby, H, Si	2013///	WASTE MA	33	2641
221	JOUR	High-solid mesophilic metha	Qiang, H, L	2012///	BIORESOUI	103	21
650	JOUR	Effects of sludge enhanced a	Luo, W H, Z	2018///	CHEMOSPH	203	490
838	JOUR	Evolution of the microbial cc	Duan, N, K(	2021///	SCIENCE OI	773	
320	JOUR	Simultaneous synergistic eff	Muratcoba	2020///	BIORESOUI	309	
160	JOUR	Effect of mixing ratio of fooc	Haider, M I	2015///	BIORESOUI	190	451
674	JOUR	Investigation of technology f	Wang, H X, Yao, D F, Xi		ENVIRONMENTAL SCIENCE AND P(		
792	JOUR	Effect of pH regulation mod(	Ma, X Y, W	2021///	JOURNAL C	279	
616	JOUR	Short chain fatty acids accur	Liu, Y L, Li,	2014///	INTERNATI	94	128
651	JOUR	Valorization of kitchen biow	Ntaikou, I,	2018///	BIORESOUI	263	75
766	JOUR	Anaerobic biogasification of	Demirer, G	2008///	WASTE MA	28	112
595	JOUR	Nitrogen removal from land	He, P J, Sha	2005///	ENVIRONM	26	373
454	JOUR	Biochar assisted thermophili	Li, Q, Xu, M	2018///	BIORESOUI	249	1009
426	JOUR	Application of a novel enzyn	Yun, Y M, K	2014///	BIORESOUI	159	365
793	JOUR	Enrichment Versus Bioaugm	Zagrodnik,	2020///	ENVIRONM	54	5864
728	JOUR	Microwave-assisted synthes	Zhao, Y F, L	2020///	SCIENCE OI	731	
931	JOUR	Anaerobic treatment of N,N-	Kong, Z, Li,	2019///	SCIENCE OI	663	696

491	JOUR	Anaerobic digestion of dried	Mathioudakis, D, Mich	WATER SCIENCE AND TECHNOLOG		
986	JOUR	Quality of anaerobic compos	Poggi-Vara	1999///	WATER SCI	40	179
727	JOUR	Evaluation of electrokinetic	Wang, J Y,	2005///	JOURNAL C	124	139
726	JOUR	Rapid and high yield biogas	Sen, K, Mal	2013///	ENVIRONM	34	3001
203	JOUR	Sorption and biodegradatior	Kim, H J, Cl	2001///	JOURNAL C	51	1237
777	JOUR	A simple kinetic model appli	Lopez, I, Benzo, M, Pas	ENVIRONMENTAL TECHNOLOGY		
297	JOUR	Bioelectrochemical enhance	Park, J, Lee	2018///	BIORESOUI	247	226
781	JOUR	Sustainable Production of Bi	Choudhary	2020///	JOURNAL C	146	
210	JOUR	Enhanced anaerobic digestic	Ariunbaata	2014///	JOURNAL C	146	142
624	JOUR	Enhanced bioaromatics synt	Lee, H W, F	2020///	ENVIRONM	184	
855	JOUR	Effect of substrate ratio on t	Vats, N, Kh	2019///	ENVIRONM	13	331
683	JOUR	METHANE POTENTIAL AND I	Uveges, Z S	2020///	APPLIED EC	18	6425
967	JOUR	Experimental research of eff	Baltrenas, I	2020///	WATER EN	92	722
257	JOUR	Gasification of effluent from	Yan, M, Su,	2020///	SCIENCE OI	730	
875	JOUR	Investigation of Enzymatic H	Niglio, S, Pi	2019///	BIOENERG	12	312
746	JOUR	Impact of Fe and Ni Additior	Zhang, H Y,	2019///	INTERNATI	16	
870	JOUR	A pilot scale study on synerg	Xie, S H, La	2017///	INTERNATI	123	244
194	JOUR	Influence of total solid and i	Forster-Car	2008///	BIORESOUI	99	6994
294	JOUR	Production of methane-rich	Sun, J, Kos	2019///	JOURNAL C	21	258
566	JOUR	Comparison between therm	Chen, F Q, Chi, Y Z, Li, I	ENVIRONMENTAL TECHNOLOGY		
369	JOUR	Effect of seaweed addition c	Shin, S R, L	2019///	ENVIRONM	24	449
730	JOUR	Prioritization of solid concer	Paritosh, K,	2019///	SCIENTIFIC	9	
296	JOUR	Biochemical Hydrogen Poter	Pecorini, I,	2019///	SUSTAINAE	11	
706	JOUR	The influences of inoculants	Li, S Y, Li, J	2017///	ENVIRONM	38	1770
512	JOUR	Temperature-phased anaerc	Li, L, Kong,	2020///	SCIENCE OI	724	
1065	JOUR	Anaerobic co-digestion of se	Mu, Lan, Zł	2020///	Science of	704	135429
352	JOUR	Hygienic treatment and ene	Dai, X H, Cl	2015///	JOURNAL C	297	320
544	JOUR	Methane production potent	Lee, D H, B	2009///	WASTE MA	29	876
465	JOUR	Acidogenic fermentation of	Dahiya, S, S	2015///	BIORESOUI	182	103
933	JOUR	Anaerobic digestion disposa	Yue, X, Are	2019///	JOURNAL C	235	801
744	JOUR	Comparison of the Reactor F	Ajayi-Banji,	2020///	WASTE AN	11	5211
625	JOUR	Fermentative biohydrogen p	Wu, C W, V	2012///	BIORESOUI	113	30
620	JOUR	Timing of biochar dosage for	Tsui, T H, Z	2021///	BIORESOUI	335	
885	JOUR	Improving anaerobic co-dige	Mosquera,	2020///	BIOMASS &	142	
619	JOUR	Comparison of methane pro	Li, Y Q, Zha	2013///	BIORESOUI	149	565
542	JOUR	Effect of pH on the Anaerob	Tsigkou, K,	2020///	WASTE AN	11	539
324	JOUR	Influence of fluid dynamics c	Wang, F P,	2017///	ENVIRONM	38	1160
643	JOUR	Bio-hythane production fron	Jiang, H, Qi	2018///	BIORESOUI	247	769
582	JOUR	Cocoa residues as viable bio	Acosta, N, I	2018///	BIORESOUI	265	568
817	JOUR	Enhancing anaerobic digesti	Wang, J, W	2019///	WATER SCI	80	1662
185	JOUR	Effect of pH on lactic acid pr	Tang, J L, W	2017///	BIORESOUI	224	544
182	JOUR	Effect of ultrasound pre-trea	Quiroga, G,	2014///	BIORESOUI	154	74
802	JOUR	Optimization of the anaerob	Rodriguez-,	2017///	WASTE MA	61	521
411	JOUR	Biostimulation of food waste	Altamirano	2021///	BIOMASS &	149	
575	JOUR	Synergistic digestion of bana	Zhou, L, Gu	2021///	BIORESOUI	328	
261	JOUR	Optimization of solid conten	Dadaser-Ce	2016///	WASTE MA	34	1241
1100	JOUR	Optimization of hydrolysis c	Sahu, N, De	2017///	JOURNAL C	5	2378
344	JOUR	Ammonia recovery from foo	Melgaco, L	2020///	WASTE MA	113	244
383	JOUR	Food waste co-digestion wit	Borowski, S	2018///	WASTE MA	74	158
594	JOUR	Improved anaerobic acidifica	Yilmaz, V, I	2008///	ENVIRONM	25	309
290	JOUR	Metabolic analysis of efficie	Zou, H, Ga	2019///	BIORESOUI	291	

773	JOUR	Inoculation of paperboard m	Farghaly, A	2016///	ENVIRONM	23	3834
359	JOUR	Solid-state anaerobic co-dig	Begum, S, I	2021///	JOURNAL C	289	
623	JOUR	THE BIOGAS PRODUCTION F	Rittiron, T,	2016///	SURANARE	23	85
368	JOUR	Optimization of methane fe	Wang, X, N	2008///	BIORESOUI	99	4292
936	JOUR	Determination of the dewat	Wehner, M	2021///	WASTE MA	126	632
337	JOUR	Effect of initial pH independ	Kim, D H, K	2011///	BIORESOUI	102	8646
830	JOUR	Conditions for continuous c	Liu, X, Fujiv	2020///	INTERNATI	149	
772	JOUR	Comparison of Ultrasonic an	Zielinski, M	2019///	WASTE AN	10	747
768	JOUR	Evaluation of laboratory-sca	Kopcic, N, I	2014///	WASTE MA	34	323
1056	JOUR	Optimization of methane pr	Helenas Pe	2020///	Journal of (	272	123130
200	JOUR	Dry batch anaerobic digestic	Rico, C, Mc	2020///	JOURNAL C	251	
937	JOUR	Optimization of Methane Pr	Noonari, A	2019///	WASTE AN	10	899
928	JOUR	Contribution analysis of met	Park, J G, L	2019///	SCIENCE OI	670	741
818	JOUR	Modelling Biogas Productior	Tian, Y L, Y	2020///	WASTE AN	11	4837
961	JOUR	Free ammonia enhances dar	Wang, D B,	2018///	WATER RES	133	272
972	JOUR	Cell Immobilization on Lignir	Pilarska, A	2019///	ENVIRONM	36	478
790	JOUR	Pretreatment optimisation a	Bala, R, Gu	2019///	JOURNAL C	237	313
343	JOUR	Anaerobic digestion of activ	Gaur, R Z, S	2017///	JOURNAL C	164	557
906	JOUR	Aerobic biological pretreatm	Gerassimid	2013///	WASTE MA	31	783
819	JOUR	Effect of C/N ratio on the in-	Makan, A, I	2012///	JOURNAL C	14	241
548	JOUR	Effects of biochar addition o	Xu, Q Y, Lia	2020///	JOURNAL C	70	455
916	JOUR	A new kinetic model for biog	Van, D P, M	2018///	GLOBAL JO	4	251
424	JOUR	Mass Loss Controlled Therm	Yeshanew,	2016///	FRONTIERS	4	
327	JOUR	Optimization of food waste l	Xu, S Y, Lan	2011///	BIORESOUI	102	3702
665	JOUR	Effect of co-substrates on bi	Khan, M D,	2017///	BIORESOUI	238	492
863	JOUR	Effect of Minimizing D-Limo	Carvalho, A	2019///	WASTE AN	10	75
704	JOUR	Comparison of two advance	Xiao, B Y, T	2020///	BIORESOUI	304	
347	JOUR	Preliminary trials of in situ a	De la Rubia	2010///	BIORESOUI	101	9486
636	JOUR	Modeling the anaerobic co-c	Kouas, M, ~	2019///	BIORESOUI	274	33
384	JOUR	High-solids anaerobic co-dig	Dai, X H, Di	2013///	WASTE MA	33	308
966	JOUR	Sustainable management of	de Diego-D	2021///	JOURNAL C	280	
743	JOUR	Composting potential of diff	Forster-Car	2007///	BIORESOUI	98	3354
1083	JOUR	Ammonia removal in anaero	Walker, M,	2011///	CHEMICAL	178	138
678	JOUR	Effect of hyperthermophilic	Liczbinski, I	2021///	BIORESOUI	335	
871	JOUR	Physico-chemical pre-treatm	Diaz, A I, O	2020///	JOURNAL C	274	
913	JOUR	Evaluation of Anaerobic Co-I	Jeung, J H,	2019///	SUSTAINAE	11	
872	JOUR	Multi-substrate anaerobic co	Sukhesh, M	2019///	ENVIRONM	38	
947	JOUR	Reactor performance and er	Li, Y Y, Xu,	2018///	WASTE MA	73	130
738	JOUR	Effect of thermal pretreatme	Rajput, A A	2018///	JOURNAL C	221	45
968	JOUR	Use of Lignocellulosic Residu	Volpi, M P C, Brenelli, I		BIOENERGY RESEARCH		
924	JOUR	Study of optimal conditions	Gonzalez, J	2019///	ENVIRONM	26	36922
946	JOUR	Comparison Between Single	Van, D P, T	2020///	WASTE AN	11	6095
983	JOUR	Eisenia fetida and biochar sy	Khan, M B,	2019///	SCIENCE OI	684	597
671	JOUR	Arrested methanogenesis di	Wu, H R, D	2021///	BIORESOUI	332	
226	JOUR	Evaluation of Hydrogen and	Yusof, T R	2019///	POLISH JOU	28	3003
813	JOUR	Anaerobic co-digestion of ch	Li, R R, Dua	2017///	WASTE MA	68	120
985	JOUR	Production of biohydrogen b	Meier, T R	2020///	JOURNAL C	258	
618	JOUR	Influence of NaOH and therr	Zhang, S T,	2015///	BIORESOUI	185	171
938	JOUR	Study on the biogas potentia	Du, N, Li, M	2021///	WASTE MA	39	291
970	JOUR	Anaerobic codigestion of bo	Franqueto,	2020///	JOURNAL C	22	1444
994	JOUR	Co-digestion performance o	Guven, H, A	2018///	WASTE MA	71	775

889	JOUR	Aged refuse enhances anaer	Zhao, J W,	2017///	WATER RES	123	724
453	JOUR	Enhancement of hydrogen p	Yuan, T G,	2019///	BIORESOUI	282	189
922	JOUR	Effects of temperature and r	Babaei, A,	2019///	JOURNAL C	17	1077
734	JOUR	Effect of pH on the anaerobi	Dareioti, M	2014///	BIORESOUI	162	218
285	JOUR	Modified Anaerobic Digestic	Zhao, X F,	2019///	BIORESOUI	271	109
631	JOUR	Novel stepwise pH control st	Zhao, J W,	2018///	BIORESOUI	249	431
326	JOUR	Microwave-assisted low-ten	Cao, L C, Yu	2019///	BIORESOUI	273	251
661	JOUR	Microorganism population in	Li, Q, Guan	2018///	INTERNATI	11	206
1060	JOUR	Enhancing degradation and	Linyi, Chen	2020///	Environme	188	109743
373	JOUR	Enhancing degradation and	Chen, L Y,	2020///	ENVIRONM	188	
197	JOUR	Anaerobic co-digestion of oi	de Castro, T M S, Cam		ENVIRONMENTAL TECHNOLOGY		
677	JOUR	Start-up of dry semi-continu	Campuzano	2020///	BIOMASS &	136	
602	JOUR	Synergetic promotion of syn	Wang, G J,	2018///	BIORESOUI	250	812
554	JOUR	Elucidating microbial comm	Amha, Y M	2017///	WATER RES	123	277
697	JOUR	The correlation of methanog	Wandera, S	2019///	BIORESOUI	272	180
837	JOUR	Solid anaerobic digestion ba	Di Maria, F	2017///	WASTE MA	59	172
458	JOUR	Improving biogas quality an	Poulsen, T	2016///	WASTE MA	54	118
832	JOUR	Strategies for the stable per	Li, Q, Chen	2018///	INTERNATI	132	114
434	JOUR	Anaerobic co-digestion of fo	Lohani, S P, Shakya, S,		ENERGY SOURCES PART A-RECOVE		
824	JOUR	Pilot-Scale Anaerobic Co-Dig	Stan, C, Co	2018///	SUSTAINAE	10	
588	JOUR	Artificial neural network bas	Nair, V V, D	2016///	BIORESOUI	217	90
463	JOUR	Feasibility study of waste (d	Paritosh, K,	2018///	INTERNATI	15	1009
499	JOUR	Optimization of micronutrie	Menon, A,	2017///	WASTE MA	59	465
941	JOUR	Effect of thermal pre-treatm	Gaur, R Z, M	2017///	CHEMOSPH	174	754
694	JOUR	Water-energy nexus: Anaerc	Carvalho, A	2016///	JOURNAL C	181	48
757	JOUR	Effect of substituting organi	Salehiyoun	2019///	JOURNAL C	21	1321
940	JOUR	Packed-bed biofilm reactor f	Enaime, G,	2020///	ENVIRONM	41	2657
1107	JOUR	In situ methane fermentatio	Wise, D L, E	1981///	Resources	6	275
987	JOUR	Intermediate ozonation to e	Almomani,	2017///	INTERNATI	119	176
256	JOUR	Relationship between the sy	Xie, T, Xie,	2017///	INTERNATI	124	155
644	JOUR	Utilising biohydrogen to incr	Massanet-I	2015///	BIORESOUI	189	379
450	JOUR	Improving biogas productior	Maragkaki,	2018///	WASTE MA	71	644
716	JOUR	TREATMENT OF DAIRY WAS	Pilarska, A	2016///	ECOLOGIC/	23	99
233	JOUR	Batch anaerobic digestion of	Tasnim, T,	2016///	INTERNATI	9	95
739	JOUR	Improving Biomethanation c	Cheong, D	2019///	INTERNATI	16	
979	JOUR	Evaluation of anaerobic co-d	Ye, Y L, Zan	2015///	JOURNAL C	50	217
639	JOUR	Detection of early imbalance	Awhangbo,	2020///	WATER RES	171	
740	JOUR	Study on the reuse of anaer	Zhang, C, Y	2019///	JOURNAL C	239	
800	JOUR	Modeling and optimization c	Saghouri, M, Abdi, R, E		ENERGY SOURCES PART A-RECOVE		
804	JOUR	Effect of Carbon/Nitrogen R	Reyna-Gon	2019///	SUSTAINAE	11	
142	JOUR	The optimisation of food wa	Kim, H W,	2003///	WASTE MA	21	515
259	JOUR	Effect of pretreatment techr	Menon, A,	2016///	JOURNAL C	18	222
859	JOUR	Optimization and Modeling	Abdelhay,	2016///	CLEAN-SOI	44	1557
649	JOUR	Optimization of hydraulic re	Khan, M A,	2019///	BIORESOUI	271	100
342	JOUR	Garden and food waste co-f	Abreu, A A,	2019///	BIORESOUI	278	180
783	JOUR	Fermentative hydrogen proc	Kim, M S, L	2010///	BIORESOUI	101	S48
809	JOUR	Thermophilic Anaerobic Co-I	Gomez-Qu	2021///	WATER	13	
748	JOUR	The Effect of a Short Term A	Martinez-V	2017///	WASTE AN	8	1793
397	JOUR	Optimization of mixing ratio	Zhang, H Q	2018///	JOURNAL C	20	745
283	JOUR	Using an expended granular	Zhang, S T,	2020///	BIORESOUI	311	
388	JOUR	Roles of modified biochar in	Su, C Y, Tac	2021///	SCIENCE OI	770	

857	JOUR	Anaerobic digestion in meso	Chen, L, Jia	2016///	JOURNAL C	43	224
981	JOUR	Enhancing methane yield frc	Paulista, L (	2020///	ENVIRONM	27	1461
273	JOUR	Thermophilic adaptation of a	Ortega, L, E	2008///	JOURNAL C	88	517
898	JOUR	Effects of a gradually increas	Solli, L, Ber	2014///	WASTE MA	34	1553
611	JOUR	Rapid hydrogen generation f	Solowski, G	2020///	SN APPLIEL	2	
645	JOUR	Thermophilic Biohydrogen F	Lin, C Y, Ts	2020///	WASTE AN	11	1041
758	JOUR	Pre-treatment and inoculum	Ventorino,	2018///	WASTE MA	73	69
325	JOUR	Effect of total solids content	Liotta, F, d'	2014///	WASTE MA	32	947
1091	JOUR	Co-digestion of cattle manur	MaraÃ±Ã³r	2012///	Waste Mar	32	1821
345	JOUR	Effects of loading rate and te	Li, Q, Li, H,	2017///	BIORESOUI	237	231
446	JOUR	A comparative study of ther	Shi, X C, Gu	2018///	WASTE MA	75	261
858	JOUR	Kinetics study of fermentati	Wu, X, Zhu	2013///	JOURNAL C	48	477
778	JOUR	Effects of thermal treatment	Wu, J, Hu, '	2017///	WASTE MA	62	69
764	JOUR	Assessment of Sludge Reduc	Choi, HEEO	2020///	WATER AIR	231	
655	JOUR	Volatile fatty acids productic	Hasan, S D	2015///	ENVIRONM	36	2637
1077	JOUR	Inoculum mixture optimizati	Parra-Orob	2018///	JOURNAL C	6	1529
805	JOUR	Feasibility study of a centrali	Takeuchi, Y	2018///	JOURNAL C	20	314
969	JOUR	Integration of subcritical wa	Maciel-Silv	2019///	JOURNAL C	228	1131
380	JOUR	Improvement of Solid-State	Zhang, G Y,	2018///	WASTE AN	9	211
537	JOUR	Performance of Coupling an	Fisgativa, H	2020///	WASTE AN	11	483
500	JOUR	Comparing the inhibitory thr	Usack, J G,	2015///	WATER RES	87	446
737	JOUR	Mesophilic anaerobic co-dig	Huang, X L,	2016///	BIORESOUI	218	62
562	JOUR	Synergistic effects of co-trac	Bardi, M J,	2020///	ENVIRONM	27	18129
735	JOUR	An efficient method to impr	Li, X L, Xu, '	2017///	WATER SCI	76	2075
749	JOUR	H-2 production potential in t	Calli, B, Chi	2009///	JOURNAL C	44	78
686	JOUR	Multiple Effects of Different	Khan, S, Lu	2021///	SUSTAINAE	13	
851	JOUR	Anaerobic co-digestion of m	Sun, Y F, W	2013///	JOURNAL C	25	2112
921	JOUR	Two-phase anaerobic co-dig	Hidalgo, D,	2015///	INTERNATI	12	1727
971	JOUR	High-rate iron-rich activated	De Vrieze, .	2013///	WATER RES	47	3732
354	JOUR	Effect of volume ratio on an	Liu, Y L, Li,	2015///	INTERNATI	102	154
767	JOUR	Anaerobic digestion of wast	Zerrouki, S,	2015///	WATER SCI	72	123
559	JOUR	Assessing the potential of w	Vidal-Antic	2021///	SCIENCE OI	757	
461	JOUR	ANAEROBIC DIGESTION OF F	Fersiz, S, Vi	2017///	ENVIRONM	16	2001
394	JOUR	Effect of temperature and o	Latif, M A,	2012///	ENVIRONM	31	114
794	JOUR	Enhanced methane producti	Kainthola, .	2019///	BIOMASS &	125	8
676	JOUR	The Influence of Inoculum to	Nazaitulshi	2015///	ENERGY SC	37	590
741	JOUR	Anaerobic co-digestion of th	Zouaghi, LY	2021///	ENVIRONM	23	9014
585	JOUR	Nutrient augmentation enha	Hu, Y, Ma,	2021///	WASTE MA	119	63
390	JOUR	Enhanced mesophilic anaerc	Ariunbaata	2015///	WASTE MA	46	176
717	JOUR	Comparative evaluation of a	Hidaka, T, \	2015///	WASTE MA	43	144
569	JOUR	Study on optimization of co-	Sethupath	2018///	ENERGY SC	40	1753
318	JOUR	Enhancement of enzyme act	Wang, P B,	2021///	BIORESOUI	331	
493	JOUR	Optimizing pre-treatment cc	Lee, W, Pai	2019///	JOURNAL C	249	
908	JOUR	Reversibility of propionic aci	Han, Y, Gre	2020///	CHEMOSPH	255	
926	JOUR	Co-digestion of agricultural a	Macias-Cor	2017///	WASTE MA	35	991
332	JOUR	Comparison of bio-hydroger	Wang, Y J, '	2020///	BIORESOUI	318	
771	JOUR	Determination of biogas gen	Alkanok, G,	2014///	WASTE MA	34	134
262	JOUR	Co-digestion of cattle manur	Maranon, E	2012///	WASTE MA	32	1821
417	JOUR	Optimisation of methane fer	Kazimierov	2021///	BIOMASS &	144	
731	JOUR	SEMI-CONTINUOUS ANAERC	Joute, Y, El	2016///	APPLIED EC	14	337
481	JOUR	Cow manure as additive to a	Xing, B S, H	2020///	WATER RES	168	

385	JOUR	Lactic acid fermentation fro	Tang, J L, W	2016///	WASTE MA	52	278
919	JOUR	Anaerobic Co-digestion of U	Li, P F, He,	2020///	WASTE AN	11	6199
724	JOUR	Anaerobic co-digestion of se	Serrano, A,	2014///	ENVIRONM	35	2920
456	JOUR	Kinetic study on the effect o	Deepanraj,	2015///	ECOTOXIC(	121	100
714	JOUR	Biohydrogen and methane p	Wang, W,)	2011///	BIORESOUI	102	3833
932	JOUR	High-solids anaerobic digest	Pastor-Poq	2019///	INTERNATI	16	7011
545	JOUR	Anaerobic co-digestion of fo	Masih-Das,	2018///	JOURNAL C	223	917
878	JOUR	Anaerobic digestion of sewa	Grosser, A,	2017///	ENVIRONM	155	249
860	JOUR	Influencing mechanism of hi	Zhang, Y Y,	2015///	FRONTIERS	9	1108
903	JOUR	A new approach using an op	Cruz, I A, d	2019///	JOURNAL C	241	
351	JOUR	Bio-hydrolysis and bio-hydrc	Algapani, D	2016///	BIORESOUI	216	768
128	JOUR	Hydrogen and methane pro	Liu, X Y, Li,	2013///	BIORESOUI	146	317
472	JOUR	Stable and high-rate anaerol	Xing, B S, C	2020///	BIORESOUI	307	
887	JOUR	Accelerated high-solids anae	Liao, X C, Li	2016///	INTERNATI	106	141
834	JOUR	The influence of pH on hydr	Zhang, B, Z	2005///	ENVIRONM	26	329
957	JOUR	Enhanced Methane Yields in	Hinds, G R,	2016///	ENVIRONM	33	907
679	JOUR	Study of an enhanced dry an	Hu, Y Y, W	2019///	BIORESOUI	282	353
627	JOUR	Process performance of high	Liao, X C, Li	2014///	ENVIRONM	35	2652
672	JOUR	Effect of organic loading rat	Dhar, H, Ku	2016///	BIORESOUI	217	56
835	JOUR	Performance assessment of	Zhang, B, H	2014///	ENVIRONM	35	1277
988	JOUR	Effects of temperature on th	Ren, H W, I	2018///	INTERNATI	11	218
444	JOUR	Effects of mixture ratio and	Heo, N H, F	2004///	JOURNAL C	39	1739

end_page	doi	btes_abstra	number	keywords	publisher	issn	url	notes
	10.3389/fp	Promoting pro-environmental behaviour amongst urban dwellers is one of toda						
105	10.1016/j.r	Despite their generally negative attitude toward food waste, consumers often p						
631	10.1080/1(	This study i	5					
	10.3390/su	The growin	1					
418	10.1016/j.j	Consumers regularly waste products with unused utility (e.g., edible food, functi						
78	10.1016/j.a	U.S. consumers, namely young adults, are one of the largest sources of preventa						
	10.3390/su	Improving	10					
117	10.1016/j.j	This paper investigates the backfiring effects of waste-prevention advertising th						
	10.1016/j.j	Food waste has become a pressing problem in the world, leading to a range of e						
	10.3390/su	This resear	11					
130	10.1111/pu	Relying on	1					
132	10.1016/j.j	Household food waste has a significant detrimental impact on the environment.						
421	10.1002/m	Even witho	4					
	10.1371/jo	Food waste	2					
40	10.1016/j.j	Current food consumption and production cannot be considered sustainable du						
	10.1016/j.j	In order to substantially reduce food waste at the household level, it is essential						
2035	10.1108/BI	Purpose - F	6					
894	10.1108/BI	Purpose - T	4					
78	10.1016/j.j	Households in Western countries are responsible for a large amount of food tha						
338	10.1016/j.r	A major share of food waste is caused in consumer households. Globally, this sh						
538	10.1080/1(	Consumer	5					
1171	10.1093/aj	Many coun	5					
1831	10.1108/BI	Purpose - A	8					
66	10.1016/j.r	Household food waste greatly contributes to global environmental issues, such a						
1448	https://doi	Household food waste	Circular economy, Contextual mea				https://www.sciencedi	
227	10.1016/j.a	Recent research has started to show the key role of daily food provision practice						
	10.3390/su	Food waste	6					
14	10.1016/j.r	Preventing household food waste and overconsumption of food represents a cru						
	10.1016/j.r	Food waste is a globally significant issue, contributing to financial losses and adv						
	10.1016/j.r	The prevention of avoidable food waste at consumer level is an issue of increasi						
183	10.1177/0(	An interver	2					
268	10.1177/07	This paper	3					
	10.1016/j.r	This action-research project conducted in partnership with French local public a						
	10.1016/j.r	The huge amount of food wasted at the consumer or household level has severe						
	10.1016/j.r	As awareness around the issue of food waste has grown, various types of interv						
	10.3390/su	Halving foc	3					
		Recent hea	5-B		Academic \ ProQuest Ir	0419-4217	http://sear	Accession N
439	10.1002/cb	In order to	5					
760	10.1016/j.j	Food security, along with growing population and the associated environmental						
1269	10.1111/jo	Food waste	4					
	10.4103/je	BACKGROU	1					
21	10.1016/j.j	Based on a consumer survey including two experiments with more than 400 Fre						
128	10.1177/15	Backgroun	2					
273	10.1016/j.v	Reducing food waste is necessary for achieving healthy diets and sustainable foo						
	10.1016/j.j	Food waste is a major burden on the planet due its effect on increased greenhou						
273	https://doi	Reducing food waste is	Food service, Food waste, Interve				https://www.sciencedi	
333	10.1016/j.v	Two interventions were systematically evaluated in two university canteens on t						
144	10.1016/j.a	To contribute to a better understanding of consumer food leftovers and to facili						
203	10.1016/j.r	This paper reports on a landmark study to field-test the influence of a large reta						
69	10.1016/j.j	Backgroun	1					

	10.1016/j.r	At least 30% of food is wasted during the journey from farm to processor to reta						
1953		This study	5-A	Colleges, E	ProQuest I	0419-4209	http://sear	Accession N
172	10.1016/j.v	This Randomised Control Trial (RCT) investigated the effectiveness of using stick						
	10.1016/j.r	Approximately 31% of food is lost or wasted at the retail and consumer levels in						
	10.1371/jo	The world	12					
	10.1016/j.t	Twenty percent of all global greenhouse emissions are food-related. Tourism an						
327	10.1016/j.e	We show t	3					
	10.1016/j.j	Food loss and food waste extensively contribute to environmental degradation.						
30	10.1016/j.j	Consumer food waste is a significant and growing concern. As such, researchers,						
1525	10.1017/S1	Objective:	8					
653	10.1080/13	Food waste	7					
	10.3390/su	A substanti	11					
	10.1016/j.j	Several studies have recalled the need to reduce food waste across all the stage						
	10.3390/su	Household	17					
113	10.1007/s4	This study	1					
497	10.1016/j.v	Estimation of food waste generation represents the first step when considering						
103	10.1016/j.r	Comparisons were made between two groups of households in a multi-family re						
1451	10.1080/13	We show t	17					
346	10.1080/14	Waste is ar	4					
	10.3390/ije	This study	12					
	10.3390/ije	The "Love I	7					
	10.1016/j.j	Food waste measurement and policy often seek to differentiate between edible						
	10.3390/su	Food waste	2					
	10.3390/ije	Nudge inte	11					
580	10.1016/j.v	Cities around the world are under increasing political pressure to develop organ						
1515	10.1016/j.j	Backgroun	9					
247		Backgroun	3	Adolescent	Mary Ann Liebert, Inc.		http://sear	Accession N
		The food s	8-B(E)	College Stu	ProQuest I	0419-4217	http://sear	Accession N
14760	10.3390/su	Food losse	11					
170	10.1016/j.a	Serving larger portions leads to increased food and energy intake, but little is kn						
184	10.1016/j.r	The aim of this study was to better understand the attitudes, perceptions and b						
	10.1016/j.a	Portion size impacts o	Eating Beh	Elsevier Science			http://sear	Accession N
104	10.1002/cb	Food waste	1					
637	10.1111/ijc	Participant	6					
39	10.1016/j.f	Food not purchased due to its perceived sub-optimality is often wasted in the st						
	10.1016/j.t	This paper assesses the role of eco-design packaging in consumer food waste an						
44	10.1016/j.f	The presence of food waste, and ways to reduce it, has generated significant del						
	10.3390/su	Food waste	7					
627	10.1016/j.i	This study provides insights into the effects of self-reporting on food waste gene						
101	10.1111/14	The importance of date labelling in informing both retailers and consumers how						
100002	https://doi	This paper	1	Chefs, Food waste, Kitchen, Mate	https://www.sciencedi			
402	10.1016/j.j	This study was carried out as part of the packaging optimization program in Nor						
	10.3390/ije	We evaluat	4					
	10.1016/j.r	Recycling of residential food waste is urgently needed in cities worldwide to mit						
	10.3390/su	This study	16					
	10.3390/su	Successful	5					
560	10.1017/S1	Objective:	3					
418	10.1590/14	The aim wa	2					
186	10.1016/j.j	We estimate behavioral spillovers from environmental policy within the context						
2386	10.1108/BF	Purpose - T	9					
536	10.1016/j.v	This field study demonstrates that prompts reduce food waste in a restaurant. B						

	10.1186/s1	Backgroun	1				
	10.3390/su	The proble	16				
527	10.1016/j.j	This research presents a quasi-experiment utilizing an original card-game to inve					
	10.1016/j.j	Food stores have begun to tackle food waste at the point of sale. They do so by					
300	10.1016/j.f	Europeans and North Americans produce a total of 95-115 kg of annual food wa					
	10.1016/j.e	This article evaluates the impact of two nudges on stimulating the use of doggy					
118	10.1089/g4	Objective:	2				
80	10.1177/0(	An emergir	1				
	10.3390/su	The curren	1				
	10.3390/su	People aro	11				
197		The amoun	3	3â5 yr olds	The Roscoe Ledger	http://sear	Accession N
	10.1016/j.r	The FoodImage (TM) smartphone app transmits users' photographs of food sele					
MENTAL NI	10.1080/19	This study explored the feasibility of a food waste management and reduction p					
383	10.30486/I	Purpose In	4				
349	10.1016/j.v	In this study, hydrogen and methane production from co-digestion of food wast					
487	10.1080/09	The accum	4				
	10.1016/j.j	Aquaculture is a fast-growing activity that is generating increasing volumes of or					
	10.1016/j.j	Anaerobic digestion is an alternative process to organic waste treatment, which					
976	10.1007/s1	Purpose Bi	5				
	10.1016/j.c	Zeolite addition has been widely suggested for its ability to overcome ammonia					
3762	10.1007/s1	Purpose Su	12				
	10.3390/su	Food waste	7				
	10.3390/su	Sugar beet	9				
557	10.1016/j.c	The purpose of this paper is to show how a functional bionanocomposite film wi					
64	10.1016/j.b	Stability and performance of long term semi-continuous Anaerobic Digestion of					
4012	10.1007/s1	Sludge blar	8				
1003	10.1016/j.b	The aim of this study was to explore the effects of redox potential (ORP) and ino					
157	10.1016/j.v	Bio-production of optically pure L-lactic acid from food waste has attracted muc					
97	https://doi	Terra preta soils have l	Ageing, Biosolids, Cation exchange	https://www.sciencedi			
6770	10.1016/j.b	The influen	15				
2824	10.1007/s1	Utilization	6				
	10.1016/j.j	Thermal degradation of food waste has attracted widespread interest in recent					
	10.1016/j.j	A clean and highly efficient catalytic system for the synthesis of ethyl levulinate					
2249	10.1016/j.j	The manag	9				
	10.3390/su	Upcycled fo	3				
476	10.1016/j.j	This work assessed the potential environmental impact of recycling organic mat					
59	10.1016/j.e	Acid mine drainage (AMD) generated from pyrite oxidation in sulfide mine tailin					
462	10.1016/j.v	Relieving from ammonia inhibition and enhancing the utilization of thermodyna					
160		Renewable	1				
	10.1016/j.j	Until recently, food waste prevention intervention has largely offered 'end of pi					
	10.1155/2(	Owing to a paradigm shift toward Internet of Things (IoT), researches into IoT se					
20597	10.1007/s1	The presen	16				
415	10.1016/j.j	To derive new methods for converting food and green wastes into soil amendm					
9802	10.1007/s1	Here, Box-E	9				
	10.1016/j.b	The co-fermentation of fallen leaves and sewage sludge was performed for the					
112	10.1002/m	As a result	2	Consumer	John Wiley & Sons	http://sear	Accession N
115883	https://doi	Acidic failure is relative	ADM1, Acidic failure, Anaerobic di			https://www.sciencedi	
180	10.1016/j.i	At present, there has been less results from pilot-scale experiments on anaerobi					
244	10.1016/j.b	This study was conducted to identify the performance of a multi-phased anaero					
ERY UTILIZA	10.1080/15	In this experimental work characteristic such as performance, combustion and e					
118	10.1016/j.b	Anaerobic digestion is an environmentally sustainable way to manage organic w					

	10.1016/j.t	In this work, a new technology of intensifying anaerobic fermentation of food w		
145	10.1016/j.t	A series of batch experiments were conducted to investigate the effects of inocu		
146	10.1016/j.s	This study investigated the links between variability in compost quality, the bioc		
	10.1016/j.t	The effect of thermal activation of peroxydisulfate (PDS) pretreatment on anaer		
739	10.1016/j.v	It is well kn	3	
88	10.1016/j.s	High prices remain a formidable barrier for many people, especially those of low		
115	10.1016/j.t	Recently, extrusion press treatment shows some promising advantages for effec		
764	10.1007/s1	Purpose To	4	
444	10.1016/j.t	A lab-scale UASB was operated successfully to anaerobically treat wastewater co		
	10.1016/j.j	The performances of anaerobic co-digestion (AcD) of waste activated sludge (W/		
166	https://doi	Black soldier fly (BSF) l Black soldier fly, Food waste, Soill		https://www.sciencedi
1254	10.1016/j.s	It is widely	7	
	10.1016/j.t	Codigestion is an emerging approach to improve wastewater sludge biogas prod		
318	10.1016/j.v	The high food waste content (HFWC) MSW at a landfill has the characteristics of		
	10.1016/j.t	This study aimed at evaluating the valorization of a typical yard waste, phoenix t		
438	10.1016/j.t	In this study, an economical and eco-friendly strategy (i.e., adding tofu residue (		
540	10.1016/j.j	A process-simulation model for a novel process consisted of an anaerobic bioscr		
2449	10.1080/09	Understan	19	
17	10.1016/j.t	This study established a comprehensive model to configure a new two-stage hig		
128	10.1016/j.f	Micronutrients are defined as substances in foods that are essential for human h		
193	10.1016/j.t	The purpose of this study was to investigate the effect of pre-treatment and F/M		
642	10.1016/j.t	The aim of this work was to study the hydrothermal carbonization of poultry litt		
32	https://doi	Summary T	1	bulking agents, earthworms, grow https://www.sciencedi
276	10.1016/j.t	The main aim of this work was to test various organic wastes, i.e. from a livestoc		
211	10.1016/j.v	A major pr	1	
1489	10.1007/s1	The necess	4	
721	10.2166/w	This paper	3	
23054	10.1007/s1	The effect	23	
30	10.1016/j.v	The present study measures the participation of households in a source separati		
	10.1016/j.e	Microbial biosurfactants are surface-active molecules that are naturally produce		
61	https://doi	Post-harvest loss (PHL) Food value chains, Food waste, Gl		https://www.sciencedi
435	10.1177/07	Nigeria is tl	5	
145	10.1108/JS	Purpose Be	2	
612	10.1108/BI	Purpose - T	3	
8588	10.1016/j.t	Hydrogen p	18	
	10.1016/j.e	Waste disposal was a significant challenge faced by the community and governn		
	10.3390/su	The enviro	12	
209	10.1016/j.r	Consistent material and substance flow diagrams for five alternative biorefinery		
178	10.1016/j.p	In this pape	2	
	10.1016/j.s	In the realm of the German scope, four different waste treatment options for th		
	10.1016/j.t	The experiments of co-hydrothermal carbonization (co-HTC) of sewage sludge a		
	10.1016/j.t	Solid digestate generated in the anaerobic digestion of food wastes was evaluat		
641	10.1016/j.v	Anaerobic	3	
2171	10.1007/s1	The high sa	4	
)UR	10.1002/cl	Forty percent of edible produce is wasted because of consumers' aversion towa		
413	10.1080/09	The anaerc	4	
S309	10.1007/s4	Purpose Utilization of food waste as composting materials offers a sustainable s		
5943	10.1016/j.j	This study i	6	
27	https://doi	Previous research has	Choice architecture, Dish of the da	https://www.sciencedi
245	10.15244/p	Food waste	1	
	10.1186/s4	Inoculum plays a vital role in providing initial microbial population in anaerobic p		

1519	10.1016/j.v	Batch dark	8					
	10.1061/(A	A biodigest	2					
	10.1016/j.p	Industry attention to the issue of food waste, simplistically defined as inedible b						
1000	10.1016/j.s	The current study reports on the maximization of butyric acid production from f						
	10.1016/j.s	The huge amount of food waste (FW), containing high organic matter content ar						
188	10.1016/j.r	Food that is either wasted or lost, rather than being eaten, accounts for around						
2051	10.2134/je	Soil and pla	6					
930	10.1080/09	The anaerc	7					
792	10.1016/j.b	In this study a novel modeling approach for describing fermentative hydrogen p						
332	10.1037/a0	Research o	4	Adolescent	American Psychologica	http://sear	Accession N	
441	https://doi	A low treatment capac	Anaerobic digester, Food wastes,			https://www.sciencedi		
276	10.1016/j.f	In this study, ascorbic acid and vanillin were recovered using semi-continuous ar						
2030	10.1016/j.v	A pilot proj	10					
255	10.1016/j.b	In this study, two experimental sets of data each involving two thermophilic ana						
30553	10.1007/s1	During ana	30					
338	10.1016/j.v	Recently, bio-drying is becoming a promising method to treat the slurry-type foc						
		Navajo and	8-B(E)	Education I	ProQuest In	0419-4217	http://sear	Accession N
31	10.1016/j.j	This study examined the potential of Escherichia coli (E. coli) and Ascaris lumbric						
682	10.1007/s1	The enviroi	2					
250	10.1016/j.v	Substrate-induced instability of anaerobic digestion from fruit and vegetable wa						
1120	10.1177/07	Extensive r	11					
1223	10.1016/j.j	Background: Food consumption and wastage behavior varies across cultures, wh						
217	10.1016/j.v	It has been estimated that Canadians waste $27 billion of food annually, and tha						
	10.3390/su	The rising t	22					
172	10.1016/j.j	Greater consumer choice and the greater share of income available for food hav						
488	10.1016/j.r	In 2015, the United Nations defined the Sustainable Development Goals (SDG), v						
	10.1016/j.f	Household food waste prevention is an important leverage point to improve glo						
	10.1016/j.a	Changing the everyday food-related behaviours of consumers is a critical part of						
)UR	10.1002/cb	The intensity of household food waste is of concern throughout the world, espe						
94	10.1016/j.g	The extent of food waste raises concern about its effect on natural resource use						
	10.3390/su	Food mana	3					
209	10.1111/ijc	Household	2					
	10.3390/su	This article	4					
27	https://doi	A survey, based on an	Direct measurement, Household f			https://www.sciencedi		
40	10.1016/j.f	A large amount of food is lost along the entire food supply chain, causing seriou						
57	10.1177/15	This article	1					
186	10.1016/j.s	Food consumption has a large environmental impact, but the total impact of hou						
	10.1016/j.j	Food waste has become an area of increasing concern in recent years, since uns						
	10.1016/j.r	Current policies and programs to reduce consumer food waste are largely based						
	10.3390/su	Household	8					
440	10.1080/09	In public de	4					
258	10.1016/j.a	To combat food waste, supermarkets offer food items at a reduced price in-stor						
202	10.1016/j.r	Identifying the antecedents of household food waste reduction is an important s						
	10.3390/su	Approxima	16					
		Backgroun	1-B(E)	Behavior, E	ProQuest In	0419-4217	http://sear	Accession N
302	10.1111/ijc	Are religiou	2					
2343	10.1108/BF	Purpose - S	9					
178	10.1108/JE	Purpose - T	2					
100026	https://doi	This study explores the	Abilities, Competing goals, Consur			https://www.sciencedi		
	10.1016/j.r	Based on the questionnaires of 9192 students, we found 74% of them have gene						
	10.3390/su	Food waste	20					

Studies	10.1111/ijc	Are religious consume	No terms a		Wiley-Blackwell Publis	http://sear	Accession N	
120	10.1111/1-	Two significant realms of social anxiety, visible in the discourses of media and pu						
92	10.1016/j.f	Food waste has received increasing scientific and societal attention during the la						
128	10.1016/j.f	Consumers have been found to majorly prefer 'optimal' food over 'suboptimal' v						
386	10.1111/cj	Food waste	4					
131	10.1016/j.v	Contributing to environmental pollution and resources depletion, food waste re						
	10.1186/s1	Background: School m	Behavioral		BioMed Central Limite	http://sear	Accession N	
18	10.1016/j.j	Over the last few years, much attention has been paid to the phenomenon of ho						
	10.1016/j.j	This study sought to uncover how consumers' first associations and attitudes are						
18	https://doi	Over the last few years	Circular economy, Food waste, PL			https://www.sciencedi		
	10.1186/s1	Backgroun	1					
15	10.1002/bs	The aim of	1					
1158	10.1093/aj	According t	5					
84	10.1016/j.v	Food waste has become a global concern in recent years, especially the household						
521	10.1080/10	Household	5					
	10.1016/j.g	Concerns about the climate crisis and the escalating pace of global consumption						
	10.1016/j.r	As a result of the growing awareness of the need to prevent food waste, several						
	10.1371/jo	American h	5					
374	10.1016/j.s	This study examined determinants of recycling intention behaviour among the g						
	10.1016/j.j	In order to achieve a sustainable diet, perfect understanding and coordination o						
456	10.22034/g	This study	4					
	10.1016/j.t	Restaurant food waste represents a significant societal challenge in transitional						
327	10.1080/1-	This article	4					
488	10.1177/07	Around 6 n	3					
975	10.1016/j.j	Objective:	8		Early Adole	Elsevier Science	http://sear	Accession N
12	10.1016/j.v	Consumer food waste has attracted increasing public, academic, and political att						
24	https://doi	Scientific literature sug	Awareness, Consumersâ behaviou			https://www.sciencedi		
123571	https://doi	In order to achieve a su	Food waste, Life cycle assessment			https://www.sciencedi		
	10.1016/j.a	Food waste is a burning issue, one that is both local and global. Although most c						
1032	10.1016/j.j	Food waste reduction is increasingly seen as a main way to improve sustainabilit						
438	10.1080/19	The goal of	3					
		Food produ	8-B		Dietary hal	ProQuest In	0419-4217	http://sear Accession N
293	10.14485/h	Objectives:	3					
121	10.1016/j.a	Backgroun	2					
	10.1108/JS	Purpose This study aims to examine the role of personal and subjective norms in						
	10.1016/j.a	About 31% of post-harvest food available for human consumption is lost or wast						
120975	https://doi	The challenge of food	China, Dining culture, Food waste,			https://www.sciencedi		
2863	10.1017/S1	Objective T	15					
183	10.1016/j.r	Food waste (FW) in Australia costs an estimated $8 to 10 billion per year, and is						
574	https://doi	The amount of food w	Consumer behaviours, Discourse a			https://www.sciencedi		
77	10.1016/j.f	Valid measurements are essential in studies into levels of household food waste						
1083	10.1177/07	Food waste	12					
	10.1016/j.s	Shifting to plant-based and low-carbon diets is a key measure for climate change						
744	10.1111/1-	Reviews th	3		Behavior C	Wiley-Blackwell Publis	http://sear	Accession N
1807	https://doi	Backgroun	11		Consumption, Diet, Food waste, P		https://www.sciencedi	
486	10.1080/19	Though tra	4					
	10.1016/j.f	One approach to tackling the imminent sustainability problem of food waste is t						
		Urban fooc	8-A(E)		Policy Mak	ProQuest In	0419-4209	http://sear Accession N
105478	https://doi	This paper challenges	Assemblage, Consumer sovereign			https://www.sciencedi		
974	10.1016/j.j	Increasing efforts are made to convert waste into new materials for replacing "t						
517	10.1016/j.j	Food waste has become a major concern globally, leading to high economic, env						

	10.3390/su	Food loss a	6			
19	10.1016/j.r	In this study we report on a doorstepping intervention which produced a 12.5%,				
	10.1186/s1	BackgroundDespite growing evidence for the multiple health benefits of commu				
	10.1016/j.j	Despite being a major global economy, the challenge of food waste in Russia rer				
212	10.1177/07	A system w	2			
649	https://doi	The last steps of food (	Consciousness, Food handlers, Fo(	https://www.sciencedi		
2500	10.1016/j.v	In a previo	11			
592	10.2105/AJ	Objectives.	4			
287	10.1108/JS	Purpose Ca	3			
	10.1016/j.r	Reducing food waste can contribute positively towards multiple sustainable dev				
953	https://doi	This work investigates the impact of human-human inter		https://www.sciencedi		
	10.1016/j.j	Food waste is a major barrier to a sustainable society. Cleaner production is mos				
844	10.1177/14	This article	3			
414	https://doi	Food waste in hospital	Backcasting, Food waste, Green h(	https://www.sciencedi		
242	10.1177/0(	Tourists bit	2			
7	10.1016/j.s	The EU Landfill Directive requires Member States to reduce the amount of biode				
	10.1016/j.j	The European Union is working towards reducing food waste of 30% by 2025. A				
100010	https://doi	The harmfu	1	Food waste, Observation, Plate w:	https://www.sciencedi	
	10.3390/ije	The transfe	24			
	10.3390/su	Environme	5			
245	10.1177/07	Food waste	2			
	10.1016/j.j	Implementing circular business models in food supply chains is an organizationa				
925	10.1111/ris	The preser	4			
E329	10.17632/(	Backgroun(	7			
)UR	10.1002/cb	Fruits and vegetables that fail to conform to an aesthetic standard are labelled s				
20	10.1016/j.f	In the light of the sustainability challenge ahead, the food sector has to become				
	10.3390/su	The Europe	12			
	10.1016/j.l	Failure in o	3			
107	10.1177/0(	This resear	1			
	10.1016/j.f	The paper provides an economic model of food waste for consumers, intermedi				
	10.1016/j.j	Domestic food waste (DFW) is an important policy issue because it represents in				
	10.1016/j.g	In South Asia, nearly half a billion people are malnourished. This paper examines				
519	10.1080/19	Food secur	5			
	10.1016/j.f	This study draws inferences from a pre-registered field experiment to investigat				
	10.1016/j.s	Animal-based food supply chains lead to significant environmental impacts, whi(				
	10.3390/su	Waste disp	23			
1821	10.1016/j.j	Backgroun(	11			
168	10.1509/jp	Consumers	1			
373	10.1177/07	In Taiwan,	4			
121	10.1016/j.s	In Italy, most of the packaged food wasted during the distribution phase and at				
	10.1016/j.a	In China, approximately half of total food waste is generated from the foodservi				
577	10.1016/j.a	Substantial food loss and waste occur worldwide; approximately one third of pr(				
	10.3390/ije	Building on	7			
253	https://doi	The life cyc	3	Divided collection, Food commerc	https://www.sciencedi	
	10.1186/s1	Backgroun(	1			
255	10.1177/10	Consumpti	4	Academic / Sage Publications	http://sear	Accession I
	10.1016/j.j	The UK has committed to achieving net zero emissions by 2050, and the food sy:				
122861	https://doi	This study critically an:	Food loss, Food waste, Hospitality	https://www.sciencedi		
105431	https://doi	This research addresse	Abnormally shaped food, Consum	https://www.sciencedi		
159	10.1080/13	Handwashi	2			
287	10.1007/s0	This study :	2			

	10.1016/j.j	A & lsquo;nexus & rsquo; approach, comprising interrelated systems componen				
	10.1016/j.r	This research addresses psychological determinants of consuming abnormally sh				
614	10.1016/j.j	Proper food waste management has been a growing concern for densely popula				
ION	10.1007/s1	Purpose The most abundant among the separately collected waste materials in				
12045	10.1021/ac	This paper 20				
474	10.1016/j.j	Measuring 3				
1272	https://doi	The COVID-19 pandem circular economy, coronavirus, ec				https://www.sciencedi
195	10.1080/1(	A case stud 2				
20	10.1016/j.f	Consumersâ perceptio Eye Moven Elsevier Science				http://sear Accession N
2874	10.1017/S1	Objective: ` 15				
142	10.1080/19	The Free C 2				
126438	https://doi	This study examines th Food loss and systematic literatur				https://www.sciencedi
69	10.5993/AJ	Objectives: 6	Adolescent	American Journal of H		http://sear Accession N
253	10.1080/03	With increa 2				
135	10.1016/j.f	The evolution of different quality parameters (firmness, weight loss, colour char				
	10.1371/jo	The human 10				
42	10.1016/j.j	The waste production from the food processing industry causes serious environ				
438	https://doi	Food waste 3				https://www.sciencedi
	10.3390/su	A significar 10				
527		The main o 4				
481	10.1016/j.a	One reason for the significant amount of food that is wasted in developed count				
	10.1016/j.j	Alternative ways to provide services based on circular economy principles are fa				
1721	10.1016/j.j	In many pa 16-17				
124	10.1016/j.g	Based on the average level of seafood consumption in the United States (U.S.), t				
	10.1016/j.j	Background: Populations worldwide do not meet recommended vegetable intak				
301	10.1016/j.v	The severe ecological and economic consequences of disposable takeaway cont				
77	10.1177/0(	Food produ 3				
	10.1016/j.j	Diaries have been used to obtain national and subnational estimates of househc				
137		This study ı 3				
939	10.1080/21	Domestic f 8				
	10.1016/j.f	A major barrier to achieving sustainable diets is the lack of clearly defined and a				
197	10.1016/j.r	Despite growing concerns about food losses and waste (FLW), research that focu				
40	10.1016/j.j	This study investigates the effects of fruits and vegetables (FaVs) abnormality or				
1896	10.1093/er	We examin 5				
	10.1016/j.r	COVID-19 has imposed significant detrimental effects on the global hospitality s				
255	10.1016/j.a	Repeatedly offering vegetables has been shown to be one of the most effective				
1405	10.1080/15	In this stud 13				
	10.1016/j.j	New digital food platforms are being launched accompanied with the promise o				
60	10.1007/s1	Food waste 1-2				
127670	https://doi	The study attempts to Circular economy, Food supply ch				https://www.sciencedi
	10.1016/j.j	Consumer generally prefer produce with perfect/attractive appearance and reje				
205	10.1016/j.g	Attaining the twin goals of food and environmental security in the coming decac				
	10.3390/su	Biochar is a 6				
100434	https://doi	This paper reviews the Fish, Fisheries, Food loss, Food wa				https://www.sciencedi
	10.1016/j.j	Nitrous oxide (N2O) is a greenhouse gas (GHG) and an ozone-depleting substanc				
165	10.1111/jie	Assessmen 1				
19	10.1093/ae	Food loss a 1				
10425	10.1021/ac	Phosphoru 17				
351	10.1086/7(	Worldwide 4		Aesthetics, Univ of Chicago Press		http://sear Accession N
	10.1016/j.s	Food waste has recently gained much worldwide interest due to its influence on				
342	10.1016/j.j	Various waste-to-energy (WTE) conversion technologies can generate energy pr				

74	10.1016/j.v	Fly larvae composting is an emerging waste treatment alternative with great pot					
286	10.1016/j.v	The concept of biorefinery expands the possibilities to extract value from organi					
	10.1016/j.j	Conservation of natural resources, reduction of waste, and minimization of ener					
	10.1016/j.f	The widest application	Choice Beh	Elsevier Science		http://sear	Accession N
40	10.1016/j.v	A large-scale bioreactor experiment lasting for 2 years was presented in this pap					
	10.1088/17	Indonesia i	12				
290	10.1016/j.j	The levelized cost of energy of biomethane from food waste was assessed at 87					
	10.1016/j.s	There is a need for eco-social business models in the food waste sector that are					
	10.1016/j.g	Rapidly increasing populations coupled with increased food demand requires eit					
643	https://doi	The aim of this study w	Biomethane potential, Food waste			https://www.sciencedi	
643	10.1016/j.v	The aim of this study was to mimic real conditions for storage and transport and					
2492	10.1016/j.v	Hydrotherr	11				
169	https://doi	Attention to value, exc	Food policy, Food safety, Food wa			https://www.sciencedi	
17	10.1016/j.j	The aim of the present study has been to assess the environmental profile of an					
848	10.1016/j.j	Food waste can serve as a potential substitute for fossil-derived feedstocks for p					
1118	10.1021/ac	Managing r	3				
2122		In the Euro	10				
	10.3390/su	Developing	22				
169		The circadi	1				
459	10.1016/j.b	The lipase obtained from Aspergillums niger was applied to promote the hydroly					
219	10.1016/j.v	Biological tests are widely used to assess composting process status and finished					
84	10.1016/j.v	Organic waste, including food leftovers and trade refuse, has been explored for					
196	10.1016/j.f	Spent coffee grounds (SCG) represent a high-volume food waste worldwide, and					
468	10.1177/07	Household	5				
		The novelty	9-B	Computer S	ProQuest In	0419-4217	http://sear Accession N
198	10.1016/j.e	The increasing production of municipal solid waste (MSW) has direct consequen					
256	10.1111/j.1	Domestic fo	2				
	10.1016/j.c	The data presented in this paper are related to the research article "Ammonia re					
	10.3390/su	The feed se	23				
4417	10.1007/s1	This study a	8				
79	10.1016/j.r	The researc	1				
52	10.1016/j.f	Two concurrent social issues in the United States are food insecurity and food w					
14773	10.1007/s1	Food waste	15				
2646	10.1016/j.v	To reduce t	12				
53	10.4491/ee	This study c	1				
	10.3390/su	Attention t	21				
ND SUSTAIN	10.1007/s1	As the global population is projected to increase by two billion people by 2050, s					
1115		The circadi	3				
23202	10.1007/s1	Vermicomp	22				
	10.1016/j.c	The present study aimed at using different types of food waste as a protein sour					
27	10.1016/j.e	The present study used food waste (collected from local hotels and restaurants)					
1659	10.1016/j.v	The hybrid	9				
114932	https://doi	We studied the effects	Cooked cereal, Lactose, Milk by-pr			https://www.sciencedi	
260	https://doi	Recycled fc	4	Food Waste, Growing Pigs, Preferc		https://www.sciencedi	
	10.1016/j.r	In industrial symbiosis networks (ISNs), there are multiple stakeholders involved					
8074	10.1016/j.b	The objecti	17				
	10.1016/j.c	The data presented in this article are related to the research article entitled 'Deg					
OLLUTION F	10.1007/s1	Solid waste management and disposal is one of the most significant challenges f					
24	https://doi	An integrated assessm	Cropping systems, GHG, Mediterr			https://www.sciencedi	
7015	10.1007/s1	This study a	8				
800	https://doi	Waste management pl	Self- circulating, Swine manure, bi			https://www.sciencedi	

158	10.1016/j.i	To predict the kinetic desorption of silver from an experimental nanosilver coate		
	10.1016/j.j	Quick Service Restaurant industry is a massive sector which has a huge and ever		
1552	10.1016/j.s	Since 1962 the Common Agriculture Policy (CAP) of the European Union (EU) ha:		
479	10.1111/jie	The curren	2	
	10.1007/s1	Changes in	8	
	10.1016/j.a	Anaerobic digestion of food waste has many environmental benefits over traditi		
2379	10.1007/s1	The promo	12	
1206	10.1177/07	Septic syste	12	
	10.1007/s1	Product ma	4	
4399	10.1016/j.l	In this stud	10	
643	10.1016/j.f	This is the first study about removal of lead (Pb(II)) from energy drinks. In this pa		
98	10.1016/j.u	Urban parks are biodiversity reservoirs and provide ecosystem services within ci		
73	10.1177/07	The approp	1	
98	https://doi	Urban parks are biodiv	Arthropods, Ecosystem services, F	https://www.sciencedi
8901	10.1007/s1	Controlled	9	
4370	10.1016/j.l	A co-digest	12	
1864	10.2134/je	Tailings are	6	
147	10.1016/j.l	Excessive food waste presents an opportunity to simultaneously alleviate waste		
1163	10.1080/10	Food waste	10	
1886	10.2134/je	With curre	5	
1830	10.3168/jd	Accurate p	3	
1135	10.1016/j.v	Existing mo	5	
164	10.1007/BF	Recently, r	1	
204	10.1016/j.i	This research aimed to validate coffee husk, parchment and silverskin as new he		
121	10.1016/j.r	Biogas produced from organic waste can reduce waste and produce renewable e		
987	10.1016/j.v	To evaluate	10	
226	10.1016/j.v	A model based on feature objects (FOs) aided strategy was used to evaluate the		
2149	10.2166/w	The format	9	
	10.1016/j.c	The oil and gas industry is moving towards more environmentally friendly practi		
497	10.1080/09	The compo	5	
187	https://doi	This two-factor experi	Feeding method, Growth perform	https://www.sciencedi
	10.1007/s4	The study p	1	
29	10.1016/j.p	The effects	1	
	10.1371/jo	Turtle shell	8	
2669	10.1016/j.v	Co-digestio	12	
1926	10.15244/p	This study	4	
745	10.1016/j.v	Municipal s	3	
	10.1016/j.j	The high moisture content, low carbon/nitrogen ratio and higher oil & fat conte		
58	10.1016/j.a	Fruit, vegetable, meat, and dairy food waste were collected from supermarkets		
74	10.1007/s1	Green was	1	
402	10.2134/je	Since tradit	2	
2193	10.2175/10	A vermifiltr	11	
465	10.1016/j.v	The requirement of trace elements (TE) in anaerobic digestion process is widely		
460	10.1016/j.v	Food waste, as a major part of the municipal solid waste has been generated inc		
ND SUSTAIN	10.1007/s1	Wide-scale implementations or industrial-scale productions of biofuels from foo		
875	10.1016/j.j	An attempt was made in the study to determine whether organic household wa:		
82	10.1016/j.j	Free air space (FAS) is a physical parameter that can play an important role in co		
99	https://doi	The aim of the present	Bagasse, By-product, Digestibility,	https://www.sciencedi
608	10.1016/j.i	The objecti	7	
54	10.1016/j.v	This work proposes a novel and rigorous substrate characterisation methodolog		
103	10.1016/j.v	Inadequate organic waste management can contribute to the spread of diseases		

1508	10.1016/j.v	Due to the	8-9		
88	10.1007/s1	Permeable	1		
780	10.1007/s1	The magnit	4		
	10.3390/su	When usin	23		
104639	https://doi	Resource scarcity, ene	Agriculture, Circular economy, Eut	https://www.sciencedi	
114	10.1016/j.j	Stereoscopic porous carbons have shown good potential in humic acid (HA) rem			
485	10.1177/07	Three diffe	5		
4	10.1016/j.j	The current trend of increasing air, water, and soil pollution is, in part, due to ina			
30	10.22034/g	There is a g	1		
4	https://doi	The current trend of in	Bacterial growth, Food waste brot	https://www.sciencedi	
1608	10.1016/j.s	Biochemical methane potential (BMP) corresponds to the maximum methane pı			
	10.1016/j.l	Thiosulfinate, a nature antibiotic, existed in all parts of Allium thereby accumula			
	10.1007/s1	Biowastes a	1		
	10.3390/rs	The agricul	22		
1843	10.1007/s1	The metha	4		
	10.1016/j.s	The objective of this study is to apply machine learning models to accurately pre			
1812	10.1016/j.v	Anaerobic d	10		
96	10.1016/j.r	This article presents a model to determine profit-maximizing processing pathwa			
54	10.1016/SC	When usin	1		
904	10.1016/j.r	In this stud	11		
	10.1016/j.j	Bioconversion of food waste into value-added products is a promising way to tac			
244	10.1016/j.j	Food waste is a low-cost and nutritious source of feed which could be beneficial			
	10.1016/j.e	The Bokashi leachate (BL) is a by-product from the anaerobic digestion of food v			
105	https://doi	This paper presents an	Cu(II) sorption, Equilibrium, Isoste	https://www.sciencedi	
368	10.1007/s1	The main o	2		
23	10.1016/j.l	In this work, typical organic food waste (soybean protein (SP)) and typical chlorii			
314	10.1016/j.v	Previous studies have demonstrated that the presence of sodium chloride (NaCl			
81	10.1016/j.l	The hydrol	1		
117	10.1016/j.v	A design of experiment (DOE) based methodology was adopted in this study to i			
1922	10.1080/15	In this stud	15		
241	10.1016/j.c	The biologi	2		
507	10.1007/s1	In this stud	1		
51	https://doi	Valorization strategies	Agri-food wastes, Kinetic study, Pr	https://www.sciencedi	
17671	10.1007/s1	The effects	22		
165	https://doi	The trophic	2	Earthworm casts or vermicompos	https://www.sciencedi
975	10.1177/07	Bioplastics	10		
593	10.1016/j.v	Biowaste valorization into lactic acid (LA) by treatment with indigenous microbic			
286	10.1080/10	Using labor	3		
117	10.1016/j.f	Food waste including byproducts has been growing with increasing food and its			
1361	https://doi	Hydrogen i	6	Anaerobic digestion, Biological hy	https://www.sciencedi
1433	10.1016/j.j	Hydrothermal carbonization (HTC) of food waste is a promising technology to di			
	10.3390/su	This resear	8		
	10.1016/j.e	Insufficient removal of antibiotics and antibiotic resistance genes (ARGs) from w			
635	10.1016/j.v	Food stores can find themselves in the position of having to dispose of different			
246	https://doi	This study v	3	Feed Mixtures, Food Waste, Shee	https://www.sciencedi
111		The food processing industry, including fruit and vegetable processing sectors, p			
377	10.1007/s1	The catalyz	2		
20	10.1016/j.r	A Life Cycle Assessment (LCA) of two home composts with low and high gaseous			
	10.3390/su	It is import	7		
80	10.1016/j.e	Moina mac	1		
513	10.1016/j.c	Four different types of fuel blends containing demolition and construction wooc			

490	10.1080/15	Sewage slu	5		
943	10.1177/07	The presen	10		
	10.1098/rs	Food waste	8		
208	10.1016/j.b	A set of experiments was carried out to characterize food waste- recycling waste			
70	10.1016/j.v	The objecti	1		
	10.1016/j.b	Non-sterile lactic acid (LA) fermentation of highly viscous food waste was demor			
143	10.1016/j.v	The effect of organic fraction of municipal solid waste (OFMSW) loading rate an			
173	10.1177/07	Kitchen wa	1		
	10.1016/j.b	In this study, different amounts of a mixture of winery waste activated sludge ar			
524	10.1016/j.b	To improve the methane yield and digestate utilization of anaerobic digestion (A			
105	10.1016/j.j	This paper presents an eco-friendly approach for minimizing heavy metal polluti			
491	10.1016/j.v	Food waste represents a rather large and currently underutilized source of pote			
809	10.1007/s1	Present gla	4		
370	https://doi	Due to the	1	PHB, PHV, Polyhydroxyalkanoates	https://www.sciencedi
217	10.1016/j.b	The performance of dry anaerobic digestion (AD) of food waste was investigatec			
50	10.1016/j.b	This study describes a series of experiments that tested the use of microwave py			
97	10.1016/j.v	Terra preta soils have been shown to develop after considerable modification of			
1430	10.1080/10	Several diff	11		
99	10.1016/j.a	Vermicomp	1		
343	10.1016/j.v	Trace elements were commonly used as additives to facilitate anaerobic digestic			
158	10.1016/j.e	This study was undertaken to assess the experimental process monitoring durin			
2454	10.1007/s1	Food waste	6		
	10.3389/fe	This paper discusses the potential to enhance the anaerobic digestion of food w			
	10.1016/j.j	Thiosulfinates, a natural antibiotic, existed in all parts of Allium, therefore might			
2351	10.1021/es	The compo	11		
100	10.1016/j.v	This article presents the experimental study of the process of composting in a pr			
1121	10.1016/j.b	Research on methods to produce biobutanol production from kitchen garbage (I			
2489	10.1007/s1	Although c	6		
37	https://doi	Laboratory tests and fi	Molecular diagnosis, Municipal fo		https://www.sciencedi
245	10.1016/j.b	Environmental burdens for the production and utilisation of biomethane vehicle			
	10.1016/j.e	Mega-sized deep tunnel sewer systems are indispensable infrastructures to con			
602	10.1016/j.j	An original mechanistic model able to describe the fate of trace elements (TE) in			
858		A simulatio	2		
538	https://doi	The E/K rer	1	Carbonized foods waste (CFW), E/	https://www.sciencedi
43	https://doi	The tremorgenic myco	Biotransformation, Metabolites, P		https://www.sciencedi
	10.3390/er	The objecti	2		
	10.3390/w	This study	9		
1019	10.1016/j.j	Nowadays, discard of 24 million tons used diesel engine oil per year is a significa			
643	https://doi	Food waste	4		https://www.sciencedi
30291	10.1007/s1	The anaerc	30		
213	10.1016/j.i	Alkaline pretreatment for lignocellulosic biomass is beneficial for enhancing the			
1365	10.1016/j.v	Hydrotherr	7		
	10.1038/sr	The effects of cabbage waste (CW) addition on methane production in cow dung			
	10.1016/j.b	Valorisation of lipid-rich food waste by enhancing the efficiency of its conversior			
386	10.1080/15	This study i	3		
1073	10.1080/09	An experim	10		
	10.1080/09	A large amount of waste activated sludge (WAS) harms the ecological environm			
482	10.1016/j.e	The effects of Astragalus membranaceus and Lycium barbarum on the growth p			
213	10.1016/j.j	Increasing emphasis on controlling the uses of chemical fertilizers requires ident			
191	10.1016/j.b	The uptake of trace elements can be impeded by precipitation in the presence o			
144	10.1016/j.v	Agriculture is estimated to generate about 700 million tons of waste annually in			

	10.1371/jo	Withania s	4
	10.1016/j.j	Using black soldier fly (Hermetia illucens [L.], Diptera: Stratiomyidae) larvae (BSF	
138	10.1016/j.j	This article proposes a method for using biological waste, including kitchen wast	
9	10.1016/j.v	The largest obstacles in the utilization of municipal solid waste (MSW) as solid fu	
535	10.1016/j.v	This report describes a new method for converting kitchen waste (KW) with high	
51	10.1016/j.b	Forage radish, a winter cover crop, was investigated as a co-substrate to increas	
157	10.1007/s4	Purpose Hu	2
1074	10.1016/j.b	Defective c	3
98		In developi	1
849	10.1002/cl	An adsorbe	9
457	10.1016/j.b	A Flux Balance Analysis (FBA) metabolic model of dark fermentation was develo	
804	10.1016/j.j	The positive effect of sonication on volatile fatty acid (VFA) and hydrogen produ	
	10.1080/09	This work presents an integrated approach of anaerobic digestion (AD) at the ur	
2633	10.1016/j.v	The anaerc	12
422	10.1016/j.v	In this study, dewatered sludge (DS) and food waste (FW) were co-biodried by b	
	10.1016/j.s	In order to transition from a linear to a circular economy in the organic waste m	
	10.1016/j.s	Multiple recent reports showed accelerated biodegradation of polyethylene by	
506	10.1089/ee	In this stud	7
828	10.1016/j.v	This study proposes the combination of statistical analysis and a biodegradabilit	
	10.1016/j.j	The anaerobic digestion technology has many advantages and is a sustainable w	
385	10.1016/j.j	The perfor	1-2
	10.1016/j.a	Municipal food waste is a unique source of biomass but with great variances in	
	10.1080/09	Low red-LED irradiances are an attractive alternative for enhancing microalgae p	
75	10.1016/j.b	The efficiency of ammonia removal from fresh source-segregated domestic fooc	
2136	10.1080/15	Batch pyro	18
	10.1016/j.j	The use of biomass wastes for biochar production is a promising waste manager	
1042	10.1177/07	In this stud	11
977	10.1177/07	Catering w	9
1184	10.1016/j.p	This paper investigates the thermohydraulic performance and methane product	
	10.1016/j.c	Mercury (Hg) pollution or organic amendments (OA) may individually induce cha	
424	10.1016/j.b	Carboxylic acid production from food waste by mixed culture fermentation is an	
1236	10.1177/07	Biomass de	12
210	10.1111/w	This work a	3-4
126336	https://doi	Mechanistic models ar Broccoli, Carbon mineralization, N https://www.sciencedi	
49	10.1016/j.s	This study explores the potential of removing phosphorus from aqueous solutio	
778	10.1016/j.b	In this study, a flux balance analysis (FBA) was adopted to estimate the activity c	
488	10.1016/j.b	This study aims to figure out the influence of moisture content and chemical cor	
ION	10.1007/s1	Purpose Mango seed husks were fractionated to obtain hemicellulose extracts v	
87	10.1016/j.j	This study discusses the influence of six bulking materials (peat, bark, oat husks,	
969	10.2134/je	Oily food w	3
19	10.1016/j.j	Green waste contains a major portion of lignocellulose which is hard to be deco	
	10.1073/pr	With the in	13
304	10.1016/j.e	Cooking oil wastes are environmentally damaging and costly to deal with. Photo	
362	10.1016/j.v	Catalytic fast co-pyrolysis (co-CFP) offers a concise and effective process to achie	
3957	10.1016/j.b	In this worl	4
350	10.1016/j.s	The recent development of microwave radiation technology has increased the a	
35	10.1016/j.b	In this study, catalytic fast co-pyrolysis (co-CFP) of corn stalk and food waste (FW	
	10.1016/j.b	Steam and air gasification with 5 wt% Ni/Al2O3 eggshell (Ni-EG) and homo (Ni-H	
145	10.1016/j.v	This study was undertaken to have comparative assessment of heavy metals cor	
	10.1016/j.c	Soil contamination by heavy metals constitutes a serious global environmental p	
7016	10.15666/a	Vermicomp	5

93	10.1016/j.c	Vermicomp	1		
412	10.22034/g	Kinetic mo	4		
318	10.1080/10	This study i	3		
S69	10.1016/j.e	The interactions between earthworms and microorganisms can produce signific			
14	10.1016/j.s	The effects of cover crop mixtures combined with organic and industrial wastes			
8210	10.1016/j.b	Compostin	21		
8892	10.1016/j.b	One of the	19		
445	10.1016/j.b	This study investigated the simultaneous effects of hydraulic retention time (HR			
105751	https://doi	The re-utili	4	Biochar, Food waste, Iron loading,	https://www.sciencedi
520	10.1016/j.v	This study compared single- versus two-phase systems for semi-continuous anae			
136297	https://doi	Anaerobic digestion (A	Anaerobic digestion, Hazard ident		https://www.sciencedi
1586	10.2166/w	Modern wa	7		
895	10.1016/j.s	Mathematical model applications for the bioaugmented anaerobic digestion (BA			
522	10.1007/s1	The curren	2		
1061	10.1016/S1	Legume pla	6		
	10.1016/j.j	In the present study, calcium peroxide (CaO2) pretreatment of waste activated s			
2547	10.1080/09	Surfactants	19		
	10.1016/j.b	The relationship between mixing time and methane production was investigated			
163	10.1016/j.v	The aim of this study was to investigate the possibility and optimal controlling st			
189	10.1016/j.v	In 2015/2016, the total municipal solid waste (MSW) collected by local authority			
37	10.1016/j.v	The reasons for the acidification problem affecting Food Waste (FW) anaerobic d			
	10.1016/j.c	Anaerobic digestion (AD) is a promising technology for food waste management			
118	10.1016/j.i	Soybean curd residue is a relatively abundant and inexpensive food waste. In thi			
	10.1016/j.s	Allicin as an active component in allium species being widely present in food wa			
	10.1016/j.b	The main aim of the present work was to characterize the mesophilic anaerobic			
12899	10.1007/s1	In order to	13		
123774	https://doi	Considering the global Banana peel, CO, CO-to-fuel, Pyro			https://www.sciencedi
7085	10.1016/j.b	Solid phase	14		
	10.1016/j.b	This study investigates the prospective of utilizing kitchen wastewater and food			
	10.1016/j.j	The Olive o	4		
904	10.1016/j.j	In this work, it has been shown that the involvement of composite fuels in thern			
1625	10.1007/s1	Decades ha	4		
777	10.1007/s4	Backgroun	2		
	10.1007/s1	Amendmer	12		
	10.1016/j.s	To evaluate the effect of clay on greenhouse gas (GHGs) emissions and humifica			
1595	10.1007/s1	Purpose: A	6		
	10.1016/j.j	Three composting experiments were carried out to evaluate the effect of cellula			
126	https://doi	L-lactic acid (L-LAC) pr	Co-fermentation, Food waste, L-la		https://www.sciencedi
54	10.1016/j.b	Potential of fungal hydrolysis in submerged fermentation by Aspergillus awamor			
	10.1016/j.c	The recurring inundation of beaches in the tropical North Atlantic by pelagic Sar			
	10.1038/s4	The current study analyzed and optimized the concentration of NaOH for alkalin			
302	10.1016/j.j	The use of digestate in agriculture is an efficient way to recycle materials and to			
	10.1016/j.c	More than 1.3 billion tons, a third of the total food produced, is wasted annually			
	10.1016/j.v	Anaerobic co-digestion is an attractive option to treat food waste and waste act			
	10.1016/j.c	The overall dioctyl terephthalate (DOTP) degradation efficiency during food was			
319	10.1016/j.b	Hydrothermal carbonization of urban food waste was carried out to prepare hyc			
246	10.1016/j.v	Anaerobic digestion (AD) of kitchen waste (KW) for biogas production is a major			
1270	10.1007/s4	A bench-sc	3		
498	10.1016/j.j	Experiments are designed and conducted in two stages where the semi-pilot sca			
179	10.1016/j.j	Biowaste valorization through anaerobic digestion is an attractive option to achi			
88	10.1016/j.b	Lignocellulosic biomass waste, a heterogeneous complex of biodegradables and			

OLLUTION I	10.1007/s1	In this study, a mixed-level orthogonal array design was employed for the optim	
632	10.1007/s1	Effect of pH	4
302	10.1007/s1	Purpose De	3
318	10.1016/j.e	This study was focused on the optimization of biogas production from the co-dig	
761	10.1016/j.b	Laboratory	5
275	10.1016/j.p	Nanopriming is a combination of nanoparticle treatment and a seed dressing tec	
7026	10.1016/j.b	An orthogo	15
248	10.1016/j.b	The biogas technology is a promising approach for the recovery of energy and fe	
8	10.1016/j.b	Biogas from anaerobic digestion (AD) of waste activated sludge (WAS) limited its	
118	10.1016/j.r	The organic fraction of municipal solid waste was identified as an alternative ph	
1770	10.1080/15	Pyrolysis ar	12
22080	10.1007/s1	Eggshell is	17
387	10.1016/j.b	Primary fermentation experiments were carried out investigating the disposal ar	
3777	10.1080/09	The aim of	28
74	https://doi	Assessing effects of or	Biogas, NO reduction, Nitrification https://www.sciencedi
761	10.22438/j	Y Aim: To d	3
	10.1016/j.j	Nowadays, fermentation of organic wastes for the production of carboxylic acids	
450	10.1016/j.e	In this study, we define the relationship between the FAS values of mixtures and	
ERY UTILIZA	10.1080/15	The applicability of extremophilic amylases in hydrolyzing food waste for bioeth	
200	10.1007/s1	Response s	2
	10.1016/j.c	This paper addresses the current lack of a scalable process for the extraction of '	
	10.1016/j.b	This study set up four groups for semi-continuous 150-days experiment to explo	
37124	10.1007/s1	When food	36
39	10.1016/j.c	A vermicon	1
8741	10.1016/j.b	Phytotoxici	18
611	10.1016/j.w	In Greece, in many cities, wastewater treatment plants (WWTPs) operate their c	
81	10.1089/ee	Compostin	1
426	10.1016/j.b	The effect of drinking water treatment sludge (DWTS) as a mixture additive, on b	
414	10.1016/j.w	This paper	3
115	10.1016/j.b	Laboratory semi-continuous anaerobic digestion (AD) experiments were perforn	
49	10.1016/j.j	Residues from the food waste (FW) composting factories are an important comp	
50	10.1016/j.w	The volatile fatty acids (VFAs) concentration has been considered as one of the r	
18156	10.1007/s1	Hydrogen g	15
411	10.1016/j.b	Single and combined inhibition of lag time lambda and specific methanogenic ac	
58	10.1007/s1	This study a	1
122	10.1016/j.b	A laborator	1
	10.1007/s4	The presen	8
65	10.1016/j.w	A novel solid state bio-electrofermentation system (SBES), which can function or	
372	10.1016/j.w	The article evaluates the effect of small selected doses of biochar addition (0%,	
197	10.1016/j.w	Ionizing radiation coupled with peroxymonosulfate (PMS) oxidation was develop	
	10.1016/j.r	Many biomass disposal demonstration projects are based on anaerobic digestio	
561	10.1016/j.b	Performances of batch mode solid state anaerobic digestion (SSAD) were invest	
398	10.1016/j.w	This research compares the operation of one-stage and two-stage anaerobic cor	
1768	10.1007/s1	The optimi	5
	10.1016/j.b	Feasibility of an AnMBR demonstration plant treating urban wastewater (UWW)	
279	10.1016/j.w	Cadmium (Cd) is present in significant levels in waste activated sludge, but its pc	
1951	10.2166/w	Anaerobic	8
139	10.1016/j.w	Short-chain fatty acids (SCFAs) are the valuable products derived from the anaer	
653	10.1016/j.j	Bioprocess for conversion of ethanol and short chain fatty acids (SCFAs) into me	
9738	10.1021/ac	Discovering	17
48	10.1016/j.w	Thermal hydrolysis process (THP) is widely used as the pretreatment for sludge a	

90	10.1016/j.j	Here, two methods for the generation of biogas from organic waste materials pr			
	10.1016/j.b	In this study, batch experiments were conducted to compare the effect of temp			
	10.1016/j.b	Biochar derived from waste has been increasingly considered as a potential gree			
130649	https://doi	Hydrothermal liquefac	Biocrude oil, Data-driven, Hydroth	https://www.sciencedi	
779	10.1016/j.j	Composting of the Hydrilla verticillata, an invasive aquatic weed, signifies aquati			
241	10.1016/j.p	The reclamation of waste activated sludge (WAS) organics is often impeded by t			
523	10.1016/j.b	Anaerobic digestion (AD) is frequently restricted with the long lag phase and low			
39	10.1016/j.v	The influence of carbon dioxide (CO2) in the headspace gas on the specific meth			
4194	10.1007/s1	A large am	8		
306	10.1016/j.p	Commercia	4		
13106	10.1007/s1	Soil applica	14		
11239	10.1007/s1	This work v	12		
	10.1016/j.b	The consumption of pequi generates a considerable amount of waste (peel) whi			
	10.1186/s4	The presen	1		
234	10.1007/s1	The aim of	3		
182	10.1177/07	This study a	2		
	10.1016/j.v	The difficulty of dissolved methane recovery remains a major hurdle for mainstr			
	10.3390/w	This work a	5		
805	10.1016/j.c	The objectives of this study were to examine the feasibility of improving biogas p			
16	10.1016/j.b	To optimize the energy yield (EY) of food waste (FW) via hydrothermal carboniza			
623	10.1016/j.j	This study introduces to a one-step process for the fermentative production of L			
2968	10.1016/j.v	A stepwise	12		
	10.3390/su	Cement kil	11		
425	10.1016/j.v	This paper	3		
2427	10.1007/s1	Dosage of r	7		
113	10.3846/je	This study i	2		
	10.3390/su	In the curre	1		
708	10.1007/s1	Ethanol pro	3		
275	10.1016/j.j	Seasonal variations in the physical and chemical characteristics of leachate taker			
392		Fermentati	3		
	10.1007/s1	Deriving bi	3		
1714	10.1080/09	This study i	11		
1655	10.1007/s1	This study c	5		
	10.3390/su	The disposa	12		
3209	10.1080/09	Nanoscale	24		
777	10.3155/10	To assess th	7		
148	https://doi	Vermicomp	2	Cucumber beetles, Cucumbers, Pe	https://www.sciencedi
	10.1007/s1	Three acid-	6		
226	10.1016/j.b	The objective of this research was to use white-rot fungus Trametes versicolor fo			
1719	10.1007/s1	Household	5		
61	10.1016/j.j	The feasibility of medical stone (MS) amendment as an innovative additive for d			
5222	10.1007/s1	In the King	6		
439	10.1016/j.v	The high methane gas production potential of two phase olive milling waste (2P			
	10.3390/er	The organi	10		
161	10.1016/j.e	The aims of this study were to investigate the effect of added Ca-bentonite (CB)			
360	10.1016/j.b	Factorial fermentation experiments on food waste (FW) inoculated with activate			
756	10.1016/j.v	Ammonia concentration is one of the key factors influencing the methanogenic			
430	10.1016/j.v	Anaerobic digestion of food waste is a complex process often hindered by high c			
489	10.1016/j.j	The accumulation of volatile fatty acids (VFAs) lowers anaerobic digestion (AD) p			
1936		In order to	12		
263	10.1016/j.b	' The mixing ratio of food waste (FW) to vegetable waste (VW) (2:3 FW:VW simil			

	10.1016/j.t	Organic solid waste is one of the most promising feedstocks for the implementa			
483	10.1016/j.t	Batch factorial experiments were performed on cheese whey + wastewater slud			
	10.1016/j.r	To treat municipal wastewater with a low carbon to nitrogen ratio, the addition			
	10.1016/j.t	Hydrothermal liquefaction (HTL) is a promising technology for the production of			
	10.1016/j.t	Solid-state fermentation using rice husk as substrate with either Beauveria bassi			
5599	10.1016/j.t	The effects	23		
16272	10.3390/su	The aim of	12		
167	10.1006/w	The objecti	2		
27	10.1016/j.s	As a prerequisite additive, bulking agent played an essential role on organic was			
	10.1016/j.t	The effect of single walled carbon nanotubes (SWCNT) on methane production u			
1232	10.1080/10	A modified	14		
/ AND HEAL	10.1007/s1	Biochar derived from food waste was modified with Fe to enhance its adsorptio			
2430	10.1007/s1	The anaerc	6		
ERY UTILIZA	10.1080/15	The confectionery wastewater with high organic content was explored for bioga			
2195	10.1016/j.v	Hydrotherr	11		
25091	10.1007/s1	Anaerobic	24		
424	10.1016/j.v	Deinking sludge (DS) is a residue from the waste paper recycling industry. It is a			
270	10.1016/j.j	Composting is the method most commonly applied worldwide for the recovery			
780	10.1016/j.v	In this study, a two-stage domesticated shear-loop anaerobic contact stabilizatic			
213	10.1016/j.t	Anaerobic digestion is a well-established technology for treating organic waste,			
	10.1016/j.e	Due to a low ratio of chemical oxygen demand (COD) to total nitrogen (TN) and			
692		Continuous	5		
1077	https://doi	Synthetic fu	5	Combustion of solid fuels, Municip	https://www.sciencedi
	10.1016/j.t	To further clarify the key stage and microorganisms responsible for ammonia inl			
31	10.1016/j.t	Instead of anaerobic digestion of biodegradable wastes for producing methane,			
2811	10.1080/15	Environme	23		
4107	10.1007/s1	Anaerobic	8		
208	https://doi	The present study is a	Biogas, Co-digestion, Food waste,		https://www.sciencedi
	10.1016/j.t	The enhancement of zerovalent iron (ZVI) on anaerobic digestion (AD) has been			
	10.1016/j.t	This research presents the tangerine seed activated carbon (TSAC), obtained fro			
	10.1016/j.t	The co-pyrolysis and co-gasification of woody biomass (oak) blended with food v			
79	10.1016/j.t	This paper investigated the utilization of calcined-red mud (CRM) pretreatment			
292	10.1007/s1	The study	1		
130	https://doi	Iron Scraps was hypotl	Biogas, Biomethanogenesis, Co-di		https://www.sciencedi
	10.1016/j.c	The anaerobic co-digestion (coAD) of swine manure (SM) and rice straw (RS) is a			
430	10.1016/j.t	The aim of present study was to determine an appropriate ISR (inoculum to subs			
89	10.1016/j.v	High-pressure extruding (HPE) is an efficient technology used to separate munic			
3224	10.1007/s1	Kinetic mo	11		
138	10.1007/s1	Anaerobic	1		
2335	10.1007/s1	Abattoir wa	12		
3224	10.1080/09	Previous st	24		
1249	10.1177/07	The biodeg	12		
1516	10.1080/15	This study	14		
277	10.1016/j.v	This study aimed at investigating the effects of trace metals on methane produc			
4533	10.1007/s1	In this stud	6		
987	10.1080/03	A series of	6		
1189	10.1007/s1	Response s	5		
	10.1016/j.t	This study investigated the feasibility of hydrogen (H2) and L-lactic acid producti			
19	10.30486/I	Purpose Bi	1		
373	10.1016/j.v	The objective of this study is to explore how to stimulate soil indigenous bacteri			
	10.1016/j.j	Anaerobic co-digestion of food waste, cow dung, and sludge solution was experi			

	10.1016/j.b	In the present study, fly ash was used as an additive for the rapid composting of			
412	10.1016/j.w	A novel phosphorous (P) removal and recovery process using a membrane biore			
397	10.1016/j.r	The organic fraction of municipal solid waste is commonly handled via biological			
195	10.1016/j.w	Aeration pretreatment was demonstrated as an efficient technology to promote			
11566	10.15666/a	Volatile Sol	5		
642	10.1007/s1	Anaerobic (	2		
5924	10.1016/j.b	The effects	15		
5150	10.1016/j.w	Different c(	20		
250	https://doi	The highest costs of st	Anaerobic digestate, Food waste,	https://www.sciencedi	
325	10.1016/j.j	The effect and the response of several trace elements (TE) addition to the anaer			
3969	10.1016/j.b	Steady stat	9		
	10.1061/(A	Hydrogen h	9		
	10.1016/j.w	Traditional bioenergy recovery in the form of short chain fatty acids (SCFAs) fror			
421	10.1007/s1	The efficier	2		
	10.1371/jo	Oilseed rap	8		
301	10.15244/p	The aim of	1		
202	10.1016/j.w	Although CH4 oxidation in landfill soil covers is widely studied, the extent of con			
294	10.1016/j.w	Mathematical anaerobic bioconversion models are often used as a convenient w			
	10.3390/su	The valoriz	12		
2955	10.1016/j.w	The effecti	12		
49	10.1016/j.b	Modeling methane production is a key issue for solid waste co-digestion. Here, t			
1289	10.1016/j.w	At the was	5		
	10.3390/su	As bulking	4		
	10.1016/j.j	This study investigated the synergistic effect of anaerobic co-digestion (ACoD) of			
91	10.1016/j.w	Six municip	1		
	10.1016/j.b	The aim of this study was to comparatively evaluate the effect of hydrothermal (			
114	10.1016/j.b	The pilot-scale high-solids anaerobic digestion (HS-AD) of agro-industrial wastes			
1714	https://doi	The objecti	7	Aromatic VOCs, Composting, Mun	https://www.sciencedi
1207	10.1016/j.b	Different waste materials were pyrolysed in the laboratory pyrolysis unit to the f			
775	10.2166/w	The aim of	4		
861	10.1080/10	This study	9		
1649	10.1080/09	Bio-calcite	13		
1223	10.1016/j.b	The feasibility of co-digestion of chicken manure (CM) and maize silage (MS) wit			
	10.1016/j.s	This study focused on applying batch and continuous co-digestion approaches to			
2652	10.1016/j.w	Recycling b	12		
27	10.1016/j.b	The effect (	1		
496	10.1016/j.c	In this study, we investigated the impact of intensive aeration pre-treatment on			
	10.1016/j.s	The aim of this work was to provide solid proofs regarding the achievement of "			
	10.1016/j.b	The effects of graphite on the anaerobic digestion of food waste (FW), cow man			
457	10.1016/j.b	Aim of this study was to find out suitable mixing ratio of food waste and rice hus			
OLLUTION F	10.1007/s1	Composting is an effective method for utilizing agricultural straw waste and lives			
	10.1016/j.j	Sophora flavescens residues (SFRs) were used to efficiently produce lactic acid (I			
133	10.1016/j.i	Short chain fatty acids (SCFAs) are value-added products from waste activated s			
83	10.1016/j.b	The biotransformation of the pre-dried and shredded organic fraction of kitchen			
119	10.1016/j.w	Dry anaero	1		
380	10.1080/09	The munici	4		
1016	10.1016/j.b	Batch experiments were conducted using biochar (BC) to promote stable and ef			
372	10.1016/j.b	In this study, a novel enzymatic pretreatment of Chlorella vulgaris for dark ferm			
5873	10.1021/ac	Chain elon	9		
	10.1016/j.s	The conventional studies on the preparation of nanocellulose used a high conce			
708	10.1016/j.s	The anaerobic treatment of wastewater containing approximately 2000 mg L-1 I			

GY	10.2166/w	The objective of the current work is to study the impact of the operational parar
186	10.1016/S(	Our previo 11-12
146	10.1016/j.j	The presen 1-3
3006	10.1080/0ᵹ	Co-digestio 22
1244	10.1080/1(	To test the 8
	10.1080/0ᵹ	A simple model of anaerobic degradation in a continuous stirred digester is pres
233	10.1016/j.t	A microbial electrolysis cell (MEC) is a promising technology for enhancing bioga
	10.1061/(A	This study ı 3
149	10.1016/j.j	of the volume and greenhouse gas emissions from this waste type. According to
	10.1016/j.e	Catalytic co-pyrolysis (CCP) of spent coffee ground (SCG) and cellulose over HZSI
339	10.1016/j.e	The present study investigates the influence of mixture of waste activated sludg
6441	10.15666/a	Biogas proc 5
730	10.1002/w	Semi-conti ı 5
	10.1016/j.s	The effluent of food waste (FWE) is generated during foodwaste treatment proc
324	10.1007/s1	Coffee silve 2
	10.3390/ije	The effects 21
250	10.1016/j.i	This study aimed to assess the system stability and synergistic effects of co-diges
7002	10.1016/j.t	The aim of 15
264	10.1007/s1	In this stud 2
	10.1080/0ᵹ	The purpose of this study was to investigate the performance of the thermophil
455	10.4491/ee	To investig 3
	10.1038/s4	India produces huge quantities of agricultural residues and stubbles and mainly
	10.3390/su	Four inocul 3
1778	10.1080/0ᵹ	The aim of 13-14
	10.1016/j.s	Two temperature-phased anaerobic digestion (TPAD) systems (55 degrees C in t
135429	https://doi	Anaerobic co-digestior Anaerobic digestion, Co-digestion, https://www.sciencedi
328	10.1016/j.j	In the present study, the feasibility of hygienic treatment and energy recovery o
882	10.1016/j.v	This paper 2
113	10.1016/j.t	Fermentation experiments were designed to elucidate the functional role of the
811	10.1016/j.j	Sewage sludge pyrolysis liquid (SSPL) is a mixture of various toxic organic compo
5222	10.1007/s1	Solid-state 10
36	10.1016/j.t	In this study, a continuous-flow stirred tank reactor (CSTR) fed with lactate and a
	10.1016/j.t	In this study, the anaerobic digestion (AD) applications of early & late biochar dc
	10.1016/j.t	In the framework of sustainable development, there is an increasing need to ass
569	10.1016/j.t	The methane production potential, biodegradability, and kinetics of a wide rang
551	10.1007/s1	Purpose Th 2
1168	10.1080/0ᵹ	To enhance 9
775	10.1016/j.t	The two-stage hythane fermentation of cassava residue low in protein, rich in irc
572	10.1016/j.t	The aim of this work was to evaluate the bioenergy potential of cocoa residue vi
1672	10.2166/w	Trace elem 9
552	10.1016/j.t	Effect of acidic pH (4, 5, 6 and uncontrolled) on lactic acid (LA) fermentation fror
79	10.1016/j.t	This paper presents a study of the effect of applying ultrasound pre-treatment ir
528	10.1016/j.v	The feasibility of co-digestion of blends of two different animal by-products (pig
	10.1016/j.t	The biostimulant effect of three conductive materials in anaerobic digestion (AD
	10.1016/j.t	This study aimed to investigate the interactions between banana pseudo-stems
1248	10.1177/07	Biogas proc 12
2387	10.1016/j.j	Accumulati 3
250	10.1016/j.v	The highest costs of stripping-absorption processes for ammonia recovery are re
167	10.1016/j.v	In this study, the anaerobic mesophilic co-digestion of food waste (FW) with mu
317	10.1089/ee	Even thoug 3
	10.1016/j.t	Anaerobic digestion (AD) has been widely applied as an economic option for foo

3846	10.1007/s1	A compara	4
	10.1016/j.j	Increasing volume of Food waste (FW) and cardboard (CB) which are the two ma	
90		Biochemica	2
4299	10.1016/j.l	The individ	10
642	10.1016/j.v	Co-digestion is the simultaneous digestion of two or more substrates and a com	
8652	10.1016/j.l	The effect (	18
	10.1016/j.i	Continuous cultivations of the microalga Chlorella sorokiniana using 10-L flat-pa	
754	10.1007/s1	PurposePh	4
328	10.1016/j.v	Efficient co	2
123130	https://doi	Anaerobic digestion is	Anaerobic digestion, Biogas, Food https://www.sciencedi
	10.1016/j.j	A box-type reactor system with liquid inoculum has been studied for the dry ana	
908	10.1007/s1	Rice straw	4
751	10.1016/j.s	Quantitative evaluation of methane production either in bulk sludge or biofilm c	
4848	10.1007/s1	The kinetic	9
281	10.1016/j.v	Ammonium and/or free ammonia (the unionized form of ammonium) are gener	
490	10.1089/ee	Immobiliza	4
321	10.1016/j.j	The enormous generation of municipal solid waste (MSW) due to increased urba	
566	10.1016/j.j	The effect of inoculum [cow dung (CD), acclimatized anaerobic granular sludge (	
791	10.1177/07	The objecti	8
249	10.1007/s1	The goal of	3
467	10.1080/10	Although b	4
262	10.22034/g	Coming ou	3
	10.3389/fe	HIGHLIGHTS Direct correlation between substrate composition and TP effect wa	
3708	10.1016/j.l	The effects	4
501	10.1016/j.l	This study aims to examine the effect of different co-substrates on the anaerobi	
83	10.1007/s1	The purpos	1
	10.1016/j.l	Semi-continuous experiments were conducted to compare the performances an	
9492	10.1016/j.l	Batch expe	24
42	10.1016/j.l	The main purpose of this study was to validate the use of a simple model for for	
316	10.1016/j.v	System sta	2
	10.1016/j.j	Lignocellulosic residues are a widely available energy resource, but their convers	
3366	10.1016/j.l	The aim of	17
145	10.1016/j.c	The feasibility of biogas stripping to remove ammonia in the anaerobic digestior	
	10.1016/j.l	Anaerobic digestion of garden waste was investigated in a two-stage process co	
	10.1016/j.j	Centrifugation of anaerobically digested sewage sludge gives rise to a solid phas	
	10.3390/su	In this pape	24
	10.1002/ep	Anaerobic (	5
139	10.1016/j.v	Anaerobic co-digestion is commonly believed to be benefical for biogas producti	
52	10.1016/j.j	Hard lignocellulosic structure of wheat straw is the main hindrance in its anaero	
	10.1007/s1	This is a pioneer study evaluating the methane (CH4) production potential from	
36932	10.1007/s1	Brines from	36
6103	10.1007/s1	This study a	11
609	10.1016/j.s	Impact of different biochars supplemented (10% w/w) to promote vermicompos	
	10.1016/j.l	A new anaerobic digestion process based on arrested methanogenesis (AM) was	
3013	10.15244/p	Recently, th	4
127	10.1016/j.v	Anaerobic digestion (AD) is a promising alternative for livestock manure manage	
	10.1016/j.j	Despite the significant increase in biogas and methane production provided by t	
177	10.1016/j.l	In this study, the influence of NaOH and thermal pretreatment of dewatered act	
301	10.1177/07	The poorly	2
1458	10.1007/s1	Anaerobic (	5
784	10.1016/j.v	The main aim of the study was to evaluate the co-digestion performance of OFM	

733	10.1016/j.v	In this work, a low-cost alternative approach (i.e., adding aged refuse (AR) into v		
196	10.1016/j.b	This research investigated the possibility to enhance H-2 production using untre		
1084	10.1007/s4	Purpose Ar	2	
227	10.1016/j.b	The aim of this study was to investigate the impact of pH on the production of b		
117	10.1016/j.b	A modified Anaerobic Digestion Model No. 1 (ADM1) with optimized kinetic para		
438	10.1016/j.b	This study reports an innovative strategy known as stepwise pH fermentation, d		
258	10.1016/j.b	In this study, red seaweed (Gracilaria lemaneiformis) food waste with high carbo		
211	10.25165/j	In order to	1	
109743	https://doi	Alkali pretreatment of	Alkali pretreatment, Anaerobic dig	https://www.sciencedi
	10.1016/j.e	Alkali pretreatment of anaerobic digestion (AD) was investigated as a strategy to		
	10.1080/09	The technology of anaerobic co-digestion to treat the excess biological sludge di		
	10.1016/j.b	This work proposes a strategy for start-up of dry semi-continuous reactors for m		
820	10.1016/j.b	Biochar was added to a mesophilic anaerobic digester to promote syntrophic vo		
289	10.1016/j.v	Despite growing interest in co-digestion and demonstrated process improvemer		
187	10.1016/j.b	Requirement of a long hydraulic retention time (HRT) for efficient degradation r		
180	10.1016/j.v	Solid anaerobic digestion batch (SADB) with liquid digestate recirculation and we		
125	10.1016/j.v	Impact of co-digestion versus mono-digestion on biogas and CH4 yield for a set o		
121	10.1016/j.i	A 200-day experiment was conducted to evaluate strategies for the stable perfo		
ERY UTILIZA	10.1080/15	With the increasing population, food waste, sewage sludge, and poultry litter ma		
	10.3390/su	This paper	6	
99	10.1016/j.b	The performance of a laboratory-scale anaerobic bioreactor was investigated in		
1018	10.1007/s1	The presen	5	
475	10.1016/j.v	The aim of this study was to enhance the biogas productivity of two-phase therr		
763	10.1016/j.c	The ducicweeds (DW) are considered as a major problem in tropical aquatic syst		
53	10.1016/j.j	The anaerobic co-digestion process in a continuous stirred-tank reactor (CSTR) v		
1331	10.1007/s1	The potent	6	
2669	10.1080/09	In the pres	20	
294	https://doi	Agricultura	3	https://www.sciencedi
187	10.1016/j.i	Agricultural waste and animal manure (dung) pose an environmental threat in d		
161	10.1016/j.i	Results from this study reveal a notable relationship between the synergistic/an		
383	10.1016/j.b	Real time measurement of gas production and composition were used to examii		
651		Anaerobic co-digestion of sewage sludge and other organic wastes at a wastewa		
115	10.1515/ec	The results	1	
109	10.1504/IJ	This study i	1	
	10.3390/ije	As the glob	24	
227	10.1080/03	The introdu	3	
	10.1016/j.v	The aim of this study was to investigate the use of biogas production rate kinetic		
	10.1016/j.j	A novel process for reuse of anaerobic digestion effluent in lactic acid fermentat		
ERY UTILIZA	10.1080/15	One of the simplest methods for increasing productivity in biogas production is o		
	10.3390/su	This paper	7	
526	10.1177/07	Food waste	6	
230	10.1007/s1	The purpos	2	
1563	10.1002/cl	In most cou	11	
108	10.1016/j.b	This study aims to investigate the production of volatile fatty acids (VFAs) from l		
186	10.1016/j.b	Co-fermentation of garden waste (GW) and food waste (FW) was assessed in a t		
S52	10.1016/j.b	The combination of tofu-processing waste and anaerobic digester sludge was stu		
	10.3390/w	Sugar beet	1	
1801	10.1007/s1	Goal of the	5	
753	10.1007/s1	The anaerc	2	
	10.1016/j.b	The high content of solid organics in food waste (FW) results in a low and unstab		
	10.1016/j.s	Anaerobic digestion (AD) is a green technology widely applied to food waste trea		

233	10.1016/j.j	Tomato plant waste (TPW) was used as the feedstock of a batch anaerobic react			
1474	10.1007/s1	Anaerobic (	2		
525	10.1016/j.j	As opposec	3		
1559	10.1016/j.v	This study (	8		
	10.1007/s4	Dark ferme	8		
1047	10.1007/s1	Batch tests	3		
77	10.1016/j.v	During anaerobic digestion of municipal solid waste, organic matter is convertec			
953	10.1177/07	This work i	10		
1825	https://doi	Anaerobic (	10	Anaerobic, Cattle manure, Co-dige	https://www.sciencedi
239	10.1016/j.b	A continuously stirred tank reactor (CSTR) with a high feeding frequency (HFF) o			
269	10.1016/j.v	Renewable energy recovery from organic solid waste via anaerobic digestion is a			
485	10.1080/03	Kinetics of	6		
75	10.1016/j.v	Anaerobic digestion (AD), which is a process for generating biogas, can be applie			
	10.1007/s1	Fishery byp	7		
2646	10.1080/09	The produc	20		
1535	10.1016/j.j	Food waste	1		
322	10.1007/s1	In this feas	1		
1142	10.1016/j.j	The objective of this work was to study the valorization of residual biomass and			
221	10.1007/s1	To make cl	2		
494	10.1007/s1	An experim	2		
457	10.1016/j.v	Co-digestion has been used to improve biogas yields and the long-term stability			
68	10.1016/j.b	Anaerobic co-digestion of aloe peel waste (APW) with dairy manure (DM) was ev			
18144	10.1007/s1	Trace elem	15		
2084	10.2166/w	Methane p	8		
86	10.1080/10	The effect (	1		
	10.3390/su	Molasses is	9		
2122	10.1016/S1	The organi	10		
1736	10.1007/s1	The purpos	5		
3741	10.1016/j.v	Anaerobic (	11		
158	10.1016/j.i	Batch tests were carried out to analyze the effect of volume ratio, in the range o			
134	10.2166/w	Anaerobic (	1		
	10.1016/j.s	This study investigated waste activated sludge (WAS) and food waste (FW) co-fe			
2008	10.30638/e	In the pres	9		
121	10.1002/ep	Anaerobic	1		
16	10.1016/j.b	Rice straw is a widely existing lignocellulosic waste with high potential for metha			
597	10.1080/15	Anaerobic (	6		
9028	10.1007/s1	An investig	6		
71	10.1016/j.v	This study investigated the effects of the addition of micro- (Fe, Co, Ni, and Mo)			
181	10.1016/j.v	Food waste (FW) represents a source of high potential renewable energy if prop			
151	10.1016/j.v	Anaerobic co-digestion of sewage sludge and other organic wastes, such as kitch			
1764	10.1080/15	In the pres	14		
	10.1016/j.b	Two-phase high-solid digestion is conducive to the degradation of food waste. Ir			
	10.1016/j.j	In this study, the optimum conditions of thermal-alkali pre-treatment and the pe			
	10.1016/j.c	Anaerobic digestion is a technology that simultaneously treats waste and genera			
996	10.1177/07	In agricultu	9		
	10.1016/j.b	The effect of co-digestion of food waste (FW) and cow dung (CD) with different r			
140	10.1016/j.v	Fruit, veget	1		
1825	10.1016/j.v	Anaerobic (	10		
	10.1016/j.b	The aim of the study was to optimize methane fermentation of food waste prod			
349	10.15666/a	Anaerobic (	2		
	10.1016/j.v	Cow manure (CM) was added to a dynamic membrane bioreactor (DMBR) opera			

285	10.1016/j.v	The effects of pH, temperature and high organic loading rate (OLR) on lactic acic	
6209	10.1007/s1	Three diffe	11
2927	10.1080/0ᵹ	The biomet	23
104	10.1016/j.e	In the present study, biogas production from food waste through anaerobic dige	
3839	10.1016/j.b	Thermophi	4
7024	10.1007/s1	Increasing	11
924	10.1016/j.j	Process instability has been a challenge to anaerobic digestion of foodwaste at h	
260	10.1016/j.e	The feasibility of simultaneous treatment of multiple wastes via co-digestion wa	
1116	10.1007/s1	High-solids	6
	10.1016/j.j	Biogas plants can effectively treat various sources of organic wastes and recover	
777	10.1016/j.b	High-temperature pretreatment plays a key role in the anaerobic digestion of fo	
323	10.1016/j.b	Batch experiments were conducted to produce hydrogen and methane from wa	
	10.1016/j.b	Food waste (FW) and cow manure (CM) were co-digested to achieve a stable an	
149	10.1016/j.i	High-solids anaerobic digestion (HSAD) of sewage sludge is a promising alternati	
339	10.1080/0ᵹ	Batch and	3
917	10.1089/ee	High-solids	11
360	10.1016/j.b	Anaerobic digestion could treat organic wastes and recovery energy. Dry anaero	
2659	10.1080/0ᵹ	The charac	21
61	10.1016/j.b	The effect of chemical oxygen demand (COD) and volatile solids (VS) on subsequ	
1285	10.1080/0ᵹ	This study i	10
225	10.25165/j	The amoun	1
1756	10.1081/Eᵹ	The bioche	7

ce_publish	included	eview_ranking	
y's greatest	1	1	
ursue goals	1	2	
	1	3	
	1	4	
ioning appli	1	5	
able food w	1	6	
	1	7	
at blames c	1	8	
conomic, s	1	9	
	1	10	
	1	11	
However,	1	12	
	1	13	
	1	14	
e to extensi	1	15	
to change	1	16	
	1	17	
	1	18	
t is not con	1	19	
are is expec	1	20	
	1	21	
	1	22	
	1	23	Eta-squire too high
as climate c	1	24	
irect.com/s	1	25	
s in affecti	1	26	
	1	27	
ucial levera	1	28	
versely impa	1	29	
ng importa	1	30	
	1	31	
	1	32	
uthorities a	1	33	
e environme	1	34	
entions to r	1	35	
	1	36	
Number: 20	1	37	
	1	38	
concerns,	1	39	
	1	40	
	1	41	
nch respon	1	42	
	1	43	
od systems	1	44	
use gas emi	1	45	
irect.com/s	1	46	
their effecti	1	47	
tate their re	1	48	SEM
iler to chan	1	49	
	1	50	

ailer to cons	1	51	
Number: 20	1	52	Repeated Simple
ers as a visu	1	53	Food waste recycle
the U.S. An	1	54	
	1	55	
d hospitalit	1	56	
	1	57	
Children wa	1	58	
, practitione	1	59	
	1	60	
	1	61	
	1	62	
s of the foo	1	63	
	1	64	
	1	65	
efforts to re	1	66	
sidential ar	1	67	Food waste recycle Warm Glow
	1	68	
	1	69	
	1	70	
	1	71	
food and a	1	72	
	1	73	
	1	74	
ics collectio	1	75	
	1	76	
Schwartz, N	1	77	Not aim for reducing food waste
Number: 20	1	78	
	1	79	
own about	1	80	
ehaviours o	1	81	
Robinson, I	1	82	
	1	83	Taking leftovers
	1	84	
ore, which	1	85	
d tests the	1	86	
bate among	1	87	
	1	88	
erated in ho	1	89	
long a food	1	90	
irect.com/s	1	91	
way, and th	1	92	
	1	93	
igate issues	1	94	
	1	95	
	1	96	
	1	97	
	1	98	
of a natura	1	99	
	1	100	
based on the	1	101	

	1	102
	1	103
estigate asp	1	104
selling 'sub	1	105
ste per cap	1	106
bags in rest	1	107
	1	108
	1	109
	1	110
	1	111
Number: 19	1	112
ction and fo	1	113
rogram (FW	1	114
	1	115
e (FW), sew	0	116
	0	117
ganic waste	0	118
enables en	0	119
	0	120
stress occu	0	121
	0	122
	0	123
	0	124
ith both ant	0	125
food waste	0	126
	0	127
oculum on v	0	128
h interest a	0	129
irect.com/s	0	130
	0	131
	0	132
years. The p	0	133
(EL) from ki	0	134
	0	135
	0	136
erials in agr	0	137
gs is a majo	0	138
mically unfa	0	139
	0	140
pe solutions	0	141
rvices have	0	142
	0	143
ent, this stu	0	144
	0	145
production	0	146
Baker, Mel	0	147
irect.com/s	0	148
ic co-digesti	0	149
bic baffled r	0	150
mission of a	0	151
aste, and it	0	152

aste to accu	0	153
ulum type, c	0	154
hemical cha	0	155
obic fermer	0	156
	0	157
/ socioecon	0	158
tively sepa	0	159
	0	160
ontaining ap	0	161
AS) and fish	0	162
irect.com/s	0	163
	0	164
luction and	0	165
rapid hydr	0	166
ree leaf (PT	0	167
TR) into wa	0	168
ubber was	0	169
	0	170
h solid ana	0	171
ealth and a	0	172
M (Food to M	0	173
er under a r	0	174
irect.com/s	0	175
k farm, a ca	0	176
	0	177
	0	178
	0	179
	0	180
ion scheme	0	181
d by a rang	0	182
irect.com/s	0	183
	0	184
	0	185
	0	186
	0	187
nent. Custo	0	188
	0	189
scenarios f	0	190
	0	191
e Organic F	0	192
nd food wa	0	193
ed as a pote	0	194
	0	195
	0	196
rd esthetica	0	197
	0	198
olution to n	0	199
	0	200
irect.com/s	0	201
	0	202
process. The	0	203

	0	204
	0	205
yproducts c	0	206
ood waste	0	207
nd moisture	0	208
a third of gl	0	209
	0	210
	0	211
roduction ir	0	212
Wansink, B	0	213
irect.com/s	0	214
nd continuo	0	215
	0	216
erobic dige	0	217
	0	218
od waste to	0	219
Number: 20	0	220
coides (A. lu	0	221
	0	222
ste (FVW) r	0	223
	0	224
nich warran	0	225
at half of tha	0	226
	0	227
ve undoubte	0	228
which inclu	0	229
bal environ	0	230
tackling th	0	231
cially, in de	0	232
, food secu	0	233
	0	234
	0	235
	0	236
irect.com/s	0	237
s environm	0	238
	0	239
useholds ca	0	240
ustainable f	0	241
l on changir	0	242
	0	243
	0	244
e when the	0	245
step in the	0	246
	0	247
Number: 20	0	248
	0	249
	0	250
	0	251
irect.com/s	0	252
erated plate	0	253
	0	254

Number: 20	0	255
ublic policy,	0	256
ast decade.	0	257
when purch	0	258
	0	259
presents a	0	260
Prescott, M	0	261
ousehold fo	0	262
e influenced	0	263
irect.com/s	0	264
	0	265
	0	266
	0	267
old food wa	0	268
	0	269
are accele	0	270
initiatives l	0	271
	0	272
eneral publ	0	273
f the produ	0	274
	0	275
economies	0	276
	0	277
	0	278
Banna, Jina	0	279
tention in r	0	280
irect.com/s	0	281
irect.com/s	0	282
onsumers h	0	283
ty of food s	0	284
	0	285
Number: 20	0	286
	0	287
	0	288
n predicting	0	289
ted annuall	0	290
irect.com/s	0	291
	0	292
associated	0	293
irect.com/s	0	294
and differe	0	295
	0	296
e mitigation	0	297
Number: 20	0	298
irect.com/s	0	299
	0	300
o sell subop	0	301
Number: 20	0	302
irect.com/s	0	303
raditional"	0	304
vironmental	0	305

	0	306
. statistically	0	307
unity garder	0	308
mains unexp	0	309
	0	310
irect.com/s	0	311
	0	312
	0	313
	0	314
elopment g	0	315
irect.com/s	0	316
st effectivel	0	317
	0	318
irect.com/s	0	319
	0	320
egradable w	0	321
pyramid of	0	322
irect.com/s	0	323
	0	324
	0	325
	0	326
l solution to	0	327
	0	328
	0	329
uboptimal a	0	330
more resou	0	331
	0	332
	0	333
	0	334
aries and fa	0	335
nefficiencies	0	336
s the links o	0	337
	0	338
e how expir	0	339
ch can be in	0	340
	0	341
	0	342
	0	343
	0	344
retail stores	0	345
ce sector, w	0	346
oduced food	0	347
	0	348
irect.com/s	0	349
	0	350
Schultz, Ce	0	351
stem is incr	0	352
irect.com/s	0	353
irect.com/s	0	354
	0	355
	0	356

ts of energy	0	357
haped fruits	0	358
ited urban c	0	359
Italy is food	0	360
	0	361
	0	362
irect.com/s	0	363
	0	364
Harker, F. F	0	365
	0	366
	0	367
irect.com/s	0	368
Bruening, M	0	369
	0	370
ges, microl	0	371
	0	372
mental, eco	0	373
irect.com/s	0	374
	0	375
	0	376
tries is that	0	377
cing the pr	0	378
	0	379
he 2010 Di	0	380
es, yet sign	0	381
ainers call f	0	382
	0	383
old food wa	0	384
	0	385
	0	386
greed upon	0	387
uses on FLW	0	388
n consumer	0	389
	0	390
ector. These	0	391
methods fo	0	392
	0	393
f also prom	0	394
	0	395
irect.com/s	0	396
ct unattrac	0	397
les poses a	0	398
	0	399
irect.com/s	0	400
e. Municip	0	401
	0	402
	0	403
	0	404
Koo, Minky	0	405
the enviro	0	406
oducts fron	0	407

tential to in	0	408
ic matter in	0	409
gy consum	0	410
JÃ¼rkenbe	0	411
er to invest	0	412
	0	413
(sic)/MWh,	0	414
more casca	0	415
ther an exp	0	416
irect.com/s	0	417
l to evaluat	0	418
	0	419
irect.com/s	0	420
experimen	0	421
roducing v	0	422
	0	423
	0	424
	0	425
	0	426
ysis of food	0	427
l material s	0	428
its use as a	0	429
l several re	0	430
	0	431
Number: 20	0	432
ces on leac	0	433
	0	434
ecovery fro	0	435
	0	436
	0	437
	0	438
aste. The p	0	439
	0	440
	0	441
	0	442
	0	443
so will the c	0	444
	0	445
	0	446
ce for the f	0	447
feed pellet	0	448
	0	449
irect.com/s	0	450
irect.com/s	0	451
l that requir	0	452
	0	453
gradation o	0	454
acing urbar	0	455
irect.com/s	0	456
	0	457
irect.com/s	0	458

ed polystyre	0	459
increasing	0	460
s enabled p	0	461
	0	462
	0	463
ional landfil	0	464
	0	465
	0	466
	0	467
	0	468
aper, food v	0	469
ties. They r	0	470
	0	471
irect.com/s	0	472
	0	473
	0	474
	0	475
and produc	0	476
	0	477
	0	478
	0	479
	0	480
	0	481
ealth-promc	0	482
energy and	0	483
	0	484
methane g	0	485
	0	486
ces. The en	0	487
	0	488
irect.com/s	0	489
	0	490
	0	491
	0	492
	0	493
	0	494
	0	495
nts in the p	0	496
and enzyma	0	497
	0	498
	0	499
	0	500
documente	0	501
creasingly w	0	502
od/fruit was	0	503
ste containi	0	504
mposting p	0	505
irect.com/s	0	506
	0	507
y to be usec	0	508
s and have r	0	509

	0	510
	0	511
	0	512
	0	513
irect.com/s	0	514
oval. In this	0	515
	0	516
adequate m	0	517
	0	518
irect.com/s	0	519
roduction a	0	520
ting in kitch	0	521
	0	522
	0	523
	0	524
edict daily b	0	525
	0	526
ys for urbar	0	527
	0	528
	0	529
ckle the glo	0	530
to the fishe	0	531
vaste, follo	0	532
irect.com/s	0	533
	0	534
ne enriched	0	535
) inhibited t	0	536
	0	537
nvestigate t	0	538
	0	539
	0	540
	0	541
irect.com/s	0	542
	0	543
irect.com/s	0	544
	0	545
ota has rece	0	546
	0	547
products co	0	548
irect.com/s	0	549
spose these	0	550
	0	551
vaste produ	0	552
types of pr	0	553
irect.com/s	0	554
roduce sigr	0	555
	0	556
s emissions	0	557
	0	558
	0	559
l and house	0	560

	0	561
	0	562
	0	563
ewater (FRV	0	564
	0	565
nstrated in	0	566
d particulat	0	567
	0	568
nd grape sta	0	569
AD), low-cos	0	570
on, offering	0	571
ntially avail	0	572
	0	573
irect.com/s	0	574
d under mes	0	575
yrolysis for	0	576
soil throug	0	577
	0	578
	0	579
on. Howeve	0	580
g the vermi	0	581
	0	582
aste FW by	0	583
be accumu	0	584
	0	585
rototype ho	0	586
KG) as a pot	0	587
	0	588
irect.com/s	0	589
fuel or a bi	0	590
vey the sew	0	591
anaerobic	0	592
	0	593
irect.com/s	0	594
irect.com/s	0	595
	0	596
	0	597
nt challeng	0	598
irect.com/s	0	599
	0	600
anaerobic	0	601
	0	602
g and corn s	0	603
n to value-a	0	604
	0	605
	0	606
ent, and an	0	607
erformance	0	608
ifying safe	0	609
f carbonate	0	610
the EU. No	0	611

	0	612
FL) to upcyc	0	613
e and garde	0	614
uel in develo	0	615
n water con	0	616
e biogas pr	0	617
	0	618
	0	619
	0	620
	0	621
ped for ana	0	622
ction was ir	0	623
ban scale, b	0	624
	0	625
alancing su	0	626
anagement	0	627
employing r	0	628
	0	629
y test to co	0	630
ay to produ	0	631
	0	632
occurrence	0	633
photobiorea	0	634
l waste dige	0	635
	0	636
ment optior	0	637
	0	638
	0	639
ion of a Liq	0	640
anges in the	0	641
important	0	642
	0	643
	0	644
irect.com/s	0	645
ns and sewa	0	646
of acetogen	0	647
nstitution, i.	0	648
vith varied x	0	649
sawdust, fo	0	650
	0	651
mposed. Th	0	652
	0	653
heterotrop	0	654
eve an upgr	0	655
	0	656
pplication p	0	657
V) was carri	0	658
l) catalysts v	0	659
ntent during	0	660
problem, an	0	661
	0	662

	0	663
	0	664
	0	665
ant quantiti	0	666
on selected	0	667
	0	668
	0	669
T) and pH o	0	670
irect.com/s	0	671
erobic diges	0	672
irect.com/s	0	673
	0	674
AD) process	0	675
	0	676
	0	677
sludge (WAS	0	678
	0	679
d by anaero	0	680
trategy for e	0	681
/ in the U.K.	0	682
digestion w	0	683
, but freque	0	684
is study, it v	0	685
ste (FW) an	0	686
co-digestio	0	687
	0	688
irect.com/s	0	689
	0	690
wastes, bio	0	691
	0	692
nal power e	0	693
	0	694
	0	695
	0	696
tion during	0	697
	0	698
se on the sp	0	699
irect.com/s	0	700
ri and Asper	0	701
gassum and	0	702
e pretreatn	0	703
decrease th	0	704
/, and it has	0	705
ivated sludg	0	706
te compost	0	707
drochars for	0	708
challenge t	0	709
	0	710
le acidoger	0	711
eve both cl	0	712
non-biodeg	0	713

um conditi	0	714
	0	715
	0	716
gestion of fo	0	717
	0	718
chnique tha	0	719
	0	720
ertilizer fron	0	721
s utilization	0	722
osphorus re	0	723
	0	724
	0	725
nd reuse of	0	726
	0	727
irect.com/s	0	728
	0	729
s as precurs	0	730
l their ener	0	731
anol produc	0	732
	0	733
"hairy" pect	0	734
re the effec	0	735
	0	736
	0	737
	0	738
own anaero	0	739
	0	740
biogas and	0	741
	0	742
ned to inves	0	743
onent of sc	0	744
most sensiti	0	745
	0	746
tivity R-CH4	0	747
	0	748
	0	749
	0	750
n the self-di	0	751
1.5%, 3% ar	0	752
ed to degra	0	753
n. However	0	754
igated thro	0	755
ntinuously s	0	756
	0	757
at tempera	0	758
otential toxi	0	759
	0	760
robic ferme	0	761
dium chain	0	762
	0	763
anaerobic d	0	764

roduced by	0	765
erature and	0	766
en adsorber	0	767
irect.com/s	0	768
ic waste ma	0	769
he long tim	0	770
v methane (	0	771
ane (CH4) p	0	772
	0	773
	0	774
	0	775
	0	776
ch is not us	0	777
	0	778
	0	779
	0	780
eam anaerc	0	781
	0	782
production	0	783
ation (HTC),	0	784
.(+)-lactic ac	0	785
	0	786
	0	787
	0	788
	0	789
	0	790
	0	791
	0	792
n from Benc	0	793
	0	794
	0	795
	0	796
	0	797
	0	798
	0	799
	0	800
irect.com/s	0	801
	0	802
or corn silag	0	803
	0	804
ewatered fi	0	805
	0	806
OMW) mak	0	807
	0	808
on nutrient	0	809
ed sludge (A	0	810
community	0	811
concentrati	0	812
performanc	0	813
	0	814
ar to 152.5	0	815

tion of the	0	816
ge mixtures	0	817
of an exter	0	818
renewable	0	819
iana or Tricl	0	820
	0	821
	0	822
	0	823
tes biodryir	0	824
under high a	0	825
	0	826
n capacity f	0	827
	0	828
s productio	0	829
	0	830
	0	831
by-product	0	832
of the sourc	0	833
on (SLACS) s	0	834
but it is still	0	835
poor biodeg	0	836
	0	837
irect.com/s	0	838
hibition inst	0	839
this work ir	0	840
	0	841
	0	842
irect.com/s	0	843
proved, bu	0	844
m food was	0	845
waste in a 2	0	846
to enhance	0	847
	0	848
irect.com/s	0	849
ppealing fo	0	850
strate ratio)	0	851
ipal solid w	0	852
	0	853
	0	854
	0	855
	0	856
	0	857
	0	858
tion from fo	0	859
	0	860
	0	861
	0	862
ion from sta	0	863
	0	864
a for the de	0	865
imentally ev	0	866

biomass ar	0	867
actor (MBR	0	868
l processes,	0	869
e methane r	0	870
	0	871
	0	872
	0	873
	0	874
irect.com/s	0	875
obic degrac	0	876
	0	877
	0	878
n waste act	0	879
	0	880
	0	881
	0	882
nposting an	0	883
vay to simu	0	884
	0	885
	0	886
he effect o	0	887
	0	888
	0	889
f food wast	0	890
	0	891
carbonizati	0	892
and sewag	0	893
irect.com/s	0	894
final tempe	0	895
	0	896
	0	897
	0	898
hout water	0	899
o investigat	0	900
	0	901
	0	902
nutrient co	0	903
steady-stat	0	904
ure (CM) ar	0	905
sk for their	0	906
stock manu	0	907
LA) through	0	908
ludge (WAS	0	909
waste to e	0	910
	0	911
	0	912
ficient meth	0	913
entative hy	0	914
	0	915
ntration of	0	916
N,N-dimeth	0	917

meters' vari	0	918
	0	919
	0	920
	0	921
	0	922
ented. The	0	923
s productic	0	924
	0	925
EU Regulat	0	926
M-5 and HY	0	927
e (WAS) as	0	928
	0	929
	0	930
ess. It cont	0	931
	0	932
	0	933
sting pig ma	0	934
	0	935
	0	936
ic and mesc	0	937
	0	938
disposed by	0	939
	0	940
	0	941
he first reac	0	942
irect.com/s	0	943
f dead anim	0	944
	0	945
redox micr	0	946
unds and m	0	947
	0	948
acetate was	0	949
osage were	0	950
sess, model,	0	951
e of organic	0	952
	0	953
	0	954
on, and defi	0	955
ia anaerobic	0	956
	0	957
n food was	0	958
n the produ	0	959
manure an	0	960
) of food w	0	961
(BPS) and c	0	962
	0	963
	0	964
elated to en	0	965
nicipal sewa	0	966
	0	967
od waste (FV	0	968

	0	969
ajor fractior	0	970
	0	971
	0	972
mon practi	0	973
	0	974
nel bioreac	0	975
	0	976
	0	977
irect.com/s	0	978
aerobic dige	0	979
	0	980
on electrode	0	981
	0	982
ally though	0	983
	0	984
anization is	0	985
AAGS) and	0	986
	0	987
	0	988
	0	989
	0	990
s identified	0	991
	0	992
c degradati	0	993
	0	994
d energy e	0	995
	0	996
ecasting me	0	997
	0	998
sion into bi	0	999
	0	1000
n of source	0	1001
nsisting of h	0	1002
e, which co	0	1003
	0	1004
	0	1005
ion. Howev	0	1006
bic digestio	0	1007
residues of	0	1008
	0	1009
	0	1010
sting of sew	0	1011
s developec	0	1012
	0	1013
ement. This	0	1014
he addition	0	1015
tivated slud	0	1016
	0	1017
	0	1018
MSW with d	0	1019

vaste activa	0	1020
ated inocul	0	1021
	0	1022
io-hydroge	0	1023
ameters wa	0	1024
eveloped to	0	1025
ohydrate co	0	1026
	0	1027
irect.com/s	0	1028
o degrade c	0	1029
scharged fr	0	1030
ethane pro	0	1031
latile fatty a	0	1032
nts (e.g., en	0	1033
estrains the	0	1034
et anaerobi	0	1035
of five biom	0	1036
rmance and	0	1037
anagement	0	1038
	0	1039
the present	0	1040
	0	1041
nophilic ana	0	1042
em as they	0	1043
vas carried	0	1044
	0	1045
	0	1046
irect.com/s	0	1047
eveloping c	0	1048
tagonistic p	0	1049
ne the bene	0	1050
ater treatme	0	1051
	0	1052
	0	1053
	0	1054
	0	1055
cs for the m	0	1056
ion was inv	0	1057
co-digestion	0	1058
	0	1059
	0	1060
	0	1061
	0	1062
ow strengt	0	1063
wo-stage p	0	1064
udied for its	0	1065
	0	1066
	0	1067
	0	1068
ble anaerob	0	1069
atment. Alt	0	1070

:or to evalu	0	1071
	0	1072
	0	1073
	0	1074
	0	1075
	0	1076
l to methan	0	1077
	0	1078
irect.com/s	0	1079
f once ever	0	1080
a promising	0	1081
	0	1082
ed to the tre	0	1083
	0	1084
	0	1085
	0	1086
	0	1087
wastewate	0	1088
	0	1089
	0	1090
of anaerob	0	1091
valuated in	0	1092
	0	1093
	0	1094
	0	1095
	0	1096
	0	1097
	0	1098
	0	1099
of 10%-50%,	0	1100
	0	1101
rmentation	0	1102
	0	1103
	0	1104
ane product	0	1105
	0	1106
	0	1107
and macro-	0	1108
erly treated	0	1109
nen garbage	0	1110
	0	1111
n this study,	0	1112
erformance	0	1113
ates energy	0	1114
	0	1115
ratios, and	0	1116
	0	1117
	0	1118
ucts based	0	1119
	0	1120
ated under a	0	1121

l productio	0	1122
	0	1123
	0	1124
estion was c	0	1125
	0	1126
	0	1127
nigher orga	0	1128
s studied in	0	1129
	0	1130
energy fro	0	1131
od waste (F	0	1132
ste activate	0	1133
d high-rate	0	1134
ve to conve	0	1135
	0	1136
	0	1137
obic digestic	0	1138
	0	1139
ient methar	0	1140
	0	1141
	0	1142
	0	1143