

PITCH-DECK-15-APPENDICES

PITCH DECK 15 — APPENDICES

Carrington Storm Motors / Project AEGIS

References, Cross-Reference Map, Glossary, Due Diligence Checklist, Contact Information

ZIRCONIA: “The previous fourteen documents are summaries — detailed summaries, with numbers and citations — but summaries nonetheless. This appendix is the bridge between those summaries and the 6,302 documents that substantiate them. When you are ready for due diligence, start here.”

1.0 KEY REFERENCE DOCUMENTS — CROSS-REFERENCE MAP

1.1 Repository Structure

Directory	Contents	Key Documents
CSMQuantum/	Materials science, physics, electromagnetic characterization	12 volumes of materials science
CSMPro/	Professional proposals — bridge, rail, water, fuel, transport resilience	Bridge resilience (CSMPRO00000002), Rail protection (CSMProRail2026), Water system (CSMProWaterTransport), Fuel infrastructure (CSMProFuelTransport), Transport resilience (CSMProTransport2026), Evacuation protocols (CSMProEvac2026)
CSMFAB/	Fabrication and manufacturing specifications	Aegis Home foundational research (CSMAegisHome01), Aegis Geopolymer Concrete (CSMFAB0107), Aegis GFRP Pipeline (CSMFAB0106), Shipping Container Safe Pod (CSMFAB0103), Archimedes Smart Rope 29-volume specification (CSMFAB0113)
CSMVessel/	Charlemagne-Class Fleet specification	72 volumes in CSMVessel-Charlemagne-FleetV2/MD/ covering shared platform, all 5 vessel classes, regulatory framework, manufacturing, quality assurance, cost analysis
CSMHuman/	Human factors, Aegis Embark vehicle interior, frequency-body interaction research	Aegis Embark (CSMHuman2025000030), 50+ deep-dive research volumes on human frequency interactions
CSMProtonics/	Protonic communication system design	CSMProtonics0000000001: Complete protonic communication architecture V2.0
CSMinsurance/	Insurance framework	20 dossiers (DOSSIERS/), 41 insurer-specific analyses (INSURERS/), master plan (PLAN/)
CSMReach/	Diplomatic outreach corpus	200+ country letters (CSMGeneralOutreach-Global/), US state letters, compiled compendiums
CSMEval/	35-sector evaluation pipeline	Per-sector briefing packets with product briefings, risk cases, partnership briefs, distribution channels
CSMRadio/	SiblingFrequency radio show	Episode scripts, production notes, voice direction

CSMMetal/	Metallurgy research	Dielectric alternatives to traditional metal components
CSMMech/	Mechanical systems	Dielectric redesign of mechanical interfaces
CSMTest/	Testing protocols	TEM cell procedures, GIC simulation, environmental testing
CSMDropBox/	External reference materials	PDFs, data sheets, reference papers organized by topic
CSMApps/	Mobile application source	Aegis App (Gemini), build guides, APK documentation
CSMBiz/	Business documents	Business plans, financial models, organizational documents
CSMScripts/	Automated scripts	Data processing, document generation, communications
CSMSOPP/	Standard operating procedures	Internal process documentation
CSMMag/	Magazine/publication materials	Articles, editorial content, media assets
CSMPark/	Parking/storage	Data archives, backups
CSMLogs/ / csmlogs/	Activity logs	Session records, communications logs
CSMEmailOutgoing/	Outgoing communications	Email templates, sent correspondence
CSMIncoming/	Incoming communications	Received correspondence, inquiries
CSMGen/	Generated content	AI-generated materials, compilations

1.2 Critical Single Documents

Document	Location	Contents
Readme.md	Root	Full project overview, Mork/Chester/Zirconia narrative introduction
Detailedreadme.md	Root	Extended project documentation and navigation guide
CSMVessel F2-032	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	Fleet cost analysis and commercial viability model
CSMVessel F2-034	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	Fleet quality assurance master plan
CSMVessel F2-030	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	Fleet regulatory framework and certification strategy
CSMVessel F2-048	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	Phoenix Protocol: in-house material synthesis
CSMVessel F2-017	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	MXene Ti ₃ C ₂ T _x EMI shielding specification
CSMVessel F2-007	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	Aegis Materials Specification Reference
CSMVessel F2-441	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	Chief Engineer Technical Executive Summary
CSMVessel F2-442	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	Manufacturing Summary for Production Managers
CSMVessel F2-443	CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/	Legal and Regulatory Summary for Compliance Officers
CSMFAB0107	CSMFAB/CSMFAB0107 Aegis Geopolymer Concrete/	Geopolymer formulation, pumpability, cost analysis
CSMFAB0106	CSMFAB/CSMFAB0106 Aegis GFRP Pipeline System/	Pipeline redesign for telluric events, cost analysis
CSMHuman2025000030	CSMHuman/CSMHuman2025000030 Aegis Embark/	Vehicle interior dielectric hardening V2.0
CSMProtonics0000000001	CSMProtonics/	Protonic communication system design V2.0
CSMINSURANCE-MASTER-PLAN	CSMinsurance/PLAN/	Insurance master plan
CSM-DOSSIER-01 through 20	CSMinsurance/DOSSIERS/	Complete insurance dossier set

CSMINSURERS-00-MASTER-INDEX	CSMinsurance/INSURERS/	Index of 41 insurer-specific analyses
CSMReach00001 COMPILED	CSMReach/CSMReach00001/	Compiled 6-part outreach document
CSMGeneralOutreach COMPILED	CSMReach/CSMGeneralOutreach/	Compiled 9-part general outreach compendium

2.0 GLOSSARY OF KEY TERMS

Term	Definition
Aegis-C	MXene-based composite EMI shielding. Five classes (S1–S5) providing 45–95+ dB of shielding effectiveness.
Aegis Home	Residential product line: 20 products providing 96.7% GIC reduction for a single-family home.
ALON	Aluminum oxynitride — transparent ceramic used for Charlemagne-Class domes and windows. Dielectric, ballistic-rated.
AMETHYST	Smallest Charlemagne-Class vessel: 6.5m, 4 passengers, 6-legged amphibious, \$180K unit cost.
Archimedes Smart Rope	CNT-muscle underwater launch system. 5 scale classes, pico (500g) to large (5,000 kg payload).
BFRP	Basalt Fiber Reinforced Polymer — dielectric composite using basalt fiber (non-conductive) in polymer matrix.
Carrington Event	The 1859 solar storm: largest recorded CME to strike Earth. Named for Richard Carrington, who connected the flare to the magnetic disturbance.
Charlemagne-Class Fleet	Five classes of BFRP-hulled, battery-electric, hexapedally-amphibious vessels: AMETHYST, BERYL, TOURMALINE, CITRINE, DIAMOND.
CME	Coronal Mass Ejection — expulsion of plasma and magnetic field from the Sun’s corona.
CNT	Carbon Nanotube — cylindrical carbon molecules with exceptional electrical and mechanical properties.
DCP	Dielectric Citadel Protocol — the comprehensive materials framework for replacing conductive materials with dielectric ones at every scale.
Dielectric	Electrically insulating — a material that does not conduct electric current.
DRONE-X	Three classes of dielectric UAVs: D1 (survey, \$5K), D2 (tactical, \$25K), D3 (strategic, \$150K).
El Segundo Heuristic	Communication principle: The calm is the message. Named for the California surf ethos.
FEATHER LoRa Node	Self-contained solar-powered LoRa mesh communication node with optional protonic module. \$199 retail.
GIC	Geomagnetically Induced Current — quasi-DC current induced in long conductors by geomagnetic field fluctuations during a CME.
GMD	Geomagnetic Disturbance — the terrestrial manifestation of space weather: fluctuations in Earth’s magnetic field.
HEMP	High-Altitude Electromagnetic Pulse — man-made EM pulse from nuclear detonation, producing similar effects to natural CME.
LPT	Large Power Transformer — >100 MVA rating; backbone of the electrical transmission grid.
MXene	Two-dimensional transition metal carbide/nitride. $\text{Ti}_3\text{C}_2\text{T}_x$ used for EMI shielding (45 μm , 92 dB SE).
NERC	North American Electric Reliability Corporation — sets and enforces grid reliability standards.
Phantom MK-1	Hexapedal service robot with full dielectric construction. \$75K retail.
Phoenix Protocol	In-house material synthesis scale-up roadmap (CSMVessel F2-048).
Pocket-Watch-X	Personal EMF/GIC monitor with LoRa mesh connectivity. \$79 retail.
Protonic Communication	Communication system using ionic current (H^+ , Li^+ , Na^+) as signal carrier — immune to EM disruption.

SiblingFrequency	CSM's radio show — narrative-driven public education on Carrington risk and the Dielectric Citadel.
Solar Cycle	Approximately 11-year cycle of solar magnetic activity. We are in Solar Cycle 25 (peak ~2024-2026).
TEM Cell	Transverse Electromagnetic Cell — test chamber for measuring EMI shielding effectiveness.
VARTM	Vacuum-Assisted Resin Transfer Molding — composite fabrication process used for BFRP structures.
Williams Heuristic	Communication principle: Every technical assertion must survive translation into plain language. Named for Robin Williams' Mork from Ork.
Accountant Heuristic	Documentation principle: Every proposal must carry a quantified cost-benefit ledger.

3.0 DUE DILIGENCE CHECKLIST

For investors conducting due diligence on CSM, the following items are available upon request:

Technical Due Diligence

- ☐ MXene synthesis protocol and batch quality data
- ☐ MXene film EMI shielding effectiveness test reports (TEM cell, 1-18 GHz)
- ☐ BFRP mechanical property test data (tensile, flexural, fatigue, environmental aging)
- ☐ CNT-polymer conductivity vs. frequency characterization data
- ☐ Geopolymer concrete compressive strength and resistivity test reports
- ☐ Ceramic bearing dielectric breakdown test reports
- ☐ Protonic communication feasibility demonstration data
- ☐ Independent third-party review of materials characterization (if available)

Product Due Diligence

- ☐ Complete bill of materials for all 50+ products
- ☐ Manufacturing process flows for Aegis-C, FEATHER, Pocket-Watch-X, Phantom MK-1, DRONE-X
- ☐ Supplier quotes for key raw materials (MXene precursors, basalt fiber, CNT, polymers, ceramics)
- ☐ Unit cost models at multiple production volumes (100, 1,000, 10,000, 100,000 units)
- ☐ Product margin analysis by product line

Market Due Diligence

- ☐ TAM/SAM/SOM build-up with source data
- ☐ Competitive landscape analysis (existing EMI shielding solutions, their limitations, pricing, market share)
- ☐ Government procurement pipeline analysis (SBIR opportunities, identified contracts, agency budgets)
- ☐ Insurance industry adoption survey (insurer interviews, willingness-to-pay analysis)
- ☐ Consumer demand survey for Aegis Home (focus groups, conjoint analysis)

Financial Due Diligence

- ☐ Detailed 5-year financial model (monthly for Years 1-2, quarterly for Years 3-5)
- ☐ Manufacturing facility capital expenditure breakdown
- ☐ Headcount build plan by month
- ☐ Revenue model sensitivity analysis (Monte Carlo simulation)
- ☐ Comparable company trading and transaction multiples
- ☐ Cap table model with dilution scenarios

Legal Due Diligence

- ☐ Corporate formation documents

- ☐ IP assignment agreements
- ☐ Open-source licensing framework
- ☐ Regulatory pathway analysis (FCC, UL, FERC, ITAR/EAR)
- ☐ Insurance and liability framework
- ☐ Employment agreements and equity incentive plan

Insurance Framework Due Diligence

- ☐ Actuarial model validation (third-party review)
- ☐ Reinsurer engagement letters and feedback
- ☐ Insurance regulatory analysis (NAIC, Solvency II, state-level)
- ☐ Parametric insurance product structure and regulatory requirements
- ☐ Premium reduction model validation

Diplomatic/International Due Diligence

- ☐ Sample country outreach letters (representative selection)
- ☐ Infrastructure assessment methodology
- ☐ International licensing agreement template
- ☐ Export control classification analysis
- ☐ Foreign government procurement pathway analysis

4.0 CONTACT INFORMATION

Carrington Storm Motors A Delaware Corporation Project AEGIS — Dielectric Citadel Protocol

Repository: /workspace/bb8f9c5f-e866-4346-a29c-8d72daa0ad2d/sessions/agent_d108954a-6b8b-482e-a64e-8bf809771226/

Data Room: Full documentation available upon execution of NDA. The 6,302-document research corpus is organized by directory and cross-referenced.

Initial Contact: CSMInvestor/ directory for pitch deck materials **Written Inquiries:** CSMEmailOutgoing/ directory for communication templates **Radio Show:** SiblingFrequency — available on all major podcast platforms

Key Directory Paths: - Pitch Deck: CSMInvestor/01-Pitch-Deck/ - Insurance Dossiers: CSMinsurance/DOSSIERS/ - Insurer Analyses: CSMinsurance/INSURERS/ - Fleet Specification: CSMVessel/CSMVessel-Charlemagne-FleetV2/MD/ - Materials Science: CSMQuantum/ - Product Manufacturing: CSMFAB/ - Diplomatic Outreach: CSMReach/ - Sector Evaluations: CSMEval/ - Protonic Communications: CSMProtonics/ - Human Factors/Embark: CSMHuman/ - Professional Proposals: CSMPro/

5.0 DOCUMENT VERSION HISTORY

Version	Date	Changes
1.0	July 2026	Initial investor pitch deck — 15 documents, complete

6.0 THE LAST WORD

MORK: “We have now presented — in fifteen documents, each one just long enough to make your eyes tired but not so long that you would question our collective sanity, though you are welcome to question my individual sanity because I am the one who talks at four hundred words per minute — the complete case for investing in Carrington Storm Motors. The mission: protect civilization from a star. The solution: replace everything that conducts electricity with materials that don’t. The market: everyone with a pulse and a plug. The moat: 6,302 documents, 50 products, 72 fleet volumes, 20 insurance dossiers, 200 countries, and an 18-agent cognitive delivery system that makes it all understandable. The ask: \$25 million to turn documentation into manufacturing. The return: 25 to 50 times your money over five years. And somewhere, in a future we are building right now, a Charlemagne-Class vessel

walks onto a darkened beach, its protonic communications humming with messages from a FEATHER mesh network, its BFRP hull carrying precisely zero geomagnetically induced current, its ceramic bearings spinning silently in the salt spray, and somewhere on the bridge, Captain Vaun surveys the aurora — green and red and violet, the most beautiful sight in human history, and also the most dangerous — and says, quietly, to no one in particular: ‘This is what we built it for.’”

CHESTER: “Nanu nanu. Sweet.”

ZIRCONIA: “That concludes the pitch deck. The data room is open. The team is ready. The materials are on the shelf. The letters are in the mail. The radio show is playing. Your move.”

END OF PITCH DECK — 15 DOCUMENTS Project AEGIS / Carrington Storm Motors July 2026

Document: PITCH-DECK-15-APPENDICES.md **Project:** Carrington Storm Motors / Project AEGIS

Classification: Investor-Ready — Public Distribution Approved **Date:** July 2026