

MKT-01-TAM-SAM-SOM

MKT-01: Total Addressable Market, Serviceable Addressable Market, Serviceable Obtainable Market

Project AEGIS / Carrington Storm Motors

Market Sizing Analysis — Electromagnetic Pulse Protection Infrastructure

Document Version: 1.0 | Date: July 2026 | Classification: Investor Confidential

EXECUTIVE SUMMARY

Carrington Storm Motors (“CSM” or “the Company”) addresses the catastrophic risk posed by coronal mass ejections (CMEs) and electromagnetic pulse (EMP) events to modern electrical infrastructure. The Company’s proprietary Dielectric Citadel engineering methodology replaces conductive materials with dielectric polymers, ceramics, and composite materials, creating a fundamentally different protection paradigm compared to traditional Faraday shielding approaches.

The global market for EMP/CME infrastructure protection spans multiple verticals that collectively represent a Total Addressable Market (TAM) of \$4.2 trillion over the next decade. CSM’s Serviceable Addressable Market (SAM) — the segments reachable through the Company’s planned distribution channels and where dielectric solutions offer clear technical advantages — is estimated at \$847 billion. The Serviceable Obtainable Market (SOM) — the portion CSM projects capturing within 10 years given competitive dynamics, regulatory tailwinds, and execution capability — is projected at \$42.1 billion in cumulative revenue.

These figures are conservative relative to the scale of the threat. The 1859 Carrington Event, which disabled telegraph networks globally, would cause an estimated \$2 trillion to \$6 trillion in damage if it occurred today (Lloyd’s of London, 2013; National Academy of Sciences, 2008). A 2025 update by Swiss Re places the figure at \$3.4 trillion to \$7.8 trillion when accounting for cascading supply chain failures and the increased electrification of the global economy since 2013.

SECTION 1: TAM — TOTAL ADDRESSABLE MARKET

1.1 Definition and Methodology

The TAM represents the cumulative global expenditure on infrastructure hardening, retrofitting, and new construction that could incorporate EMP/CME protection over a 10-year horizon (2026-2036). This is calculated using a bottom-up methodology across six primary market verticals. Each vertical is sized using public data from government agencies, industry associations, and published market research.

The TAM includes all forms of EMP/CME protection, including traditional Faraday cage approaches, surge protection, isolation transformers, shielding paints, and dielectric material solutions like CSM’s. It does not assume any particular technology wins — it is the total spend opportunity.

1.2 Vertical 1: Global Electrical Grid Infrastructure Hardening

Total Grid Asset Base

The global electrical grid comprises approximately 7.1 million circuit-kilometers of high-voltage transmission lines (>100 kV) and 32 million circuit-kilometers of distribution lines (IEA World Energy Outlook, 2024). The replacement value of this infrastructure is estimated at \$18.3 trillion.

The US portion includes approximately 257,000 circuit-kilometers of high-voltage transmission and 5.5 million

miles (8.9 million km) of distribution lines (EIA, 2025). The replacement value of US grid infrastructure alone is estimated at \$2.7 trillion (ASCE Infrastructure Report Card, 2025, rating the US grid at D+).

Substation and Transformer Hardening

There are approximately 55,000 substations in the United States (EIA) and approximately 450,000 globally. Each high-voltage transformer costs \$5 million to \$15 million and requires 12-24 months to manufacture, with limited global capacity. The US has approximately 2,000 large power transformers (LPTs), of which roughly 70% are over 25 years old (DOE, 2024).

Hardening a single substation against EMP/CME ranges from \$500,000 for basic surge protection to \$8 million for comprehensive protection including shielded control buildings, fiber-optic isolation, and transformer neutral blocking devices. At a midpoint of \$2.5 million per substation for meaningful protection, the global substation hardening market represents:

- US substations (55,000): \$137.5 billion
- Global substations (450,000): \$1.125 trillion

Transmission and Distribution Line Hardening

Overhead lines are inherently vulnerable to E3 (geomagnetically induced current) effects from CMEs. Mitigation includes series capacitor blocking, neutral current blocking devices, and in CSM's case, dielectric composite tower components that eliminate conductive pathways.

- US transmission hardening (257,000 km at \$50,000/km average): \$12.85 billion
- Global transmission hardening (7.1 million km): \$355 billion
- US distribution hardening (8.9 million km at \$25,000/km average): \$222.5 billion
- Global distribution hardening (32 million km): \$800 billion

Grid Market TAM Total: \$2.417 trillion (global, 10-year)

1.3 Vertical 2: Residential Protection Market

Residential Construction Stock

The United States has approximately 144 million housing units (US Census Bureau, 2025). Globally, there are approximately 2.3 billion housing units, though the addressable market is concentrated in developed economies with electrified homes.

New Construction

US annual housing starts average 1.4 million units (US Census Bureau, 2024). Globally, new housing construction adds approximately 40 million units annually in electrified economies.

For CSM's Aegis Home product (a dielectric-integrated residential protection system), the relevant market is:

- New US construction with integrated protection: 1.4 million units/year x average system cost of \$12,500 = \$17.5 billion/year
- Retrofit of existing US homes with high-net-worth owners (>\$1M home value, approximately 8 million homes): 8 million x \$15,000 = \$120 billion
- New global construction in OECD countries (approximately 8 million units/year): 8 million x \$10,000 = \$80 billion/year

Residential Market TAM: \$917.5 billion (US, 10-year lump sum for retrofit + annualized new construction)

1.4 Vertical 3: Maritime Vessel Retrofitting

Global Commercial Fleet

The global commercial shipping fleet comprises approximately 105,000 vessels over 100 gross tons (UNCTAD, 2025). Modern vessels are floating electrical grids — integrated bridge systems, electronic chart displays, GPS, satellite communications, engine control units, and automated cargo handling systems are all vulnerable to EMP/CME.

A vessel disabled at sea by EMP/CME loses all navigation, propulsion control, and communication. The average

insured value of a large container vessel is \$150 million to \$250 million. The average cargo value on a 20,000 TEU container ship is \$200 million to \$500 million.

Vessel Classes and Protection Costs

- Large container vessels (>10,000 TEU): approximately 5,500 vessels. Protection cost: \$2.5M-\$5M/vessel. Segment TAM: \$13.75B-\$27.5B.
- Bulk carriers: approximately 13,000 vessels. Protection cost: \$1.5M-\$3M/vessel. Segment TAM: \$19.5B-\$39B.
- Tankers (oil, chemical, LNG): approximately 11,000 vessels. Protection cost: \$2M-\$5M/vessel. Segment TAM: \$22B-\$55B.
- Passenger/cruise ships: approximately 400 vessels. Protection cost: \$8M-\$20M/vessel. Segment TAM: \$3.2B-\$8B.
- Naval vessels (global): approximately 8,000 vessels. Protection cost: \$5M-\$50M/vessel. Segment TAM: \$40B-\$400B.

Maritime Market TAM: \$98.5 billion (commercial) to \$498.5 billion (including naval)

1.5 Vertical 4: Robotics for Hazardous Environments

Nuclear Decommissioning and Maintenance

There are approximately 440 operating nuclear reactors globally and approximately 200 undergoing decommissioning (IAEA, 2025). Each decommissioning project requires robotic systems for operations in high-radiation environments. Dielectric robotics — robots built without conductive components that can fail or arc under high EM fields or radiation — represent a qualitative improvement over traditional shielded robotics.

- Nuclear decommissioning robotics market: \$4.2 billion/year (MarketsandMarkets, 2024), growing to \$7.8 billion/year by 2034.
- Dielectric robotics addressable portion (high-EM, high-radiation zones): approximately 35% of the market, or \$1.47 billion/year growing to \$2.73 billion/year.

Power Line Inspection and Maintenance

The global transmission line inspection market is \$3.1 billion/year and growing at 12% CAGR (Grand View Research, 2024). Dielectric drones and crawling robots that can operate near energized lines without risk of flashover represent a significant segment.

Space and Satellite Servicing

Space robotics for satellite servicing and orbital debris management is a \$4.5 billion/year market projected to reach \$14.2 billion by 2034 (Northern Sky Research, 2024). Dielectric components are essential for proximity operations near sensitive electronics.

Robotics Market TAM: \$21.8 billion

1.6 Vertical 5: Insurance Premium-Linked Products

The Insurance Channel

Global insurance industry assets under management total approximately \$40 trillion, with \$7 trillion in property and casualty insurance specifically (Swiss Re Institute, 2025). The most relevant figure is the annual premium pool for property insurance covering assets vulnerable to EMP/CME.

- US commercial property insurance premiums: \$120 billion/year (NAIC, 2024)
- US homeowners insurance premiums: \$145 billion/year
- Global commercial property premiums: approximately \$350 billion/year
- Global marine insurance premiums: approximately \$30 billion/year

If insurance carriers mandate or incentivize EMP/CME hardening for high-value properties (as they have for hurricane shutters in Florida, seismic retrofitting in California, and sprinkler systems nationally), the addressable market for premium-linked protection products is:

- 15% of US commercial property premiums allocated to hardening incentives: \$18 billion/year
- 8% of US homeowners premiums allocated to hardening incentives: \$11.6 billion/year
- 10% of global commercial property premiums: \$35 billion/year

Insurance-Linked TAM: \$646 billion (10-year, US-focused)

1.7 Vertical 6: Government and Defense Procurement

US Federal Spending

The US federal government spends approximately \$1.7 trillion annually on procurement (USASpending.gov, FY2024). The following categories are specifically relevant to EMP/CME hardening:

- DOD infrastructure and facility hardening: \$18 billion/year (FY2025 DOD budget, MILCON and facility sustainment)
- DOE grid security and resilience programs: \$4.2 billion/year (IIJA and IRA allocations)
- DHS critical infrastructure protection: \$3.1 billion/year
- FEMA disaster resilience grants: \$2.8 billion/year (BRIC program and HMGP)
- GSA federal building modernization: \$1.5 billion/year

US State and Local Spending

State infrastructure budgets collectively total approximately \$350 billion/year, with approximately 5% allocated to resilience and hardening (\$17.5 billion/year). States with explicit EMP/CME preparedness legislation (Texas, Florida, Maine, Virginia, and others) represent approximately 30% of this, or \$5.25 billion/year.

International Government Spending

NATO member defense spending totals approximately \$1.4 trillion/year, with infrastructure protection representing approximately 3% (\$42 billion/year). UN disaster risk reduction programs allocate approximately \$2 billion/year. World Bank infrastructure resilience lending exceeds \$20 billion/year.

Government TAM: \$739 billion (US) to \$1.45 trillion (global, 10-year cumulative)

1.8 TAM Summary Table

Market Vertical	10-Year TAM (USD)
Grid Infrastructure Hardening	\$2,417,000,000,000
Residential Protection	\$917,500,000,000
Maritime Vessel Retrofitting	\$298,450,000,000
Robotics for Hazardous Environments	\$21,800,000,000
Insurance Premium-Linked Products	\$646,000,000,000
Government/Defense Procurement	\$1,450,000,000,000
TOTAL TAM	\$5,750,750,000,000

Conservative TAM (taking lower bounds): \$4.2 trillion Aggressive TAM (taking upper bounds): \$6.8 trillion
Midpoint TAM: \$5.75 trillion

SECTION 2: SAM — SERVICEABLE ADDRESSABLE MARKET

2.1 Filtering Methodology

The SAM is derived from the TAM by applying filters for: 1. **Geographic accessibility:** Markets where CSM can operate within 10 years given regulatory, political, and logistical constraints. 2. **Technical applicability:** Segments where dielectric solutions offer measurable advantages over alternatives. 3. **Channel readiness:** Markets reachable through CSM’s planned distribution channels (direct sales, insurance carriers, certified installers). 4. **Regulatory alignment:** Jurisdictions with existing or pending EMP/CME hardening requirements. 5. **Economic viability:** Segments with positive ROI for customers at CSM’s projected price points.

2.2 SAM by Vertical

Grid Infrastructure (SAM: \$483 billion, 20% of TAM)

CSM’s SAM within grid hardening is constrained to: - North American grid assets (US, Canada) where regulatory tailwinds are strongest: \$275 billion (TAM portion) - European grid assets subject to EU Critical Entities

Resilience Directive: \$145 billion - Japanese and South Korean grid assets (high electrification, high CME risk at latitude): \$38 billion - Australian grid assets (latitude vulnerability to southern hemisphere CMEs): \$25 billion

Excluded: Developing-world grids where cost sensitivity and regulatory absence make dielectric solutions non-competitive in the 10-year window.

Residential Protection (SAM: \$183 billion, 20% of TAM)

CSM’s SAM is concentrated in: - US high-end residential construction (\$750K+ home value): \$92 billion - Canadian residential construction: \$18 billion - European premium residential (UK, Germany, Nordics, France): \$48 billion - Australian/New Zealand residential: \$15 billion - Japanese earthquake-resistant home integration: \$10 billion

Excluded: Developing-world residential, multifamily rental properties (split-incentive problem), and low-value homes where system cost exceeds 2% of structure value.

Maritime Retrofitting (SAM: \$74.6 billion, 25% of TAM)

CSM’s SAM focuses on: - Commercial vessels registered in IMO-signatory nations with strong maritime regulation: \$44.8 billion (60% of commercial TAM) - Naval vessels of NATO and allied nations: \$29.8 billion

Excluded: Flag-of-convenience vessels with minimal regulatory oversight, small fishing vessels, recreational craft.

Robotics (SAM: \$8.7 billion, 40% of TAM)

CSM’s dielectric robotics advantage is strongest in: - Nuclear decommissioning in US, UK, France, Japan, and Germany: \$3.9 billion - Space robotics (NASA, ESA, JAXA contractors): \$2.8 billion - Transmission line robotics in North America and Europe: \$2.0 billion

Insurance-Linked Products (SAM: \$161.5 billion, 25% of TAM)

Concentrated in: - US commercial property insurance market (Lloyd’s, domestic carriers with admitted paper): \$72 billion - European commercial property (Lloyd’s market, Swiss Re, Munich Re influenced): \$48 billion - US high-net-worth homeowners (Chubb, AIG, PURE, Cincinnati): \$29 billion - Global marine insurance (London market, Norwegian hull market): \$12.5 billion

Government Procurement (SAM: \$277 billion, 25% of TAM)

- US federal procurement (DOD, DOE, DHS, FEMA, GSA): \$147.8 billion
- US state procurement in EMP-legislation states: \$31.5 billion
- NATO allied government procurement: \$63 billion
- Five Eyes intelligence community facilities: \$8.4 billion
- World Bank/UN-funded infrastructure in allied nations: \$26.3 billion

2.3 SAM Summary

Market Vertical	10-Year SAM (USD)
Grid Infrastructure Hardening	\$483,000,000,000
Residential Protection	\$183,000,000,000
Maritime Vessel Retrofitting	\$74,600,000,000
Robotics for Hazardous Environments	\$8,700,000,000
Insurance Premium-Linked Products	\$161,500,000,000
Government/Defense Procurement	\$277,000,000,000
TOTAL SAM	\$1,187,800,000,000

Rounded SAM: \$1.19 trillion

SECTION 3: SOM — SERVICEABLE OBTAINABLE MARKET

3.1 Market Share Assumptions

CSM’s obtainable market share is modeled based on the Rogers Technology Adoption Lifecycle, adjusted for the

unique characteristics of the EMP/CME protection market: high barriers to entry (materials science IP, regulatory moats), strong tailwinds (mandatory compliance requirements), and limited direct competition in the dielectric approach.

Market share assumptions by vertical, year 5 and year 10:

Segment	Year 5 Share	Year 10 Share	Rationale
Grid Hardening	2.0%	7.5%	Slow adoption in conservative utility sector; regulatory mandates accelerate late
Residential Protection	3.5%	12.0%	Faster consumer adoption; brand-building in high-end segment
Maritime Retrofitting	2.5%	8.0%	Classification society requirements as forcing function
Robotics	8.0%	18.0%	First-mover advantage in dielectric robotics; no existing competition
Insurance-Linked	4.0%	15.0%	Exponential scaling once carrier relationships mature
Government	1.5%	5.0%	Long sales cycles; accelerating after initial reference contracts

3.2 SOM Calculation

Cumulative Revenue Projection, Conservative Scenario (Midpoint Market Share)

Segment	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6-10	10-Year Total
Grid Hardening	\$0M	\$120M	\$360M	\$720M	\$1,200M	\$9,660M	\$12,060M
Residential	\$0M	\$35M	\$105M	\$210M	\$641M	\$2,745M	\$3,736M
Maritime	\$0M	\$40M	\$120M	\$240M	\$373M	\$2,238M	\$3,011M
Robotics	\$5M	\$15M	\$35M	\$70M	\$140M	\$783M	\$1,048M
Insurance-Linked	\$0M	\$20M	\$80M	\$200M	\$646M	\$4,845M	\$5,791M
Government	\$10M	\$50M	\$150M	\$300M	\$416M	\$1,385M	\$2,311M
Annual Total	\$15M	\$280M	\$850M	\$1,740M	\$3,416M	\$21,656M	\$27,957M

Cumulative Revenue Projection, Base Scenario

Segment	10-Year Total
Grid Hardening	\$18,090M
Residential	\$7,472M
Maritime	\$4,516M
Robotics	\$1,572M
Insurance-Linked	\$8,686M
Government	\$3,851M
TOTAL	\$42,087M

Base scenario 10-year SOM: \$42.1 billion

Cumulative Revenue Projection, Optimistic Scenario

Segment	10-Year Total
Grid Hardening	\$24,120M
Residential	\$10,216M
Maritime	\$5,988M

Robotics	\$2,096M
Insurance-Linked	\$11,582M
Government	\$5,389M
TOTAL	\$59,391M

Optimistic 10-year SOM: \$59.4 billion

3.3 SOM Market Share Analysis


Year 1: \$15M - Government pilot contracts (DOD, DOE): \$10M - Robotics subcomponent sales to nuclear robotics integrators: \$5M - Team size: approximately 25-30 employees - Share of SAM: 0.003%

Year 3: \$850M - First significant grid hardening contracts (3-5 utility pilot programs) - Insurance carrier partnership with 2-3 major carriers - Maritime classification society certification achieved - Government: initial DOD/DOE production contracts, not just pilots - Team size: approximately 150-200 employees - Share of SAM: 0.19%

Year 5: \$3.42B - Grid hardening: active contracts with 8-12 major utilities - Residential: Aegis Home launched in 15-20 metropolitan markets - Maritime: 3-5 classification societies certified; 200+ vessels retrofitted - Insurance: 8-12 carrier partnerships; embedded products in commercial policies - Government: multi-year IDIQ contracts with DOD, DOE, DHS - Team size: approximately 500-600 employees - Share of SAM: 0.55%

Year 10: \$13.8B (annual run rate) - Grid hardening: active contracts with 40+ utilities globally - Residential: Aegis Home in 50+ metropolitan markets, international - Maritime: mandatory retrofits beginning under IMO framework - Insurance: standard inclusion in high-value commercial policies - Government: established prime contractor; GSA schedule holder - Team size: approximately 1,800-2,200 employees - Share of SAM: 2.0%

3.4 TAM/SAM/SOM Funnel Visualization



SECTION 4: GROWTH PROJECTIONS

4.1 5-Year Projections (2027-2031)

Metric	2027	2028	2029	2030	2031
Revenue (\$M)	15	280	850	1,740	3,416
YoY Growth	—	1,767%	204%	105%	96%
Gross Margin	35%	42%	48%	52%	55%
EBITDA Margin	-280%	-65%	-12%	8%	22%
Employees	28	85	175	330	550
Carrier Partners	0	2	5	8	12
Government Contracts	2	5	12	22	35
Utility Pilots/Contracts	0	2	5	8	12

4.2 10-Year Projections (2032-2036)

Metric	2032	2033	2034	2035	2036
Revenue (\$M)	5,124	7,200	9,360	11,700	13,800
YoY Growth	50%	41%	30%	25%	18%
Gross Margin	57%	59%	60%	61%	62%
EBITDA Margin	28%	32%	35%	37%	38%

Employees	825	1,155	1,500	1,875	2,080
Carrier Partners	20	30	38	42	45
Government Contracts	50	70	90	105	115
Utility Contracts	20	30	38	44	48

SECTION 5: BOTTOM-UP CALCULATION NOTES

5.1 Grid Infrastructure Calculation Detail

The global electrical grid TAM calculation uses the following primary sources:

- IEA World Energy Investment 2024: Global grid investment reached \$330 billion in 2023, with \$120 billion in transmission and \$210 billion in distribution. Projected to grow at 8% CAGR through 2035.
- DOE Quadrennial Energy Review: US transmission system requires \$314-562 billion in investment by 2035 for modernization alone.
- NERC 2024 Long-Term Reliability Assessment: Identified 2,847 critical substations requiring hardening priority based on cascading failure modeling.
- EPRI (Electric Power Research Institute) 2023 report on geomagnetic disturbance (GMD) mitigation: estimated average cost of \$1.2-3.8 million per high-voltage substation for GMD protection, depending on configuration.
- FERC Order 779 and subsequent NOPR on geomagnetic disturbance standards: effectively mandates GMD vulnerability assessments for all bulk power system assets, with hardening requirements expected within 3-7 years.

5.2 Residential Calculation Detail

- NAHB (National Association of Home Builders): average new US single-family home construction cost \$392,241 (2024). Electrical systems average \$16,000-\$22,000 of this.
- Census Bureau American Housing Survey: 8.2 million homes valued over \$1 million in the US (2024).
- Coldwell Banker Global Luxury Report: 37% of luxury home buyers cite “resilience features” as a top-3 priority in new construction.
- Insurance Information Institute: average US homeowners premium \$1,428/year (2024), with high-value home policies averaging \$5,000-\$15,000/year. Premium savings from hardening typically range 8-15%.

5.3 Maritime Calculation Detail

- UNCTAD Review of Maritime Transport 2024: global fleet 105,391 vessels, average age 22.4 years.
- IACS (International Association of Classification Societies): all 12 member societies are developing cyber/electronic warfare resilience standards for newbuilds, with adoption expected 2028-2032.
- Lloyd’s List Intelligence: average newbuild large container vessel cost \$215 million (2024), with bridge electronics and navigation representing \$18-25 million.
- BIMCO: 73% of maritime incidents involving total electrical failure result in salvage claims exceeding \$10 million.

5.4 Insurance Calculation Detail

- Swiss Re Institute sigma 04/2024: global insurance premiums \$7.2 trillion, property insurance \$965 billion.
 - NAIC 2024 annual report: US property/casualty direct written premium \$882 billion.
 - Lloyd’s of London: insuring 94% of FTSE 100, 93% of Dow Jones companies for property risks.
 - Guy Carpenter: global reinsurance capital \$670 billion (2024), with peak peril capacity growing 6%/year.
 - Willis Towers Watson: 68% of surveyed risk managers rated solar/space weather as “significantly under-modeled” compared to other catastrophe perils.
-

SECTION 6: RISK FACTORS TO MARKET SIZING

1. **Regulatory delay risk:** If FERC/NERC EMP standards are delayed beyond 2028, grid hardening adoption shifts right by 2-3 years.
2. **Insurance carrier inertia:** If major carriers decline to include EMP/CME in policy wordings, the insurance distribution channel underperforms.
3. **Technology substitution risk:** Advances in superconducting fault current limiters or room-temperature

superconductors could alter the economics of grid protection.

4. **Political risk:** Changes in administration could deprioritize infrastructure resilience spending.
 5. **Execution risk:** CSM must build manufacturing capacity, certification infrastructure, and installer networks simultaneously.
 6. **Pricing pressure:** Traditional shielding manufacturers may reduce prices in response to CSM's dielectric approach.
 7. **Reinsurance capacity withdrawal:** If a major catastrophe event depletes reinsurance capital, hardening mandates could accelerate, but premium-linked product economics would shift.
 8. **Geopolitical risk:** Sanctions or trade restrictions could limit access to rare-earth materials used in dielectric composites.
-

SECTION 7: CONCLUSIONS

CSM's market opportunity is large (\$4.2 trillion TAM), growing (regulatory tailwinds accelerating adoption), and uniquely suited to the Company's dielectric technology. The SAM of \$1.19 trillion represents the segments where CSM can compete effectively within a decade. The SOM of \$42.1 billion reflects conservative market share assumptions that account for long utility sales cycles, insurance industry conservatism, and government procurement timelines.

The 5-year revenue trajectory of \$15M to \$3.4B represents a compound annual growth rate exceeding 250%, consistent with technology companies addressing newly regulated, mandatory-compliance markets. Comparables include cybersecurity firms post-NIST framework (CrowdStrike: \$0 to \$2.2B revenue in 8 years) and climate resilience firms post-SEC disclosure rules.

The key insight for investors: CSM is not selling optional products. It is selling compliance with inevitable regulations, insurance against uninsurable catastrophic loss, and materials science that is patent-protected and fundamentally different from existing approaches. The market will come to CSM whether or not CSM goes to market — the question is timing and capture rate.

Document prepared by: Carrington Storm Motors Strategy & Finance Data sources: IEA, EIA, DOE, DHS, FERC, NERC, NAHB, UNCTAD, Swiss Re, Lloyd's, NAIC, Guy Carpenter, Willis Towers Watson, EPRI, IEEE Last updated: July 15, 2026