

REG-06: INTERNATIONAL REGULATORY LANDSCAPE

Document Classification: Investor and Strategic Planning — Confidential **Date:** July 15, 2026 **Prepared by:** Isla Thorn (International Relations Director), Viktor Kael (Regulatory Affairs Director) **Document Ref:** CSM-REG-06-v1.1

I. EXECUTIVE SUMMARY

Carrington Storm Motors’ addressable market extends to every nation with a developed electrical grid exposed to geomagnetic storm risk. This document maps the international regulatory landscape across 28 priority countries, identifies certification and conformity assessment requirements, outlines mutual recognition opportunities, and addresses export control implications.

The core insight: while electrical safety and electromagnetic compatibility standards have achieved substantial international harmonization through IEC and ISO, building codes, utility regulations, and defense procurement standards remain highly jurisdiction-specific. CSM’s product certification strategy must balance the efficiency of harmonized international standards with the necessity of meeting unique local requirements.

Under the Williams Heuristic: each country section below can be summarized as “what you need to prove to sell there, how long it takes, and what it costs.” The detailed sections that follow provide the granularity that regulators and investors require.

II. INTERNATIONAL STANDARDS HARMONIZATION OVERVIEW

A. The IEC/ISO Framework

The International Electrotechnical Commission (IEC) and International Organization for Standardization (ISO) provide the foundation for international standards harmonization. Key standards applicable to CSM’s products:

Standard	Subject	Adoption Status	Implications for CSM
IEC 61000 Series	Electromagnetic Compatibility (EMC)	Widely adopted as basis for national EMC regulations in EU, UK, AU, JP, KR, and many others	Primary compliance pathway for non-US markets
IEC 60076 Series	Power Transformers	Universal adoption with national variations	Basis for transformer-related product acceptance
IEC 62305 Series	Protection Against Lightning	Widely adopted	Adjacent standard; GIC protection may be considered under this framework
ISO 9001	Quality Management	Universal	Prerequisite for many government and utility procurement contracts
ISO 14001	Environmental Management	Widely adopted	Increasingly a utility procurement requirement

B. Mutual Recognition Agreements (MRAs)

MRAs allow test results and certifications from one country to be accepted in another, reducing duplicate testing. Key MRAs affecting CSM:

MRA	Parties	Coverage	Benefit for CSM
US-EU MRA (EMC and Telecom)	US and EU	FCC and EU notified body test reports mutually recognized for EMC	FCC test data accepted for CE marking EMC requirements; reduces EU certification cost by ~40%
IECEE CB Scheme	54 member countries	Electrical safety testing	UL test reports accepted by 54 countries' certification bodies; single test for global access
ILAC MRA	100+ economies	Calibration and testing laboratory accreditation	Test data from ILAC-accredited labs (including NIST) accepted globally
US-Japan MRA	US and Japan	Telecom and EMC	FCC and MIC test data partially mutually recognized
APEC TEL MRA	Asia-Pacific economies	Telecom equipment	Facilitates APAC market access; relevance to Protonic Transceiver
US-Canada MRA	US and Canada	Various	CSA and UL certifications mutually recognized in practice through bilateral cooperation

Strategy: CSM will pursue certification through the IECEE CB Scheme wherever possible. A CB Test Certificate (CBTC) from a U.S. National Certification Body (NCB) such as UL is recognized by NCBs in 54 member countries, dramatically reducing the cost and time for international market entry. Where CB Scheme coverage is insufficient, bilateral MRAs will be used.

III. REGION-BY-REGION REGULATORY ANALYSIS

A. EUROPEAN UNION AND EUROPEAN ECONOMIC AREA

Key Regulatory Framework: - **CE Marking:** Required for most products sold in the EU/EEA. CE marking is a manufacturer's declaration of conformity with applicable EU directives and regulations, not a third-party certification (for most product categories). - **Applicable EU Directives/Regulations for CSM Products:** - **EMC Directive (2014/30/EU):** All electronic products must comply. Testing to harmonized standard EN 61000-6-2 (immunity) and EN 61000-6-4 (emissions) or specific product standards. - **Low Voltage Directive (2014/35/EU):** Products operating at 50-1000 VAC or 75-1500 VDC. Testing to harmonized standard EN 62368-1 or product-specific standards. - **Construction Products Regulation (CPR, EU 305/2011):** Applies to geopolymer concrete, ceramic composite structural components, and any product permanently incorporated into buildings or civil engineering works. Requires Declaration of Performance (DoP) and CE marking based on harmonized technical specifications. **This is likely the most complex EU regulatory pathway for CSM's structural products.** - **REACH Regulation (EC 1907/2006):** Registration, Evaluation, Authorisation of Chemicals. MXene nanosheets may require REACH registration as a "substance" if produced or imported in quantities exceeding 1 tonne/year. Nanoscale materials are subject to specific REACH information requirements. - **RoHS Directive (2011/65/EU):** Restriction of Hazardous Substances. MXene composites containing certain restricted substances (lead, mercury, cadmium, hexavalent chromium, PBBs, PBDEs, and DEHP/BBP/DBP/DIBP) must comply.

Timeline: - CE marking (EMC + LVD) for DriveShield: 6-9 months (leveraging FCC pre-compliance data + supplementary EU-specific testing) - CE marking (CPR) for geopolymer concrete: 12-18 months (requires European Technical Assessment or harmonized standard compliance) - REACH registration for MXene: 6-12 months if required (depends on whether MXene is considered a "substance" or "mixture" under REACH)

Estimated Cost: €85,000-€140,000 per product family for initial EU market access (testing, notified body fees, technical documentation preparation, Authorised Representative fees). Ongoing: €8,000-€15,000/year for Authorised Representative and compliance maintenance.

Authorised Representative: Non-EU manufacturers must appoint an Authorised Representative established in the EU. CSM will engage a professional Authorised Representative service (budget: €8,000-12,000/year).

B. UNITED KINGDOM (Post-Brexit)

Key Regulatory Framework: - **UKCA Marking:** The UK’s replacement for CE marking. Currently, CE marking continues to be accepted in Great Britain for most products until at least 2025, after which UKCA marking will be required. Northern Ireland has separate rules under the Windsor Framework. - **Applicable UK Regulations:** UK versions of the EU directives/regulations listed above (UK EMC Regulations 2016, UK Low Voltage Electrical Equipment Regulations 2016, UK Construction Products Regulations 2013).

Strategy: CSM will pursue parallel CE marking and UKCA marking for the UK market, leveraging the substantial commonality of the technical requirements. Where UK-specific testing is required, CSM will use UK-based approved bodies. Estimated additional cost vs. EU-only certification: £15,000-£25,000 per product family.

Authorised Representative: Required for non-UK manufacturers. Engage UK-based Authorised Representative service (budget: £5,000-8,000/year).

C. CANADA

Key Regulatory Framework: - **Certification:** Products must be certified by an SCC-accredited certification body (CSA Group, UL Canada, Intertek, QPS, or others). UL certifications obtained in the US are generally recognized through CSA/UL mutual recognition and the SCC accreditation framework. - **Technical Requirements:** Canadian Electrical Code (CEC, CSA C22.1) governs electrical product requirements. Substantially harmonized with U.S. NEC, with specific Canadian deviations. - **Utility Regulations:** Provincial utility regulators (e.g., Ontario Energy Board, Alberta Utilities Commission, BC Utilities Commission) have jurisdiction over utility equipment procurement. CSM’s 200-country diplomatic framework maps the engagement strategy for each province.

Timeline: 4-6 months for Canadian certification leveraging existing UL testing (Canadian deviations testing added to UL scope). Cost: \$15,000-25,000 per product family (incremental to U.S. UL certification).

CSM’s diplomatic framework identifies Hydro One (Ontario), BC Hydro, and Hydro-Québec as priority Canadian utility partners. Hydro-Québec is particularly significant given its direct experience with the 1989 GIC-induced blackout — the utility most aware of Carrington risk in North America.

D. JAPAN

Key Regulatory Framework: - **PSE Mark (Electrical Appliance and Material Safety Law):** Required for most electrical products. Products are categorized as “Specified Electrical Appliances” (Category A — requires third-party certification by a METI-registered conformity assessment body) or “Non-Specified Electrical Appliances” (Category B — manufacturer self-declaration). - **Radio Law:** Applicable to Protonic Transceiver and any radio-equipped products. Requires certification by a Registered Certification Body (e.g., TÜV Rheinland Japan, UL Japan). - **Building Standards Law:** For geopolymer concrete and structural products. Requires Minister of Land, Infrastructure, Transport and Tourism (MLIT) approval for novel building materials.

Timeline: PSE certification: 6-12 months (leveraging IECEE CB Scheme where applicable). Radio Law certification: 6-10 months. MLIT approval for construction materials: 12-24 months.

Estimated Cost: ¥3.5M-6M (\$24,000-41,000) per product family for PSE + Radio Law. MLIT approval: ¥8M-12M (\$55,000-82,000) for first construction product.

Market Opportunity: Japan has one of the most geomagnetically exposed grids on Earth due to its latitude, extensive coastline, and complex geological conductivity structure. Tokyo Electric Power Company (TEPCO) and Kansai Electric Power are high-priority potential customers.

In-Country Representative: Required for PSE and Radio Law filings. Engage Japanese Authorised Representative (budget: ¥500,000-800,000/year (\$3,400-5,500)).

E. SOUTH KOREA

Key Regulatory Framework: - **KC Mark (Korea Certification):** Required for electrical and electronic products. Administered by the Korea Testing Laboratory (KTL), Korea Testing Certification (KTC), and other designated bodies. - **Radio Waves Act:** For radio-equipped products. Certification by National Radio Research Agency (RRA). - **Building Act:** For construction products. Requires Korean Industrial Standards (KS) certification or performance-based approval.

Timeline: KC certification: 6-10 months. Construction product approval: 12-18 months.

Estimated Cost: ₩15M-25M (\$11,000-18,500) per product family for KC certification. Construction product approval: ₩30M-50M (\$22,000-37,000).

Local Testing Requirement: South Korea generally requires in-country testing (samples shipped to Korean test lab). Leveraging IECEE CB Scheme may reduce but not eliminate this requirement. Budget for in-country testing: ₩8M-12M (\$6,000-9,000) per product.

F. CHINA

Key Regulatory Framework: - **CCC Mark (China Compulsory Certification):** Required for products listed in the CCC catalogue. Electrical products operating in certain voltage/power ranges are subject to CCC. Administered by the Certification and Accreditation Administration of China (CNCA) through designated certification bodies (e.g., CQC, CESI). - **SRRC Approval (State Radio Regulation Committee):** For radio-equipped products. Required for Protonic Transceiver and any products with wireless capability. - **GB Standards (Guobiao):** Chinese national standards applicable to construction materials, electrical products, and EMC. - **NEA (National Energy Administration):** Regulates electric utility equipment procurement. State Grid Corporation of China (SGCC) and China Southern Power Grid (CSG) are the dominant buyers, with their own technical specifications and supplier qualification requirements.

Timeline: CCC certification: 9-15 months (requires factory inspection in China or home country). SRRC: 6-9 months. SGCC/CSG supplier qualification: 12-24 months.

Estimated Cost: ¥120,000-180,000 (\$16,500-25,000) per product family for CCC. ¥80,000-120,000 (\$11,000-16,500) for SRRC. SGCC/CSG qualification: ¥200,000-400,000 (\$27,500-55,000).

Intellectual Property Considerations: Patent filing in China is essential for any product sold in the Chinese market, as China operates a dual-filing system (invention patents and utility model patents). CSM's 42-invention patent strategy includes CN filings for all high-priority inventions. See REG-01.

Market Opportunity: China has the world's largest electrical grid by installed capacity and is investing heavily in grid modernization. Geomagnetic storm exposure is lower at China's latitudes than in North America or Northern Europe, but GIC risk is not zero, particularly during the declining phase of the solar cycle when CME trajectories are more equator-ward. The primary market in China may be driven by general grid resilience requirements rather than Carrington-specific risk awareness.

Partner Strategy: CSM will pursue a joint venture or licensing partnership with a Chinese grid equipment manufacturer for PRC market access, rather than attempting to enter the Chinese market independently. This approach navigates the complex CCC and supplier qualification requirements while protecting IP through contractual safeguards.

G. INDIA

Key Regulatory Framework: - **BIS Certification (Bureau of Indian Standards):** Required for products listed in the Compulsory Registration Scheme (CRS). Administered by BIS. - **CEA Regulations (Central Electricity Authority):** Grid-connected equipment must comply with CEA technical standards. - **WPC Approval (Wireless Planning and Coordination):** For radio-equipped products.

Timeline: BIS CRS: 6-12 months. CEA: 9-15 months. WPC: 4-8 months.

Market Opportunity: India has the third-largest electrical grid globally and is undergoing massive grid expansion. GIC risk is significant due to the equatorial electrojet effect, which can produce strong GIC at low geomagnetic latitudes — a phenomenon distinct from the auroral electrojet that drives GIC at high latitudes. India’s grid is less studied for GIC vulnerability than North American or European grids, but the risk is real and underappreciated.

H. AUSTRALIA

Key Regulatory Framework: - **RCM Mark (Regulatory Compliance Mark):** Required for electrical and electronic products. Combines EMC, electrical safety, and radio requirements. Administered by ACMA (Australian Communications and Media Authority) and state electrical safety regulators. - **AS/NZS Standards:** Australian/New Zealand standards for electrical safety and EMC, closely harmonized with IEC standards. - **AEMO (Australian Energy Market Operator):** Grid operator procurement requirements.

Timeline: RCM: 4-8 months (leveraging IECEE CB Scheme). AEMO supplier qualification: 6-12 months.

Market Opportunity: Australia is highly exposed to space weather due to its latitude, long transmission lines, and geological conductivity structure. The Australian government funded the Space Weather Service within the Bureau of Meteorology, indicating government-level awareness of the risk.

I. BRAZIL

Key Regulatory Framework: - **INMETRO Certification:** Required for electrical products. Administered by INMETRO through designated certification bodies (OCPs). - **ANATEL Approval:** For radio-equipped products.

Timeline: INMETRO: 9-15 months (requires factory inspection). ANATEL: 6-9 months.

Market Opportunity: Brazil’s large and growing grid, combined with its location near the South Atlantic Magnetic Anomaly (SAMA) — a region of unusually weak magnetic field that increases space weather vulnerability — makes it a significant potential market.

J. MIDDLE EAST AND NORTH AFRICA (MENA)

Key Markets: Saudi Arabia (SASO certification), United Arab Emirates (ESMA/ECAS), Israel (SII).

Regulatory Framework: Varies significantly by country. Many MENA countries accept IEC standards plus Gulf Cooperation Council (GCC) regional certification schemes.

Strategy: CSM will address MENA markets through regional partners and distributors rather than direct entry, at least in the initial phase. The significant sovereign wealth in the region (Saudi PIF, UAE Mubadala, Qatar QIA) also makes this region a target for sovereign wealth fund investment in CSM.

IV. EXPORT CONTROL IMPLICATIONS

A. ITAR/EAR Classification

MXene Materials: The export control status of MXene materials is not yet definitively established. MXenes could potentially be controlled under: - **EAR Category 1 (Materials, Chemicals, Microorganisms, and Toxins):** If MXene is considered an advanced material with military applications. - **EAR Category 3 (Electronics):** If MXene composite is used in EMP-hardened electronics and considered specially designed for military use.

CSM Strategy: 1. **Commodity Jurisdiction Request:** Submit a CJ request to DDTC (State Department) and ECCN classification request to BIS (Commerce Department) for MXene composite materials in Q3 2027. This establishes a formal government determination rather than relying on self-classification. 2. **Structure Products to Minimize Controlled Content:** Where possible, separate EMP-hardening materials from the end-use product so that only the material itself (not the complete product) is controlled. 3. **Technology Transfer Controls:** Internal protocols for technology transfer to foreign nationals (deemed exports) and foreign country engagement.

B. Dual-Use Considerations

CSM's products serve a civilian protection mission but have clear military applications (EMP hardening of defense infrastructure). This dual-use nature creates both opportunities (defense market) and regulatory burdens (export controls).

The ITAR/EAR Boundary: CSM will work to keep its civilian products under EAR rather than ITAR jurisdiction. EAR controls are less restrictive (license exceptions available for many allied-country exports) than ITAR controls (presumption of denial for most foreign exports). The CJ request in Q3 2027 is the critical step in establishing which regulatory regime applies.

C. Country-Specific Restrictions

Countries Subject to Comprehensive Sanctions (OFAC): No sales to Cuba, Iran, North Korea, Syria, or the Crimea/Donetsk/Luhansk regions of Ukraine. These restrictions apply regardless of the ITAR/EAR classification of the products.

Countries with Enhanced Proliferation Concerns: China, Russia, Venezuela have enhanced export license requirements for dual-use items. Any sale to these countries requires individual validated license from BIS, with a presumption of denial for items with potential military applications.

CSM Policy: CSM will not pursue sales to sanctioned countries. For countries requiring enhanced scrutiny, CSM will evaluate on a case-by-case basis with guidance from export control counsel.

V. WTO TBT AGREEMENT CONSIDERATIONS

A. The WTO Technical Barriers to Trade (TBT) Agreement

The TBT Agreement requires WTO members to ensure that technical regulations, standards, and conformity assessment procedures do not create unnecessary obstacles to international trade. Key provisions relevant to CSM:

- **Article 2.4:** Where technical regulations are required, members shall use international standards (IEC, ISO) as a basis, unless they are ineffective or inappropriate.
- **Article 5.4:** Conformity assessment procedures shall not be more strict than necessary to give confidence that products conform to applicable regulations.
- **Article 6:** Members shall ensure, whenever possible, that results of conformity assessment procedures in other members are accepted.

B. CSM's Use of the TBT Agreement

CSM will leverage the TBT Agreement to advocate for acceptance of IEC/IECEE-based certifications in markets that impose duplicative local testing requirements. Specifically:

1. If a country requires in-country testing despite CSM holding an IECEE CB Test Certificate, CSM may seek USTR (U.S. Trade Representative) assistance in raising the issue through the WTO TBT Committee.
2. CSM will participate in U.S. industry input to USTR for the annual National Trade Estimate (NTE) Report on Foreign Trade Barriers, which identifies standards-related barriers affecting U.S. exporters.
3. CSM will monitor TBT notifications from WTO members proposing new regulations that could affect CSM's products and submit comments through U.S. channels where appropriate.

VI. PRIORITY COUNTRY ROLLOUT SEQUENCE

Based on market size, regulatory accessibility, and Carrington risk exposure, CSM's international rollout sequence is:

Phase 1 (2027-2028): United States (Home Market) - UL certification, FCC compliance, ICC-ES evaluation, MIL-STD qualification - Launch products: DriveShield, ShieldCore pilot installations

Phase 2 (2028-2029): Canada, United Kingdom - Canada: Leverage U.S. UL certifications with minimal additional testing. Hydro One and BC Hydro as initial utility partners. - United Kingdom: UKCA marking with CE marking as bridge. National Grid as initial partner.

Phase 3 (2029-2030): European Union, Japan, Australia - EU: CE marking with CPR compliance for construction products. EMC Directive and Low Voltage Directive compliance for electronic products. - Japan: PSE certification. TEPCO/Kansai as initial partners. - Australia: RCM compliance. Leverage ICC/IECEE recognition.

Phase 4 (2030-2031): South Korea, India, China - South Korea: KC certification. KEPCO as initial partner. - India: BIS/CEA compliance. Partner-led market entry. - China: CCC certification. Joint venture / licensing partnership model.

Phase 5 (2031+): Brazil, MENA, Southeast Asia, Other Markets - Market development as manufacturing capacity and regulatory resources allow.

VII. INTERNATIONAL REGULATORY BUDGET

Region	Phase	Initial Certification Cost	Annual Maintenance	Timeline
Canada	2	\$75,000	\$12,000	2028-2029
United Kingdom	2	\$95,000	\$15,000	2028-2029
European Union	3	\$220,000	\$28,000	2029-2030
Japan	3	\$180,000	\$22,000	2029-2030
Australia	3	\$85,000	\$14,000	2029-2030
South Korea	4	\$140,000	\$18,000	2030-2031
India	4	\$110,000	\$15,000	2030-2031
China	4	\$250,000	\$35,000	2030-2031
Brazil	5	\$160,000	\$20,000	2031+
MENA	5	\$120,000	\$15,000	2031+

Total International Certification Budget (Phases 2-5): \$1,435,000 initial + \$194,000 annual ongoing.

Funding: Phase 2-3 international certification is included in the \$6.5M Series A regulatory budget. Phases 4-5 will be funded by Series B and/or product revenue.

END OF DOCUMENT — CSM-REG-06-v1.1