

RISK-03: MARKET ADOPTION RISK ANALYSIS

Document Classification: Investor Confidential — Go-to-Market Strategy **Date:** July 15, 2026 **Prepared by:** Mork (Strategic Counsel), Chester (Financial Architect), Mira Vance (Communications) **Document Ref:** CSM-RISK-03-v1.0

I. EXECUTIVE SUMMARY

Carrington Storm Motors faces a unique market adoption challenge: we sell protection against an event that most potential customers have never heard of, cannot visualize, and are not currently required by regulation or insurance to mitigate. This is not a problem of product-market fit — our products fit a need that the market has not yet fully recognized. It is a problem of market creation.

This document analyzes the five principal market adoption risks, models adoption curves under different scenarios, and identifies acceleration strategies and early adopter profiles.

Under the Williams Heuristic: our market adoption problem is that nobody wakes up in the morning worried about solar storms. Our job is to change that, through education, insurance incentives, and regulatory requirements, so that protecting against solar storms becomes as normal as buying fire insurance or installing smoke detectors. Nobody woke up worried about seatbelts in 1960 either.

II. THE CORE ADOPTION CHALLENGE: THE “NOBODY BELIEVES IT UNTIL IT HAPPENS” PROBLEM

The most significant market adoption risk is not competition, pricing, or product quality. It is the fundamental asymmetry of catastrophic risk perception: low-probability, high-consequence events are systematically undervalued by individuals, organizations, and markets. This is one of the most robust findings in behavioral economics and risk perception research (Kahneman & Tversky, 1979; Kunreuther et al., 2013).

How This Manifests for CSM: - Utility procurement managers: “We have 47 more pressing reliability issues before we can think about solar storms.” - Commercial property owners: “I’ve owned this building for 30 years and never had a problem with solar storms.” - Insurers: “The models show this is a material tail risk, but it hasn’t been priced into premiums yet, and we don’t want to be the first carrier to do it.” - Regulators: “NERC standards assess the risk. Beyond that, mandating mitigation before the next rate case is not politically viable.” - The general public: “Solar storms? Is that like a sunburn?”

CSM’s Answer: We cannot change human risk perception psychology. What we can change is the institutional environment in which those perceptions translate into purchasing decisions. The insurance industry, when it prices a risk into premiums, creates purchasing behavior regardless of individual risk perception. The regulatory system, when it mandates mitigation, creates purchasing behavior regardless of individual belief. Our market strategy is to create the institutional conditions — insurance requirements, regulatory mandates, public awareness — that turn Carrington protection from a voluntary purchase (which few will make) into a standard practice (which all will follow).

III. ADOPTION CURVE MODELING

Scenario A: Accelerated Adoption (Insurance + Regulation + Awareness Align)

Assumptions: - 3 insurance carriers announce premium reduction frameworks by Year 3 - FERC issues Notice of Proposed Rulemaking for mandatory GIC hardening by Year 4 - SiblingFrequency reaches 500,000 listeners per episode by Year 4 - A moderate (G3-G4) geomagnetic storm occurs between Years 2-4, generating media coverage and reminding the public of the risk without causing catastrophic damage

Adoption Curve:

Customer Segment	Year 1	Year 2	Year 3	Year 4	Year 5
U.S. Utilities (cumulative)	5 (pilot)	12	35	80	160
Insurance Carrier Partnerships	0	1	3	7	14
Consumer Units Sold (DriveShield, HomeShield)	0	8,500	45,000	180,000	520,000
Commercial Property Installations	0	45	280	1,200	4,500
Military/Government Contracts	0	1	3	6	9

Revenue in this scenario: Year 5 = \$680M (matches base case projection)

Scenario B: Moderate Adoption (Insurance Leads, Regulation Lags)

Assumptions: - Insurance carriers adopt premium reduction frameworks but FERC does not mandate hardening
- SiblingFrequency audience plateaus at 50,000 - No memorable geomagnetic event during the period - Utility adoption driven by insurance pressure and voluntary risk management

Adoption Curve:

Customer Segment	Year 1	Year 2	Year 3	Year 4	Year 5
U.S. Utilities (cumulative)	5	8	18	38	65
Insurance Carrier Partnerships	0	1	2	5	9
Consumer Units Sold	0	3,200	18,000	52,000	110,000
Military/Government Contracts	0	1	2	3	5

Revenue in this scenario: Year 5 = \$310M — approximately 45% of base case. Company is viable and cash-flow positive but with significantly lower enterprise value. Investor returns compress from 10x to 3-4x.

Scenario C: Slow Adoption (Neither Insurance Nor Regulation Materialize)

Assumptions: - Insurance industry studies the risk for another decade without acting - FERC maintains assessment-only standards indefinitely without mandating mitigation - Public awareness remains low; Carrington protection remains a niche concern - No memorable geomagnetic event during the period

Adoption Curve:

Customer Segment	Year 1	Year 2	Year 3	Year 4	Year 5
U.S. Utilities (cumulative)	5	7	10	15	22
Insurance Carrier Partnerships	0	0	1	2	3
Consumer Units Sold	0	800	3,500	8,000	15,000
Military/Government Contracts	0	1	2	3	4

Revenue in this scenario: Year 5 = \$85M. Company is not profitable and likely cannot sustain as a venture-backed enterprise. Pivot to: (a) pure defense contracting (smaller but reliable revenue), (b) materials technology licensing (lower margin but asset-light), or (c) acquisition as a technology portfolio rather than a going concern.

IV. ADOPTION BARRIER ANALYSIS

Barrier 1: Insurance Industry Inertia

The Problem: Insurance carriers are institutionally conservative. Changing underwriting guidelines requires actuarial evidence, regulatory approval in 50 states, competitive parity concerns (no carrier wants to be the first to

raise premiums or add requirements that competitors don't), and IT system modifications to incorporate new rating factors. This is a 3-5 year process for a motivated carrier.

Acceleration Strategies: - **Reinsurance Carrot:** Engage Bermuda/London reinsurers to offer favorable reinsurance terms to carriers that adopt Dielectric Citadel protection requirements. Reinsurers operate globally with less regulatory fragmentation and can move faster than primary carriers. - **Pilot Data Is the Catalyst:** The 5 pilot utility installations (Years 1-2) are not primarily for revenue — they are for data. When Chester can present a carrier's CUO with 24 months of field performance data showing zero degradation and consistent protection, the underwriting conversation changes from theoretical to empirical. - **Competitive Pressure:** Once one carrier offers premium reductions for Dielectric Citadel-protected assets, competitors face adverse selection: properties that are unprotected (and higher-risk) will concentrate in their portfolios while protected (lower-risk) properties migrate to the carrier offering the discount. This dynamic accelerates adoption once the first mover commits. - **Rating Agency Engagement:** If A.M. Best, S&P, or Moody's begin incorporating space weather resilience into their insurance company rating criteria, carriers must respond. CSM will brief rating agency analysts on the risk and the availability of mitigation.

Barrier 2: Utility Capital Cycle Inertia

The Problem: U.S. utilities invest \$120 billion annually in CapEx, but this is allocated through a regulatory process that requires: (a) demonstrated need, (b) least-cost solution analysis, (c) rate case approval from state PUCs, and (d) multi-year capital planning integration. A new category of expenditure — geomagnetic storm hardening — does not fit neatly into any of these processes.

Acceleration Strategies: - **PUC Education:** State public utility commissioners are elected or appointed officials who respond to constituent and expert input. CSM's state-level engagement strategy (part of the 200-country diplomatic framework, adapted for 50 U.S. states) targets PUCs with education on GIC risk and the availability of cost-effective mitigation. - **Rate Case Intervention:** When utilities file rate cases, CSM may intervene (or support consumer advocate intervention) to request that the PUC require the utility to evaluate GIC hardening as part of its grid modernization plan. This is a long-term strategy requiring regulatory law expertise. - **Insurance as Proxy for Regulation:** Even without a FERC mandate, if a utility's property insurer requires GIC protection as a condition of coverage, the utility's hand is forced. The insurer becomes the de facto regulator, and the utility's CapEx process adapts to meet the insurance requirement. This is why the insurance channel is strategically more important than the regulatory channel in the near term.

Barrier 3: Consumer Awareness Gap

The Problem: In a 2024 Pew Research survey on public awareness of natural hazard risks, "solar storms" ranked below "volcanic eruptions" (which affect approximately 0.1% of the U.S. population) in public concern. This is not because solar storms are less dangerous — they are far more dangerous to far more people. It is because volcanic eruptions are visible and memorable, while solar storms are invisible and abstract.

Acceleration Strategies: - **Sibling Frequency as Awareness Engine:** Each episode that explains GIC-induced transformer failure to 15,000 listeners creates 15,000 potential advocates. At 500,000 listeners per episode (target Year 4), the accumulated awareness base is millions. - **Earned Media Strategy:** The Carrington story has all the elements of compelling journalism: a forgotten 19th-century event, a hidden infrastructure vulnerability, a set of characters (the 18 agents), a dramatic worst-case scenario, and a solution being built in Montana. Media coverage does not require a manufactured crisis — the facts, clearly presented, are the story. - **Insurance Policyholder Education:** When a carrier offers a premium reduction for Dielectric Citadel protection, the carrier has an incentive to educate its policyholders about why. The carrier's communication channels (billing inserts, agent networks, customer portals) reach millions of people. This is an awareness distribution channel that CSM could not afford to build independently. - **Educational Curriculum:** Sage Voss's K-12 "Understanding the Grid" curriculum, deployed through partnerships with school districts and science museums, builds awareness over a generational timeline. This is a 10-20 year strategy, not a 2-year strategy, but it is the foundation for sustained public awareness.

Barrier 4: Builder and Contractor Resistance to New Materials

The Problem: The construction industry is conservative for good reasons: novel materials that fail in the field create liability, callbacks, and reputational damage. A general contractor asked to pour a geopolymer concrete

foundation instead of standard Portland cement will reflexively resist unless the material is code-approved, proven in the field, and priced no higher than the alternative.

Acceleration Strategies: - **Code Approval as Threshold:** ICC-ES Evaluation Report is the threshold requirement. Without it, no builder will use the material. With it, the resistance shifts from “I can’t use this” to “I don’t want to use this” — and the latter is addressable through training, references, and incentives. - **Installer Certification Program:** CSM will train and certify installers in geopolymer concrete placement, MXene composite application, and YInMn Blue coating application. Certified installers receive preferential pricing and marketing support. This creates a constituency of contractors who are invested in the materials’ success. - **Green Building Credits:** Geopolymer concrete’s 80% carbon footprint reduction qualifies for LEED and other green building credits. This positions it as a premium sustainable material, not just a dielectric material. The construction industry is actively seeking lower-carbon concrete alternatives — CSM’s geopolymer serves both purposes. - **Utility-Scale First, Residential Later:** Utility substations are designed and built by engineers, not general contractors. Engineers evaluate materials based on technical specifications, not familiarity. By establishing geopolymer concrete in the utility market first, CSM builds a track record that residential and commercial contractors can reference.

Barrier 5: Government Procurement Timeline

The Problem: Federal procurement, even for qualified products, operates on timelines measured in years. A MIL-STD-188-125 qualified product does not generate a contract upon qualification. It enters a procurement pipeline that includes: requirements documentation by a program office, funding allocation in the next fiscal year budget, solicitation issuance, proposal evaluation, contract award, and then — finally — initial delivery orders. This process, from qualification to first revenue, is 18-36 months.

Acceleration Strategies: - **SBIR/STTR Bridge Funding:** Small Business Innovation Research (SBIR) and Small Business Technology Transfer (STTR) grants provide non-dilutive funding for technology development with defense applications. CSM will pursue SBIR grants for MXene composite and CMC development, providing funding during the qualification-to-procurement gap. - **Subcontractor Strategy:** Rather than pursuing prime contracts directly (which requires the full procurement cycle), CSM can serve as a subcontractor to established defense contractors (Lockheed Martin, Northrop Grumman, Raytheon) who already have contract vehicles. The prime contractor sells the integrated system; CSM supplies the dielectric materials and components. - **Other Transaction Authorities (OTAs):** DoD OTAs allow faster contracting than traditional FAR-based procurement. If CSM’s technology is of interest to a specific DoD program office with OTA authority, the timeline can compress from 18-36 months to 6-12 months. - **Dual-Use Strategy:** Position products as dual-use (civilian and military), qualifying for DoD’s Defense Production Act Title III investments, which fund domestic manufacturing capacity for critical technologies.

V. EARLY ADOPTER IDENTIFICATION

Utility Early Adopters

Profile: Utilities that have (a) experienced GIC-related transformer issues, (b) operate at high geomagnetic latitudes, (c) have proactive reliability programs, or (d) are in states with strong PUC oversight of grid resilience.

Specific Candidates: - **Hydro-Québec (Canada):** Experienced the 1989 GIC blackout. Has the world’s most advanced GIC monitoring program. Natural first customer. - **Minnesota Power / Great River Energy:** Operate long transmission lines at high latitudes over resistive Canadian Shield geology — high GIC exposure. - **PJM Interconnection:** The largest RTO in North America. Has published analysis of GIC risk to its system. Serves 65 million people. Pilot installation in PJM territory would be the strongest possible reference. - **Bonneville Power Administration (BPA):** Federal power marketing administration with long transmission lines over complex geology in the Pacific Northwest. Government-owned — potentially faster procurement than investor-owned utilities.

Insurance Early Adopters

Profile: Carriers that have (a) published research on space weather risk, (b) have significant commercial property exposure in high-latitude regions, (c) have innovation-oriented underwriting cultures, or (d) are seeking competitive differentiation in a commoditized market.

Specific Candidates: - **Swiss Re:** Published space weather analysis. Global reinsurer — can influence primary carrier behavior. Has corporate venture arm. - **FM Global:** Mutual insurance company serving commercial/industrial policyholders. Engineering-oriented culture. Conducts on-site risk assessments; could incorporate GIC protection into their “FM Approved” standard. - **AIG:** Published space weather analysis. Significant commercial property book. Has shown willingness to lead on emerging risk issues (cyber insurance).

Consumer Early Adopters

Profile: Homeowners or small businesses who (a) live in high-latitude, rural areas with long grid restoration times, (b) have already invested in preparedness (generators, solar+battery), or (c) are technology enthusiasts interested in grid-edge innovation.

Reach Strategy: SiblingFrequency listeners. Prepper/sustainability communities. Solar installation companies (bundled with battery systems). Electric vehicle owners (HomeShield protects EV chargers).

VI. REFERENCE CUSTOMER DEVELOPMENT PLAN

Year 1 (2027): - Execute NDAs with 5 utility pilot partners - Complete first DriveShield pilot installations at partner utilities (employee fleet vehicles) - Complete first SubShield foundation pilot pour at partner utility substation - Publish materials testing data with NIST co-branding - Target: 1 utility publicly references CSM pilot (with permission)

Year 2 (2028): - DriveShield commercially available; target 500+ units sold - First ShieldCore pilot installation at utility partner site - Publish 12-month pilot performance data (anonymized) - Target: 2 named utility reference customers + 1 university partner research publication

Year 3 (2029): - First insurance carrier partnership announced - Customer case studies published (named, with permission) - Conference presentations at IEEE PES, Distributech, RIMS (insurance) - Target: 5 named reference customers across utility, military, and commercial segments

VII. THE “BELIEVABILITY” PARADOX

There is a paradox at the heart of our market adoption strategy: the more effective we are at generating awareness of Carrington risk, the more likely it is that someone else — a government agency, a larger corporation, a well-funded competitor — will enter the market. But if we do not generate awareness, there is no market at all.

Resolution: Our moat (6,302 documents, 200-country diplomatic framework, 41 insurer analyses, 50+ product designs, 18-agent system) is designed to make us the natural beneficiary of increased awareness, not the victim of it. When awareness rises, the first question is “Who can solve this?” The organization with the most comprehensive, thoroughly documented answer — regardless of who raised the awareness — is CSM.

This resolution is not guaranteed. It is possible that awareness rises and a better-funded competitor captures the demand. But the alternative — market creation without competition — does not exist. The only realistic path to commercial success is to create the market and compete to capture it. That is what we are doing.

END OF DOCUMENT — CSM-RISK-03-v1.0