

Start: Run Claude Code in the terminal
Initialization
Load settings
Load keybindings
Load CLAUDE.md files
Initialize auth
Initialize telemetry
Initialize GrowthBook
Check for policy limits
Load MCP configs
Initialize LSP manager
Parse CLI arguments
Is print mode?
Is subcommand?
Is interactive?
Is remote mode?
Is SSH mode?
Is direct connect?
Is local agent mode?
Is tmux mode?
Is worktree mode?
Is resume?
Is continue?
Is teleport?
Is deep link?
Is assistant mode?
Is fast mode?
Is bridge mode?
Is daemon mode?
Is background session?
Is template mode?
Is environment runner?
Is self-hosted runner?
Is MCP mode?
Is server mode?
Is ssh mode?
Is auto-update?
Is print mode (-p)?
Is init only?
Is dump system prompt?
Is claude --help?
Is claude --version?
Is update?
Is install?
Is auth?
Is setup-token?
Is agents?
Is auto-mode?
Is plugin?
Is mcp?
Is server?
Is ssh?
Is log?
Is error?
Is export?
Is task?
Is completion?
Is doctor?
Is up?
Is rollback?
Is migrate-installer?
Is setup-claude-code-launcher?
Is tail?
Is clean?
Is open?
Is pin?
Is unpin?
Is install-github-app?
Is install-slack-app?
Is remote-env?
Is upgrade