

Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented (Measure)

Definition:	Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated
Improvement Notation:	Higher score indicates better quality
Measurement Period:	January 1, 20XX through December 31, 20XX
Transmission Format:	TBD
Scoring:	Proportion
Type:	PROCESS
ID:	22
Version:	6
NQF:	Not Applicable
GUID:	9a033a94-3d9b-11e1-8634-00237d5bf174
Measure Set:	Preventive Care and Screening
Eligibility:	Eligible Professionals / Eligible Clinicians
Domain:	Community/Population Health

Population Criteria Section

Initial Population	AND: Age >= 18 year(s) at: "Measurement Period"
	AND: "Occurrence A of Encounter, Performed: BP Screening Encounter Codes" during "Measurement Period"
Denominator	AND: Initial Population
Denominator Exclusions	OR: "Diagnosis: Diagnosis of hypertension" starts before start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
Numerator	AND: Most Recent:
	"Occurrence A of Encounter, Performed: BP Screening Encounter Codes" satisfies all:
	overlaps "Physical Exam, Performed: Diastolic Blood Pressure (result)"
	overlaps "Physical Exam, Performed: Systolic Blood Pressure (result)"
	AND:
	OR:
	AND: "Physical Exam, Performed: Systolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result < 120 mmHg)
	AND: "Physical Exam, Performed: Diastolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result < 80 mmHg)
	OR:

	AND:
	OR:
	AND: "Physical Exam, Performed: Systolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result >= 120 mmHg)
	(result < 140 mmHg)
	AND: "Physical Exam, Performed: Diastolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result < 90 mmHg)
	OR:
	AND: "Physical Exam, Performed: Diastolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result >= 80 mmHg)
	(result < 90 mmHg)
	AND: "Physical Exam, Performed: Systolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result < 140 mmHg)
	AND:
	OR: "Intervention, Order: Referral to Alternative Provider / Primary Care Provider (reason: Finding of Hypertension)" <= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	OR:
	AND: \$HypertensionRecommendations <= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	AND: "Intervention, Order: Followup within one year (reason: Finding of Hypertension)" <= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	OR:
	AND:
	OR:
	AND NOT: "Physical Exam, Performed: Systolic Blood Pressure (result)" < 1 year(s) starts before start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"

	AND NOT: "Physical Exam, Performed: Diastolic Blood Pressure (result)" < 1 year(s) starts before start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	OR:
	AND: "Physical Exam, Performed: Systolic Blood Pressure" satisfies all:
	Most Recent: < 1 year(s) starts before start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result < 140 mmHg)
	AND: "Physical Exam, Performed: Diastolic Blood Pressure" satisfies all:
	Most Recent: < 1 year(s) starts before start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result < 90 mmHg)
	AND:
	OR: "Physical Exam, Performed: Systolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result >= 140 mmHg)
	OR: "Physical Exam, Performed: Diastolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result >= 90 mmHg)
	AND:
	OR: "Intervention, Order: Referral to Alternative Provider / Primary Care Provider (reason: Finding of Hypertension)" <= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	OR:
	AND: \$HypertensionRecommendations <= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	AND: "Intervention, Order: Followup within 4 weeks (reason: Finding of Hypertension)" <= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	OR:
	AND:
	OR: "Physical Exam, Performed: Systolic Blood Pressure" satisfies all:
	Most Recent: < 1 year(s) starts before start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result >= 140 mmHg)

	OR: "Physical Exam, Performed: Diastolic Blood Pressure" satisfies all:
	Most Recent: < 1 year(s) starts before start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result >= 90 mmHg)
	AND:
	OR: "Physical Exam, Performed: Systolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result >= 140 mmHg)
	OR: "Physical Exam, Performed: Diastolic Blood Pressure" satisfies all:
	Most Recent: during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	(result >= 90 mmHg)
	AND:
	OR: "Intervention, Order: Referral to Alternative Provider / Primary Care Provider (reason: Finding of Hypertension)" <= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	OR:
	AND: \$HypertensionRecommendations <= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	AND: Union of:
	"Medication, Order: Anti-Hypertensive Pharmacologic Therapy"
	"Laboratory Test, Order: Laboratory Tests for Hypertension"
	"Diagnostic Study, Order: ECG 12 lead or study order"
	<= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
Numerator Exclusions	None
Denominator Exceptions	OR: Union of:
	"Physical Exam, Performed not done: Medical or Other reason not done" for "Diastolic Blood Pressure"
	"Physical Exam, Performed not done: Patient Reason refused" for "Diastolic Blood Pressure"
	"Physical Exam, Performed not done: Medical or Other reason not done" for "Systolic Blood Pressure"
	"Physical Exam, Performed not done: Patient Reason refused" for "Systolic Blood Pressure"
	starts during "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
	OR: Union of:

	"Intervention, Order not done: Patient Reason refused" for "Referral to Alternative Provider / Primary Care Provider"
	"Intervention, Order not done: Patient Reason refused" for "Lifestyle Recommendation"
	"Intervention, Order not done: Patient Reason refused" for "Weight Reduction Recommended"
	"Intervention, Order not done: Patient Reason refused" for "Dietary Recommendations"
	"Intervention, Order not done: Patient Reason refused" for "Physical Activity Recommendation"
	"Intervention, Order not done: Patient Reason refused" for "Moderation of ETOH Consumption Recommendation"
	"Medication, Order not done: Patient Reason refused" for "Anti-Hypertensive Pharmacologic Therapy"
	"Laboratory Test, Order not done: Patient Reason refused" for "Laboratory Tests for Hypertension"
	"Diagnostic Study, Order not done: Patient Reason refused" for "ECG 12 lead or study order"
	<= 1 day(s) starts after or concurrent with start of "Occurrence A of Encounter, Performed: BP Screening Encounter Codes"
Stratification	None

Data Criteria (QDM Variables)

\$HypertensionRecommendations	Union of:
	"Intervention, Order: Lifestyle Recommendation"
	"Intervention, Order: Weight Reduction Recommended"
	"Intervention, Order: Dietary Recommendations"
	"Intervention, Order: Physical Activity Recommendation"
	"Intervention, Order: Moderation of ETOH Consumption Recommendation"

Value Set Disclaimer:	Access to the Value Set Authority Center requires a free Unified Medical Language System® Metathesaurus License. It is expected that any use of value sets is consistent with these licensing requirements and copyright protections. To access the 2014 CQMs' value sets in USHIK, you need to have a free Unified Medical Language System® Metathesaurus License and abide by its conditions.
-----------------------	---

Data Criteria

Category	Data Element	Value Set
----------	--------------	-----------

	Diagnosis: Diagnosis of hypertension	Value Set Name	Diagnosis of hypertension
		Value Set OID	2.16.840.1.113883.3.600.263
		Value Set Version	eCQM Update 2017-05-05
		ICD10CM	H35.039, I10, I11.0, I11.9, I12.0, I12.9, I13.0, I13.10, I13.11, I13.2, I15.0, I16.0, I16.1, I16.9, I67.4
		ICD9CM	401.1, 401.9, 402.01, 402.11, 402.91, 403.01, 403.11, 403.91, 404.01, 404.02, 404.03, 404.11, 404.12, 404.13, 404.91, 404.92, 404.93, 405.01, 405.11, 405.19, 405.91, 405.99
		SNOMEDCT	102932008, 10725009, 10964002, 1201005, 123799005, 123800009, 14973001, 170577003, 170578008, 170579000, 170586008, 185264001, 185716009, 185717000, 194783001, 194785008, 194788005, 194791005, 19769006, 23130000, 233815004, 233941006, 233942004, 233943009, 233944003, 233945002, 233946001, 234072000, 234073005, 234075003, 237279007, 270440008, 28119000, 288250001, 31992008, 34742003, 371125006, 371622005, 38341003, 39018007, 395050009, 397748008, 398254007, 401117004, 402832006, 4210003, 423674003, 428575007, 429198000, 429457004, 44772007, 46481004, 46764007, 48146000, 48194001, 52698002, 56218007, 57684003, 59621000, 59720008, 59997006, 65518004, 68267002, 70272006, 73410007, 74451002, 78975002, 81626002, 84094009, 8762007, 89242004
Diagnostic Study	Diagnostic Study, Order not done: Patient Reason refused	Value Set Name	Patient Reason refused
		Value Set OID	2.16.840.1.113883.3.600.791
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	105480006, 183944003, 183945002, 413310006, 413311005, 413312003
Diagnostic Study	Diagnostic Study, Order: ECG 12 lead or study order	Value Set Name	ECG 12 lead or study order
		Value Set OID	2.16.840.1.113883.3.600.2448
		Value Set Version	eCQM Update 2017-05-05
		LOINC	11524-6, 34534-8

Encounter	Encounter, Performed: BP Screening Encounter Codes	Value Set Name	BP Screening Encounter Codes
		Value Set OID	2.16.840.1.113883.3.600.1920
		Value Set Version	eCQM Update 2017-05-05
		HCPCS	G0101, G0402, G0438, G0439
		CPT	90791, 90792, 92002, 92004, 92012, 92014, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99281, 99282, 99283, 99284, 99285, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99385, 99386, 99387, 99395, 99396, 99397
		SNOMEDCT	103705002, 108220007, 108221006, 108224003, 12843005, 13607009, 14736009, 18170008, 185349003, 185463005, 185465003, 207195004, 209099002, 210098006, 270427003, 270430005, 30346009, 306677009, 308335008, 35025007, 37894004, 390906007, 406547006, 439708006, 4525004, 46662001, 50357006, 76464004, 78318003, 83607001, 86013001, 90526000
		CDT	D7140, D7210
Intervention	Intervention, Order not done: Patient Reason refused	Value Set Name	Patient Reason refused
		Value Set OID	2.16.840.1.113883.3.600.791
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	105480006, 183944003, 183945002, 413310006, 413311005, 413312003
Intervention	Intervention, Order: Dietary Recommendations	Value Set Name	Dietary Recommendations
		Value Set OID	2.16.840.1.113883.3.600.1515
		Value Set Version	eCQM Update 2017-05-05
		ICD10CM	Z71.3
		ICD9CM	V65.3
		HCPCS	S9452, S9470
		SNOMEDCT	103699006, 11816003, 182922004, 182954008, 182955009, 182956005, 182960008, 183061003, 183065007, 183070000, 183071001, 281085002, 284071006, 284352003, 304491008, 306163007, 361231003, 370847001, 386464006, 410114009, 410171007, 410177006, 410270001, 413315001, 418995006, 424753004, 443288003, 61310001

Intervention	Intervention, Order: Followup within 4 weeks	Value Set Name	Followup within 4 weeks
		Value Set OID	2.16.840.1.113883.3.600.1537
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	183617005, 183618000, 183619008, 183620002, 183621003, 183622005, 183623000
Intervention	Intervention, Order: Followup within one year	Value Set Name	Followup within one year
		Value Set OID	2.16.840.1.113883.3.600.1474
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	183617005, 183618000, 183619008, 183620002, 183621003, 183622005, 183623000, 183624006, 183625007, 183626008, 183627004, 183628009, 300042001
Intervention	Intervention, Order: Lifestyle Recommendation	Value Set Name	Lifestyle Recommendation
		Value Set OID	2.16.840.1.113883.3.600.1508
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	313204009, 39155009, 443402002
Intervention	Intervention, Order: Moderation of ETOH Consumption Recommendation	Value Set Name	Moderation of ETOH Consumption Recommendation
		Value Set OID	2.16.840.1.113883.3.600.823
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	24165007, 38670004, 390857005, 408947007, 413473000, 417096006, 431260004
Intervention	Intervention, Order: Physical Activity Recommendation	Value Set Name	Physical Activity Recommendation
		Value Set OID	2.16.840.1.113883.3.600.1518
		Value Set Version	eCQM Update 2017-05-05
		ICD9CM	V65.41
		HCPCS	S9451
		SNOMEDCT	281090004, 304507003, 304549008, 386291006, 386292004, 386373004, 386463000, 410289001
Intervention	Intervention, Order: Referral to Alternative Provider / Primary Care Provider	Value Set Name	Referral to Alternative Provider / Primary Care Provider
		Value Set OID	2.16.840.1.113883.3.600.1475
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	134403003, 183516009, 183561008, 183856001, 306206005, 306253008, 308470006

Intervention	Intervention, Order: Weight Reduction Recommended	Value Set Name	Weight Reduction Recommended
		Value Set OID	2.16.840.1.113883.3.600.1510
		Value Set Version	eCQM Update 2017-05-05
		HCPCS	S9449
		SNOMEDCT	170795002, 266724001, 268523001, 408289007, 410200000
Laboratory Test	Laboratory Test, Order not done: Patient Reason refused	Value Set Name	Patient Reason refused
		Value Set OID	2.16.840.1.113883.3.600.791
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	105480006, 183944003, 183945002, 413310006, 413311005, 413312003
Laboratory Test	Laboratory Test, Order: Laboratory Tests for Hypertension	Value Set Name	Laboratory Tests for Hypertension
		Value Set OID	2.16.840.1.113883.3.600.1482
		Value Set Version	eCQM Update 2017-05-05
		LOINC	24320-4, 24321-2, 24323-8, 24356-8, 24357-6, 24362-6, 2888-6, 57021-8, 57782-5, 58410-2
Medication	Medication, Order not done: Patient Reason refused	Value Set Name	Patient Reason refused
		Value Set OID	2.16.840.1.113883.3.600.791
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	105480006, 183944003, 183945002, 413310006, 413311005, 413312003

Medication	Medication, Order: Anti-Hypertensive Pharmacologic Therapy	Value Set Name	Anti-Hypertensive Pharmacologic Therapy
		Value Set OID	2.16.840.1.113883.3.600.1476
		Value Set Version	eCQM Update 2017-05-05

		RXNORM 1000001, 1009220, 1009247, 1009315, 1009320, 1011710, 1011713, 1011718, 1011729, 1011736, 1011739, 1011750, 1011753, 1013930, 1013937, 104222, 104308, 1050798, 1050803, 1050806, 1050809, 1050812, 1087322, 1091646, 1091652, 1092566, 1100691, 1191185, 1233709, 1234256, 1235144, 1235151, 1297753, 1297757, 1299859, 1299871, 1299890, 1299896, 1299897, 152916, 153822, 153823, 1665057, 1719286, 1719290, 1729200, 1729205, 1729521, 1729527, 1736541, 1736546, 1790239, 1790245, 1791229, 1791232, 1791233, 1791240, 197361, 197379, 197380, 197381, 197382, 197383, 197417, 197418, 197419, 197436, 197437, 197438, 197439, 197475, 197476, 197497, 197498, 197499, 197500, 197625, 197626, 197627, 197628, 197730, 197731, 197732, 197745, 197746, 197770, 197788, 197815, 197816, 197848, 197849, 197884, 197885, 197886, 197887, 197951, 197954, 197960, 197963, 197977, 197978, 197979, 197986, 197987, 198000, 198001, 198005, 198006, 198007, 198008, 198032, 198033, 198034, 198035, 198036, 198037, 198104, 198105, 198110, 198111, 198112, 198141, 198188, 198189, 198222, 198223, 198224, 198225, 198284, 198285, 198286, 198312, 198313, 198314, 198316, 198369, 198370, 198371, 198372, 199277, 199329, 199351, 199352, 199353, 199610, 199622, 199717, 199757, 199776, 199782, 199783, 199816, 199817, 199850, 199903, 199919, 200031, 200032, 200033, 200094, 200095, 200096, 200284, 200285, 205304, 205305, 205326, 205364, 245283, 245284, 245854, 245855, 247516, 249851, 251856, 260376, 261962, 282486, 282755, 283316, 283317, 308135, 308136, 308614, 308700, 308701, 308962, 308963, 308964, 309198, 310139, 310140, 310429, 310664, 310792, 310793, 310796, 310797, 310798, 310809, 310811, 310812, 310818, 311353, 311354, 311671, 311983, 311984, 311985, 312481, 312482, 312483, 312593, 312594, 312748, 312749, 312750, 313096, 313215, 313217, 313219, 313988, 314076, 314077, 314132, 314203, 317173, 349199, 349200, 349201, 349353, 349373, 349401, 349405, 349483, 351292, 351293, 360344, 387013, 391980, 401965, 401968, 402695, 402696, 402698, 403853, 403854, 403855, 404011, 404013, 411434, 429503, 477130, 484152, 485471,
--	--	--

		411434, 429503, 477130, 484152, 485471, 562518, 562520, 577776, 578325, 578330, 597967, 597971, 597974, 597977, 597980, 597984, 597987, 597990, 597993, 636042, 636045, 636360, 636361, 639537, 686924, 722126, 722131, 722134, 722137, 727574, 727575, 730861, 730866, 730869, 730872, 751612, 751618, 763519, 763574, 763589, 790489, 802749, 830795, 830801, 830837, 830845, 830861, 830865, 830869, 830872, 830874, 830877, 830879, 830882, 830897, 830900, 831054, 831102, 831103, 831359, 833217, 845488, 848131, 848135, 848140, 848145, 848151, 854901, 854905, 854908, 854916, 854919, 854925, 854984, 854988, 856422, 856429, 856448, 856457, 856460, 856481, 856519, 856535, 856556, 856569, 856578, 856713, 856724, 856733, 857166, 857169, 857174, 857183, 857187, 858580, 858587, 858593, 858599, 858603, 858607, 858613, 858616, 858618, 858621, 858804, 858810, 858813, 858817, 858824, 858828, 858921, 860510, 860516, 860522, 860532, 861402, 862006, 862013, 862019, 862025, 866412, 866419, 866427, 866436, 866452, 866461, 866472, 866479, 866482, 866491, 866508, 866511, 866514, 866924, 876514, 876519, 876524, 876529, 884173, 884185, 884189, 884192, 884198, 884203, 884221, 884225, 885878, 885880, 892791, 896758, 896762, 896766, 896983, 896987, 897584, 897590, 897596, 897612, 897618, 897624, 897630, 897640, 897646, 897649, 897666, 897683, 897719, 897722, 897781, 897783, 897844, 897853, 898316, 898342, 898346, 898350, 898353, 898356, 898359, 898362, 898367, 898372, 898378, 898687, 898690, 898719, 898723, 901438, 904561, 904567, 904579, 904589, 904601, 904630, 905199, 905222, 905225, 905353, 905377, 905395, 966571, 977880, 977883, 977959, 978577, 978581, 979432, 979464, 979468, 979471, 979480, 979485, 979492, 998675, 998679, 998685, 998689, 998693, 998694, 998695, 999967, 999986, 999991, 999996	
Physical Exam	Physical Exam, Performed not done: Medical or Other reason not done	Value Set Name	Medical or Other reason not done
		Value Set OID	2.16.840.1.113883.3.600.1.1502
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	183932001, 397745006, 407563006, 428119001

Physical Exam	Physical Exam, Performed not done: Patient Reason refused	Value Set Name	Patient Reason refused
		Value Set OID	2.16.840.1.113883.3.600.791
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	105480006, 183944003, 183945002, 413310006, 413311005, 413312003
Physical Exam	Physical Exam, Performed: Diastolic Blood Pressure	Value Set Name	Diastolic Blood Pressure
		Value Set OID	2.16.840.1.113883.3.526.3.1033
		Value Set Version	eCQM Update 2017-05-05
		LOINC	8462-4
Physical Exam	Physical Exam, Performed: Systolic Blood Pressure	Value Set Name	Systolic Blood Pressure
		Value Set OID	2.16.840.1.113883.3.526.3.1032
		Value Set Version	eCQM Update 2017-05-05
		LOINC	8480-6
	Reason: Finding of Hypertension	Value Set Name	Finding of Hypertension
		Value Set OID	2.16.840.1.113883.3.600.2395
		Value Set Version	eCQM Update 2017-05-05
		SNOMEDCT	198941007, 31992008, 38341003, 443482000, 48146000, 48194001, 56218007, 62275004

Supplemental Data Elements

Category	Data Element	Value Set	
Characteristics (patient or provider)	Patient Characteristic Ethnicity: Ethnicity	Value Set Name	Ethnicity
		Value Set OID	2.16.840.1.114222.4.11.837
		Value Set Version	eCQM Update 2017-05-05
		CDCREC	2135-2, 2186-5

Characteristics (patient or provider)	Patient Characteristic Payer: Payer	Value Set Name	Payer
		Value Set OID	2.16.840.1.114222.4.11.3591
		Value Set Version	eCQM Update 2017-05-05
		SOP	1, 11, 111, 112, 113, 119, 12, 121, 122, 123, 129, 13, 14, 19, 191, 2, 21, 211, 212, 213, 219, 22, 23, 24, 25, 26, 29, 291, 3, 31, 311, 3111, 3112, 3113, 3114, 3115, 3116, 3119, 312, 3121, 3122, 3123, 313, 32, 321, 3211, 3212, 32121, 32122, 32123, 32124, 32125, 32126, 322, 3221, 3222, 3223, 3229, 33, 331, 332, 333, 334, 34, 341, 342, 343, 349, 35, 36, 361, 362, 369, 37, 371, 3711, 3712, 3713, 372, 379, 38, 381, 3811, 3812, 3813, 3819, 382, 389, 39, 4, 41, 42, 43, 44, 5, 51, 511, 512, 513, 514, 515, 516, 519, 52, 521, 522, 523, 529, 53, 54, 55, 56, 561, 562, 59, 6, 61, 611, 612, 613, 619, 62, 63, 64, 69, 7, 71, 72, 73, 79, 8, 81, 82, 821, 822, 823, 83, 84, 85, 89, 9, 91, 92, 93, 94, 95, 951, 953, 954, 959, 96, 97, 98, 99, 9999
Characteristics (patient or provider)	Patient Characteristic Race: Race	Value Set Name	Race
		Value Set OID	2.16.840.1.114222.4.11.836
		Value Set Version	eCQM Update 2017-05-05
		CDCREC	1002-5, 2028-9, 2054-5, 2076-8, 2106-3, 2131-1
Characteristics (patient or provider)	Patient Characteristic Sex: ONC Administrative Sex	Value Set Name	ONC Administrative Sex
		Value Set OID	2.16.840.1.113762.1.4.1
		Value Set Version	eCQM Update 2017-05-05
		AdministrativeGender	F, M

Metadata

Measure Steward:	Centers for Medicare & Medicaid Services (CMS)
Measure Developer:	Quality Insights
Endorsed By:	None

Copyright:	Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. Quality Insights, Inc. disclaims all liability for use or accuracy of any Current Procedural Terminology (CPT [R]) or other coding contained in the specifications. CPT (R) contained in the Measure specifications is copyright 2007-2016 American Medical Association. LOINC (R) copyright 2004-2016 [2.56] Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms (R) (SNOMED CT [R]) copyright 2004-2016 [2016-09] International Health Terminology Standards Development Organization. All Rights Reserved. Due to technical limitations, registered trademarks are indicated by (R) or [R] and unregistered trademarks are indicated by (TM) or [TM].
Disclaimer:	These performance measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications. THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.
Stratification:	None
Risk Adjustment:	None
Rate Aggregation:	None

Rationale:	Hypertension is a prevalent condition that affects approximately 66.9 million people in the United States. It is estimated that about 20-40% of the adult population has hypertension; the majority of people over age 65 have a hypertension diagnosis (Appleton SL, et. al., 2012 and Luehr D, et. al., 2012). Winter (2013) noted that 1 in 3 American adults have hypertension and the lifetime risk of developing hypertension is 90% (Winter KH, et. al., 2013). The African American population or non-Hispanic Blacks, the elderly, diabetics and those with chronic kidney disease are at increased risk of stroke, myocardial infarction and renal disease. Non-Hispanic Blacks have the highest prevalence at 38.6% (Winter KH, et. al., 2013). Hypertension is a major risk factor for ischemic heart disease, left ventricular hypertrophy, renal failure, stroke and dementia (Luehr D, et. al., 2012). Hypertension is the most common reason for adult office visits other than pregnancy. Garrison (2013) stated that in 2007, 42 million ambulatory visits were attributed to hypertension (Garrison GM and Oberhelman S, 2013). It also has the highest utilization of prescription drugs. Numerous resources and treatment options are available, yet only about 40-50% of the hypertensive patients have their blood pressure under control (<140/90) (Appleton SL, et. al., 2012, Luehr D, et. al., 2012). In addition to medication non-compliance, poor outcomes are also attributed to poor adherence to lifestyle changes such as a low-sodium diet, weight loss, increased exercise and limiting alcohol intake. Many adults find it difficult to continue medications and lifestyle changes when they are asymptomatic. Symptoms of elevated blood pressure usually do not occur until secondary problems arise such as with vascular diseases (myocardial infarction, stroke, heart failure and renal insufficiency) (Luehr D, et. al., 2012). Appropriate follow-up after blood pressure measurement is a pivotal component in preventing the progression of hypertension and the development of heart disease. Detection of marginally or fully elevated blood pressure by a specialty clinician warrants referral to a provider familiar with the management of hypertension and prehypertension. The 2010 ACCF/AHA Guideline for the Assessment of Cardiovascular Risk in Asymptomatic Adults continues to support using a global risk score such as the Framingham Risk Score, to assess risk of coronary heart disease (CHD) in all asymptomatic adults (Greenland P, et. al., 2010). Lifestyle modifications have demonstrated effectiveness in lowering blood pressure (JNC 7, 2003). The synergistic effect of several lifestyle modifications results in greater benefits than a single modification alone. Baseline diagnostic/laboratory testing establishes if a co-existing underlying condition is the etiology of hypertension and evaluates if end organ damage from hypertension has already occurred. Landmark trials such as ALLHAT have repeatedly proven the efficacy of pharmacologic therapy to control blood pressure and reduce the complications of hypertension. Follow-up intervals based on blood pressure control have been established by the JNC 7 and the USPSTF.
Clinical Recommendation Statement:	The U.S. Preventive Services Task Force (USPSTF) recommends screening for high blood pressure in adults age 18 years and older. This is a grade A recommendation.
Reference:	Appleton SL, Neo C, Hill C L, Douglas K A & Adams R J (2012). Untreated hypertension: prevalence and patient factors and beliefs associated with under-treatment in a population sample. Journal of Human Hypertension, advance online publication December 13, 2012.
Reference:	Garrison GM & Oberhelman S (2013). Screening for hypertension annually compared with current practice. Annals of Family Medicine, 11 (2), 116-121.

Reference:	Luehr D, Woolley T, Burke R, Dohmen F, Hayes R, Johnson M, Kerandi H, Margolis K, Marshall M, O'Connor P, Pereira C, Reddy G, Schlichte A & Schoenleber M (2012). Hypertension diagnosis and treatment; Institute for Clinical Systems Improvement health care guideline. Updated November, 2012.
Reference:	U.S. Preventive Services Task Force (USPSTF) (2007). Screening for high blood pressure: U.S. Preventive Services Task Force reaffirmation recommendation statement. Annals of Internal Medicine; 147(11):783-6
Reference:	U.S. Department of Health and Human Services, National Institutes of Health, National Heart, Lung, and Blood Institute & National High Blood Pressure Education Program (2003). The Seventh Report of the Joint National Committee on the Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (JNC-7). NIH Publication No. 03-5233
Reference:	Winter K H, Tuttle L A & Viera A J (2013). Hypertension. Prim Care Clin Office Pract, 40, 179-194.

Definition:	Blood Pressure (BP) Classification: BP is defined by four (4) BP reading classifications: Normal, Pre-Hypertensive, First Hypertensive, and Second Hypertensive Readings Recommended BP Follow-Up: The Joint National Committee on the Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (JNC 7) recommends BP screening intervals, lifestyle modifications and interventions based on the current BP reading as listed in the "Recommended Blood Pressure Follow-Up Interventions" listed below Recommended Lifestyle Modifications: The JNC 7 report outlines lifestyle modifications which must include one or more of the following as indicated: * Weight Reduction * Dietary Approaches to Stop Hypertension (DASH) Eating Plan * Dietary Sodium Restriction * Increased Physical Activity * Moderation in alcohol (ETOH) Consumption Second Hypertensive Reading: Requires a BP reading of Systolic BP ≥ 140 mmHg OR Diastolic BP ≥ 90 mmHg during the current encounter AND a most recent BP reading within the last 12 months Systolic BP ≥ 140 mmHg OR Diastolic BP ≥ 90 mmHg Second Hypertensive Reading BP Interventions: The JNC 7 report outlines BP follow-up interventions for a second hypertensive BP reading and must include one or more of the following as indicated: * Anti-Hypertensive Pharmacologic Therapy * Laboratory Tests * Electrocardiogram (ECG) Recommended Blood Pressure Follow-Up Interventions: * Normal BP: No follow-up required for Systolic BP < 120 mmHg AND Diastolic BP < 80 mmHg * Pre-Hypertensive BP: Follow-up with rescreen every year with systolic BP of 120-139 mmHg OR diastolic BP of 80-89 mmHg AND recommend lifestyle modifications OR referral to Alternative/Primary Care Provider * First Hypertensive BP Reading: Patients with one elevated reading of systolic BP ≥ 140 mmHg OR diastolic BP ≥ 90 mmHg: * Follow-up with rescreen > 1 day and < 4 weeks AND recommend lifestyle modifications OR referral to Alternative/Primary Care Provider * Second Hypertensive BP Reading: Patients with second elevated reading of systolic BP ≥ 140 mmHg OR diastolic BP ≥ 90 mmHg: * Follow-up with Recommended lifestyle recommendations AND one or more of the Second Hypertensive Reading Interventions OR referral to Alternative/Primary Care Provider
-------------	--

Guidance:	Both the systolic and diastolic blood pressure measurements are required for inclusion. If there are multiple blood pressures on the same date of service, use the most recent as the representative blood pressure. Eligible professionals or eligible clinicians who report the measure must perform the blood pressure screening at the time of a qualifying visit by an eligible professional or eligible clinician and may not obtain measurements from external sources. The intent of this measure is to screen patients for high blood pressure and provide recommended follow-up as indicated. The documented follow-up plan must be related to the current BP reading as indicated, example: "Patient referred to primary care provider for BP management."
Measure Population:	
Measure Observations:	
Supplemental Data Elements:	For every patient evaluated by this measure also identify payer, race, ethnicity and sex