



DOC 44
PQRS Implementation

Requirements and Specifications Document

Priority	High
Classification Level	3
Document Version	1.0
Creation Date	July 04, 2016
Author	Taimur Shan
Initiator	In House
Status	Final
Approver	Moeen Haq

Review History

DATE	DESCRIPTION	DONE BY
06-20-2016	Mock Ups Design	Taimur Shan
06-28-2016	Review	Moeen Haq
07-11-2016	Draft	Taimur Shan

Table of Contents


1. BUSINESS PURPOSE	3
2. PROCESS FLOW DIAGRAM	3
3. REQUIREMENTS	3
3.1. DATA CAPTURE FUNCTIONALITY	3
3.2. EXPORT FUNCTIONALITY	3
3.3. CALCULATION FUNCTIONALITY	3
3.4. REPORTING FUNCTIONALITY	4
4. IMPACT ANALYSIS	4
4.1. ADDING TIN IN PROVIDER PROFILE	4
4.2. USER SECURITY	4
4.2.1. USER SECURITY ROLES	5
4.3. PQRS SETTINGS	7
4.4. PQRS REPORTING	16
5. ERROR HANDLERS	31
6. NOTES	31
7. REFERENCES	33

1. Business Purpose

The business purpose of this document is twofold:

- i) Implement Physician Quality Reporting System (PQRS) in our EHR. The component will possess the capacity to calculate the analytics based on the PQRS measures adopted by our individual EPs or GRPO and display them on a dashboard accordingly.
- ii) Additionally, it will be able to export QRDA I and III files for CMS submission.

2. Process Flow Diagram



Quality Reporting Process

3. Requirements

3.1. Data Capture Functionality

Using standard format capture the necessary clinical data by applying different PQRS measure based logics.

3.2. Export Functionality

EHRs export the appropriate data to include in individual patient level QRDA Category I reports. When pooled and analyzed, each report contributes the quality data necessary to calculate population measure metrics for QRDA Category III reports. Both the reports can be transmitted directly to quality measurement organizations (such as CMS) that request the submission of raw patient data.

3.3. Calculation Functionality

Inherent in this step of the end-to-end quality reporting processes is the capability of the end user to validate the data and ensure the consistency of the measure calculations. Calculation engines are

informed by eMeasures, the Healthcare Quality Measure Format (HQMF) representation of the eCQM. QRDA Category I reports, calculate results based on the criteria defined by an eMeasure specification, and produce a corresponding report.

QRDA Category I (individual patient) reports, calculate the aggregate results, and transmit the data using a QRDA Category III (aggregate) report.


3.4. Reporting Functionality

QRDA reports communicate clinical information between senders and recipients of quality measurement data. The data contained in a QRDA report represents CQM data in a standard format that can be automatically consumed and operated on by recipient databases. QRDA Category III reports contain aggregate PQRS data from individual patient data in QRDA Category I reports.

4. Impact Analysis

4.1. Adding TIN in Provider Profile

- User navigates to Admin > Security > Provider.
- A new field TIN has been added to enable the providers to mention their TIN if they have any.



The screenshot shows the 'Provider' profile form in the MDVISION system. The form includes fields for personal and professional information. The TIN (Taxpayer Identification Number) field is highlighted with a red box. Below the form is a table for 'Provider License Information'.

Action	State	License

Showing 1 to 1 of 1 Record(s)
[Add Line Item](#)


Screen 1: Admin > Security > Provider > TIN

Note: TIN is crucial for GPRO submission.

User Security

- User navigates to Admin > Security > User.
- Clicks on “Add” button or edits an existing user. “User” popup will be displayed.
- User selects ‘Clinical Reports’ in the Module section.
- A new option “PQRS” will be added in the “Forms” column with ‘Individual Reporting’ and ‘GPRO Submission’ as sub options.

- By default the newly added check box “PQRS” and its sub options will be unchecked.




The screenshot displays the MDVISION user management interface. A modal window titled 'Add/Edit User Roles' is open, showing the configuration for a user named 'MDV'. The modal includes fields for user details (Entity, Telephone, Automatic Log-off, Direct Address, Default Provider, Email, User Role, Emergency Access Role) and a 'Save' button. Below these fields, there are checkboxes for 'Active' and 'RCopial User', and input fields for 'User Type', 'User Name', 'Password', and 'Signature Password'. The 'Additional User Roles' section is divided into three columns: 'Modules', 'Forms', and 'Privileges'. In the 'Forms' column, 'PQRS' is selected, and its sub-options 'Individual Reporting' and 'GPRO Submission' are also selected. The 'Privileges' column shows a list of permissions with checkboxes.

Screen 2: Admin > Security > User > Add/Edit User Roles > Clinical Reports > PQRS


4.1.1. User Security Roles

- User navigates to Admin > Security > Security Roles.
- Adds/Edit's a user security role.
- Selects 'Clinical Reports' in the Module section.
- A new option “PQRS” will be added in the “Forms” column with 'Individual Reporting' and 'GPRO Submission' as sub options.
- By default the newly added check box “PQRS” and its sub options will be unchecked.




Screen 3: Admin > Security > Security Roles > Add/Edit User Security Roles > Clinical Reports > PQRS

- User navigates to Admin > Security > Security Roles.
- Adds/Edit's a user security role.
- Selects 'Admin' in the Module section.
- A new option "PQRS" will be added in the "Forms" column with 'Individual Reporting' and 'GPRO Submission' as sub options.
- By default the newly added check box "PQRS" and its sub options will be unchecked.



Screen 4: Admin > Security > Security Roles > Add/Edit User Security Roles > Admin > PQRS


- Once all these options are enabled, A new option PQRS will be added to the Admin menu as shown below:



Screen 5: Admin > Clinical > PQRS

4.2. PQRS Settings

- User navigates to Admin > PQRS
- He will be able to set his preferences for both Individual Reporting and GPRO.
- Clicking 'Measure Groups' will open the screen 6 as shown below.
- He can search a group by 'Name' of the group, any provider that will be a part of the group or its active/inactive status.
- User will be able to filter Active/Inactive groups by using the toggle button.
- User will be able to see the name of the group members by collapsing it using the  icon.



The screenshot shows the 'PQRS' section of the 'Admin' menu. The 'Measure Groups' tab is selected. The interface includes a search bar with fields for 'Name', 'Provider', and 'Active' (set to 'Active'). Below the search bar is a toggle switch for 'Inactive' (off) and 'Active' (on). A table lists the measure groups:

Action	Name	Created
  	SOVEREIGN HEALTH GROUP (50) (Adam Smith, Grant Mary, Calvin Klein, Graham Colton, Jerry Park, Mark Wilson, Nicole Brown, Paula Anderson, James Tim, Adam Smith, Grant Mary, Calvin Klein, Graham Colton, Jerry Park, Mark Wilson, Nicole Brown, Paula Anderson, James Tim, Adam Smith, Grant Mary, Calvin Klein, Graham Colton, Jerry Park, Mark Wilson, Nicole Brown, Paula Anderson, James Tim)	10/06/2016
  	ONCOLOGISTS (25)	10/06/2016
  	NURSE PRACTITIONERS (25)	10/06/2016
  	PHYSICIAN ASSISTANTS (25)	10/06/2016

Screen 6: Admin > PQRS > Measure Groups

- Clicking 'Add' will open the screen as shown below.
- User will have to enter group's name, select a submission year, select practices, and add member providers and specialties of all the providers.
- System will show all the measures available to the user here so that he can select the measures of his own choice.
- User will be able to filter measures based on Measure ID, Measure Description and NQS Domain.
- Clicking the information icon in front of every measure will show the CMS specification document of that particular measure in a box.
- Clicking 'Reset' will reset the information provided in the fields and will unselect the measures selected.
- User can inactivate the group by using the 'Active' checkbox. By default it will be set to 'Active'.

Add Group ✕

☒ Active

Name *

Submission Year *

- Select -

Practice *

- Select -

Member Providers *

- Select -

Specialties *

- Select -

Reset

Save

☐	Measure ID	Measure	NQS Domain	Display CMS Specification
☐	001	Diabetes: Hemoglobin A1c Poor Control	Effective Clinical Care	i
☐	006	Coronary Artery Disease (CAD): Antiplatelet Therapy	Effective Clinical Care	i
☐	007	Coronary Artery Disease (CAD): Beta-Blocker Therapy - Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%)	Effective Clinical Care	i
☐	008	Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)	Effective Clinical Care	i
☐	039	Screening for Osteoporosis for Women Aged 65-85 Years of Age	Effective Clinical Care	i
☐	006	Coronary Artery Disease (CAD): Antiplatelet Therapy	Effective Clinical Care	i
☐	007	Coronary Artery Disease (CAD): Beta-Blocker Therapy - Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%)	Effective Clinical Care	i
☐	008	Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)	Effective Clinical Care	i
☐	039	Screening for Osteoporosis for Women Aged 65-85 Years of Age	Effective Clinical Care	i
☐	006	Coronary Artery Disease (CAD): Antiplatelet Therapy	Effective Clinical Care	i
☐	007	Coronary Artery Disease (CAD): Beta-Blocker Therapy - Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%)	Effective Clinical Care	i
☐	008	Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)	Effective Clinical Care	i
☐	039	Screening for Osteoporosis for Women Aged 65-85 Years of Age	Effective Clinical Care	i
☐	008	Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)	Effective Clinical Care	i
☐	039	Screening for Osteoporosis for Women Aged 65-85 Years of Age	Effective Clinical Care	i

Showing 1 to 1 of 1 Record(s)

1

Screen 7: Admin > PQRS > Measure Groups > Add

Note: Please refer to the References section at the end of the document to see the list of measures that need to be developed and displayed here for now. The list could be revised and addition/deletion of any measures is quite a possibility in future.

Business Rule 1

Practice, Member Provider and Specialties will be multi selection dropdowns.

Business Rule 2

At least 2 providers should be added in a group else the system will not allow to create a group.

Business Rule 3

Only those providers will be listed down in the 'Member Providers' dropdown who have mentioned both NPI and TIN values in their respective provider profiles.

- If user clicks on  icon mentioned in front of any measure, the CMS specifications for respective measure will be opened and displayed in a new window as shown in the screen below:

CMS Specification Document ✕



Measure #1 (NQF 0059): Diabetes: Hemoglobin A1c Poor Control – National Quality Strategy
Domain: Effective Clinical Care

2016 PQRS OPTIONS FOR INDIVIDUAL MEASURES:
CLAIMS, REGISTRY

DESCRIPTION:
 Percentage of patients 18-75 years of age with diabetes who had hemoglobin A1c > 9.0% during the measurement period

INSTRUCTIONS:
 This measure is to be reported a minimum of **once per reporting period** for patients with diabetes seen during the reporting period. The most recent quality-data code submitted will be used for performance calculation. This measure may be reported by clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

Measure Reporting via Claims:
 ICD-10-CM diagnosis codes, CPT or HCPCS codes, and patient demographics are used to identify patients who are included in the measure's denominator. CPT Category II codes are used to report the numerator of the measure.

When reporting the measure via claims, submit the listed ICD-10-CM diagnosis codes, CPT or HCPCS codes, and the appropriate CPT Category II code OR the CPT Category II code with the modifier. The reporting modifier allowed for this measure is: 8P- reason not otherwise specified. There are no allowable performance exclusions for this measure. All measure-specific coding should be reported on the claim(s) representing the eligible encounter.

Measure Reporting via Registry:
 ICD-10-CM diagnosis codes, CPT codes or HCPCS codes and patient demographics are used to identify patients who are included in the measure's denominator. The listed numerator options are used to report the numerator of the measure.

The quality-data codes listed do not need to be submitted for registry-based submissions; however, these codes may be submitted for those registries that utilize claims data. There are no allowable performance exclusions for this measure.

DENOMINATOR:
 Patients 18 - 75 years of age with diabetes with a visit during the measurement period


Denominator Criteria (Eligible Cases):
 Patients 18 through 75 years of age on date of encounter
AND
Diagnosis for diabetes (ICD-10-CM): E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36, E13.39, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9, O24.011, O24.012, O24.013, O24.019, O24.02, O24.03, O24.111, O24.112, O24.113, O24.119, O24.12, O24.13,

Version 10.0
11/17/2015

CPT only copyright 2015 American Medical Association. All rights reserved.
Page 1 of 7

Screen 8: Admin > PQRS > Measure Groups > Add/Edit > Display CMS Specification

- User navigates to Admin > PQRS > Individual Reporting
- He will land on the following screen.
- User will be able to search providers who have opted for individual reporting based on their name, specialty and active/inactive status.
- User will be able to filter Active/Inactive providers by using the toggle button. By default it will be set to 'Active'.



The screenshot shows the MDVISION Admin > PQRS > Individual Reporting screen. The interface includes a sidebar with navigation options, a top navigation bar, and a main content area with search filters and a table of providers.

Search Provider

Provider: Specialty: Active:

Inactive ☒ Active ☐

Action	Provider	Specialty	Created
☒ ☐	MICHAEL	Oncology	10/06/2016
☒ ☐	GARY	Oncology	10/06/2016
☒ ☐	ADAM	Oncology	10/06/2016
☒ ☐	SMITH	Oncology	10/06/2016
☒ ☐	TEMPER	Oncology	10/06/2016
☒ ☐	MIKEL	Oncology	10/06/2016
☒ ☐	PAUL	Oncology	10/06/2016

Screen 9: Admin > PQRS > Individual Reporting

- Clicking on Add/edit will allow the user to set measures that he wants to report as an individual provider.
- User will have to select a submission year, select multiple practices if he wants to, and select a provider and his specialty from the drop down lists.
- System will show all the measures available to the user here so that he can select the measures of his own choice.
- User will be able to filter measures based on Measure ID, Measure Description and NQS Domain.
- Clicking the information icon in front of every measure will show the CMS specification document of that particular measure in a separate window.
- Clicking 'Reset' will reset the information provided in the fields and will unselect the measures selected.
- User can inactivate the selected measure list by unchecking the 'Active' box. By default it will be checked.

Add Measure X

☒ Active

Submission Year *

Practice *

Provider *

Specialty *

Reset
Save

☐	Measure ID	Measure	NQS Domain	Display CMS Specification
☐	001	Diabetes: Hemoglobin A1c Poor Control	Effective Clinical Care	i
☐	006	Coronary Artery Disease (CAD): Antiplatelet Therapy	Effective Clinical Care	i
☐	007	Coronary Artery Disease (CAD): Beta-Blocker Therapy - Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%)	Effective Clinical Care	i
☐	008	Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)	Effective Clinical Care	i
☐	039	Screening for Osteoporosis for Women Aged 65-85 Years of Age	Effective Clinical Care	i
☐	006	Coronary Artery Disease (CAD): Antiplatelet Therapy	Effective Clinical Care	i
☐	007	Coronary Artery Disease (CAD): Beta-Blocker Therapy - Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%)	Effective Clinical Care	i
☐	008	Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)	Effective Clinical Care	i
☐	039	Screening for Osteoporosis for Women Aged 65-85 Years of Age	Effective Clinical Care	i
☐	006	Coronary Artery Disease (CAD): Antiplatelet Therapy	Effective Clinical Care	i
☐	007	Coronary Artery Disease (CAD): Beta-Blocker Therapy - Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%)	Effective Clinical Care	i
☐	008	Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)	Effective Clinical Care	i
☐	039	Screening for Osteoporosis for Women Aged 65-85 Years of Age	Effective Clinical Care	i
☐	008	Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)	Effective Clinical Care	i
☐	039	Screening for Osteoporosis for Women Aged 65-85 Years of Age	Effective Clinical Care	i

Showing 1 to 1 of 1 Record(s)

<< < 1 > >>

Screen 10: Admin > PQRS > Individual Reporting > Add/Edit Measures

Note: Please refer to the References section at the end of the document to see the list of measures that need to be developed and displayed here for now. The list could be revised and addition/deletion of any measures is quite a possibility in future.

- As mentioned earlier, if user clicks on  icon mentioned in front of any measure, the CMS specifications for respective measure will be opened and displayed in a new window as shown in the screen below:

CMS Specification Document ✕



Measure #1 (NQF 0059): Diabetes: Hemoglobin A1c Poor Control – National Quality Strategy
Domain: Effective Clinical Care

2016 PQRS OPTIONS FOR INDIVIDUAL MEASURES:
CLAIMS, REGISTRY

DESCRIPTION:
 Percentage of patients 18-75 years of age with diabetes who had hemoglobin A1c > 9.0% during the measurement period

INSTRUCTIONS:
 This measure is to be reported a minimum of **once per reporting period** for patients with diabetes seen during the reporting period. The most recent quality-data code submitted will be used for performance calculation. This measure may be reported by clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

Measure Reporting via Claims:
 ICD-10-CM diagnosis codes, CPT or HCPCS codes, and patient demographics are used to identify patients who are included in the measure's denominator. CPT Category II codes are used to report the numerator of the measure.

When reporting the measure via claims, submit the listed ICD-10-CM diagnosis codes, CPT or HCPCS codes, and the appropriate CPT Category II code OR the CPT Category II code with the modifier. The reporting modifier allowed for this measure is: 8P- reason not otherwise specified. There are no allowable performance exclusions for this measure. All measure-specific coding should be reported on the claim(s) representing the eligible encounter.

Measure Reporting via Registry:
 ICD-10-CM diagnosis codes, CPT codes or HCPCS codes and patient demographics are used to identify patients who are included in the measure's denominator. The listed numerator options are used to report the numerator of the measure.

The quality-data codes listed do not need to be submitted for registry-based submissions; however, these codes may be submitted for those registries that utilize claims data. There are no allowable performance exclusions for this measure.

DENOMINATOR:
 Patients 18 - 75 years of age with diabetes with a visit during the measurement period

Denominator Criteria (Eligible Cases):
 Patients 18 through 75 years of age on date of encounter
AND
Diagnosis for diabetes (ICD-10-CM): E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36, E13.39, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9, O24.011, O24.012, O24.013, O24.019, O24.02, O24.03, O24.111, O24.112, O24.113, O24.119, O24.12, O24.13,


Version 10.0
11/17/2015

CPT only copyright 2015 American Medical Association. All rights reserved.
Page 1 of 7

Screen 11: Admin > PQRS > Individual Reporting > Add/Edit > Display CMS Specification


4.3. PQRS Reporting

- User navigates to Reports> Clinical Reports
- Another node 'PQRS Registry Report' has been added as shown in the screen below:




Screen 12: Reports > Clinical Reports > PQRS Registry Report

- If the user clicks on 'PQRS Registry Report', he will land on the dashboard as shown in the screen below.
- Here he will see three buttons. One for reporting individual measure, second for GPRO submission and third for viewing and printing submission summary report.



Screen 13: Reports > Clinical Reports > PQRS Registry Report > Dashboard

- Clicking on 'Individual Reporting' button will open the screen below.
- User will have to select the provider from 'Provider' dropdown list.
- He will have to further select Starting and Ending dates for the duration he wants to generate the PQRS report and click on 'Generate Report' button to load the information according to the measures selected that he wants to report.
- The information loaded will be based on calculations that the system will perform at the back end against each measure.
- The information displayed will include 'Provider's Name', 'Provider's NPI', Measure IDs, Measure Names.
- It will show the number of non-compliant patients based on the Denominator, Numerator and any Exclusions particular to the respective measure. It will also calculate and display the indicators such as the Reporting Rate %, Performance Rate %, Performance Met and Performance not met.
- It will also generate and display a bar graph based on the figures related to the number of patients having missing data, number of patients who met the performance as well as the number of patients that did not meet the performance.
- Clicking on any bar or the numerical figure displayed above it will display the list of relevant patient list as well.
- Export button will allow users to export QRDA I or III file in .XML format.



Screen 14: Reports > Clinical Reports > PQRS Registry Report > Individual Reporting

Business Rule 1

List of all available active providers will be listed in the 'Provider' dropdown.

Business Rule 2

User will have to select at least one measure to export the QRDA files.

Business Rule 3

The measures displayed upon the selection of any provider from the dropdown will be according to the measures selected by the respective provider in the settings.

- Clicking on a figure in the 'Non-compliant Patients' column will display the list of all patients with missing data against that particular measure.

Patient List ✕		
Account	Name	D.O.B
P00165491	Mary, Adams	19/10/1975
P00165733	Smith, Brandon	26/05/1991
P00165735	Boon, Timothy	12/01/1989
P00165734	Stark, Catelyn	06/26/1965

Cancel

Screen 15: Non-Compliant Patients List

- Clicking on any Patient's Name will reveal the missing data details below against each measure.
- User will be able to enter the data and save the information. It will further remove that patient from the non-compliant patient's list.
- The information entered will be also updated in the patient's chart.

Patient List


Account	Name	D.O.B
P00165491	Mary, Adams	19/10/1975
P00165733	Smith, Brandon	26/05/1991
P00165735	Boon, Timothy	12/01/1989
P00165734	Stark, Catelyn	06/26/1965


Measure Entry


Measure	Missing Value
001 Diabetes: Hemoglobin A1c Poor Control	 ☐ Unknown
226 Diabetes: Preventive Care and Screening: Tobacco Use - Screening & Cessation Inte...	☒ Current tobacco non-user  ☐ Patient screened for tobacco use AND received tobacco cessation intervention (counseling/pharmacotherapy/ both) if identified as a tobacco user  ☐ Tobacco screening OR tobacco cessation not performed - reason not otherwise specified

Print
Cancel
Save

Screen 16: Missing Data Entry

- User will be able to associate relevant ICD-10 codes and/or CPTs by clicking  icon in front of the missing value information.
- Initially only 10 ICD and CPT values will be displayed and the user can click on 'More...' to reveal all the relevant ICDs and CPTs.
- He can also search any relevant ICD and CPT from the search bar above.
- He can use 'AND' or 'OR' combinations to associate any ICD or CPT if he wants to.
- By default, AND will be selected.

**Screen 17:** ICD-10/CPT Codes

- Clicking 'Print' will open the following screen from where he can also print what information is missing.
- It will bear SOV MS logo on left as shown in the screen below.
- Relevant information regarding Practice, Provider and Patient will be displayed and printed on the header as shown below.



Practice Name
Practice Address
Practice City, State Zip
Practice Phone

Missing Data

Patient Name
Age, Gender, DOB:
Account#:
Ph:
Address

Provider Name
Specialty
Note Date/Time
Visit Reason

 Print

Measure Details

Missing Values

001 Diabetes: Hemoglobin A1c Poor Control


☐ Unknown

226 Diabetes: Preventive Care and Screening: Tobacco Use - Screening & Cessation

- ☐ Current tobacco non-user
- ☐ Patient screened for tobacco use AND received tobacco cessation intervention (counseling/ pharmacotherapy/ both) if identified as a tobacco user
- ☐ Tobacco screening OR tobacco cessation not performed - reason not otherwise specified

Screen 18: Printing Missing Data

- Clicking 'GPRO Submission' button will open the screen below.
- User will have to select the group that wants to report from the 'Provider Group' dropdown list.
- He will have to further select Starting and Ending dates for the duration the group wants to generate the PQRS report and click on 'Generate Report' button to load the information according to the measures selected that the group wants to report.
- The information loaded will be based on calculations that the system will perform at the back end against each measure.
- The information displayed will include Measure IDs, Measure Names, and number of non-compliant patients, Denominator, Numerator and any Exclusions particular to the respective measure. It will also calculate and display the indicators such as the Reporting Rate %, Performance Rate %, Performance Met and Performance not met.
- It will also generate and display a bar graph based on the figures related to the number of patients having missing data, number of patients who met the performance as well as the number of patients that did not meet the performance.
- Clicking on any bar or the numerical figure displayed above it will display the list of relevant patient list as well.
- Export button will allow users to export QRDA I or III file in .XML format.



Screen 19: Reports> Clinical Reports > PQRS Registry Report > GPRO Submission

Business Rule 4

List of all available active provider groups will be listed in the 'Provider Group' dropdown.

Business Rule 5

User will have to select at least one measure to export the QRDA files.

Business Rule 6

The measures displayed upon the selection of a provider group here will be according to the measures selected by the respective provider group in the settings.

- Similarly, clicking on the non-compliant patients will show the list of those patients that have data missing against the selected measures.

Patient List ✕			
Account	Name	D.O.B	Provider
P00165491	Mary, Adams	19/10/1975	Martin, Green
P00165733	Smith, Brandon	26/05/1991	Smith, James
P00165735	Boon, Timothy	12/01/1989	Akila, Purna
P00165734	Stark, Catelyn	06/26/1965	Martin, Green

Cancel

Screen 20: Reports> Clinical Reports > PQRS Registry Report > GPRO Submission > Non-compliant Patients List

- Clicking on any Patient's Name will reveal the missing data details below against each measure.
- User will be able to enter the data and save the information. It will further remove that patient from the non-compliant patient's list.
- The information entered will be also updated in the patient's chart.
- Once the user enters all the missing data information for non-compliant patients he can export the required QRDA file from MD Vision. He may then proceed to submit the data to the 'PQRS Portal' portion the CMS Enterprise Portal: [Physician and Other Health Care Professionals Quality Reporting Portal \(Portal\)](#).

Patient List
✕

Account	Name	D.O.B	Provider
P00165491	Mary, Adams	19/10/1975	Martin, Green
P00165733	Smith, Brandon	26/05/1991	Smith, James
P00165735	Boon, Timothy	12/01/1989	Akila, Purna
P00165734	Stark, Catelyn	06/26/1965	Martin, Green

Measure Entry

Measure	Missing Value
001 Diabetes: Hemoglobin A1c Poor Control	+ ☐ Unknown
226 Diabetes: Preventive Care and Screening: Tobacco Use - Screening & Cessation Inte...	☒ Current tobacco non-user + ☐ Patient screened for tobacco use AND received tobacco cessation intervention (counseling/pharmacotherapy/ both) if identified as a tobacco user + ☐ Tobacco screening OR tobacco cessation not performed - reason not otherwise specified

Print
Cancel
Save

Screen 21: Missing Data Entry

Note: Same functionalities for 'Print' and + will be implemented here as well.

- From now on, when a user will sign a note and if any PQRS related data is missing, following prompt will be generated.


2016 PQRS Missing Data Alert
✕

Our system found some **missing data** related to this patient. In order to qualify for the **2016 PQRS incentives**, you must enter those **missing data values** against the PQRS measures that you have planned to report this year. Do you want to enter the data here before signing off this note?

No, not this time
Yes, I do

Screen 22: Provider Notes > Sign Note > Missing Data Alert


- Clicking 'No, not this time' will simply sign the note.
- Clicking 'Yes, I do' will open the missing data entry form as shown in the screen below.
- User will be able to enter the data and save the information.
- Once he clicks on 'save' to save the information, the note will then be signed.
- The information entered will be also updated in the patient's chart.



Screen 23: Provider Notes > Sign Note > Missing Data Alert > Missing Data Entry Form

Note: Same functionalities for 'Print' and '+' will be implemented here as well.

- User navigates to Reports > Clinical Reports > PQRS Registry Report > Dashboard
- Clicks 'Submission Summary Report' to land on the following screen.
- User will have to either select a provider or a provider group from the respective dropdowns and click 'Generate Report' to generate the report as shown in the screen below.



Mon, Feb 08, 2016 1:16 PM
SHAIDER EHR

Dashboard Patient Scheduler Clinical Billing Batch Reports Admin


Physician Quality Reporting System (PQRS) - Submission Summary Report

Provider: Green, Martin MD Provider Group: -Select- Generate Report Print Report

Provider: Martin, Green NPI: 10789979

Measure ID	Measure Name	Total Patients	Numerator	Denominator	Performance Met	Performance Not Met	Exclusion	Reporting Rate (%)	Performance Rate (%)
001	Diabetes: Hemoglobin A1c Poor Control	4	4	4	0	4	0	100.00%	0.00%
110	Preventive Care and Screening: Influenza	4	4	4	0	4	0	100.00%	100.00%
117	Diabetes Mellitus: Dilated Eye Exam	0	4	4	4	0	0	100.00%	100.00%
119	Diabetes Mellitus: Medical attention for...	4	4	4	0	4	0	100.00%	100.00%
226	Diabetes: Preventive Care and Screening: Tobacco Use - Screening & Cessation Inte...	4	3	4	0	3	1	100.00%	0.00%

Screen 24: Reports > Clinical Reports > PQRS Registry Report > Dashboard > Submission Summary Report > Provider > Generate Report



Mon, Feb 08, 2016 1:16 PM
SHAIDER EHR

Dashboard Patient Scheduler Clinical Billing Batch Reports Admin

Physician Quality Reporting System (PQRS) - Submission Summary Report

Provider: -Select- Provider Group: Sovereign Medical Group Generate Report Print Report

Provider Group: Sovereign Medical Group TIN: 790012834

Measure ID	Measure Name	Total Patients	Numerator	Denominator	Performance Met	Performance Not Met	Exclusion	Reporting Rate (%)	Performance Rate (%)
001	Diabetes: Hemoglobin A1c Poor Control	4	4	4	0	4	0	100.00%	0.00%
110	Preventive Care and Screening: Influenza	4	4	4	0	4	0	100.00%	100.00%
117	Diabetes Mellitus: Dilated Eye Exam	0	4	4	4	0	0	100.00%	100.00%
119	Diabetes Mellitus: Medical attention for...	4	4	4	0	4	0	100.00%	100.00%
226	Diabetes: Preventive Care and Screening: Tobacco Use - Screening & Cessation Inte...	4	3	4	0	3	1	100.00%	0.00%

Screen 25: Reports > Clinical Reports > PQRS Registry Report > Dashboard > Submission Summary Report > Provider Group > Generate Report

Business Rule 7

List of all available active providers and provider groups will be listed in the respective dropdowns.

Business Rule 8

User should must select one either from the 'Provider' or 'Provider Group' dropdown list to generate the report.

Business Rule 9

User can either select a 'Provider' or a 'Provider Group' to generate the 'Submission Summary Report'. He will not be able to select both at the same time.

- Clicking a value under the 'Total Patients' column will show the list of all the patients that fell in that particular measure.

Total Patients

Print

Measure Name

110 Preventive Care and Screening: Influenza

Account	Name	D.O.B
P00165231	Henry, Helix	06/08/2016
P00165730	Irving, Irv	06/08/2016
P00165213	Gaither, Greg	06/08/2016
P00165730	kelvin, rey	06/08/2016
P00165711	joseph, alen	06/07/2016
P00165727	French, Frank	04/15/2015
P00165726	Henry, Helix	03/15/2015
P00165725	Irving, Irv	04/15/2015
P00165724	Gaither, Greg	04/15/2015
P00165724	Gaither, Greg	03/15/2015
P00165724	Gaither, Greg	03/01/2015
P00165721	Downs, Danielle	04/15/2015
P00165714	Abraham, Abe	04/20/2015
P00165723	Haider, test	04/15/2015
P00165722	English, Eric	04/15/2015

Showing 1 to 15 of 604 Record(s)

<<

<

1

2

4

5

>

>>

Screen 26: Total Patients List

- Clicking a value under the 'Performance Met' column will show the list of all the patients that met the performance according to that particular measure.

Performance Met


Measure Name
 

001 Diabetes: Hemoglobin A1c Poor Control

Account	Name	D.O.B
P00165231	Henry, Helix	06/08/2016
P00165730	Irving, Irv	06/08/2016
P00165213	Gaither, Greg	06/08/2016
P00165730	kelvin, rey	06/08/2016
P00165711	joseph, alen	06/07/2016
P00165727	French, Frank	04/15/2015
P00165726	Henry, Helix	03/15/2015
P00165725	Irving, Irv	04/15/2015
P00165724	Gaither, Greg	04/15/2015
P00165724	Gaither, Greg	03/15/2015
P00165724	Gaither, Greg	03/01/2015
P00165721	Downs, Danielle	04/15/2015
P00165714	Abraham, Abe	04/20/2015
P00165723	Haider, test	04/15/2015
P00165722	English, Eric	04/15/2015

Showing 1 to 15 of 604 Record(s)

<< < 1 2 4 5 > >>

Screen 27: Performance Met

- Similarly, clicking a value under the 'Performance Not Met' column will show the list of all the patients that did not meet the performance according to that particular measure.

Performance Not Met


Print

Measure Name

117 Diabetes Mellitus: Dilated Eye Exam
▼

Account	Name	D.O.B
P00165231	Henry, Helix	06/08/2016
P00165730	Irving, Irv	06/08/2016
P00165213	Gaither, Greg	06/08/2016
P00165730	kelvin, rey	06/08/2016
P00165711	joseph, alen	06/07/2016
P00165727	French, Frank	04/15/2015
P00165726	Henry, Helix	03/15/2015
P00165725	Irving, Irv	04/15/2015
P00165724	Gaither, Greg	04/15/2015
P00165724	Gaither, Greg	03/15/2015
P00165724	Gaither, Greg	03/01/2015
P00165721	Downs, Danielle	04/15/2015
P00165714	Abraham, Abe	04/20/2015
P00165723	Haider, test	04/15/2015
P00165722	English, Eric	04/15/2015

Showing 1 to 15 of 604 Record(s)

«
<
1
2
4
5
>
»

Screen 27: Performance Not Met

- Lastly, clicking a value under the 'Performance Exclusion' column will show the list of all the patients on whom performance exclusion was applied.

Performance Exclusion


 **Print**

Measure Name

110 Preventive Care and Screening: Influenza ▼

Account	Name	D.O.B
P00165231	Henry, Helix	06/08/2016
P00165730	Irving, Irv	06/08/2016
P00165213	Gaither, Greg	06/08/2016
P00165730	kelvin, rey	06/08/2016
P00165711	joseph, alen	06/07/2016
P00165727	French, Frank	04/15/2015
P00165726	Henry, Helix	03/15/2015
P00165725	Irving, Irv	04/15/2015
P00165724	Gaither, Greg	04/15/2015
P00165724	Gaither, Greg	03/15/2015
P00165724	Gaither, Greg	03/01/2015
P00165721	Downs, Danielle	04/15/2015
P00165714	Abraham, Abe	04/20/2015
P00165723	Haider, test	04/15/2015
P00165722	English, Eric	04/15/2015

Showing 1 to 15 of 604 Record(s)

«
<
1
2
4
5
>
»

Screen 28: Performance Exclusion

5. Error Handlers

Standard alerts and error handlers such as confirmation of change etc. will be implemented as per current logic.

6. Notes

6.1. Reporting Method

Registry reporting would require MD Vision to submit numerator and denominator counts on behalf of participating EPs to CMS, rather than detailed data at the patient level. We need to confirm the required Registry reporting measures for that particular calendar year.

6.2. Data Calculation

- 6.2.1. Numerator (N):** A subset of the Denominator. The numerator must detail the quality clinical action expected that satisfies the condition(s) and is the focus of measurement of each patient, procedure or other unit established by the denominator (that is, patients who received a particular service or providers that completed a specific outcome/process.
- 6.2.2. Denominator (D):** The denominator must describe the population eligible (or episodes of care) to be evaluated by the measure. This should indicate age, condition, setting and timeframe when applicable. For example “Patients aged 18 through 75 years with a diagnosis of diabetes.”
- 6.2.3. Denominator Exclusions (DExclusion):** Denominator exclusions are a subset of the denominator. Exclusion specifications remove patients/events from the denominator who meet specific criteria that make it clinically unnecessary for the patient to receive the numerator clinical action. Patients who should be removed from the measure population and denominator before determining if numerator criteria are met. Denominator exclusions are used in proportion and ratio measures to help narrow the denominator. For example, patients with bilateral lower extremity amputations would be listed as a denominator exclusion for a measure requiring foot exams.
- 6.2.4. Denominator Exceptions (DException):** Denominator exceptions are also a subset of the denominator. Exception specifications remove patients/events from the denominator only if the numerator criteria are not met. Exceptions are generally provider or patient determined reasons for refusing certain clinical actions. Denominator exceptions allow for adjustment of the calculated score for those providers with higher risk populations and are used only in proportion measures. Denominator exceptions allow for the exercise of clinical judgment and should be specifically defined where capturing the information in a structured manner fits the clinical workflow. These cases are removed from the denominator; however the number of patients with valid exceptions may still be reported. Exceptions allow for the exercise of clinical judgment. Allowable reasons fall into three general categories:
 - Medical reasons
 - Patient reasons
 - System reasons
- 6.2.5. Performance Rate:** The eligible population that received a particular process of care or achieved a particular outcome (measure defined performance met outcome). For performance rate calculations, some patients may be subtracted from the denominator

based on medical, patient, or system performance exclusions/exceptions (depending upon reporting mechanism) allowed by the measure.

- 6.2.6. Reporting rate:** Dividing the number of reported numerator outcomes by denominator-eligible encounters identifies the percentage of a defined patient population that is to be reported for the measure.

SAMPLE CALCULATIONS:

Reporting Rate=

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{+a}^3\text{=3 patients)} + \text{Performance Exclusion (b}^1\text{+b}^2\text{=2 patients)} + \text{Performance Not Met (c}^1\text{+c}^2\text{=2 patients)}}{\text{Eligible Population / Denominator (d=8 patients)}} = \frac{7 \text{ patients}}{8 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{+a}^3\text{=3 patients)}}{\text{Reporting Numerator (7 patients) – Performance Exclusion (b}^1\text{+b}^2\text{=2 patients)}} = \frac{3 \text{ patients}}{5 \text{ patients}} = 60.00\%$$

* See the posted Measure Specification for specific coding and instructions to report this measure.
 ** See the posted Measure Specification for specific BMI and follow-up plan definitions, as well as eligibility exclusion criteria for this measure.
 NOTE: Reporting Frequency: Patient-Intermediate

6.3. Data Submission

Data to be submitted to CMS will be extracted from the MD Vision Electronic Medical Record (EMR) at the completion of the reporting period. Detailed medical record information i.e. diagnoses, vitals, lab results, prescription details, among other sections of the Progress Notes - will be submitted securely by MD Vision to CMS using Medicare's Quality Data Reporting Architecture (QRDA) data transfer format, on behalf of participating EPs. For CY2016 each EP(s) will need to choose and successfully report all (100%) eligible Medicare patients, on a minimum of nine (9) – maximum of twelve (12) measures, across three (3) NQS domains, and must include one (1) crosscutting measure in order to avoid payment adjustment.

(To avoid the 2% downward adjustment associated with noncompliance, EPs must have a reporting rate of at least 50%. In other words, EPs must report on nine measures across three NQS domains for at least 50% of their Medicare Part B fee-for-service patients.)

6.4. Data Submission File Types

The Health Level Seven International (HL7) QRDA is a standard document format for the exchange of electronic clinical quality measure (eCQM) data. QRDA reports contain data extracted from electronic health records (EHRs) and other information technology systems. ONC adopted QRDA as the standard to support both QRDA Category I (individual patient) and QRDA Category III (aggregate) data submission approaches.

While generating QRDA I & III files for PQRS, please follow the document structure and the standards mentioned in the '**CMS Implementation Guide for Quality Reporting Document Architecture (QRDA) Category I and Category III**' attached in the References section.

7. References

List of Measures that need to be developed for now



SMG_PQRS_2016_M
easure_List.xlsx

2016 Physician Quality Reporting System (PQRS) Implementation Guide



2016_PQRS_Implem
entationGuide.pdf

Introduction to QRDA



QRDA_basics_08_12
_2015_a_508.pdf

CMS Implementation Guide for QRDA Category I and Category III



qrda_ep_hqr_guide
_2015.pdf

2016 CMS QRDA I & III Schematrons and Sample Files for EPs



QRDA_I_SchematronandSampleFilesV22.zip



QRDA_III_SchematronandSampleFilesV22.zip

PQRS Registry XML Specifications and Error Messages

<https://qualitynet.org/imageserver/registry/RegistryXMLSpec2016/index.htm>

2016_PQRS_Measure_128 Example



2016_PQRS_Measure_128_11_17_2015.p