

PQRS 119 (NQF 0062) (CMS 134) - Diabetes: Medical Attention for Nephropathy

Description

The percentage of patients 18-75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period.

Reporting Frequency

Once per reporting period.

Denominator

Patients are included in this denominator if they meet ALL of the following criteria:

Denominator Criteria	Area to Document within eClinicalWorks
They are between 18 and 75 years of age on the date of an appropriate encounter	Patient Information
They have had an appropriate encounter during the measurement period	Progress Notes > Billing Note: The following E&M codes are considered an appropriate encounter: 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439

Denominator Criteria	Area to Document within eClinicalWorks
They have an active diagnosis for diabetes during the measurement period	Record this information from the following location: Progress Notes > Assessments
	Note: The following ICD-10 codes indicate diabetes: E08.21, E08.22, E08.29, E09.21, E09.22, E09.29, E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36, E13.39, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9, O24.011, O24.012, O24.013, O24.019, O24.02, O24.03, O24.111, O24.112, O24.113, O24.119, O24.12, O24.13, O24.311, O24.312, O24.313, O24.319, O24.32, O24.33, O24.811, O24.812, O24.813, O24.819, O24.82, O24.83

Numerator

Patients in the denominator are included in this numerator if they meet at least ONE of the following criteria:

Numerator Criteria	Area to Document within eClinicalWorks
They had a microalbumin lab test result recorded during the measurement period	Record this information from one of the following locations: ■ Progress Notes > Labs > order microalbumin lab ■ Progress Notes > Treatment > Labs > order microalbumin lab ■ Telephone Encounter > Labs/DI Tab > Labs > order microalbumin lab ■ Telephone Encounter > Virtual Visit > Labs > order microalbumin lab ■ Telephone Encounter > Virtual Visit > Treatment > Labs > microalbumin lab ■ Progress Notes > Patient Dashboard > Labs > New > order microalbumin lab ■ Patient Hub > Labs > New > order microalbumin lab Note: One of the following LOINC codes must be linked to the microalbumin or macroalbumin lab: 1753-3, 24356-8, 24357-6, 39264-7, 50556-0, 50564-4, 50949-7, 57019-2, 57020-0, 58077-9, 11218-5, 12842-1, 13705-9, 13801-6, 14585-4, 14956-7, 14957-5, 14958-3, 14959-1, 1753-3, 1754-1, 1755-8, 1757-4, 18373-1, 20621-9, 21059-1, 21482-5, 26801-1, 27298-9, 2887-8, 2888-6, 2889-4, 2890-2, 30000-4, 30001-2, 30003-8, 32209-9, 32294-1, 32551-4, 34366-5, 35663-4, 40486-3, 40662-9, 40663-7, 43605-5, 43606-3, 43607-1, 44292-1, 47558-2, 49023-5, 50949-7, 53121-0, 53530-2, 53531-0, 53532-8, 56553-1, 57369-1, 58448-2, 58992-9, 59159-4, 60678-0, 63474-1, 9318-7 Note: The macroalbumin lab test is considered positive if a result of $\geq$ 300 mg albumin/g creatinine is recorded. IMPORTANT! Once the microalbumin lab is ordered and the results are received, the <i>Received</i> box must be checked AND the results must be entered in the yellow grid for credit.
They have had a microalbumin procedure recorded during the measurement period	Record this information from the following location: ■ Progress Notes > Billing Note: The following CPT* II codes satisfy the numerator: ■ 3060F - Positive microalbumin test result ■ 3061F - Negative microalbumin test result ■ 3062F - Positive microalbuminuria test result The following CPT II codes do NOT satisfy the numerator: ■ 3060F with 8P modifier ■ 3061F with 8P modifier ■ 3062F with 8P modifier

Numerator Criteria	Area to Document within eClinicalWorks
They have treatment for nephropathy recorded as a procedure during the measurement period	Record this information from the following location: - Progress Notes > Billing Note: The following CPT codes are considered nephropathy treatment procedures: Dialysis Services: 90920, 90921, 90924, 90925, 90935, 90937, 90940, 90945, 90947, G0257 ESRD Outpatient Services: 90957, 90958, 90959, 90960, 90961, 90962, 90965, 90966, 90969, 90970, 90989, 90993, 90997, 90999, 99512 Kidney Transplant Services: 50300, 50320, 50340, 50360, 50365, 50370, 50380 Vascular Access for Dialysis: 36145, 36147, 36148, 36800, 36810, 36815, 36818, 36819, 36820, 36821, 36831, 36832, 36833
They have treatment for nephropathy recorded as structured data during the measurement period	To satisfy this numerator criteria, record this information as structured data from the following location: - Progress Notes > Preventive Medicine > Counseling > Patient Education > Q: Dialysis education handout: - O1: Dialysis care education - O2: Hemodialysis education at home - O3: Peritoneal dialysis education - Progress Notes > HPI > Nephrology > Nephrology Follow Up > Chronic Kidney Disease > Dialysis > Is patient receiving renal replacement therapy (RRT)? - O1: Yes > O1TQ1: Type of RRT: - O1TQ1O1: Hemodialysis - O1TQ1O1: Peritoneal dialysis - O1TQ1O1: Kidney Transplant - O2: No option does not satisfy numerator
They have had a nephropathy procedure recorded during the measurement period	Record this information from the following locations: - Progress Notes > Billing Note: The following CPT II codes satisfy this numerator: 3066F - Documentation of treatment for nephropathy

Numerator Criteria	Area to Document within eClinicalWorks
They have evidence of nephropathy recorded as a diagnosis during the measurement period	Record this information from the following location: Progress Notes > Assessments Note: The following ICD-10 codes satisfy this numerator criteria: Glomerulonephritis and Nephrotic Syndrome N00.0, N00.1, N00.2, N00.3, N00.4, N00.5, N00.6, N00.7, N00.8, N00.9, N01.0, N01.1, N01.2, N01.3, N01.4, N01.5, N01.6, N01.7, N01.8, N01.9, N02.0, N02.1, N02.2, N02.3, N02.4, N02.5, N02.6, N02.7, N02.8, N02.9, N03.0, N03.1, N03.2, N03.3, N03.4, N03.5, N03.6, N03.7, N03.8, N03.9, N04.0, N04.1, N04.2, N04.3, N04.4, N04.5, N04.6, N04.7, N04.8, N04.9, N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N06.0, N06.1, N06.2, N06.3, N06.4, N06.5, N06.6, N06.7, N06.8, N06.9, N07.0, N07.1, N07.2, N07.3, N07.4, N07.5, N07.6, N07.7, N07.8, N07.9, N08, N25.0, N25.1, N25.81, N25.89, N25.9 Hypertensive Chronic Kidney Disease I12.0, I13.2, I13.11, I13.10, I12.9, I13.0 Proteinuria R80.1, R80.8, R80.9
They are prescribed an ACE inhibitor or ARB therapy before or during the reporting period that does not end before the start of the reporting period	Record this information from one of the following locations: - Progress Notes > Treatment > Add - Telephone Encounter > Rx tab > Select Rx - Telephone Encounter > Virtual Visit tab > Treatment > Add - Telephone Encounter > Virtual Visit tab > Current Medication > Add - Progress Notes > Current Medications
They have had the prescription of an ACE inhibitor or ARB therapy recorded as a procedure during the reporting period	Record this information from the following location: - Progress Notes > Billing Note: The following CPT II code satisfies this numerator: - G8506 - Patient receiving ACE or ARB Therapy
Note: The following structured data does NOT satisfy the numerator or exclude patients from the numerator: - Examination > CQM Exceptions > Medical attention to nephropathy not Performed > Q1: Reason: - O1: Reason not specified	

*. CPT only © 2014 American Medical Association. All rights reserved.

Setup

The following procedures are related to setting up this measure:

- LOINC codes must be mapped to diagnostic imaging tests from here:

LOINC®	COMPONENT NAME	RELATED NAMES	PROPERTY	TIME ASPECT	SYSTEM	SCALE	UNIT
1-8	Acyclovir	Aciclovir; Acycloguanosine; Acifur; Avirax; Zovirax; Susc	Susc	Pt	Isolate	OrdQn	
1-Sep	Amdinocillin	Mecillinam; Pivmecillinam; Selexid; Amdinocillin pivoxil; Si	Susc	Pt	Isolate	OrdQn	
10-9	Amdinocillin		Titr	Pt	Isolate+Ser	Qn	
100-8	Cefoperazone	Cefobid; Susceptibility; Susceptibilty; Sus; Suscept; Susc	Susc	Pt	Isolate	OrdQn	
1000-9	DBG Ab	Donna Bennett-Goodspeed; Arbitrary concentration; Poin	ACnc	Pt	Ser/Plas^BPU	Ord	
10000-8	R wave duration.lead AVR	; R' wave dur L-AVR; R wave dur L-AVR; PB; Durat; Poin	Time	Pt	Heart	Qn	
10001-6	R wave duration.lead I	; R' wave dur L-I; R wave dur L-I; PB; Durat; Poin	Time	Pt	Heart	Qn	
10002-4	R wave duration.lead II	; R' wave dur L-II; R wave dur L-II; PB; Durat; Poin	Time	Pt	Heart	Qn	
10003-2	R wave duration.lead III	; R' wave dur L-III; R wave dur L-III; PB; Durat; Poin	Time	Pt	Heart	Qn	
10004-0	R wave duration.lead V1	; R' wave dur L-V1; R wave dur L-V1; PB; Durat; Poin	Time	Pt	Heart	Qn	
10005-7	R wave duration.lead V2	; R' wave dur L-V2; R wave dur L-V2; PB; Durat; Poin	Time	Pt	Heart	Qn	
10006-5	R wave duration.lead V3	; R wave dur L-V3; R wave dur L-V3; PB; Durat; Poin	Time	Pt	Heart	Qn	
10007-3	R wave duration.lead V4	; R' wave dur L-V4; R wave dur L-V4; PB; Durat; Poin	Time	Pt	Heart	Qn	
10008-1	R wave duration.lead V5	; R' wave dur L-V5; R wave dur L-V5; PB; Durat; Poin	Time	Pt	Heart	Qn	
10009-9	R wave duration.lead V6	; R wave dur L-V6; R' wave dur L-V6; PB; Durat; Poin	Time	Pt	Heart	Qn	
1001-7	DBG Ab	Donna Bennett-Goodspeed; Arbitrary concentration; Poin	ACnc	Pt	Ser/Plas^donor	Ord	
10010-7	R' wave amplitude.lead AVF	; R wave Amp L-AVF; R' wave Amp L-AVF; PB; Electrical	Elpot	Pt	Heart	Qn	
10011-5	R' wave amplitude.lead AVL	; R wave Amp L-AVL; R' wave Amp L-AVL; PB; Electrical	Elpot	Pt	Heart	Qn	
10012-3	R' wave amplitude.lead AVR	; R wave Amp L-AVR; R' wave Amp L-AVR; PB; Electrical	Elpot	Pt	Heart	Qn	

Access this feature from: EMR > Labs, DI & Procedures > Diagnostic Imaging > Attribute Codes > Update LOINC

- Structured data must be mapped to community items from the Mapper window:

Access this feature from: Community > Mappings > Structured Data