

PQRS 204 (NQF 0068) (CMS 164) - Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic

Description

Percentage of patients 18 years of age and older who were discharged alive for acute myocardial infarction (AMI), coronary artery bypass graft (CABG) or percutaneous coronary interventions (PCI) in the 12 months prior to the measurement period, or who had an active diagnosis of ischemic vascular disease (IVD) during the measurement period, and who had documentation of use of aspirin or another antithrombotic during the measurement period.

Reporting Frequency

Once per reporting period,

Denominator

Patients are included in this denominator if they meet ALL of the following criteria:

Denominator Criteria	Area to Document within eClinicalWorks
They are 18 years of age or older on the date of an appropriate encounter	Patient Information
They have had an appropriate office visit during or within 12 months before the measurement period	Progress Notes > Billing Note: The following E&M codes are considered appropriate encounters: 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439

Denominator Criteria	Area to Document within eClinicalWorks
At least ONE of the following:	
They have had a diagnosis for ischemic vascular disease (IVD) during or within 12 months before the measurement period	Record this information from the following location: Progress Notes > Assessments Note: The following ICD-10 codes indicate ischemic vascular disease (IVD): I20.0, I20.1, I20.8, I20.9, I24.0, I24.1, I24.8, I24.9, I25.10, I25.110, I25.111, I25.118, I25.119, I25.5, I25.6, I25.700, I25.701, I25.708, I25.709, I25.710, I25.711, I25.718, I25.719, I25.720, I25.721, I25.728, I25.729, I25.730, I25.731, I25.738, I25.739, I25.750, I25.751, I25.758, I25.759, I25.760, I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810, I25.811, I25.812, I25.82, I25.84, I25.89, I25.9, I63.00, I63.011, I63.012, I63.019, I63.02, I63.031, I63.032, I63.039, I63.09, I63.10, I63.111, I63.112, I63.119, I63.12, I63.131, I63.132, I63.139, I63.19, I63.20, I63.211, I63.212, I63.219, I63.22, I63.231, I63.232, I63.239, I63.29, I63.30, I63.311, I63.312, I63.319, I63.321, I63.322, I63.329, I63.331, I63.332, I63.339, I63.341, I63.342, I63.349, I63.39, I63.40, I63.411, I63.412, I63.419, I63.421, I63.422, I63.429, I63.431, I63.432, I63.439, I63.441, I63.442, I63.449, I63.49, I63.50, I63.511, I63.512, I63.519, I63.521, I63.522, I63.529, I63.531, I63.532, I63.539, I63.541, I63.542, I63.549, I63.59, I63.6, I63.8, I63.9, I65.01, I65.02, I65.03, I65.09, I65.1, I65.21, I65.22, I65.23, I65.29, I65.8, I65.9, I66.01, I66.02, I66.03, I66.09, I66.11, I66.12, I66.13, I66.19, I66.21, I66.22, I66.23, I66.29, I66.3, I66.8, I66.9, I70.1, I70.201, I70.202, I70.203, I70.208, I70.209, I70.211, I70.212, I70.213, I70.218, I70.219, I70.221, I70.222, I70.223, I70.228, I70.229, I70.231, I70.232, I70.233, I70.234, I70.235, I70.238, I70.239, I70.241, I70.242, I70.243, I70.244, I70.245, I70.248, I70.249, I70.25, I70.261, I70.262, I70.263, I70.268, I70.269, I70.291, I70.292, I70.293, I70.298, I70.299, I70.92, I74.01, I74.09, I74.10, I74.11, I74.19, I74.2, I74.3, I74.4, I74.5, I74.8, I74.9, I75.011, I75.012, I75.013, I75.019, I75.021, I75.022, I75.023, I75.029, I75.81, I75.89
They have had a diagnosis for acute myocardial infarction (AMI) during or within 12 months before the measurement period	Record this information from the following location: Progress Notes > Assessments Note: The following ICD-10 codes indicate acute myocardial infarction (AMI): I21.01, I21.02, I21.09, I21.11, I21.19, I21.21, I21.29, I21.3, I21.4
They have had a diagnosis for coronary artery bypass graft (CABG) or percutaneous coronary interventions (PCI) during or within 12 months before the measurement period	Progress Notes > Billing Note: The following CPT codes indicate a coronary artery bypass graft (CABG) or percutaneous coronary interventions (PCI): 33511, 33512, 33513, 33514, 33516, 33517, 33518, 33519, 33521, 33522, 33523, 33533, 33534, 33535, 33536, 92920, 92924, 92928, 92933, 92937, 92941, 92943

Numerator


Patients in the denominator are included in the numerator if they meet at least ONE of the following criteria:

Numerator Criteria	Area to Document within eClinicalWorks
They are prescribed aspirin or another antithrombotic therapy	Record this information from one of the following locations: ■ Progress Notes > Treatment > Add ■ Progress Notes > Current Medications > Add ■ Telephone Encounter > Rx tab > Select Rx ■ Telephone Encounter > Virtual Visit tab > Treatment > Add ■ Telephone Encounter > Virtual Visit tab > Current Medication > Add
They have had the prescription of aspirin or another antithrombotic therapy recorded as a procedure	Record this information from the following location: ■ Progress Notes > Billing
	Note: The following CPT* II code satisfies the numerator: ■ G8598 - Aspirin or another antithrombotic therapy used The following CPT II code does NOT satisfy the numerator or exclude patients from the numerator: ■ G8599 - Aspirin or another antithrombotic therapy not used, reason not given
Note: The following structured data does NOT satisfy the numerator or exclude patients from the numerator: ■ Progress Notes > Examination > CQM Exceptions > Aspirin or Another Antithrombotic Not prescribed for IVD patients > Q1: Reason ◆ O1: No reason specified	
Note: Oral antithrombotic therapy consists of: aspirin, clopidogrel, combination of aspirin and extended release dipyridamole, prasugrel, ticagrelor or ticlopidine.	

*. CPT only © 2014 American Medical Association. All rights reserved.

Setup

Structured data must be mapped to community items from the Mapper window:



Access this feature from: Community > Mappings > Structured Data