

eClinicalWorks

PQRS 431 (NQF 2152) - Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling

Description

Percentage of patients aged 18 years and older who were screened at least once within the last 24 months for unhealthy alcohol use using a systematic screening method AND who received brief counseling if identified as an unhealthy alcohol user.

Reporting Frequency: Once per reporting period.

Denominator

Patients are included in this denominator if they meet ALL of the following criteria:

Denominator Criteria	Area to Document within eClinicalWorks
They are 18 years of age or older on the date of an appropriate encounter	Patient Information
At least ONE of the following:	
■ They have had at least TWO appropriate office visits during the 12 month measurement period	Progress Notes > Billing
	Note: The following E&M codes are considered appropriate encounters: 90791, 90792, 90832, 90834, 90837, 90845, 96150, 96151, 96152, 97003, 97004, 97802, 97803, 97804, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, G0270, G0271, G0438, G0439
■ They have had at least ONE Preventive Care visit during the 12 month measurement period	Progress Notes > Billing
	Note: The following E&M codes are considered appropriate encounters: 99385, 99386, 99387, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99420, 99429

Numerator

Patients in the denominator are included in this numerator if they meet at least ONE of the following criteria:

Numerator Criteria	Area to Document within eClinicalWorks
They have had a screening for unhealthy alcohol use at least once in the past 24 months using a systematic screening method documented through a Smart Form	Progress Notes > Patient Dashboard > SF drop-down list > Audit-C > Points or Interpretation IMPORTANT! If a patient receives a negative score on the screening (< four (4) for men or < three (3) for women), counseling is NOT required for these patients to satisfy the numerator If a patient receives a positive score on the screening ($\geq$ four (4) for men or $\geq$ three (3) for women), they MUST receive counseling to meet numerator.
They have had a screening for unhealthy alcohol use at least once in the past 24 months using a systematic screening method documented as structured data	Progress Notes > Social History > Drugs/Alcohol: > Alcohol Screen (Audit-C) > Details > Points or Interpretation IMPORTANT! If a patient receives a negative score on the screening (< four (4) for men or < three (3) for women), counseling is NOT required for these patients to satisfy the numerator If a patient receives a positive score on the screening ($\geq$ four (4) for men or $\geq$ three (3) for women), they MUST receive counseling to meet numerator.
They have had a screening for unhealthy alcohol use at least once in the past 24 months using a systematic screening method, and if positive, a brief counseling session documented as a procedure Note: To determine unhealthy alcohol use, an AUDIT-C Screening Instrument must be utilized, returning a score of $\geq$ 4 for men or $\geq$ 3 for women.	Progress Notes > Billing Note: The following CPT* II code satisfies the numerator: ■ G9621 - Patient identified as an unhealthy alcohol user when screened for unhealthy alcohol use using a systematic screening method and received brief counseling ■ G9622 - Patient not identified as an unhealthy alcohol user when screened for unhealthy alcohol use using a systematic screening method The following CPT II code does NOT satisfy the numerator: ■ G9624 - Patient not screened for unhealthy alcohol use using a systematic screening method OR patient did not receive brief counseling, reason not given
If they are positive for unhealthy alcohol use, the following counseling must be recorded:	
They have had brief counseling for unhealthy alcohol use recorded as structured data	Record this information as structured data from the following locations: ■ Progress Notes > Preventive Care > Counseling > BP Management > Q: Moderation of Etoh Consumption Recommendation ◆ O1: Alcohol abuse prevention education ◆ O2: Alcoholism counseling ◆ O3: Counseling about alcohol consumption ◆ O4: Patient referral for alcoholism rehabilitation ◆ O5: Referral to community alcohol team ◆ O6: Referral to community drug and alcohol team ◆ O7: Referral to specialist alcohol treatment service

*. CPT only © 2014 American Medical Association. All rights reserved.

Numerator Exclusion


Patients are excluded from this numerator if they meet at least ONE of the following criteria:

Numerator Exclusion	Area to Document within eClinicalWorks
A medical reason for not screening for unhealthy alcohol use is documented as structured data	Record this information as structured data from one of the following locations: - Progress Notes > Examination > CQM Exceptions > Alcohol screening not performed > Q1: Reason - O1: Medical Reason Note: Answering O2: <i>No Reason Specified</i> does NOT exclude patients from the numerator.
A medical reason for not screening for unhealthy alcohol use is documented as a procedure	Progress Notes > Billing Note: The following CPT* II code excludes patients from the numerator: - G9623 The following CPT II code does NOT exclude patients from the numerator: - G9624

*. CPT only © 2014 American Medical Association. All rights reserved.

Setup

Structured data must be mapped to community items from the Mapper window:



Access this feature from: Community > Mappings > Structured Data