

eClinicalWorks

PQRS 48 - Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

Description

Percentage of female patients aged 65 years and older who were assessed for the presence or absence of urinary incontinence within 12 months

Reporting Frequency

Once per reporting period.

Denominator

Patients are included in this denominator if they meet ALL of the following criteria:

Denominator Criteria	Area to Document within eClinicalWorks
They are female	Patient Information
They are 65 years of age or older	Patient Information
They have had an appropriate encounter during the measurement period	Progress Notes > Billing Codes > CPT/E&M Codes Note: The following E&M codes are considered appropriate encounters: 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402

Numerator

Patients in the denominator are included in the numerator if they meet at least ONE of the following criteria:

Numerator Criteria	Area to Document within eClinicalWorks
An assessment for the presence or absence of urinary incontinence is recorded as structured data within 12 months	To satisfy this numerator criteria, record this information as structured data from the following location: - Progress Notes > HPI > Urologic Consultation > Incontinence > Urinary Incontinence > Q1: Assessment: - O1: Present - O2: Absent Note: Answering <i>Not Assessed</i> does NOT satisfy this numerator.
An assessment for the presence or absence of urinary incontinence is recorded as a procedure within 12 months	Progress Notes > Billing Note: The following CPT* II code satisfies these numerator criteria: 1090F The following CPT II code does NOT satisfy these numerator criteria: 1090F with 8P modifier
An assessment for the presence of urinary incontinence is recorded as a diagnosis within 12 months	Progress Notes > Assessments Note: The following ICD-10 codes indicate the presence of urinary incontinence: F98.0, N39.3, N39.41, N39.42, N39.43, N39.44, N39.45, N39.46, N39.490, N39.498, R32

*, CPT only © 2014 American Medical Association. All rights reserved.

Numerator Exclusion

Patients are excluded from this numerator if they meet at least ONE of the following criteria:


Numerator Exclusion	Area to Document within eClinicalWorks
A medical reason for not assessing the presence or absence of urinary incontinence is documented as structured data	To satisfy this numerator exclusion, record this information as structured data from the following location: - Progress Notes > HPI > Urologic Consultation > Incontinence > Urinary Incontinence > Q1: Assessment - O3: Not Assessed > TQ1: Reason - TO1: Medical reason Note: Entering O3: <i>Not Assessed</i> without adding an answer to TQ1: Reason does NOT exclude patients from the numerator. Answering TO2: <i>Reason not specified</i> does NOT exclude patients from the numerator.

Numerator Exclusion	Area to Document within eClinicalWorks
A medical reason for not assessing the presence or absence of urinary incontinence is documented as a procedure	Progress Notes > Billing Note: The following CPT* II code excludes patients from the numerator: 1090F with 1P modifier The following CPT II code does NOT exclude patients from the numerator: 1090F with 8P modifier

*. CPT only © 2014 American Medical Association. All rights reserved.

Setup

Structured data must be mapped to community items from the Mapper window:



Access this feature from: Community > Mappings > Structured Data