CLOUD NATION

Lets Conquer The Sky...

Launch two instance one in mumbai and one in North virginia

Instance: Amazon Linux 2 AMI (HVM) - free tier

Login to mumbai by putty and run below commands

###Login with ec2-user

sudo su -

yum update -y

yum install git -y

which git

git --version

git config --global user.name "mumbai_CloudNation"

git config --global user.email "cloudnation46@gmail.com"

###open GitHub

###create an account

###create repository

###Login to mumbai EC2 instance

mkdir baba_dish

cd baba_dish

git init

git status

touch devops_cloudnation

vi devops_cloudnation >> add code

git status

git add .

git status

git commit -m "1st commit from mumbai cloudnation"

git status

git log

git show <commit ID>

git remote add origin <github repo url>

git push -u origin master (enter username and password)

###go to Github and check the repository

Login to North virginia by putty and run below commands

```
###Login with ec2-user

sudo su -

yum update -y

yum install git -y

which git

git --version

git config --global user.name "Nvirginia_CloudNation"

git config --global user.email "cloudnation46@gmail.com"


###Now go to North virginia EC2 instance

mkdir baba_shafi

cd baba_shafi

git init

git status

git log

git remote add origin <github repo url>

git pull origin master

git log

###Now add some code to the file

git status

git add .

git status
```

```
git commit -m "Nvirginia_cloudnation update 1"

git status

git log

git show <commit ID>

git push origin master


###Now go to Github and check the repository




-----------------------------------------


###To ignore some files while committing


###create a hidden file as below

vi .gitignore

###insert the file format which you want to ignore

*.css

*.java


git add .gitignore

git commit -m "latest update exclude css"

git status


###create some sample files

mkdir devops1.css
```

mkdir devops2.txt

mkdir devops3.txt

mkdir devops4.java

ls

git status

git add

git status

git commit -m "my txt files only"