

Cucumber Report

05-Jan-2026, 5:25:31 PM

Start : Jan 05, 5:24:45.611 PM

End : Jan 05, 5:25:30.925 PM

Duration : 45.314 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>This is My orders feature</u>	45.314 s	1	0	1	0	1	0	1	0

#	Feature Name	Scenario Name
1	<u>This is My orders feature</u>	<u>TC_UI_Zlaata_Orders_01 Verify user placing order and verifies all calculations </u> <u>"TD_UI_Zlaata_Orders_01"</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TC_UI_Zlaata_Orders_01	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>This is My orders feature</u>	1	0	1	0	45.314 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>This is My orders feature</u>	<u>TC_UI_Zlaata_Orders_01 Verify user placing order and verifies all calculations </u> <u>"TD_UI_Zlaata_Orders_01"</u>	1	0	1	0	45.308 s

This is My orders feature

FAILED	DURATION - 45.314 s	Scenarios		Steps	
/ 5:24:45.611 PM // 5:25:30.925 PM /		Total - 1		Total - 1	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

TC_UI_Zlaata_Orders_01 |Verify user placing order and verifies all calculations|"TD_UI_Zlaata_Orders_01"

FAILED DURATION - 45.308 s		1	Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	1
/ 5:24:45.617 PM // 5:25:30.925 PM /				
This is My orders feature				
@TC_UI_Zlaata_Orders_01				

#	Step / Hook Details	Status	Duration
1	Given User placing an order and verifying calculations including check out page org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c96461c4fa820710dcabe2d206d9b207, findElements [value, using]] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 143.0.7499.170, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: C:/selenium-profile}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50833}, goog:processID: 19000, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50833/devtoo..., se:cdpVersion: 143.0.7499.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c96461c4fa820710dcabe2d206d9b207 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:571) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	FAILED	38.916 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$LFCgJ3Au.findElements(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$8.apply(ExpectedConditionsConditions.java:221) at org.openqa.selenium.support.ui.ExpectedConditions\$8.apply(ExpectedConditionsConditions.java:218) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages.OrdersPage.takeRandomProductFromAll(OrdersPage.java:1350) at pages.OrdersPage.verifyOrderPlacementAndCalculationAndAfterPalced(OrdersPage.java:1478) at stepDef.OrderStepDef.user_placing_an_order_and_verifing_calculations_including_check_out_page(OrderStepDef.java:23) at ?.User placing an order and verifing calculations including check out page(file:///C:/Users/Sarojkumar/git/ZlataaProduction/ZlaataProduction/src/test/resources/features/10_OrdersPage/orders.feature:12) Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:500) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$2(JdkHttpClient.java:387) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:829) Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:570) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:119) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:459) ... 8 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utls.wrapWithExtraDetail(Utls.java:351) at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:673) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:297) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:263) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SynchronizedRestartableTask.run(SequentialScheduler.java:175) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:147) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:198) ... 3 more Caused by: java.io.IOException: An existing connection was forcibly closed by the remote host at java.base/sun.nio.ch.SocketDispatcher.read0(Native Method) at java.base/sun.nio.ch.SocketDispatcher.read(SocketDispatcher.java:43) at java.base/sun.nio.ch.IOUtil.readIntoNativeBuffer(IOUtil.java:276) at java.base/sun.nio.ch.IOUtil.read(IOUtil.java:245) at java.base/sun.nio.ch.IOUtil.read(IOUtil.java:223)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:356) at java.net.http/jdk.internal.net.http.SocketTube.readAvailable(SocketTube.java:1162) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:825) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:175) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:198) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:271) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:224) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:766) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:949) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:245) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:962) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:917) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:917) </pre> * Not displayable characters are replaced by '?'.		
	AFTER - stepDef.Hooks.tearDown(io.cucumber.java.Scenario) <pre> org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c96461c4fa820710dcabe2d206d9b207, screenshot []] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 143.0.7499.170, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62..., userDataDir: C:/selenium-profile), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50833}, goog:processID: 19000, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50833/devtoo..., se:cdpVersion: 143.0.7499.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c96461c4fa820710dcabe2d206d9b207 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:571) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$LFcgJ3Au.getScreenshotAs(Unknown Source) at utils.ExcelReportUtil.captureScreenshot(ExcelReportUtil.java:68) at stepDef.Hooks.tearDown(Hooks.java:298) </pre> Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: no further information	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:500) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$2(JdkHttpClient.java:387) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:829) Caused by: java.net.ConnectException: Connection refused: no further information at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:562) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:119) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:459) ... 8 more Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.SocketChannelImpl.checkConnect(Native Method) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:777) at java.net.http/jdk.internal.net.http.PlainHttpConnection\$ConnectEvent.handle(PlainHttpConnection.java:128) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:962) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:917) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:917) </pre>		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 143.0.7499.170, chrome: {chromedriverVersion: 143.0.7499.169 (164b20aab62. ..., userDataDir: C:/selenium-profile}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50833}, goog:processID: 19000, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50833/devtoo..., se:cdpVersion: 143.0.7499.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.061 s