

Cucumber Report

16-Dec-2025, 5:21:51 PM

Start : Dec 16, 5:21:16.320 PM

End : Dec 16, 5:21:51.279 PM

Duration : 34.959 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Home Page Banner upload verification admin panel</u>	34.959 s	1	0	1	0	2	0	1	1

#	Feature Name	Scenario Name
1	<u>Home Page Banner upload verification admin panel</u>	<u>TC_UI_Zlaata_ADM_02 Verify Top Selling Section Product Display on Homepage. "TD_UI_Zlaata_ADM_02"</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Home	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_ADM_02	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@Positive	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Home Page Banner upload verification admin panel</u>	1	0	1	0	34.959 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Home Page Banner upload verification admin panel	TC_UI_Zlaata_ADM_02 Verify Top Selling Section Product Display on Homepage. "TD_UI_Zlaata_ADM_02"	2	0	1	1	34.952 s

Home Page Banner upload verification admin panel

FAILED	DURATION - 34.959 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 5:21:16.320 PM // 5:21:51.279 PM /					

TC_UI_Zlaata_ADM_02 |Verify Top Selling Section Product Display on Homepage.| "TD_UI_Zlaata_ADM_02"

<div>FAILED</div> <div>DURATION - 34.952 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 5:21:16.327 PM // 5:21:51.279 PM /				
Home Page Banner upload verification admin panel				
@Home @TC_UI_Zlaata_ADM_02 @Regression @Positive				

#	Step / Hook Details	Status	Duration
1	<p>Given admin removes the product from Top Selling.</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=143.0.7499.41) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f73ba4a3043915b054116f8c9fdb10b2, findElement {using=xpath, value=//input[@name='filters[0][sku]'}][1]] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 143.0.7499.41, chrome: {chromedriverVersion: 143.0.7499.42 (24bdc8c48a0c..., userDataDir: C:\Users\SAROKJ~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61753}, goog:processID: 10348, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61753/devtoo..., se:cdpVersion: 143.0.7499.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f73ba4a3043915b054116f8c9fdb10b2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p>	FAILED	28.820 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) atjdk.internal.reflect.GeneratedMethodAccessor87.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$FTBu9XiO.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy50.getAttribute(Unknown Source) at pages.AdminPanelPage.fetchSkuFromProduct(AdminPanelPage.java:319) at pages.AdminPanelPage.validateProductSuccessfullyRemoved(AdminPanelPage.java:2116) at stepDef.AdminPanelStepDef.admin_removes_the_product_from_top_selling(AdminPanelStepDef.java:43) at ?.admin removes the product from Top Selling.(file:///C:/Users/Sarojkumar/git/ZlaataQAseverSaroj/src/test/resources/features/AdminFeature/allHomePage.feature:21) * Not displayable characters are replaced by '?'. </pre>		
2	When admin adds the product SKU to Top Selling	SKIPPED	0.001 s
	<p>AFTER - stepDef.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f73ba4a3043915b054116f8c9fdb10b2, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 143.0.7499.41, chrome: {chromedriverVersion: 143.0.7499.42 (24bdc8c48a0c..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\chromeoptions: {debuggerAddress: localhost:61753}, goog:processID: 10348, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61753/devtools, se:cdpVersion: 143.0.7499.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f73ba4a3043915b054116f8c9fdb10b2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) </pre>	FAILED	0.046 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$FTBu9XiO.getScreenshotAs(Unknown Source) at utils.ExcelReportUtil.captureScreenshot(ExcelReportUtil.java:68) at stepDef.Hooks.tearDown(Hooks.java:298) </pre>		
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 143.0.7499.41, chrome: {chromedriverVersion: 143.0.7499.42 (24bdc8c48a0c..., userDataDir: C:\Users\SAROJK~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61753}, goog:processID: 10348, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61753/devtoo..., se:cdpVersion: 143.0.7499.41, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.008 s