Duration: 17 m 26.814 s Start: Oct 07, 5:06:32.787 PM End: Oct 07, 5:23:59.601 PM Scenarios **Features** Steps PASSED - 0 PASSED - 6 PASSED - 6 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 14 14 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 42 % 42 % 100 100 100

Feature			Scer	nario			Step T P		;p	
Name	Duration	T	P	F	S	T	P	F	S	
CheckOut Page Feature	17 m 26.814 s	14	6	8	0	14	6	7	1	

#	Feature Name	Scenario Name
1	CheckOut Page Feature	TC_UI_Zlaata_COP_07 Verify That Adding Product to Bag Count is Displaying or Not Above Bag Icon "TD_UI_Zlaata_COP_07"
2		TC_UI_Zlaata_COP_08 Verify That Adding New Product or Deleting Product Count Increases or Decreases "TD_UI_Zlaata_COP_08"
3		TC_UI_Zlaata_COP_09 Verify Checkout page calculation "TD_UI_Zlaata_COP_09"
4		TC_UI_Zlaata_COP_10 Verify Accessories, Recently Viewed, and Top Selling buttons on Checkout page "TD_UI_Zlaata_COP_10"
5		TC_UI_Zlaata_COP_11 Verify Validation Message for Invalid Gift Card Number "TD_UI_Zlaata_COP_11"
6		TC_UI_Zlaata_COP_12 Verify Validation Message in Gift Wrapping Popup when Mandatory Fields Are Not Entered "TD_UI_Zlaata_COP_12"
7		TC_UI_Zlaata_COP_13 Verify Validation Message in Gift Wrapping Popup if the user enters fewer characters in Description or Sender Name *


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

FAIL & SKIP SCENARIOS -- 4 --

# Feature Name Scenario Name					
	8	CheckOut Page Feature	TC_UI_Zlaata_COP_14 Verify Gift Card Balance Display when Correct		
			Gift Card is Entered "TD_UI_Zlaata_COP_14"		


TAG		Scei	nario					
Name	Τ	P	F	S	T	P	F	S
@TC_UI_Zlaata_COP_01	1	1	0	0	1	0	1	0
@sanity	13	5	8	0	1	0	1	0
@TC_UI_Zlaata_COP_02	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_COP_03	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_COP_04	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_COP_05	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_COP_06	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_COP_07	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_COP_08	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_COP_09	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_COP_10	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_COP_11	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_COP_12	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_COP_13	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_COP_14	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 6



#	Feature Name	T	P	F	S	Duration
1	CheckOut Page Feature	14	6	8	0	17 m 26.814 s


SCENARIOS SUMMARY -- 7 -



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	CheckOut Page Feature	TC_UI_Zlaata_COP_01 Verify Bag Item Count Display "TD_UI_Zlaata_COP_01"	1	1	0	0	1 m 8.758 s
2		TC_UI_Zlaata_COP_02 Verify Display of Wishlist Button "TD_UI_Zlaata_COP_02"	1	1	0	0	1 m 20.981 s
3		TC_UI_Zlaata_COP_03 Verify Display of Delete Button "TD_UI_Zlaata_COP_03"	1	1	0	0	1 m 27.720 s
4		TC_UI_Zlaata_COP_04 Verify That User Can Change Product Size "TD_UI_Zlaata_COP_04"	1	1	0	0	2 m 3.142 s
5		TC_UI_Zlaata_COP_05 Verify User Can Increase or Decrease Product Quantity "TD_UI_Zlaata_COP_05"	1	1	0	0	1 m 37.949 s
6		TC_UI_Zlaata_COP_06 Verify User Can Add New Product "TD_UI_Zlaata_COP_06"	1	1	0	0	35.509 s
7		TC_UI_Zlaata_COP_07 Verify That Adding Product to Bag Count is Displaying or Not Above Bag *	1	0	0	1	1.410 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	CheckOut Page Feature	TC_UI_Zlaata_COP_08 Verify That Adding New Product or Deleting Product Count Increases or *	1	0	1	0	1 m 31.899 s
9		TC_UI_Zlaata_COP_09 Verify Checkout page calculation "TD_UI_Zlaata_COP_09"	1	0	1	0	3 m 35.079 s
10		TC_UI_Zlaata_COP_10 Verify Accessories, Recently Viewed, and Top Selling buttons on Checkout page *	1	0	1	0	49.312 s
11		TC_UI_Zlaata_COP_11 Verify Validation Message for Invalid Gift Card Number "TD_UI_Zlaata_COP_11"	1	0	1	0	47.275 s
12		TC_UI_Zlaata_COP_12 Verify Validation Message in Gift Wrapping Popup when Mandatory Fields Are Not Entered *	1	0	1	0	49.334 s
13		TC_UI_Zlaata_COP_13 Verify Validation Message in Gift Wrapping Popup if the user enters fewer characters in *	1	0	1	0	49.035 s
14		TC_UI_Zlaata_COP_14 Verify Gift Card Balance Display when Correct Gift Card is Entered *	1	0	1	0	49.021 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 9 --

CheckOut Page Feature

FAILED	DURATION - 17 m 26.814 s	Scenarios		Steps	
		Total - 14		Total - 14	
/ 5:06:32.787 PM // 5	5:23:59.601 PM /	Pass - 6	14	Pass - 6	14
		Fail - 8	''	Fail - 7	' 📜
		Skip - 0		Skip - 1	

TC_UI_Zlaata_COP_01 | Verify Bag Item Count Display|"TD_UI_Zlaata_COP_01"



#	Step / Hook Details	Status	Duration
1	Given User Verifies Bag Item Count	PASSED	1 m 4.026 s

TC_UI_Zlaata_COP_02 |Verify Display of Wishlist Button|"TD_UI_Zlaata_COP_02"

PASSED	DURATION - 1 m 20.981 s		Steps	
		60 -	n	
/ 5:07:41.683 Pi	M // 5:09:02.664 PM /	40 -	Pass - 1	
CheckOut Page	e Feature		Fail - 0	
Onconcur ago	, r catare	20 -	Skip - 0	
@TC_UI_Zlaata	a_COP_02 @sanity	0 -		
			1	

#	Step / Hook Details	Status	Duration
1	Given User Verifies Display of Wishlist Button	PASSED	1 m 17.807 s

TC_UI_Zlaata_COP_03 |Verify Display of Delete Button|"TD_UI_Zlaata_COP_03"




	#	Step / Hook Details	Status	Duration
1	l	Given User Verifies Display of Delete Button	PASSED	1 m 26.089 s

TC_UI_Zlaata_COP_04 |Verify That User Can Change Product Size|"TD_UI_Zlaata_COP_04"



#	Step / Hook Details	Status	Duration
1	Given User Verifies That User Can Change Product Size	PASSED	2 m 1.093 s

TC_UI_Zlaata_COP_05 | Verify User Can Increase or Decrease Product Quantity | "TD_UI_Zlaata_COP_05"



#	Step / Hook Details	Status	Duration
1	Given User Verifies User Can Increase or Decrease Product Quantity	PASSED	1 m 36.097 s

TC_UI_Zlaata_COP_06 |Verify User Can Add New Product|"TD_UI_Zlaata_COP_06"



#	Step / Hook Details	Status	Duration
1	Given User Verifies User Can Add New Product	PASSED	33.381 s


TC_UI_Zlaata_COP_07 Verify That Adding Product to Bag Count is Displaying or Not Above Bag Icon|"TD UI Zlaata COP 07"

FAILED	DURATION - 1.410 s	0.15		Steps	
/ F 4 4 4 7 4 0 0 F	N. 5. 4. 40. 540. 514.			Total - 1	
/ 5:14:47.109 Pi	M // 5:14:48.519 PM /	0.1		Pass - 0	
CheckOut Page	e Feature	.05		Fail - 0	1
onconcut rago	. reduse			Skip - 1	
@TC_UI_Zlaata	a_COP_07 @sanity	0 -			
			i		

#	Step / Hook Details	Status	Duration
	BEFORE - stepDef.Hooks.preCondition(io.cucumber.java.Scenario)	FAILED	0.814 s
	java.lang.ArrayIndexOutOfBoundsException: Index 2 out of bounds for length 2 at stepDef.Hooks.preCondition(Hooks.java:99)		
1	Given User Verifies That Adding Product to Bag Count is Displaying or Not Above Bag Icon	SKIPPED	0.001 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.010 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28'		

#	Step / Hook Details	Status	Duration
	Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome,		
	browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L},		
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49715}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	windows, proxy: Proxy(), se:cdp: ws://localhost:49715/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts:		
	{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob:		
	true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.		

TC_UI_Zlaata_COP_08 |Verify That Adding New Product or Deleting Product Count Increases or Decreases|"TD_UI_Zlaata_COP_08"



#	Step / Hook Details	Status	Duration
1	Given User Verifies That Adding New Product or Deleting Product Count Increases or Decreases	FAILED	1 m 30.205 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [fd57c3b4cecde964109dd62753cef925, actions {actions=[org.openqa.selenium.interactions.Sequence@37b470df]}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60188/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fd57c3b4cecde964109dd62753cef925 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.lambda\$new\$2(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ReferencePipeline.java:177) at java.base/java.util.Spliterators\$terator\$pletine*copyInto(AbstractPipeline.java:484)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$sie1Ja7p.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.verifyItemCountChanges(CheckoutPage.java:884)		
	at stepDef.CheckOutPageStepDef.		
	user_verifies_that_adding_new_product_or_deleting_product_count_increases_or_decreases(CheckOutPageStepDef.java:89)		
	at ?.User Verifies That Adding New Product or Deleting Product Count Increases or Decreases(file:///C:/Users/Sarojkumar/git/		
	ZlaataQAsever/src/test/resources/features/CheckoutPage/checkoutPage.feature:76)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.34.0', revision:		
	'707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: driver.version: RemoteWebDriver at org.openga.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openga.selenium.json.Json.		
	RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json. toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.		

# Step / Hook Details	Status	Duration
selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openqa.selenium.remote. DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWeb execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect. NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingNethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBud	e.service. de.service. de.ser.java:630) at MethodAccessorImpl. at org.openqa. ort.decorators. ddy\$sie1Ja7p. at pages. detailsPage.java:750) ava:89) at java. MethodAccessorImpl. at io.cucumber.java. stractGlueDefinition. ava:29) at io. ieppDefinitionMatch. .java:10) at io. java:64) at io. un(TestCase.java:104) ons.run(PickleRunners. Runner. a:329) at org.junit. nner.java:293) at unner.java:413) at iep0) at org.junit. .java:79) at org. rentRunner.java:66) ier.evaluate(Cucumber. at org.eclipse.jdt. TestExecution. java:520) at org. l.junit.runner.	Duration

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:177)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$sie1Ja7p.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.verifyItemCountChanges(CheckoutPage.java:884)		
	at stepDef.CheckOutPageStepDef.		

#	Step / Hook Details	Status	Duration
	user_verifies_that_adding_new_product_or_deleting_product_count_increases_or_decreases(CheckOutPageStepDef.java:89)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//div[@class='filter_sort_btn_wrap']"} (Session info: chrome=140.0.7339.208) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0',		
	revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [fd57c3b4cecde964109dd62753cef925, findElement {value=//div[@class='filter_sort_btn_wrap'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion:		
	140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions:		
	{debuggerAddress: localhost:60188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		
	se:cdp: ws://localhost:60188/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: fd57c3b4cecde964109dd62753cef925		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at jdk.internal.reflect.GeneratedMethodAccessor53.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$sie1Ja7p.findElement(Unknown Source)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy50.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:262)		
	at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:211)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:74)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:83)		
	* Not displayable characters are replaced by '?'.		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.000 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '4.34.0', revision: '707dcb4246*'		
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28'		
	Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [null, screenshot {}]		
	Capabilities {acceptlnsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd		
	., userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60188},		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60188/devtoo, se:cdpVersion:		
	140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true}		
	* Not displayable characters are replaced by '?'.		


TC_UI_Zlaata_COP_09 |Verify Checkout page calculation|"TD_UI_Zlaata_COP_09"



#	Step / Hook Details	Status	Duration
1	Given User Verifies Checkout page calculation	FAILED	3 m 32.972 s
	java.lang.AssertionError: 'You Saved' mismatch! expected:<-4925.0> but was:<75.0>		
	at org.junit.Assert.fail(Assert.java:89)		
	at org.junit.Assert.failNotEquals(Assert.java:835)		
	at org.junit.Assert.assertEquals(Assert.java:555)		
	at pages.CheckoutPage.performCheckoutCalculationAndExcelLog(CheckoutPage.java:403)		
	at pages.CheckoutPage.verifyCheckoutCalculationsWithExcel(CheckoutPage.java:76)		
	at stepDef.CheckOutPageStepDef.user_verifies_checkout_page_calculation(CheckOutPageStepDef.java:24)		
	at ?.User Verifies Checkout page calculation(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/CheckoutPage/		
	checkoutPage.feature:85)		
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.002 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '4.34.0', revision: '707dcb4246*'		
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28'		
	Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [null, screenshot {}]		
	Capabilities {acceptlnsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60442},		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60442/devtoo, se:cdpVersion:		
	140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true}		
	* Not displayable characters are replaced by '?'.		

TC_UI_Zlaata_COP_10 |Verify Accessories, Recently Viewed, and Top Selling buttons on Checkout page| "TD_UI_Zlaata_COP_10"



#	Step / Hook Details	Status	Duration
1	Given the user verifies that on the Checkout page the Accessories button, the Recently Viewed button, and the Top Selling button are all visible and clickable	FAILED	47.310 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3a5ba2f0de08a5e35597377b3517654f, actions {actions=[org.openqa.selenium.interactions.Sequence@4bc41565]}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55414}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55414/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3a5ba2f0de08a5e35597377b3517654f at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:177)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$tqAJPl4U.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.allButtonOnCheckoutPage(CheckoutPage.java:938)		
	at stepDef.CheckOutPageStepDef.		

#	Step / Hook Details	Status	Duration
	the_user_verifies_that_on_the_checkout_page_the_accessories_button_the_recently_viewed_button_and_the_top_selling_button_are_all_visi		
	ble_and_clickable(CheckOutPageStepDef.java:96)		
	at ?.the user verifies that on the Checkout page the Accessories button, the Recently Viewed button, and the Top Selling button are all visible and clickable(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/CheckoutPage/checkoutPage.feature:94)		
	Suppressed: org.openga.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.34.0', revision:		
	'707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: driver.version:		
	RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json. toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.		
	selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openqa.selenium.remote.service.		
	DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.		
	DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630) at		
	java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.		
	NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.		
	invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa. selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.		
	DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.		
	lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$tqAJPl4U.		
	perform(Unknown Source) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at pages. ProductDetailsPage.RandomProduct(ProductDetailsPage.java:750) at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.allButtonOnCheckoutPage(CheckoutPage.java:938) at stepDef.CheckOutPageStepDef.		
	the_user_verifies_that_on_the_checkout_page_the_accessories_button_the_recently_viewed_button_and_the_top_selling_button_are_all_visi		
	ble_and_clickable(CheckOutPageStepDef.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.		
	java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.		
	cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.		
	execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.		
	ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.		
	cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io. cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.		
	runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.		
	ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.		
	runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at		
	org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.		
	cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.		
	runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at		
	org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.		
	evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.		
	run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.		


#	Step / Hook Details	Status	Duration
	eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.		
	runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner. RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invokeo(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java.02) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java.43)		
	at java.base/java.lang.reflect.Delegating/wethod/accessorimpi.invoke(Delegating/wethod/accessorimpi.java.43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openga.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:177)		
	at java.base/java.util.lterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openga.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openga.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openga.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openga.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$tqAJPI4U.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.allButtonOnCheckoutPage(CheckoutPage.java:938)		
	at stepDef.CheckOutPageStepDef.		
	the_user_verifies_that_on_the_checkout_page_the_accessories_button_the_recently_viewed_button_and_the_top_selling_button_are_all_visi		
	ble_and_clickable(CheckOutPageStepDef.java:96)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//div[@class='filter_sort_btn_wrap']"} (Session info: chrome=140.0.7339.208) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0',		
	revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [3a5ba2f0de08a5e35597377b3517654f, findElement {value=//div[@class='filter_sort_btn_wrap'],		
	using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion:		
	140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55414}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		
	se:cdp: ws://localhost:55414/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 3a5ba2f0de08a5e35597377b3517654f		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openga.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at jdk.internal.reflect.GeneratedMethodAccessor53.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$tqAJPl4U.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy50.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:262) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:211) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:74) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:83) * Not displayable characters are replaced by '?'.		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55414}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55414/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.	PASSED	0.000 s

TC_UI_Zlaata_COP_11 | Verify Validation Message for Invalid Gift Card Number | "TD_UI_Zlaata_COP_11"



DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
1	Given the user verifies that on the Checkout page, when an invalid gift card number is entered, a validation message is displayed	FAILED	45.324 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [7acd02f78b279468cf1fd15d4ec2e0f0, actions {actions=[org.openqa.selenium.interactions.Sequence@688efeb2]}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55527}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55527/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7acd02f78b279468cf1fd15d4ec2e0f0		
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:177)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$0VQsDrze.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.enterInvalidGiftCardNumberCheckValidationMessage(CheckoutPage.java:1014)		
	at stepDef.CheckOutPageStepDef.		
	the_user_verifies_that_on_the_checkout_page_when_an_invalid_gift_card_number_is_entered_a_validation_message_is_displayed(CheckOutPageStepDef.java:102)		
	at ?.the user verifies that on the Checkout page, when an invalid gift card number is entered, a validation message is		
	displayed(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/CheckoutPage/checkoutPage.feature:103)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.34.0', revision:		
	'707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.		
	toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.		
	selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openga.selenium.remote.service.		
	DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.		
	DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.		
	execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630) at		
	java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.		
	NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.		
	invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.		
	selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.		
	DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.		
	lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$0VQsDrze. perform(Unknown Source) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at pages.		
	perform(Unknown Source) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at pages. ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43) at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.enterInvalidGiftCardNumberCheckValidationMessage(CheckoutPage.java:1014) at stepDef.		
	CheckOutPageStepDef.		
	the_user_verifies_that_on_the_checkout_page_when_an_invalid_gift_card_number_is_entered_a_validation_message_is_displayed(CheckOu		
	tPageStepDef.java:102) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.		
	reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.		
	DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.		
	java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.		
	cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.		
	execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.		
	cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.		
	ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.		

DETAILED SECTION -- 28 --

#	Step / Hook Details	Status	Duration
	cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.		
	cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.		
	runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.		
	ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.		
	runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.		
	cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.		
	runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at		
	org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.		
	evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.		
	run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.		
	eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.		
	runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.		
	RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openga.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)		
	at org.openga.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:177)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$0VQsDrze.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.enterInvalidGiftCardNumberCheckValidationMessage(CheckoutPage.java:1014)		
	at stepDef.CheckOutPageStepDef.		
	the_user_verifies_that_on_the_checkout_page_when_an_invalid_gift_card_number_is_entered_a_validation_message_is_displayed(CheckOutPageStepDef.java:102)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//div[@class='filter_sort_btn_wrap']"} (Session info: chrome=140.0.7339.208) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0',		
	revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [7acd02f78b279468cf1fd15d4ec2e0f0, findElement {value=//div[@class='filter_sort_btn_wrap'],		
	using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions:		
	{debuggerAddress: localhost:55527}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		
	se:cdp: ws://localhost:55527/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 7acd02f78b279468cf1fd15d4ec2e0f0		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		

DETAILED SECTION -- 31 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at jdk.internal.reflect.GeneratedMethodAccessor53.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$0VQsDrze.findElement(Unknown Source)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy50.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:262)		
	at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:211)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:74)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:83)		
	* Not displayable characters are replaced by '?'.		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.000 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '4.34.0', revision: '707dcb4246*'		
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28'		
	Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [null, screenshot {}]		
	Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55527},		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55527/devtoo, se:cdpVersion:		
	140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true}		
	* Not displayable characters are replaced by '?'.		

DETAILED SECTION -- 32 --

"TD_UI_Zlaata_COP_12"



#	Step / Hook Details	Status	Duration
1	Given the user verifies that on the Gift Wrapping popup, the mandatory fields are left empty	FAILED	47.424 s
1	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: (821993d3755e42ca86c13bbfa409f2c9, actions {actions=[org.openqa.selenium.interactions.Sequence@4ed19540]]} Capabilities {acceptinsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61517/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 821993d375f5e42ca8c13bbfa409f2c9 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.tambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.tambda\$new\$16(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\ForEachOp\ForEachOp\ForEachOps.java:177) at java.base/java.util.stream.ReferencePipelines2\$1.accept(ReferencePipeline.java:177) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:474) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:474) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.forEach(PseferencePipeline.java:2497) at org.openqa.selenium.json.JsonOu	FAILED	47.424 s
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at java.base/java.util.Map.forEach(Map.java:661)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openga.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$RKql1Lqt.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.verifyMandatoryFieldsInGiftWrapPopup(CheckoutPage.java:1051)		
	at stepDef.CheckOutPageStepDef.		
	the_user_verifies_that_on_the_gift_wrapping_popup_the_mandatory_fields_are_left_empty(CheckOutPageStepDef.java:108)		
	at ?.the user verifies that on the Gift Wrapping popup, the mandatory fields are left empty(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/		
	test/resources/features/CheckoutPage/checkoutPage.feature:112)		
	Suppressed: org.openga.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.34.0', revision:		
	'707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: driver.version:		
	RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.		
	toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.		
	selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openqa.selenium.remote.service.		
	DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.		
	DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.		
	execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630) at jdk. internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.		
	invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.		
	selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.		
	DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.		
	lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$RKql1Lqt.		
	perform(Unknown Source) at org.openga.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at pages.		
	ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43) at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.verifyMandatoryFieldsInGiftWrapPopup(CheckoutPage.java:1051) at stepDef.CheckOutPageStepDef.		


# Step / Hook Details	Status	Duration
the_user_verifies_that_on_the_gift_wrapping_popup_the_mandatory_fields_are_left_empty(CheckOutPageStepDef.java:108) at java. base)fick.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java. base)fick.internal.reflect.NativeMethodAccessorImpl.invoke0(Native MethodAccessorImpl.invoke0(Native Native Na		Duration

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$RKql1Lqt.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.verifyMandatoryFieldsInGiftWrapPopup(CheckoutPage.java:1051)		
	at stepDef.CheckOutPageStepDef.		
	the_user_verifies_that_on_the_gift_wrapping_popup_the_mandatory_fields_are_left_empty(CheckOutPageStepDef.java:108)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//div[@class='filter_sort_btn_wrap']"} (Session info: chrome=140.0.7339.208) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0',		
	revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [821993d375f5e42ca8c13bbfa409f2c9, findElement {value=//div[@class='filter_sort_btn_wrap'],		
	using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions:		
	{debuggerAddress: localhost:61517}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		
	se:cdp: ws://localhost:61517/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration
	true} Session ID: 821993d375f5e42ca8c13bbfa409f2c9		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at jdk.internal.reflect.GeneratedMethodAccessor53.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$RKql1Lqt.findElement(Unknown Source)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy50.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:262)		
	at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:211)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:74)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:83)		
	* Not displayable characters are replaced by '?'.		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.000 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*'	1	
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion:		
	140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:		
	localhost:61517}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61517/devtoo,		
	se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.		

TC_UI_Zlaata_COP_13 |Verify Validation Message in Gift Wrapping Popup if the user enters fewer characters in Description or Sender Name| "TD_UI_Zlaata_COP_13"



# Step / Hook Details	Status	Duration
Given the user verifies that on the Gift Wrapping popup, the user enters fewer characters for all fields	FAILED	47.304 s
Given the user verifies that on the Gift Wrapping popup, the user enters fewer characters for all fields org.openga.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openga.selenium.interactions. Sequence@68e094c9]]} Capabilities (acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.208, chrome: {chromedriverVe	FAILED	47.304 s

DETAILED SECTION -- 39 --

	Step / Hook Details	Status	Duration
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$2fXYZsuR.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.verifyLessCharacterFieldsInGiftWrapPopup(CheckoutPage.java:1081)		
	at stepDef.CheckOutPageStepDef.		
th	ne_user_verifies_that_on_the_gift_wrapping_popup_the_user_enters_fewer_characters_for_all_fields(CheckOutPageStepDef.java:115)		
	at ?.the user verifies that on the Gift Wrapping popup, the user enters fewer characters for all fields(file:///C:/Users/Sarojkumar/git/		
Z	laataQAsever/src/test/resources/features/CheckoutPage/checkoutPage.feature:121)		
١	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.34.0', revision:		
	'07dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: driver.version:		
	temoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json. bJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	t org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.		
	elenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openqa.selenium.remote.service.		
	riverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openga.selenium.remote.service.		
	priverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.		
	xecute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630) at jdk.		
- 1	nternal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.		
	nvoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.		
	elenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators. efaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.		
	refaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator. rmbda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$2fXYZsuR.		
	erform(Unknown Source) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at pages.		

DETAILED SECTION -- 40 --

#	Step / Hook Details	Status	Duration
#	Step / Hook Details ProductDetailsPage.RandomProduct(ProductDetailsPage_java-43) at pages.ProductDetailsPage_buyNow(ProductDetailsPage_java-750) at pages.CheckoutPage_verifyLessCharacterFieldsInGiffWrapPopup(CheckoutPage_java-1081) at srepDef.CheckOutPage_stepDef. the _user_verifies_that_on_the_gift_wrapping_popup_the_user_enters_fever_characters_for_all_fields(CheckOutPageStepDef.) at pages.CheckoutPage_verifyLessCharacterFieldsInGiffWrapPopup(CheckoutPage_java-1081) at java.base/gik.internal.reflect.NeiterIndiveMethodAccessorImpl.invoke(NotailveMethodAccessorImpl.invoke(NotailveMethodAccessorImpl.invoke(NotailveMethodAccessorImpl.invoke(NotailveMethodAccessorImpl.invoke(PolegatingMethodAccessorImpl.java-43) at java.base/jak.netra-fleet.ChelegatingMethodAccessorImpl.invoke(PolegatingMethodAccessorImpl.java-130) at io.cucumber.core.trunke(Invoker_java-24) at io.cucumber.java.AbstractGlueDefinition.java-47) at io.cucumber.java.Java-StepDefinition_execute(Java-StepDefinition_java-29) at io.cucumber.core.runner.Core-stepDefinition_iava-30) at io.cucumber.core.runner.PickleStepDefinitionMatch.invoke(Invoker_java-10) at io.cucumber.core.runner.PickleStepDefinitionMatch.invoke(Invoker_java-10) at io.cucumber.core.runner.TestStep.pava-64) at io.cucumber.core.runner.TestStep.pava-64) at io.cucumber.core.runner.TestStep.pava-64) at io.cucumber.core.runner.FlokelStepTestStep.java-65) at io.cucumber.core.runner.FlokelStepTestStep.java-65) at io.cucumber.giva-10 at io.giva-10 at io.gi	Status	Duration

	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openga.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$2fXYZsuR.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.verifyLessCharacterFieldsInGiftWrapPopup(CheckoutPage.java:1081)		
	at stepDef.CheckOutPageStepDef.		
th	e_user_verifies_that_on_the_gift_wrapping_popup_the_user_enters_fewer_characters_for_all_fields(CheckOutPageStepDef.java:115)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

:	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:320)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:445) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//div[@class='filter_sort_btn_wrap']"} (Session info: chrome=140.0.7339.208) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0',		
	revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openga.		
	selenium.chrome.ChromeDriver Command: [6b95efed115b9135b8716bc7ec8a2f0d, findElement {value=//div[@class='filter_sort_btn_wrap'],		
	using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion:		
	140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions:		
	{debuggerAddress: localhost:63044}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		
	se:cdp: ws://localhost:63044/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

DETAILED SECTION -- 43 --

£	Step / Hook Details	Status	Duration
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	vebauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
ti	rue} Session ID: 6b95efed115b9135b8716bc7ec8a2f0d		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at jdk.internal.reflect.GeneratedMethodAccessor53.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openga.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openga.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openga.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$2fXYZsuR.findElement(Unknown Source)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy50.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:262)		
	at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:211)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:74)		
	at org.openga.selenium.interactions.Sequence.toJson(Sequence.java:14)		
*	Not displayable characters are replaced by '?'.		
_	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.000 s
-	Prailed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*'		
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion:		
	40.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:		
- 1	ocalhost:63044},		

#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63044/devtoo, se:cdpVersion:		
	140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.		

TC_UI_Zlaata_COP_14 | Verify Gift Card Balance Display when Correct Gift Card is Entered | "TD_UI_Zlaata_COP_14"



#	Step / Hook Details	Status	Duration
1	Given the user verifies that a valid gift card number is entered in the Gift Card field	FAILED	47.264 s
1	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [0b437bb86af28e97249723e302d7c33a, actions=[org.openqa.selenium.interactions. Sequence@30a4a111]}] Capabilities (acceptinsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:52440}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52440/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0b437bb86af28e97249723902d7c33a at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$231.accept(ReferencePipeline.java:177) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:474) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ForEachOps\$ForEachOps\$ForEachOps.jevaluateSequential(ForEachOps.java:173)	PAILED	47.204 5

	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openga.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openga.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$9H7BqEDc.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.entervalidGiftCardNumberCheckGiftCardAmount(CheckoutPage.java:1129)		
	at stepDef.CheckOutPageStepDef.		
1	he_user_verifies_that_a_valid_gift_card_number_is_entered_in_the_gift_card_field(CheckOutPageStepDef.java:122)		
	at ?.the user verifies that a valid gift card number is entered in the Gift Card field(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/		
1	esources/features/CheckoutPage/checkoutPage.feature:130)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.34.0', revision:		
	707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: driver.version:		
	RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.		
	oJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109) at org.openqa.		
	selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203) at org.openqa.selenium.remote.service. DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.		
- 1	DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:210) at org.openga.selenium.remote.RemoteWebDriver.		
- 1	execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630) at jdk.		
	nternal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.		

# Step / Hook Details	Status	Duration
invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.ope selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorator.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorator.WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object88PtyEBuddy\$9H7Bq perform(Unknown Source) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616) at pages. ProductDetailsPage, andomProduct(ProductDetailsPage, java:43) at pages.ProductDetailsPage.buyNow(ProductDetailsPage) at pages.CheckoutPage.entervalidGiftCardNumberCheckGiftCardAmount(CheckoutPage.java:1129) at stepDef.CheckOutPage the _user_verifies_that_a_valid_gift_card_number_is_entered_in_the_gift_card_field(CheckOutPageStepDef.java:122) at java.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.Method.invoke(Method.java:566) at io.cucumber.ore.runner.perflect.MethodAccessorImpl.java:43) at java.base/jdx.lang-reflect.Method.invoke(Method.java:566) at io.cucumber.ore.runner.perflect.MethodAccessorImpl.java:43) at java.base/java.lang-reflect.Method.invoke(Method.java:566) at io.cucumber.ore.runner.creflect.perfluiton.java:49) at java.base/java.lang-reflect.Method.invoke(Method.java:566) at io.cucumber.core.runner.creflectPerfluiton.java:49) at java.base/java.lang-reflect.Method.invoke(Method.java:566) at io.cucumber.core.runner.creflectPerfluiton.java:69) at io.cucumber.core.runner.restStep.pefinition.aya:60 at io.cucumber.core.runner.restStep.pefinition.aya:60 at io.cucumber.core.runner.restStep.pefinition.aya:60 at io.cucumber.core.runner.restStep.pefinition.aya:60 at io.cucumber.core.runner.restCase.run(TestStep.java:64) cucumber.core.runner.pefickleCharentRunner.java:65) at io.cucumber.core.runner.specepter.piva.specepter.giva:151) at io.cucumber.junit.FeatureRunner.ja	enqa. Drs. EDc. java:750) eStepDef. base/jdk. mber.java. Definition. at io. nMatch. at io. se.java:104) kleRunners. at org.junit. 93) at 413) at org.junit. at org. java:66) (Cucumber. eclipse.jdt. ion. at org. er.	Duration

#	Step / Hook Details	Status	Duration
	at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at java.base/java.util.Map.forEach(Map.java:661)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:236)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:109)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:203)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:630)		
	at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$9H7BqEDc.perform(Unknown Source)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:616)		
	at pages.ProductDetailsPage.RandomProduct(ProductDetailsPage.java:43)		
	at pages.ProductDetailsPage.buyNow(ProductDetailsPage.java:750)		
	at pages.CheckoutPage.entervalidGiftCardNumberCheckGiftCardAmount(CheckoutPage.java:1129)		
	at stepDef.CheckOutPageStepDef.		
	the_user_verifies_that_a_valid_gift_card_number_is_entered_in_the_gift_card_field(CheckOutPageStepDef.java:122)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//div[@class='filter_sort_btn_wrap']"} (Session info: chrome=140.0.7339.208) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0',		
	revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.		

#	Step / Hook Details	Status	Duration
	selenium.chrome.ChromeDriver Command: [0b437bb86af28e97249723e302d7c33a, findElement {value=//div[@class='filter_sort_btn_wrap'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52440}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52440/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0b437bb86af28e97249723e302d7c33a		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java.oz) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java.oz)		
	at java.base/java.lang.reflect.DelegatingConstructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.136)		
	at org.openqa.selenium.remote.totaec.wsc.wschitpkesponsecodec.decode(wschitpkesponsecodec.java.so) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:174)		
	at org.openqa.selenium.remote.Remote.webbnver.execute(Remote.vebbnver.java.544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at jdk.internal.reflect.GeneratedMethodAccessor53.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)		
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)		
	at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)		
	at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$9H7BqEDc.findElement(Unknown Source)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy50.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:262)		
	at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:211)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:74)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:83)		
	* Not displayable characters are replaced by '?'.		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.000 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*'		

#	Step / Hook Details	Status	Duration
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion:		
	140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:		
	localhost:52440}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52440/devtoo,		
	se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.		