
Cucumber Report



| Feature | | | Scenario Step | | | Step | | | p | |
|---|--------------|---|---------------|---|---|------|----|---|----|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Import Functionality Verify that different entities (Categories, Products, Product Styles, Search Keywords, Collections) can be * | 5 m 47.147 s | 7 | 5 | 2 | 0 | 28 | 24 | 2 | 2 | |
| Home Page Banner upload verification admin panel | 4 m 49.177 s | 8 | 4 | 4 | 0 | 31 | 18 | 4 | 9 | |
| Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching . | 1.325 s | 1 | 0 | 1 | 0 | 4 | 0 | 1 | 3 | |
| Admin can update product influencer status and verify in User App | 2.796 s | 1 | 0 | 1 | 0 | 3 | 0 | 1 | 2 | |
| Admin Sorting The Product in Admin Panel Verify Successful Sort In User App. | 8.143 s | 5 | 0 | 5 | 0 | 15 | 0 | 5 | 10 | |
| This is Negative SignUp feature | 1.025 s | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |

^{*} The feature name has been cropped to fit in the available space.

| # | Feature Name | Scenario Name |
|---|---|--|
| 1 | Import Functionality Verify that different entities (Categories, Products, Product Styles, Search Keywords, Collections) can be * | TC_UI_Zlaata_ADI_01 Verify Categories import uploaded appear in Admin and User App. "TD_UI_Zlaata_ADI_01" |
| 2 | | TC_UI_Zlaata_ADI_05 Verify Search Keyboard Product import uploaded appear in Admin and User App. "TD_UI_Zlaata_ADI_05" |
| 3 | Home Page Banner upload verification admin panel | TC_UI_Zlaata_ADM_05 Verify bulk product upload and visibility. "TD_UI_Zlaata_ADM_05" |
| 4 | | TC_UI_Zlaata_ADM_07 Verify all uploaded Special Timer products appear in Admin and User App. "TD_UI_Zlaata_ADM_07" |
| 5 | | TC_UI_Zlaata_ADM_08 Verify uploaded categories appear in Admin and User App. "TD_UI_Zlaata_ADM_08" |
| 6 | | TC_UI_Zlaata_ADM_09 Verify bulk uploaded Collection appear in Admin and User App. "TD_UI_Zlaata_ADM_09" |
| 7 | Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching . | TC_UI_Zlaata_EEF_01 Verify New Product added match between two exports. "TD_UI_Zlaata_EEF_01" |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.


FAIL & SKIP SCENARIOS -- 4 --

| # | Feature Name | Scenario Name |
|----|--|---|
| 8 | Admin can update product influencer status and verify in User App | TC_UI_Zlaata_ADMI_01 Update a product as influencer and verify in User App "TD_UI_Zlaata_ADMI_01" |
| 9 | Admin Sorting The Product in Admin Panel Verify Successful Sort In User App. | TC_UI_Zlaata_ASP_01 Verify category product sorting between Admin Panel and User Application. "TD_UI_Zlaata_ASP_01" |
| 10 | | TC_UI_Zlaata_ASP_02 Verify Collection product sorting between Admin Panel and User Application. "TD_UI_Zlaata_ASP_02" |
| 11 | | TC_UI_Zlaata_ASP_03 Verify Styles product sorting between Admin Panel and User Application. "TD_UI_Zlaata_ASP_03" |
| 12 | | TC_UI_Zlaata_ASP_04 Verify Micro Page product sorting between Admin Panel and User Application. "TD_UI_Zlaata_ASP_04" |
| 13 | | TC_UI_Zlaata_ASP_05 Verify All product sorting between Admin Panel and User Application. "TD_UI_Zlaata_ASP_05" |
| 14 | This is Negative SignUp feature | TC_UI_Zlaata_Signup_01 User signup scenario "TD_UI_Zlaata_Signup_01" |

| TAG | | Scel | nario | | | Fea | ture | |
|----------------------|----|------|-------|---|---|-----|------|---|
| Name | T | P | F | S | Т | P | F | S |
| @Regression | 23 | 9 | 14 | 0 | 6 | 0 | 6 | 0 |
| @TC_UI_Zlaata_ADI_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADI_02 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADI_03 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADI_04 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADI_05 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADI_06 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADI_07 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADM_02 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Positive | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADM_03 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADM_04 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADM_05 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADM_06 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADM_07 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADM_08 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TC_UI_Zlaata_ADM_09 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| TAG | Scenario | | | | Feature | | | | |
|-------------------------|----------|---|---|---|---------|---|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @TC_UI_Zlaata_EEF_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TC_UI_Zlaata_ADMI_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TC_UI_Zlaata_ASP_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TC_UI_Zlaata_ASP_02 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TC_UI_Zlaata_ASP_03 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TC_UI_Zlaata_ASP_04 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TC_UI_Zlaata_ASP_05 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @TC_UI_Zlaata_Signup_01 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |


FEATURES SUMMARY -- 7 -



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | Import Functionality Verify that different entities (Categories, Products, Product Styles, Search Keywords, Collections) can be successfully uploaded via Excel and are reflected in both Admin * | 7 | 5 | 2 | 0 | 5 m 47.147 s |
| 2 | Home Page Banner upload verification admin panel | 8 | 4 | 4 | 0 | 4 m 49.177 s |
| 3 | Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching . | 1 | 0 | 1 | 0 | 1.325 s |
| 4 | Admin can update product influencer status and verify in User App | 1 | 0 | 1 | 0 | 2.796 s |
| 5 | Admin Sorting The Product in Admin Panel Verify Successful Sort In User App. | 5 | 0 | 5 | 0 | 8.143 s |
| 6 | This is Negative SignUp feature | 1 | 0 | 1 | 0 | 1.025 s |

^{*} The feature name has been cropped to fit in the available space.


SCENARIOS SUMMARY -- 8 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|---|---|---|---|-------------|
| 1 | Import Functionality Verify that different entities (Categories, Products, Product * | TC_UI_Zlaata_ADI_01 Verify Categories import uploaded appear in Admin and User App. "TD_UI_Zlaata_ADI_01" | 4 | 1 | 1 | 2 | 24.228 s |
| 2 | | TC_UI_Zlaata_ADI_02 Verify Collection import uploaded appear in Admin and User App. "TD_UI_Zlaata_ADI_02" | 4 | 4 | 0 | 0 | 53.260 s |
| 3 | | TC_UI_Zlaata_ADI_03 Verify Product Style import uploaded appear in Admin and User App. * | 4 | 4 | 0 | 0 | 57.610 s |
| 4 | | TC_UI_Zlaata_ADI_04 Verify All Product import uploaded appear in Admin and User App. "TD_UI_Zlaata_ADI_04" | 4 | 4 | 0 | 0 | 58.933 s |
| 5 | | TC_UI_Zlaata_ADI_05 Verify Search Keyboard Product import uploaded appear in Admin and User App. * | 4 | 3 | 1 | 0 | 1 m 9.402 s |
| 6 | | TC_UI_Zlaata_ADI_06 Verify Search Keyboard Collection import uploaded appear in Admin and User App. * | 4 | 4 | 0 | 0 | 46.068 s |
| 7 | | TC_UI_Zlaata_ADI_07 Verify Search Keyboard Style import uploaded appear in Admin and User App. * | 4 | 4 | 0 | 0 | 37.466 s |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.


SCENARIOS SUMMARY -- 9 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|--------------|
| 8 | Home Page Banner upload verification admin panel | TC_UI_Zlaata_ADM_02 Verify Top Selling Section Product Display on Homepage. "TD_UI_Zlaata_ADM_02" | 4 | 4 | 0 | 0 | 41.214 s |
| 9 | | TC_UI_Zlaata_ADM_03 Verify New Arrivals Section Product Display on Homepage. "TD_UI_Zlaata_ADM_03" | 5 | 5 | 0 | 0 | 1 m 10.220 s |
| 10 | | TC_UI_Zlaata_ADM_04 Verify Category Section Display on Website. "TD_UI_Zlaata_ADM_04" | 3 | 3 | 0 | 0 | 43.420 s |
| 11 | | TC_UI_Zlaata_ADM_05 Verify bulk product upload and visibility. "TD_UI_Zlaata_ADM_05" | 4 | 2 | 1 | 1 | 22.904 s |
| 12 | - | TC_UI_Zlaata_ADM_06 Remove product SKU from Top Selling and verify on User App. "TD_UI_Zlaata_ADM_06" | 3 | 3 | 0 | 0 | 1 m 8.618 s |
| 13 | | TC_UI_Zlaata_ADM_07 Verify all uploaded Special Timer products appear in Admin and User App. * | 4 | 1 | 1 | 2 | 28.677 s |
| 14 | | TC_UI_Zlaata_ADM_08 Verify uploaded categories appear in Admin and User App. "TD_UI_Zlaata_ADM_08" | 4 | 0 | 1 | 3 | 12.608 s |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

SCENARIOS SUMMARY -- 10 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 15 | Home Page Banner upload verification admin panel | TC_UI_Zlaata_ADM_09 Verify bulk uploaded Collection appear in Admin and User App. "TD_UI_Zlaata_ADM_09" | 4 | 0 | 1 | 3 | 1.425 s |
| 16 | Admin Export The Excel File and Check with Veiw All Export Excel File Check * | TC_UI_Zlaata_EEF_01 Verify New Product added match between two exports. "TD_UI_Zlaata_EEF_01" | 4 | 0 | 1 | 3 | 1.325 s |
| 17 | Admin can update product influencer status and verify in User App | TC_UI_Zlaata_ADMI_01 Update a product as influencer and verify in User App "TD_UI_Zlaata_ADMI_01" | 3 | 0 | 1 | 2 | 2.796 s |
| 18 | Admin Sorting The Product in Admin Panel Verify Successful Sort In User * | TC_UI_Zlaata_ASP_01 Verify category product sorting between Admin Panel and User Application. * | 3 | 0 | 1 | 2 | 1.286 s |
| 19 | | TC_UI_Zlaata_ASP_02 Verify Collection product sorting between Admin Panel and User Application. * | 3 | 0 | 1 | 2 | 1.346 s |
| 20 | | TC_UI_Zlaata_ASP_03 Verify Styles product sorting between Admin Panel and User Application. * | 3 | 0 | 1 | 2 | 1.351 s |
| 21 | | TC_UI_Zlaata_ASP_04 Verify Micro Page product sorting between Admin Panel and User Application. * | 3 | 0 | 1 | 2 | 1.349 s |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 22 | Admin Sorting The Product in Admin Panel Verify Successful Sort In User * | TC_UI_Zlaata_ASP_05 Verify All product sorting between Admin Panel and User Application. * | 3 | 0 | 1 | 2 | 2.775 s |
| 23 | This is Negative SignUp feature | TC_UI_Zlaata_Signup_01 User signup scenario "TD_UI_Zlaata_Signup_01" | 1 | 0 | 1 | 0 | 1.025 s |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

Import Functionality Verify that different entities (Categories, Products, Product Styles, Search Keywords, Collections) can be successfully uploaded via Excel and are reflected in both Admin and User App.



TC_UI_Zlaata_ADI_01 |Verify Categories import uploaded appear in Admin and User App.| "TD_UI_Zlaata_ADI_01"



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | PASSED | 1.960 s |
| 2 | When Admin upload the categories excel "Catagories1.xlsx" | FAILED | 18.393 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <i class="fa fa-refresh"></i> is not clickable at point (1418, 45). Other element would receive the click: <div class="noty_body"></div> is (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c38fab970a23a611b266e32aa15cd2a6, clickElement {id=f. 53CD63642CBC437851A2C2089BB39AFF.d.324000ABD9C9EC1B5BD9D31C876DB6F0.e.219}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49293}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49293/devtoo, se:cdp\Version: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (c38fab970a23a611b266e32aa15cd2a6)] -> xpath: //i[@class='fa fa-refresh']] Session ID: c38fab970a23a611b266e32aa15cd2a6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

DETAILED SECTION -- 13 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) | | |
| | at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) | | |
| | at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) | | |
| | at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$nCpAbdn5.click(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) | | |
| | at com.sun.proxy.\$Proxy50.click(Unknown Source) | | |
| | at objectRepo.AdminPanelAllImportObjRepo.click(AdminPanelAllImportObjRepo.java:23) | | |
| | at pages.AdminPanelAllImortPage.uploadTheCategoriesImport(AdminPanelAllImortPage.java:71) | | |
| | at stepDef.AdminPanelAllImportStepDef.admin_upload_the_categories_excel(AdminPanelAllImportStepDef.java:25) | | |
| | at ?.Admin upload the categories excel "Catagories1.xlsx"(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/ | | |
| | AdminFeature/allImport.feature:9) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin verify categories in Admin panel with "Catagories1.xlsx" | SKIPPED | 0.000 s |
| 4 | And Admin verify Categories from "Catagories1.xlsx" should be visible in user app | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.010 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' |] | |
| | System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver | | |
| | Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: | | |
| | 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: | | |
| | localhost:49293}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49293/devtoo, | | |
| | se:cdpVersion: | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss | | |
| | and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

TC_UI_Zlaata_ADI_02 |Verify Collection import uploaded appear in Admin and User App.| "TD_UI_Zlaata_ADI_02"

| PASSED DURATION - 53.260 s | Steps |
|---|--------------|
| / 5:38:30.643 PM // 5:39:23.903 PM / | 20 Total - 4 |
| Import Functionality Verify that different entities (Categories, Products, Product Styles, Search * | 10 |
| @Degreesien @TC III 7leete ADI 02 | Skip - 0 |
| @Regression @TC_UI_Zlaata_ADI_02 | 1 2 3 4 |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given admin is logged in | PASSED | 4.701 s |
| 2 | When Admin upload the Collection excel "Collection1.xlsx" | PASSED | 13.201 s |
| 3 | Then Admin verify Collection in Admin panel with "Collection1.xlsx" | PASSED | 25.553 s |
| 4 | And Admin verify Collection from "Collection1.xlsx" should be visible in user app | PASSED | 7.882 s |


TC_UI_Zlaata_ADI_03 |Verify Product Style import uploaded appear in Admin and User App.| "TD_UI_Zlaata_ADI_03"



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given admin is logged in | PASSED | 1.072 s |
| 2 | When Admin upload the Product Style excel "Style5.xlsx" | PASSED | 17.687 s |
| 3 | Then Admin verify Product Style in Admin panel with "Style5.xlsx" | PASSED | 29.280 s |
| 4 | And Admin verify Product Style from "Style5.xlsx" should be visible in user app | PASSED | 8.281 s |


DETAILED SECTION -- 15 --

TC_UI_Zlaata_ADI_04 |Verify All Product import uploaded appear in Admin and User App.| "TD_UI_Zlaata_ADI_04"



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | PASSED | 1.345 s |
| 2 | When Admin upload the All Product excel "AllProduct5.xlsx" | PASSED | 18.027 s |
| 3 | Then Admin verify All Product in Admin panel with "AllProduct5.xlsx" | PASSED | 10.898 s |
| 4 | And Admin verify All Product from "AllProduct5.xlsx" should be visible in user app | PASSED | 27.446 s |

TC_UI_Zlaata_ADI_05 |Verify Search Keyboard Product import uploaded appear in Admin and User App.| "TD_UI_Zlaata_ADI_05"



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given admin is logged in | PASSED | 0.958 s |
| 2 | When Admin upload the Search Keyboard Product excel "SearchProduct.xlsx" | PASSED | 15.802 s |
| 3 | Then Admin verify Search Keyboard Product in Admin panel with "SearchProduct.xlsx" | PASSED | 7.342 s |
| 4 | And Admin verify Search Keyboard Product from "SearchProduct.xlsx" should be visible in user app | FAILED | 44.372 s |
| | org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62a3a2e472adb63619f05d9864465979, findElement [value, using]] Capabilities | | |

DETAILED SECTION -- 16 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50093/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:virtualAuthenticators: | | |
| | true} Session ID: 62a3a2e472adb63619f05d9864465979 | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:571) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) | | |
| | at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) | | |
| | at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) | | |
| | at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$D9u0T91b.findElement(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) | | |
| | at pages.AdminPanelAllImortPage.verifySearchKeyboardProductInUserApp(AdminPanelAllImortPage.java:907) | | |
| | at stepDef.AdminPanelAllImportStepDef. | | |
| | admin_verify_search_keyboard_product_from_should_be_visible_in_user_app(AdminPanelAllImportStepDef.java:107) at ?.Admin verify Search Keyboard Product_from "SearchProduct.xlsx" should be visible in user app(file:///C:/Users/Sarojkumar/git/ | | |
| | ZlaataQAsever/src/test/resources/features/AdminFeature/allImport.feature:55) | | |
| | Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes | | |
| | at org.openga.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:500) | | |
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$2(JdkHttpClient.java:387) | | |
| | at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) | | |
| | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) | | |
| | at java.base/java.lang.Thread.run(Thread.java:829) | | |
| | Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:570) | | |
| | | | |
| | | | |
| | at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:119) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:459) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | 8 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes | | |
| | at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:351) | | |
| | at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:673) | | |
| | at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:297) | | |
| | at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:263) | | |
| | at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SynchronizedRestartableTask.run(SequentialScheduler.java:175) | | |
| | at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:147) | | |
| | at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:198) | | |
| | 3 more Caused by: java.io.IOException: An existing connection was forcibly closed by the remote host | | |
| | at java.base/sun.nio.ch.SocketDispatcher.read0(Native Method) | | |
| | at java.base/sun.nio.ch.SocketDispatcher.read(SocketDispatcher.java:43) | | |
| | at java.base/sun.nio.ch.IOUtil.readIntoNativeBuffer(IOUtil.java:276) | | |
| | at java.base/sun.nio.ch.IOUtil.read(IOUtil.java:245) | | |
| | at java.base/sun.nio.ch.IOUtil.read(IOUtil.java:223) | | |
| | at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:356) | | |
| | at java.net.http/jdk.internal.net.http.SocketTube.readAvailable(SocketTube.java:1162) | | |
| | at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:825) | | |
| | at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:175) | | |
| | at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:198) | | |
| | at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:271) | | |
| | at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:224) | | |
| | at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:766) | | |
| | at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:949) | | |
| | at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:245) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:962) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:917) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:917) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER - stepDef.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.016 s |
| | org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: | | |
| | version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [62a3a2e472adb63619f05d9864465979, screenshot []] Capabilities | | |
| | acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 | | |
| | (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: | | |
| | localhost:50093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: | | |
| | ws://localhost:50093/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: | | |
| | true} Session ID: 62a3a2e472adb63619f05d9864465979 | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:571) | | |

DETAILED SECTION -- 18 --

| # | Step / Hook Details | Status | Duration |
|----------|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) | | |
| | at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) | | |
| | at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$D9u0T91b.getScreenshotAs(Unknown Source) | | |
| | at utils.ExcelReportUtil.captureScreenshot(ExcelReportUtil.java:68) | | |
| | at stepDef.Hooks.tearDown(Hooks.java:298) | | |
| | Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: no further information | | |
| | at org.openga.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:500) | | |
| | at org.openga.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$2(JdkHttpClient.java:387) | | |
| | at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) | | |
| | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) | | |
| | at java.base/java.lang.Thread.run(Thread.java:829) | | |
| | Caused by: java.net.ConnectException: Connection refused: no further information | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:562) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:119) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:459) | | |
| | 8 more Caused by: java.net.ConnectException: Connection refused: no further information | | |
| | at java.base/sun.nio.ch.SocketChannelImpl.checkConnect(Native Method) | | |
| | at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:777) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection\$ConnectEvent.handle(PlainHttpConnection.java:128) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:962) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:917) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:917) | | |
| 7 | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| Ī | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' | 7 | |
| | System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver | | |
| | Command: [null, screenshot {}] | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd | | |
| | ., userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50093}, | | |
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50093/devtoo, se:cdpVersion: | | |
| | 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss | | |
| | and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

TC_UI_Zlaata_ADI_06 |Verify Search Keyboard Collection import uploaded appear in Admin and User App.| "TD_UI_Zlaata_ADI_06"



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | PASSED | 4.840 s |
| 2 | When Admin upload the Search Keyboard Collection excel "SearchCollection.xlsx" | PASSED | 13.857 s |
| 3 | Then Admin verify Search Keyboard Collection in Admin panel with "SearchCollection.xlsx" | PASSED | 8.128 s |
| 4 | And Admin verify Search Keyboard Collection from "SearchCollection.xlsx" should be visible in user app | PASSED | 18.111 s |


TC_UI_ZIaata_ADI_07 |Verify Search Keyboard Style import uploaded appear in Admin and User App.| "TD UI ZIaata ADI 07"




DETAILED SECTION -- 20 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | PASSED | 1.038 s |
| 2 | When Admin upload the Search Keyboard Style excel "SearchStyle.xlsx" | PASSED | 17.100 s |
| 3 | Then Admin verify Search Keyboard Style in Admin panel with "SearchStyle.xlsx" | PASSED | 7.676 s |
| 4 | And Admin verify Search Keyboard Style from "SearchStyle.xlsx" should be visible in user app | PASSED | 10.411 s |

Home Page Banner upload verification admin panel




TC_UI_Zlaata_ADM_02 | Verify Top Selling Section Product Display on Homepage. | "TD_UI_Zlaata_ADM_02"



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given admin is logged in | PASSED | 0.967 s |
| 2 | When amdin copies the SKU for Product | PASSED | 10.196 s |
| 3 | When admin puts this SKU at first position in Top Selling | PASSED | 19.938 s |
| 4 | Then the product should appear in Top Selling on the user panel | PASSED | 8.826 s |


TC_UI_Zlaata_ADM_03 | Verify New Arrivals Section Product Display on Homepage. | "TD_UI_Zlaata_ADM_03"

DETAILED SECTION -- 21 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | PASSED | 4.997 s |
| 2 | When the admin verifies the colour of the product at the first position | PASSED | 10.755 s |
| 3 | And the admin adds this product to the New Arrivals section | PASSED | 16.403 s |
| 4 | And the admin sorts this product to the first position in New Arrivals | PASSED | 25.422 s |
| 5 | Then the product should appear in the New Arrivals section on the user application | PASSED | 10.956 s |

TC_UI_Zlaata_ADM_04 | Verify Category Section Display on Website. | "TD_UI_Zlaata_ADM_04"



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | PASSED | 0.955 s |
| 2 | When I update the category banner with image "catagory.jpg" | PASSED | 30.871 s |
| 3 | Then I should see the updated banner in the user application | PASSED | 10.414 s |

TC_UI_Zlaata_ADM_05 |Verify bulk product upload and visibility.| "TD_UI_Zlaata_ADM_05"




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given admin is logged in | PASSED | 4.625 s |
| 2 | When I upload the product excel "Auto Product2.xlsx" | PASSED | 13.904 s |
| 3 | Then the products from "Auto Product2.xlsx" should be visible in admin panel | FAILED | 3.155 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a aria-expanded="false" aria-haspopup="true" class="nav-link dropdown-toggle" datatoggle="dropdown" href="#" role="button"> is not clickable at point (1352, 353). Other element would receive the click: <a able"="" aria-labelledby="productImport" aria-modal="furue" data-backdrop="static" data-keyboard="false" fade="" href="false" id="productImport" modal="" role="fallagiog" show"="" style="padding-right: 15px; display: block" tablededy="class=" tablindex="-1"> is not clickable at point (1352, 353). Other element would receive the click: | | |

DETAILED SECTION -- 23 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at jdk.internal.reflect.GeneratedMethodAccessor123.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$QGbQzeJ1.click(Unknown Source) at jdk.internal.reflect.GeneratedMethodAccessor123.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy50.click(Unknown Source) at pages.AdminPanelPage.verifyProductsInAdmin(AdminPanelPage.java:1016) at stepDef.AdminPanelStepDef.the_products_from_should_be_visible_in_admin_panel(AdminPanelStepDef.java:138) at ?.the products from "Auto Product2.xlsx" should be visible in admin panel(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/bannerReflecting.feature:57) * Not displayable characters are replaced by '?'. | | |
| 4 | And the products from "Auto Product2.xlsx" should be visible in user app | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64161}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64161/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | PASSED | 0.000 s |


TC_UI_Zlaata_ADM_06 |Remove product SKU from Top Selling and verify on User App.| "TD_UI_Zlaata_ADM_06"

DETAILED SECTION -- 24 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | PASSED | 4.166 s |
| 2 | When I remove the product with SKU from Top Selling | PASSED | 25.310 s |
| 3 | Then I should not see product in Top Selling section on user app | PASSED | 38.054 s |

TC_UI_Zlaata_ADM_07 |Verify all uploaded Special Timer products appear in Admin and User App.| "TD_UI_Zlaata_ADM_07"




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | PASSED | 5.794 s |
| 2 | When I upload the special product excel "Test.xlsx" | FAILED | 21.187 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <i class="fa fa-refresh"></i> is not clickable at point (1419, 45). Other element would receive the click: <div aria-labelledby="productImportLabel" aria-modal="true" class="modal fade show" data-backdrop="static" data-keyboard="false" id="productImport" role="dialog" style="padding-right: 15px; display: block;" tabindex="-1"></div> (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e62f4907a98ff01d0f22927286a78c27, clickElement {id=f.52E37B783B8D75F0BE12E1CCE080660E.d. E6EE7744115A124AAF964BFDFA525366.e.209}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54985}, networkConnectionEnabled: false, pageLoadStrategy: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54985/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:e | | |
| | webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (e62f4907a98ff01d0f22927286a78c27)] -> xpath: //i[@class='fa fa-refresh']] Session ID: e62f4907a98ff01d0f22927286a78c27 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) | | |
| | at org.openga.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) | | |
| | at jdk.internal.reflect.GeneratedMethodAccessor123.invoke(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) | | |
| | at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) | | |
| | at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$6Yas91KE.click(Unknown Source) | | |
| | at jdk.internal.reflect.GeneratedMethodAccessor123.invoke(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) | | |
| | at com.sun.proxy.\$Proxy50.click(Unknown Source) | | |
| | at objectRepo.AdminPanelObjRepo.click(AdminPanelObjRepo.java:81) | | |
| | at pages.AdminPanelPage.uploadTheSpecialTimerProductExcel(AdminPanelPage.java:1192) | | |
| | at stepDef.AdminPanelStepDef.i_upload_the_special_product_excel(AdminPanelStepDef.java:155) | | |
| | at ?.I upload the special product excel "Test.xlsx"(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/ | | |
| | bannerReflecting.feature:79) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then I verify products in Admin panel with "Test.xlsx" | SKIPPED | 0.000 s |
| 4 | And verify products from "Test.xlsx" should be visible in user app | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.010 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: | | |
| | org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: | | |
| | 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, | | |
| | goog:chromeOptions: {debuggerAddress: localhost:54985}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: | | |
| | Proxy(), se:cdp: ws://localhost:54985/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

TC_UI_Zlaata_ADM_08 |Verify uploaded categories appear in Admin and User App.| "TD_UI_Zlaata_ADM_08"




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given admin is logged in | FAILED | 0.165 s |
| | org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [35d1bf8ec2b39877c4a6648389a82e2d, get {url=https://qa.adm.testingserver8.com/}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK-1\AppData\L}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57278}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57278/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 35d1bf8ec2b39877c4a6648389a82e2d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.errorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.enter.ente | | |

DETAILED SECTION -- 27 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at jdk.internal.reflect.GeneratedMethodAccessor164.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$3QsFHNOj.get(Unknown Source) at pages.AdminPanelPage.adminLogin(AdminPanelPage.java:182) at stepDef.AdminPanelStepDef.admin_is_logged_in(AdminPanelStepDef.java:42) at ?.admin is logged in(file:!//C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/bannerReflecting.feature:90) * Not displayable characters are replaced by '?'. | | |
| 2 | When I upload the categories excel "CatagoriesTest5.xlsx" | SKIPPED | 0.000 s |
| 3 | Then I verify categories in Admin panel with "CatagoriesTest5.xlsx" | SKIPPED | 0.003 s |
| 4 | And verify Categories from "CatagoriesTest5.xlsx" should be visible in user app | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57278}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57278/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | PASSED | 0.002 s |

TC_UI_Zlaata_ADM_09 |Verify bulk uploaded Collection appear in Admin and User App.| "TD_UI_Zlaata_ADM_09"

DETAILED SECTION -- 28 --




| # | Step / Hook Details | Status | Duration |
|----------|---|--------|----------|
| 1 | Given admin is logged in | FAILED | 0.159 s |
| \vdash | | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) | | |
| | at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) | | |
| | at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$5M15FUkR.get(Unknown Source) | | |
| | at pages.AdminPanelPage.adminLogin(AdminPanelPage.java:182) | | |

DETAILED SECTION -- 29 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDef.AdminPanelStepDef.admin_is_logged_in(AdminPanelStepDef.java:42) at ?.admin is logged in(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/bannerReflecting.feature:103) * Not displayable characters are replaced by '?'. | | |
| 2 | When I upload the Collection excel "Test5.xlsx" | SKIPPED | 0.000 s |
| 3 | Then I verify collection in Admin panel with "Test5.xlsx" | SKIPPED | 0.000 s |
| 4 | And verify collection from "Test5.xlsx" should be visible in user app | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.003 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54522}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54522/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching .



TC_UI_Zlaata_EEF_01 | Verify New Product added match between two exports. | "TD_UI_Zlaata_EEF_01"

DETAILED SECTION -- 30 --




| # | Step / Hook Details Status | Status Duration |
|---|---|-----------------|
| 1 | gged in FAILED | AILED 0.127 s |
| 1 | m. WebDriverException: unknown error: net:ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.208) Build 0', revision: '707dcb4246" System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' nqa.selenium.chrome.ChromeDriver Command: [e928c1e3cbbae178843f1e2782857418, get {url=https://qa.adm. 0/)] Capabilities (acceptinsecureCerts: true, browserName: chrome, browserVersion: 140.0,7339.208, chrome: on: 140.0,7339.207 (17230b545fd, userDataDir: C:Users/SAROJK=11AppData\L], fedcm:accounts: true, os: {debuggerAddress: localhost:54538}, networkConnectionEnabled: false, pageLoad5trategy: normal, platformName: oxy(), secudp: ws://localhost:54538/devtoo, se:cdpVersion: 140.0,7339.208, setWindowRect: true, strictFileInteractability: pipicit: 0, pageLoad: 300000, sorpit: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: ension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, thenticators: true) Session ID: e928c1e3cbbae178843f1e2782857418 internal.reflect. NativeConstructorAccessorImpl.newInstance(Qhative Method) internal.reflect. NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) internal.reflect. NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) ulang.reflect. DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) ulang.reflect. DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) ulang.reflect. WebConstructor. wecute(WithCommandExecutor.java:215) elenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) elenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) elenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:544) elenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:544) elenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) elenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:315) elenium.supp | AILED 0.127 s |


DETAILED SECTION -- 31 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDef.AdminPanelStepDef.admin_is_logged_in(AdminPanelStepDef.java:42) at ?.admin is logged in(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/exportExcelFile.feature:7) * Not displayable characters are replaced by '?'. | | |
| 2 | When I export products from first page with date range "2025-09-18 - 2025-09-24" and save as "NewProductAdd1.xlsx" | SKIPPED | 0.000 s |
| 3 | And I export products from second page with date range "2025-09-18 - 2025-09-24" and save as "NewProductAdd2.xlsx" | SKIPPED | 0.000 s |
| 4 | Then I verify both exported files "NewProductAdd1.xlsx" and "NewProductAdd2.xlsx" have matching product names | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.002 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54538}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54538/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

Admin can update product influencer status and verify in User App



TC_UI_Zlaata_ADMI_01 |Update a product as influencer and verify in User App| "TD_UI_Zlaata_ADMI_01"




| # | Step / Hook Details | Status | Duration |
|----------|---|--------|----------|
| 1 | Given I take a random product from User App | FAILED | 1.669 s |
| \vdash | | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) | | |
| | at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) | | |
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) | | |
| | at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$otY9aKZg.get(Unknown Source) | | |
| | at pages.AdminPanelInfluencerPage.takeRandomProductName(AdminPanelInfluencerPage.java:47) | | |

DETAILED SECTION -- 33 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDef.AdminPanelInfluencerStepDef.i_take_a_random_product_from_user_app(AdminPanelInfluencerStepDef.java:24) at ?.I take a random product from User App(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/influencer.feature:6) * Not displayable characters are replaced by '?'. | | |
| 2 | When I search the product in Admin, set Influencer Yes, upload image, add to collection and sort "Influ.jpg" | SKIPPED | 0.000 s |
| 3 | Then I verify the product appears on the User App Influencer page | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.003 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53629}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53629/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.




TC_UI_Zlaata_ASP_01 | Verify category product sorting between Admin Panel and User Application. | "TD_UI_Zlaata_ASP_01"

DETAILED SECTION -- 34 --



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDef.AdminPanelStepDef.admin_is_logged_in(AdminPanelStepDef.java:42) at ?.admin is logged in(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/sortingProduct.feature:7) * Not displayable characters are replaced by '?'. | | |
| 2 | When I sort the products in a category | SKIPPED | 0.000 s |
| 3 | Then I should see the same product appear first in the User Application category | SKIPPED | 0.001 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.003 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56651}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56651/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

TC_UI_ZIaata_ASP_02 |Verify Collection product sorting between Admin Panel and User Application.| "TD_UI_ZIaata_ASP_02"




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given admin is logged in | FAILED | 0.145 s |
| | org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e397e3029ffa1cc83b35a9a462648857, get {url=https://qa.adm. testingserver8.com/}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61146}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |

DETAILED SECTION -- 36 --

| # | Step / Hook Details | Status | Duration |
|---|--|----------|----------|
| | windows, proxy: Proxy(), se:cdp: ws://localhost:61146/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: fimplicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e397e3029ffa1cc83b35a9a462648857 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:215) at org.openqa.selenium.remote.ErrorCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.ErrorCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(CriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambdaScreateProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$xpGOd1g1.get(Unknown Source) at 2epDef.AdminPanelPag | Julius | |
| 2 | * Not displayable characters are replaced by '?'. When I sort the products in a Collection | SKIPPED | 0.001 s |
| 3 | Then I should see the same product appear first in the User Application Collection | SKIPPED | 0.001 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.002 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61146}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61146/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | . 7.0023 | 3.302 3 |


TC_UI_Zlaata_ASP_03 |Verify Styles product sorting between Admin Panel and User Application.| "TD_UI_Zlaata_ASP_03"



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | FAILED | 0.209 s |
| | Given admin is logged in org.openga.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '110.28' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [c2e0bcce22df6d975fb9b883bb69cdc1, get (url=https://qa.adm. testingserver8.com/j) Capabilities (acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost.61162}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost.61162/devtoo, se.cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: talse, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: c2e0bcce22df6d975fb9b983bb69cdc1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:312) at jdk.internal.reflect.GeneratedMet | FAILED | 0.209 s |
| | at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$PzXkFyge.get(Unknown Source) at pages.AdminPanelPage.adminLogin(AdminPanelPage.java:182) at stepDef.AdminPanelStepDef.admin_is_logged_in(AdminPanelStepDef.java:42) at ?.admin is logged in(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/sortingProduct.feature:29) * Not displayable characters are replaced by '?'. | | |
| 2 | When I sort the products in a Styles | SKIPPED | 0.000 s |
| 3 | Then I should see the same product appear first in the User Application Styles | SKIPPED | 0.001 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}} Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61162}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61162/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | PASSED | 0.001 s |

TC_UI_Zlaata_ASP_04 | Verify Micro Page product sorting between Admin Panel and User Application. | "TD_UI_Zlaata_ASP_04"




| # | # Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given admin is logged in | FAILED | 0.233 s |
| | org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.20 info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '10.0', j | | |

DETAILED SECTION -- 39 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | testingserver8.com/] Capabilities {acceptinsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: CiUSersiSAROJK-1LxppDataL), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63555}, networkConnectionEnableit: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63555/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:implinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:implicit: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:e | Status | |
| 2 | * Not displayable characters are replaced by '?'. When I sort the products in a Micro Page | SKIPPED | 0.002 s |
| 3 | Then I should see the same product appear first in the User Application Micro Page | SKIPPED | 0.001 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63555}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63555/devtoo, se:cdpVersion: | IASSED | 0.002 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss | | |
| | and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

TC_UI_ZIaata_ASP_05 |Verify All product sorting between Admin Panel and User Application.| "TD_UI_ZIaata_ASP_05"





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given admin is logged in | FAILED | 1.651 s |
| 1 | org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [048fcd5bc5ca188fa938fc6269365e07, get {url=https://qa.adm. testingserver8.com/}] Capabilities {acceptlnsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\UsersiSAROJK-1\AppDataL), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55683}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55683/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 048fcd5bc5ca188fa938fc6269365e07 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) | FAILED | 1.651 s |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) | | |

DETAILED SECTION -- 41 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at jdk.internal.reflect.GeneratedMethodAccessor164.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$2bJstuG5.get(Unknown Source) at pages.AdminPanelPage.adminLogin(AdminPanelPage.java:182) at stepDef.AdminPanelStepDef.admin_is_logged_in(AdminPanelStepDef.java:42) at ?.admin is logged in(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/sortingProduct.feature:51) * Not displayable characters are replaced by '?'. | | |
| 2 | When I sort the products in a All Product | SKIPPED | 0.000 s |
| 3 | Then I should see the same product appear first in the User Application All Product | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 0.002 s |
| | ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd, userDataDir: C:\Users\SAROJK~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55683}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55683/devtoo, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. | | |

This is Negative SignUp feature





| | # | Step / Hook Details | Status | Duration |
|---|---|---------------------------------------|--------|----------|
| 1 | 1 | Given User Signup with all valid data | FAILED | 0.003 s |
| | | Step undefined | | |