

# Cucumber Report

04-Oct-2025, 9:27:32 AM

Start : Oct 04, 8:41:32.651 AM

End : Oct 04, 9:27:31.129 AM

Duration : 45 m 58.478 s

Features




Scenarios

Steps

PASSED - 0  
FAILED - 6  
SKIPPED - 0

PASSED - 16  
FAILED - 7  
SKIPPED - 0

PASSED - 74  
FAILED - 7  
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Import Functionality Verify that different entities (Categories, Products, Product Styles, Search Keywords, Collections) can be *</u>	7 m 57.789 s	7	6	1	0	28	27	1	0
<u>Home Page Banner upload verification admin panel</u>	9 m 29.911 s	8	7	1	0	31	29	1	1
<u>Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching .</u>	2 m 36.941 s	1	0	1	0	4	3	1	0
<u>Admin can update product influencer status and verify in User App</u>	3 m 3.953 s	1	0	1	0	3	2	1	0
<u>Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.</u>	22 m 48.265 s	5	3	2	0	15	13	2	0
<u>This is Negative SignUp feature</u>	1.465 s	1	0	1	0	1	0	1	0


\* The feature name has been cropped to fit in the available space.

#	Feature Name	Scenario Name
1	<u>Import Functionality Verify that different entities (Categories, Products, Product Styles, Search Keywords, Collections) can be *</u>	<u>TC_UI_Zlaata_ADI_05  Verify Search Keyboard Product import uploaded appear in Admin and User App.  "TD_UI_Zlaata_ADI_05"</u>
2	<u>Home Page Banner upload verification admin panel</u>	<u>TC_UI_Zlaata_ADM_05  Verify bulk product upload and visibility.  "TD_UI_Zlaata_ADM_05"</u>
3	<u>Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching .</u>	<u>TC_UI_Zlaata_EEF_01  Verify New Product added match between two exports.  "TD_UI_Zlaata_EEF_01"</u>
4	<u>Admin can update product influencer status and verify in User App</u>	<u>TC_UI_Zlaata_ADMI_01  Update a product as influencer and verify in User App  "TD_UI_Zlaata_ADMI_01"</u>
5	<u>Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.</u>	<u>TC_UI_Zlaata_ASP_01  Verify category product sorting between Admin Panel and User Application.  "TD_UI_Zlaata_ASP_01"</u>
6		<u>TC_UI_Zlaata_ASP_05  Verify All product sorting between Admin Panel and User Application.  "TD_UI_Zlaata_ASP_05"</u>
7	<u>This is Negative SignUp feature</u>	<u>TC_UI_Zlaata_Signup_01   User signup scenario  "TD_UI_Zlaata_Signup_01"</u>

\* The feature name and/or scenario name has been cropped to fit in the available space.


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Regression	23	16	7	0	6	0	6	0
@TC_UI_Zlaata_ADI_01	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADI_02	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADI_03	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADI_04	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADI_05	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_ADI_06	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADI_07	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADM_02	1	1	0	0	1	0	1	0
@Positive	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADM_03	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADM_04	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADM_05	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_ADM_06	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADM_07	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADM_08	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ADM_09	1	1	0	0	1	0	1	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TC_UI_Zlaata_EEF_01	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_ADMI_01	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_ASP_01	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_ASP_02	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ASP_03	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ASP_04	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_ASP_05	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_Signup_01	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Import Functionality Verify that different entities (Categories, Products, Product Styles, Search Keywords, Collections) can be successfully uploaded via Excel and are reflected in both Admin *</u>	7	6	1	0	7 m 57.789 s
2	<u>Home Page Banner upload verification admin panel</u>	8	7	1	0	9 m 29.911 s
3	<u>Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching .</u>	1	0	1	0	2 m 36.941 s
4	<u>Admin can update product influencer status and verify in User App</u>	1	0	1	0	3 m 3.953 s
5	<u>Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.</u>	5	3	2	0	22 m 48.265 s
6	<u>This is Negative SignUp feature</u>	1	0	1	0	1.465 s

\* The feature name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Import Functionality Verify that different entities (Categories, Products, Product *</u>	<u>TC_UI_Zlaata_ADI_01  Verify Categories import uploaded appear in Admin and User App.  "TD_UI_Zlaata_ADI_01"</u>	4	4	0	0	1 m 18.626 s
2		<u>TC_UI_Zlaata_ADI_02  Verify Collection import uploaded appear in Admin and User App.  "TD_UI_Zlaata_ADI_02"</u>	4	4	0	0	1 m 8.229 s
3		<u>TC_UI_Zlaata_ADI_03  Verify Product Style import uploaded appear in Admin and User App.  *</u>	4	4	0	0	1 m 13.031 s
4		<u>TC_UI_Zlaata_ADI_04  Verify All Product import uploaded appear in Admin and User App.  "TD_UI_Zlaata_ADI_04"</u>	4	4	0	0	1 m 47.611 s
5		<u>TC_UI_Zlaata_ADI_05  Verify Search Keyboard Product import uploaded appear in Admin and User App.  *</u>	4	3	1	0	59.827 s
6		<u>TC_UI_Zlaata_ADI_06  Verify Search Keyboard Collection import uploaded appear in Admin and User App.  *</u>	4	4	0	0	45.923 s
7		<u>TC_UI_Zlaata_ADI_07  Verify Search Keyboard Style import uploaded appear in Admin and User App.  *</u>	4	4	0	0	44.370 s


\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Home Page Banner upload verification admin panel</u>	<u>TC_UI_Zlaata_ADM_02  Verify Top Selling Section Product Display on Homepage.  "TD_UI_Zlaata_ADM_02"</u>	4	4	0	0	59.287 s
9		<u>TC_UI_Zlaata_ADM_03  Verify New Arrivals Section Product Display on Homepage.  "TD_UI_Zlaata_ADM_03"</u>	5	5	0	0	1 m 24.399 s
10		<u>TC_UI_Zlaata_ADM_04  Verify Category Section Display on Website.  "TD_UI_Zlaata_ADM_04"</u>	3	3	0	0	1 m 2.727 s
11		<u>TC_UI_Zlaata_ADM_05  Verify bulk product upload and visibility.  "TD_UI_Zlaata_ADM_05"</u>	4	2	1	1	21.177 s
12		<u>TC_UI_Zlaata_ADM_06  Remove product SKU from Top Selling and verify on User App.  "TD_UI_Zlaata_ADM_06"</u>	3	3	0	0	1 m 27.004 s
13		<u>TC_UI_Zlaata_ADM_07  Verify all uploaded Special Timer products appear in Admin and User App.  *</u>	4	4	0	0	1 m 52.498 s
14		<u>TC_UI_Zlaata_ADM_08  Verify uploaded categories appear in Admin and User App.  "TD_UI_Zlaata_ADM_08"</u>	4	4	0	0	1 m 11.055 s


\* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Home Page Banner upload verification admin panel</u>	<u>TC_UI_Zlaata_ADM_09  Verify bulk uploaded Collection appear in Admin and User App.  "TD_UI_Zlaata_ADM_09"</u>	4	4	0	0	1 m 11.665 s
16	<u>Admin Export The Excel File and Check with Veiw All Export Excel File Check *</u>	<u>TC_UI_Zlaata_EEF_01  Verify New Product added match between two exports.  "TD_UI_Zlaata_EEF_01"</u>	4	3	1	0	2 m 36.941 s
17	<u>Admin can update product influencer status and verify in User App</u>	<u>TC_UI_Zlaata_ADMI_01  Update a product as influencer and verify in User App  "TD_UI_Zlaata_ADMI_01"</u>	3	2	1	0	3 m 3.953 s
18	<u>Admin Sorting The Product in Admin Panel Verify Successful Sort In User *</u>	<u>TC_UI_Zlaata_ASP_01  Verify category product sorting between Admin Panel and User Application.  *</u>	3	2	1	0	5 m 42.446 s
19		<u>TC_UI_Zlaata_ASP_02  Verify Collection product sorting between Admin Panel and User Application.  *</u>	3	3	0	0	5 m 19.840 s
20		<u>TC_UI_Zlaata_ASP_03  Verify Styles product sorting between Admin Panel and User Application.  *</u>	3	3	0	0	4 m 49.799 s
21		<u>TC_UI_Zlaata_ASP_04  Verify Micro Page product sorting between Admin Panel and User Application.  *</u>	3	3	0	0	5 m 0.911 s



\* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Admin Sorting The Product in Admin Panel Verify Successful Sort In User *</u>	<u>TC_UI_Zlaata_ASP_05  Verify All product sorting between Admin Panel and User Application.  *</u>	3	2	1	0	1 m 55.171 s
23	<u>This is Negative SignUp feature</u>	<u>TC_UI_Zlaata_Signup_01   User signup scenario  "TD_UI_Zlaata_Signup_01"</u>	1	0	1	0	1.465 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

**Import Functionality Verify that different entities (Categories, Products, Product Styles, Search Keywords, Collections) can be successfully uploaded via Excel and are reflected in both Admin and User App.**



<b>FAILED</b>	DURATION - 7 m 57.789 s	Scenarios Total - 7 Pass - 6 Fail - 1 Skip - 0		Steps Total - 28 Pass - 27 Fail - 1 Skip - 0	
/ 8:41:32.651 AM // 8:49:30.440 AM /					

**TC\_UI\_Zlaata\_ADI\_01 |Verify Categories import uploaded appear in Admin and User App.| "TD\_UI\_Zlaata\_ADI\_01"**

PASSED		DURATION - 1 m 18.626 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:41:32.663 AM // 8:42:51.289 AM /						
Import Functionality Verify that different entities (Categories, Products, Product Styles, Search *						
@Regression @TC_UI_Zlaata_ADI_01						



#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.278 s
2	When Admin upload the categories excel "Catagories1.xlsx"	PASSED	14.164 s
3	Then Admin verify categories in Admin panel with "Catagories1.xlsx"	PASSED	28.202 s
4	And Admin verify Categories from "Catagories1.xlsx" should be visible in user app	PASSED	27.538 s

**TC\_UI\_Zlaata\_ADI\_02 |Verify Collection import uploaded appear in Admin and User App.| "TD\_UI\_Zlaata\_ADI\_02"**

PASSED		DURATION - 1 m 8.229 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:42:51.349 AM // 8:43:59.578 AM /						
Import Functionality Verify that different entities (Categories, Products, Product Styles, Search *						
@Regression @TC_UI_Zlaata_ADI_02						



#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	5.023 s
2	When Admin upload the Collection excel "Collection1.xlsx"	PASSED	13.005 s
3	Then Admin verify Collection in Admin panel with "Collection1.xlsx"	PASSED	22.769 s
4	And Admin verify Collection from "Collection1.xlsx" should be visible in user app	PASSED	24.964 s

### TC\_UI\_Zlaata\_ADI\_03 |Verify Product Style import uploaded appear in Admin and User App.| "TD\_UI\_Zlaata\_ADI\_03"

PASSED	DURATION - 1 m 13.031 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:43:59.594 AM // 8:45:12.625 AM /				
Import Functionality Verify that different entities (Categories, Products, Product Styles, Search *				
@Regression @TC_UI_Zlaata_ADI_03				

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.838 s
2	When Admin upload the Product Style excel "Style5.xlsx"	PASSED	16.759 s
3	Then Admin verify Product Style in Admin panel with "Style5.xlsx"	PASSED	26.659 s
4	And Admin verify Product Style from "Style5.xlsx" should be visible in user app	PASSED	27.452 s

### TC\_UI\_Zlaata\_ADI\_04 |Verify All Product import uploaded appear in Admin and User App.| "TD\_UI\_Zlaata\_ADI\_04"



PASSED		DURATION - 1 m 47.611 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:45:12.646 AM // 8:47:00.257 AM /						
Import Functionality Verify that different entities (Categories, Products, Product Styles, Search *						
@Regression @TC_UI_Zlaata_ADI_04						

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	5.484 s
2	When Admin upload the All Product excel "AllProduct5.xlsx"	PASSED	13.988 s

#	Step / Hook Details	Status	Duration
3	Then Admin verify All Product in Admin panel with "AllProduct5.xlsx"	PASSED	10.306 s
4	And Admin verify All Product from "AllProduct5.xlsx" should be visible in user app	PASSED	1 m 16.341 s

## TC\_UI\_Zlaata\_ADI\_05 |Verify Search Keyboard Product import uploaded appear in Admin and User App.|

### "TD\_UI\_Zlaata\_ADI\_05"

FAILED	DURATION - 59.827 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:47:00.273 AM // 8:48:00.100 AM /				
Import Functionality Verify that different entities (Categories, Products, Product Styles, Search *				
@Regression @TC_UI_Zlaata_ADI_05				

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.866 s
2	When Admin upload the Search Keyboard Product excel "SearchProduct.xlsx"	PASSED	16.094 s
3	Then Admin verify Search Keyboard Product in Admin panel with "SearchProduct.xlsx"	PASSED	7.110 s
4	And Admin verify Search Keyboard Product from "SearchProduct.xlsx" should be visible in user app  org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cba30ed9bec46ade6c516e229842fec8, findElement [using, value]] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\17230b545fd..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58762}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58762/devtools, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cba30ed9bec46ade6c516e229842fec8 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:571) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at jdk.internal.reflect.GeneratedMethodAccessor92.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)	FAILED	34.756 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$z97RxJUg.findElement(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages.AdminPanelAllmortPage.verifySearchKeyboardProductInUserApp(AdminPanelAllmortPage.java:907) at stepDef.AdminPanelAllImportStepDef. admin_verify_search_keyboard_product_from_should_be_visible_in_user_app(AdminPanelAllImportStepDef.java:107)   at ?.Admin verify Search Keyboard Product  from "SearchProduct.xlsx" should be visible in user app(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/allImport.feature:55) Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes   at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:500)   at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)   at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)   at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$2(JdkHttpClient.java:387)   at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515)   at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)   at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)   at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628)   at java.base/java.lang.Thread.run(Thread.java:829) Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes   at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:570)   at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:119)   at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:459)   ... 8 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes   at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:351)   at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:673)   at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:297)   at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:263)   at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SynchronizedRestartableTask.run(SequentialScheduler.java:175)   at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:147)   at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:198)   ... 3 more Caused by: java.io.IOException: An existing connection was forcibly closed by the remote host   at java.base/sun.nio.ch.SocketDispatcher.read0(Native Method)   at java.base/sun.nio.ch.SocketDispatcher.read(SocketDispatcher.java:43)   at java.base/sun.nio.ch.IOUtil.readIntoNativeBuffer(IOUtil.java:276)   at java.base/sun.nio.ch.IOUtil.read(IOUtil.java:245)   at java.base/sun.nio.ch.IOUtil.read(IOUtil.java:223)   at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:356) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.net.http/jdk.internal.net.http.SocketTube.readAvailable(SocketTube.java:1162) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:825) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:175) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:198) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:271) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:224) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:766) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:949) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:245) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:962) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:917) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:917) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER - stepDef.Hooks.tearDown(io.cucumber.java.Scenario)</b></p> <pre> org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cba30ed9bec46ade6c516e229842fec8, screenshot []] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\17230b545fd..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58762}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58762/devtools, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cba30ed9bec46ade6c516e229842fec8 </pre> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:571) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$z97RxJUG.getScreenshotAs(Unknown Source) at utils.ExcelReportUtil.captureScreenshot(ExcelReportUtil.java:68) at stepDef.Hooks.tearDown(Hooks.java:298) </pre> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: no further information</p> <pre> at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:500) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$2(JdkHttpClient.java:387) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:829) Caused by: java.net.ConnectException: Connection refused: no further information at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:562) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:119) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:459) ... 8 more Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.SocketChannelImpl.checkConnect(Native Method) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:777) at java.net.http/jdk.internal.net.http.PlainHttpConnection\$ConnectEvent.handle(PlainHttpConnection.java:128) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:962) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:917) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:917)</pre>		
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246" System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd.. ., userDataDir: C:\Users\SAROJK~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58762}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58762/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </p>	PASSED	0.010 s



TC\_UI\_Zlaata\_ADI\_06 |Verify Search Keyboard Collection import uploaded appear in Admin and User App.|  
"TD UI Zlaata ADI 06"



PASSED		DURATION - 45.923 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:48:00.123 AM // 8:48:46.046 AM /						
Import Functionality Verify that different entities (Categories, Products, Product Styles, Search *						
@Regression @TC_UI_Zlaata_ADI_06						



#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.762 s
2	When Admin upload the Search Keyboard Collection excel "SearchCollection.xlsx"	PASSED	13.993 s
3	Then Admin verify Search Keyboard Collection in Admin panel with "SearchCollection.xlsx"	PASSED	7.257 s
4	And Admin verify Search Keyboard Collection from "SearchCollection.xlsx" should be visible in user app	PASSED	18.464 s

### TC\_UI\_Zlaata\_ADI\_07 |Verify Search Keyboard Style import uploaded appear in Admin and User App. "TD\_UI\_Zlaata\_ADI\_07"



PASSED		DURATION - 44.370 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:48:46.070 AM // 8:49:30.440 AM /						
Import Functionality Verify that different entities (Categories, Products, Product Styles, Search *						
@TC_UI_Zlaata_ADI_07 @Regression						

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.824 s
2	When Admin upload the Search Keyboard Style excel "SearchStyle.xlsx"	PASSED	15.061 s
3	Then Admin verify Search Keyboard Style in Admin panel with "SearchStyle.xlsx"	PASSED	7.407 s
4	And Admin verify Search Keyboard Style from "SearchStyle.xlsx" should be visible in user app	PASSED	19.641 s

### Home Page Banner upload verification admin panel



<b>FAILED</b>	DURATION - 9 m 29.911 s	Scenarios Total - 8 Pass - 7 Fail - 1 Skip - 0		Steps Total - 31 Pass - 29 Fail - 1 Skip - 1	
/ 8:49:30.458 AM // 8:59:00.369 AM /					

### TC\_UI\_Zlaata\_ADM\_02 |Verify Top Selling Section Product Display on Homepage.| "TD\_UI\_Zlaata\_ADM\_02"

<b>PASSED</b>	DURATION - 59.287 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:49:30.458 AM // 8:50:29.745 AM /				
Home Page Banner upload verification admin panel				
@TC_UI_Zlaata_ADM_02 @Regression @Positive				

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.275 s
2	When amdin copies the SKU for Product	PASSED	9.581 s
3	When admin puts this SKU at first position in Top Selling	PASSED	18.328 s
4	Then the product should appear in Top Selling on the user panel	PASSED	25.848 s



### TC\_UI\_Zlaata\_ADM\_03 |Verify New Arrivals Section Product Display on Homepage.| "TD\_UI\_Zlaata\_ADM\_03"

<b>PASSED</b>	DURATION - 1 m 24.399 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 8:50:29.764 AM // 8:51:54.163 AM /				
Home Page Banner upload verification admin panel				
@Regression @TC_UI_Zlaata_ADM_03				

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.542 s



#	Step / Hook Details	Status	Duration
2	When the admin verifies the colour of the product at the first position	PASSED	10.769 s
3	And the admin adds this product to the New Arrivals section	PASSED	13.979 s
4	And the admin sorts this product to the first position in New Arrivals	PASSED	24.135 s
5	Then the product should appear in the New Arrivals section on the user application	PASSED	29.625 s

### TC\_UI\_Zlaata\_ADM\_04 |Verify Category Section Display on Website.| "TD\_UI\_Zlaata\_ADM\_04"

<b>PASSED</b>	<b>DURATION - 1 m 2.727 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:51:54.174 AM // 8:52:56.901 AM /				
Home Page Banner upload verification admin panel				
@Regression @TC_UI_Zlaata_ADM_04				

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.587 s
2	When I update the category banner with image "catagory.jpg"	PASSED	26.065 s
3	Then I should see the updated banner in the user application	PASSED	29.652 s

### TC\_UI\_Zlaata\_ADM\_05 |Verify bulk product upload and visibility.| "TD\_UI\_Zlaata\_ADM\_05"



<b>FAILED</b>	<b>DURATION - 21.177 s</b>		<b>Steps</b> Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 8:52:56.913 AM // 8:53:18.090 AM /				
Home Page Banner upload verification admin panel				
@TC_UI_Zlaata_ADM_05 @Regression				

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.802 s
2	When I upload the product excel "Auto Product2.xlsx"	PASSED	15.847 s
3	Then the products from "Auto Product2.xlsx" should be visible in admin panel	FAILED	3.192 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;a href="#" class="nav-link dropdown-toggle" data-toggle="dropdown" role="button" aria-haspopup="true" aria-expanded="false"&gt;...&lt;/a&gt; is not clickable at point (1352, 353). Other element would receive the click: &lt;div class="modal fade show" id="productImport" data-backdrop="static" data-keyboard="false" tabindex="-1" aria-labelledby="productImportLabel" aria-modal="true" role="dialog" style="padding-right: 15px; display: block;"&gt;...&lt;/div&gt; (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8d6a18974ab98e54add996afa4c2f875, clickElement {id=f.E0DFC79DE95EFE5D42C1980958218D59.d.EBAEBC65A50BDF249816286873A8864A.e.8497}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\chrome-remote-debugging-keyring\chrome-remote-debugging-keyring}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:59361/devtools, se.cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (8d6a18974ab98e54add996afa4c2f875)] -&gt; xpath: //a[normalize-space()='SKU']] Session ID: 8d6a18974ab98e54add996afa4c2f875</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)  atjdk.internal.reflect.GeneratedMethodAccessor100.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)  at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)  at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)  at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$ByGr5Ui.click(Unknown Source)  atjdk.internal.reflect.GeneratedMethodAccessor100.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)  at com.sun.proxy.\$Proxy50.click(Unknown Source)  at pages.AdminPanelPage.verifyProductsInAdmin(AdminPanelPage.java:1016)  at stepDef.AdminPanelStepDef.the_products_from_should_be_visible_in_admin_panel(AdminPanelStepDef.java:138)</p>		


#	Step / Hook Details	Status	Duration
	at ?.the products from "Auto Product2.xlsx" should be visible in admin panel(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/bannerReflecting.feature:57) * Not displayable characters are replaced by '?'. And the products from "Auto Product2.xlsx" should be visible in user app		
4	And the products from "Auto Product2.xlsx" should be visible in user app	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd...), userDataDir: C:\Users\SAROJK~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59361}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59361/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.001 s

### TC\_UI\_Zlaata\_ADM\_06 |Remove product SKU from Top Selling and verify on User App.| "TD\_UI\_Zlaata\_ADM\_06"

PASSED		DURATION - 1 m 27.004 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:53:18.101 AM // 8:54:45.105 AM /						
Home Page Banner upload verification admin panel						
@TC_UI_Zlaata_ADM_06 @Regression						


#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.881 s
2	When I remove the product with SKU from Top Selling	PASSED	22.836 s
3	Then I should not see product in Top Selling section on user app	PASSED	57.982 s

### TC\_UI\_Zlaata\_ADM\_07 |Verify all uploaded Special Timer products appear in Admin and User App.| "TD\_UI\_Zlaata\_ADM\_07"



#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.777 s
2	When I upload the special product excel "Test.xlsx"	PASSED	21.596 s
3	Then I verify products in Admin panel with "Test.xlsx"	PASSED	0.250 s
4	And verify products from "Test.xlsx" should be visible in user app	PASSED	1 m 28.393 s

### TC\_UI\_Zlaata\_ADM\_08 |Verify uploaded categories appear in Admin and User App.| "TD\_UI\_Zlaata\_ADM\_08"



#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.940 s
2	When I upload the categories excel "CatagoriesTest5.xlsx"	PASSED	13.756 s
3	Then I verify categories in Admin panel with "CatagoriesTest5.xlsx"	PASSED	21.844 s
4	And verify Categories from "CatagoriesTest5.xlsx" should be visible in user app	PASSED	33.233 s

### TC\_UI\_Zlaata\_ADM\_09 |Verify bulk uploaded Collection appear in Admin and User App.| "TD\_UI\_Zlaata\_ADM\_09"

<b>PASSED</b>	DURATION - 1 m 11.665 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:57:48.704 AM // 8:59:00.369 AM /				
Home Page Banner upload verification admin panel				
@Regression @TC_UI_Zlaata_ADM_09				

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.165 s
2	When I upload the Collection excel "Test5.xlsx"	PASSED	13.197 s
3	Then I verify collection in Admin panel with "Test5.xlsx"	PASSED	22.704 s
4	And verify collection from "Test5.xlsx" should be visible in user app	PASSED	30.269 s

### Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching .

<b>FAILED</b>	DURATION - 2 m 36.941 s	<b>Scenarios</b> Total - 1 Pass - 0 Fail - 1 Skip - 0		<b>Steps</b> Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 8:59:00.406 AM // 9:01:37.347 AM /					



### TC\_UI\_Zlaata\_EEF\_01 |Verify New Product added match between two exports.| "TD\_UI\_Zlaata\_EEF\_01"

<b>FAILED</b>	DURATION - 2 m 36.941 s		<b>Steps</b> Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 8:59:00.406 AM // 9:01:37.347 AM /				
Admin Export The Excel File and Check with Veiw All Export Excel File Check Wheather its Matching .				
@Regression @TC_UI_Zlaata_EEF_01				

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.729 s

#	Step / Hook Details	Status	Duration
2	When I export products from first page with date range "2025-09-18 - 2025-09-24" and save as "NewProductAdd1.xlsx"	PASSED	24.447 s
3	And I export products from second page with date range "2025-09-18 - 2025-09-24" and save as "NewProductAdd2.xlsx"	PASSED	2 m 5.957 s
4	Then I verify both exported files "NewProductAdd1.xlsx" and "NewProductAdd2.xlsx" have matching product names  java.lang.AssertionError: Products mismatch found. at org.junit.Assert.fail(Assert.java:89) at pages.AdminPanelExportExcelFileMatchPage.verifyExportedProductsMatch(AdminPanelExportExcelFileMatchPage.java:215) at stepDef.AdminPanelExportExcelStepDef. i_verify_both_exported_files_and_have_matching_product_names(AdminPanelExportExcelStepDef.java:44) at ?.I verify both exported files "NewProductAdd1.xlsx" and "NewProductAdd2.xlsx" have matching product names(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/exportExcelFile.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.207 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)  ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd.., userDataDir: C:\Users\SAROJK~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59906}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59906/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.	PASSED	0.003 s

## Admin can update product influencer status and verify in User App

FAILED	DURATION - 3 m 3.953 s	Scenarios		Steps	
/ 9:01:37.379 AM // 9:04:41.332 AM /		Total - 1	1	Total - 3	3
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

TC\_UI\_Zlaata\_ADMI\_01 |Update a product as influencer and verify in User App| "TD\_UI\_Zlaata\_ADMI\_01"



#	Step / Hook Details	Status	Duration
1	Given I take a random product from User App	PASSED	27.298 s
2	When I search the product in Admin, set Influencer Yes, upload image, add to collection and sort "Influ.jpg"	PASSED	1 m 18.933 s
3	Then I verify the product appears on the User App Influencer page	FAILED	1 m 16.325 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$MFI3wPWP.refresh(Unknown Source) at pages.AdminPanelInfluencerPage.lambda\$0(AdminPanelInfluencerPage.java:304) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages.AdminPanelInfluencerPage.verifyFirstProductInUserAppInfluencer(AdminPanelInfluencerPage.java:303) at stepDef.AdminPanelInfluencerStepDef.i_verify_the_product_appears_on_the_user_app_influencer_page(AdminPanelInfluencerStepDef.java:38) at ?.I verify the product appears on the User App Influencer page(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/influencer.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	<p><b>AFTER - stepDef.Hooks.tearDown(io.cucumber.java.Scenario)</b></p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0657d30fa07abc964d006f4fc8531543, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\chrome-remote-devtools\140.0.7339.208, chrome: {debuggerAddress: localhost:57430}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57430/devtools, se.cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0657d30fa07abc964d006f4fc8531543 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) </pre>	FAILED	0.088 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$f2Hzhg2k.getScreenshotAs(Unknown Source) at utils.ExcelReportUtil.captureScreenshot(ExcelReportUtil.java:68) at stepDef.Hooks.tearDown(Hooks.java:298)		
	<b>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</b> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd...), userDataDir: C:\Users\SAROJK~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57430}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57430/devtools..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.	PASSED	0.001 s

### Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.

<b>FAILED</b>	DURATION - 22 m 48.265 s	Scenarios		Steps	
/ 9:04:41.343 AM // 9:27:29.608 AM /		Total - 5		Total - 15	
		Pass - 3		Pass - 13	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

### TC\_UI\_Zlaata\_ASP\_01 |Verify category product sorting between Admin Panel and User Application.

#### "TD\_UI\_Zlaata\_ASP\_01"

<b>FAILED</b>	DURATION - 5 m 42.446 s		Steps	
/ 9:04:41.343 AM // 9:10:23.789 AM /				
Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.				
@TC_UI_Zlaata_ASP_01 @Regression				



#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.354 s
2	When I sort the products in a category	PASSED	30.861 s
3	Then I should see the same product appear first in the User Application category	FAILED	5 m 5.986 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [982e562f58c96fc257b52059b629e1d8, findElements {using=xpath, value=//div[@id='cls_newproduct_sec_dev']/div[contains(@class, 'product_list_cards_list')][1]/h2[@class='product_list_cards_heading']] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\chrome-win-1024x768\chrome-win-1024x768\chrome.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63981}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63981/devtools/page/140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 982e562f58c96fc257b52059b629e1d8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:182)  at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103)  at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:380)  at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:374)  at jdk.internal.reflect.GeneratedMethodAccessor182.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)  at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)  at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)  at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$njshPuOW.findElements(Unknown Source)  at pages.AdminPanelSortingPage.lambda\$0(AdminPanelSortingPage.java:233)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)  at pages.AdminPanelSortingPage.verifyFirstProductInUserApp(AdminPanelSortingPage.java:229)  at stepDef.AdminPanelSortingStepDef.</p>		

#	Step / Hook Details	Status	Duration
	<p>i_should_see_the_same_product_appear_first_in_the_user_application_category(AdminPanelSortingStepDef.java:29)  at ?.I should see the same product appear first in the User Application category(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/resources/features/AdminFeature/sortingProduct.feature:9)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - stepDef.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [982e562f58c96fc257b52059b629e1d8, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SAROJK~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63981}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63981/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 982e562f58c96fc257b52059b629e1d8  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)  at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)  at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)  at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$jnjshPuOW.getScreenshotAs(Unknown Source)  at utils.ExcelReportUtil.captureScreenshot(ExcelReportUtil.java:68)  at stepDef.Hooks.tearDown(Hooks.java:298) </p>	FAILED	0.008 s
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? </p>	PASSED	0.008 s

#	Step / Hook Details	Status	Duration
	Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd.., userDataDir: C:\Users\SAROJK~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63981}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63981/devtoo..., se.cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.}		

## TC\_UI\_Zlaata\_ASP\_02 |Verify Collection product sorting between Admin Panel and User Application.|



### "TD\_UI\_Zlaata\_ASP\_02"

PASSED		DURATION - 5 m 19.840 s			<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:10:23.809 AM // 9:15:43.649 AM /						
Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.						
@TC_UI_Zlaata_ASP_02 @Regression						

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.863 s
2	When I sort the products in a Collection	PASSED	27.824 s
3	Then I should see the same product appear first in the User Application Collection	PASSED	4 m 49.526 s

## TC\_UI\_Zlaata\_ASP\_03 |Verify Styles product sorting between Admin Panel and User Application.|



### "TD\_UI\_Zlaata\_ASP\_03"

PASSED		DURATION - 4 m 49.799 s			<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:15:43.670 AM // 9:20:33.469 AM /						
Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.						
@TC_UI_Zlaata_ASP_03 @Regression						

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.757 s
2	When I sort the products in a Styles	PASSED	26.333 s
3	Then I should see the same product appear first in the User Application Styles	PASSED	4 m 17.045 s

### TC\_UI\_Zlaata\_ASP\_04 |Verify Micro Page product sorting between Admin Panel and User Application.|



#### "TD\_UI\_Zlaata\_ASP\_04"

PASSED		DURATION - 5 m 0.911 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:20:33.497 AM // 9:25:34.408 AM /						
Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.						
@TC_UI_Zlaata_ASP_04 @Regression						

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	0.923 s
2	When I sort the products in a Micro Page	PASSED	26.140 s
3	Then I should see the same product appear first in the User Application Micro Page	PASSED	4 m 32.423 s

### TC\_UI\_Zlaata\_ASP\_05 |Verify All product sorting between Admin Panel and User Application.|

#### "TD\_UI\_Zlaata\_ASP\_05"

FAILED		DURATION - 1 m 55.171 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:25:34.437 AM // 9:27:29.608 AM /						
Admin Sorting The Product in Admin Panel Verify Successful Sort In User App.						
@TC_UI_Zlaata_ASP_05 @Regression						

#	Step / Hook Details	Status	Duration
1	Given admin is logged in	PASSED	4.367 s
2	When I sort the products in a All Product	PASSED	26.741 s





#	Step / Hook Details	Status	Duration
3	<p>Then I should see the same product appear first in the User Application All Product</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=140.0.7339.208) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8636cd98415f8655c152d68e50aad9c0, refresh {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\17230b545fd..., userPrefs: {}} fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64259/devtools/page/140.0.7339.208, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8636cd98415f8655c152d68e50aad9c0     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621)     at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1086)     at jdk.internal.reflect.GeneratedMethodAccessor219.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:566)     at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)     at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48)     at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405)     at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$Y9Fw2IBF.refresh(Unknown Source)     at pages.AdminPanelSortingPage.lambda\$4(AdminPanelSortingPage.java:885)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)     at pages.AdminPanelSortingPage.verifyFirstProductInUserAppAllProduct(AdminPanelSortingPage.java:884)     at stepDef.AdminPanelSortingStepDef. i_should_see_the_same_product_appear_first_in_the_user_application_All_Product(AdminPanelSortingStepDef.java:77)     at ?.I should see the same product appear first in the User Application All Product(file:///C:/Users/Sarojkumar/git/ZlaataQAsever/src/test/ resources/features/AdminFeature/sortingProduct.feature:53) * Not displayable characters are replaced by '?'. </pre>	FAILED	1 m 22.839 s





#	Step / Hook Details	Status	Duration
	<div>AFTER - stepDef.Hooks.tearDown(io.cucumber.java.Scenario)</div> <div>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8636cd98415f8655c152d68e50aad9c0, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\chrome-win-1024x768\chrome-win-1024x768\chrome.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64259/devtools, se.cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8636cd98415f8655c152d68e50aad9c0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:617) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:621) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$XGWadm7M.getScreenshotAs(Unknown Source) at utils.ExcelReportUtil.captureScreenshot(ExcelReportUtil.java:68) at stepDef.Hooks.tearDown(Hooks.java:298)</div>	FAILED	0.168 s
	<div>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</div> <div>? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd...</div>	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
	., userDataDir: C:\Users\SAROJK~1\AppData\Local\, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64259/devtools, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.  		

## This is Negative SignUp feature

<b>FAILED</b>	DURATION - 1.465 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 9:27:29.664 AM // 9:27:31.129 AM /					

## TC\_UI\_Zlaata\_Signup\_01 | User signup scenario ["TD\_UI\_Zlaata\_Signup\_01"]

<b>FAILED</b>	DURATION - 1.465 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 9:27:29.664 AM // 9:27:31.129 AM /				
This is Negative SignUp feature				
@TC_UI_Zlaata_Signup_01 @Regression				

#	Step / Hook Details	Status	Duration
1	Given User Signup with all valid data	FAILED	0.010 s
	Step undefined		