

Cucumber Report

20-Feb-2026, 2:56:10 PM

Start : Feb 20, 1:49:01.950 PM

End : Feb 20, 2:56:09.165 PM

Duration : 67 m 7.215 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 7
SKIPPED - 0

PASSED - 13
FAILED - 7
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify Order Email Flow</u>	67 m 7.215 s	15	8	7	0	22	13	7	2


#	Feature Name	Scenario Name
1	<u>Verify Order Email Flow</u>	<u>TC_UI_Admin_OEV_02 Verify emails for cancel Order From User Side and Refund. "TD_UI_Admin_OEV_02"</u>
2		<u>TC_UI_Admin_OEV_03 Verify exchange order email notifications for Exchange, Shipped, and Delivered statuses. "TD_UI_Admin_OEV_03"</u>
3		<u>TC_UI_Admin_OEV_06 Verify that Return Order Cancellation email is received after the user cancels the return order. "TD_UI_Admin_OEV_06"</u>
4		<u>TC_UI_Admin_OEV_09 Verify that Exchange Order Cancelled email is received after the user cancels the exchange product. *</u>
5		<u>TC_UI_Admin_OEV_11 Verify that Exchange Reiceived Damage State Cancellation email is received after the admin changes the status to *</u>
6		<u>TC_UI_Admin_OEV_13 Verify that a newsletter email is received after subscribing to the newsletter "TD_UI_Admin_OEV_13"</u>
7		<u>TC_UI_Admin_OEV_14 Verify the RTO Order Flow before the order is delivered. "TD_UI_Admin_OEV_14"</u>

* The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TC_UI_Admin_OEV_01	1	1	0	0	1	0	1	0
@Mail	15	8	7	0	1	0	1	0
@TC_UI_Admin_OEV_02	1	0	1	0	1	0	1	0
@TC_UI_Admin_OEV_03	1	0	1	0	1	0	1	0
@TC_UI_Admin_OEV_04	1	1	0	0	1	0	1	0
@TC_UI_Admin_OEV_05	1	1	0	0	1	0	1	0
@TC_UI_Admin_OEV_06	1	0	1	0	1	0	1	0
@TC_UI_Admin_OEV_07	1	1	0	0	1	0	1	0
@TC_UI_Admin_OEV_08	1	1	0	0	1	0	1	0
@TC_UI_Admin_OEV_09	1	0	1	0	1	0	1	0
@TC_UI_Admin_OEV_10	1	1	0	0	1	0	1	0
@TC_UI_Admin_OEV_11	1	0	1	0	1	0	1	0
@TC_UI_Admin_OEV_12	1	1	0	0	1	0	1	0
@TC_UI_Admin_OEV_13	1	0	1	0	1	0	1	0
@TC_UI_Admin_OEV_14	1	0	1	0	1	0	1	0
@TC_UI_Admin_OEV_15	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Verify Order Email Flow</u>	15	8	7	0	67 m 7.215 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify Order Email Flow</u>	<u>TC_UI_Admin_OEV_01 Verify emails for order placed, shipped, and delivered. "TD_UI_Admin_OEV_01"</u>	2	2	0	0	4 m 7.677 s
2		<u>TC_UI_Admin_OEV_02 Verify emails for cancel Order From User Side and Refund. "TD_UI_Admin_OEV_02"</u>	3	1	1	1	1 m 33.280 s
3		<u>TC_UI_Admin_OEV_03 Verify exchange order email notifications for Exchange, Shipped, and Delivered status *</u>	3	1	1	1	6 m 16.139 s
4		<u>TC_UI_Admin_OEV_04 Verify return order email notifications for return statuses. "TD_UI_Admin_OEV_04"</u>	3	3	0	0	5 m 40.410 s
5		<u>TC_UI_Admin_OEV_05 Verify emails for Order Cancelled by Admin Side. "TD_UI_Admin_OEV_05"</u>	1	1	0	0	3 m 31.040 s
6		<u>TC_UI_Admin_OEV_06 Verify that Return Order Cancellation email is received after the user cancels the *</u>	1	0	1	0	5 m 10.472 s
7		<u>TC_UI_Admin_OEV_07 Verify that Return Order Cancellation email is received after the admin changes the *</u>	1	1	0	0	5 m 2.402 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Verify Order Email Flow</u>	<u>TC_UI_Admin_OEV_08 Verify that Return Order Rejection email is received after the admin changes the status to *</u>	1	1	0	0	5 m 45.115 s
9		<u>TC_UI_Admin_OEV_09 Verify that Exchange Order Cancelled email is received after the user cancels the *</u>	1	0	1	0	6 m 6.721 s
10		<u>TC_UI_Admin_OEV_10 Verify that Exchange Out of Stock Cancellation email is received after the admin changes the *</u>	1	1	0	0	6 m 0.191 s
11		<u>TC_UI_Admin_OEV_11 Verify that Exchange Reiceived Damage State Cancellation email is received after the *</u>	1	0	1	0	3 m 13.292 s
12		<u>TC_UI_Admin_OEV_12 Verify that Exchange Order Cancellation email is received after the admin cancels the *</u>	1	1	0	0	11 m 2.348 s
13		<u>TC_UI_Admin_OEV_13 Verify that a newsletter email is received after subscribing to the newsletter *</u>	1	0	1	0	1 m 30.571 s
14		<u>TC_UI_Admin_OEV_14 Verify the RTO Order Flow before the order is delivered. "TD_UI_Admin_OEV_14"</u>	1	0	1	0	2 m 5.483 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Verify Order Email Flow</u>	<u>TC_UI_Admin_OEV_15 Verify the RTO Order Flow for an exchange order before delivered. "TD_UI_Admin_OEV_15"</u>	1	1	0	0	1.665 s

Verify Order Email Flow


FAILED	DURATION - 67 m 7.215 s	Scenarios Total - 15 Pass - 8 Fail - 7 Skip - 0		Steps Total - 22 Pass - 13 Fail - 7 Skip - 2	
/ 1:49:01.950 PM // 2:56:09.165 PM /					

TC_UI_Admin_OEV_01 |Verify emails for order placed, shipped, and delivered.| "TD_UI_Admin_OEV_01"

PASSED	DURATION - 4 m 7.677 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 1:49:01.964 PM // 1:53:09.641 PM /				
Verify Order Email Flow				
@TC_UI_Admin_OEV_01 @Mail				

#	Step / Hook Details	Status	Duration
1	Given User places an order successfully	PASSED	0.037 s
2	When Order confirmation email should be received for order placed, order shipped, order delivered.	PASSED	4 m 0.020 s

TC_UI_Admin_OEV_02 |Verify emails for cancel Order From User Side and Refund.| "TD_UI_Admin_OEV_02"

FAILED	DURATION - 1 m 33.280 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 1:53:09.668 PM // 1:54:42.948 PM /				
Verify Order Email Flow				
@TC_UI_Admin_OEV_02 @Mail				


#	Step / Hook Details	Status	Duration
1	Given User places an order successfully for cancel.	PASSED	0.007 s

#	Step / Hook Details	Status	Duration
2	When Order Cancellation Confirmation email should be received for order cancel from user side. <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=145.0.7632.76) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ff4ff241342a56407e327a10dc28b19f, get {url=Na}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\145.0.7632.76\chromedriver\chromedriver.exe}, fedcm:accounts: true, goog.chromeOptions: {debuggerAddress: localhost:55833}, goog.processID: 3120, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55833/devtools/page/145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ff4ff241342a56407e327a10dc28b19f</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$5DKSD2UO.get(Unknown Source) at pages.AdminEmailVerifyOrderFlowPage.orderRefundInitiateByAdmin(AdminEmailVerifyOrderFlowPage.java:947) at pages.AdminEmailVerifyOrderFlowPage.verifyOrderCancellationEmailFromUserSide(AdminEmailVerifyOrderFlowPage.java:3591) at stepDef.AdminEmailVerifyOrderFlowStepDef.order_cancellation_confirmation_email_should_be_received_for_order_cancel_from_user_side(AdminEmailVerifyOrderFlowStepDef.java:39) at ?.Order Cancellation Confirmation email should be received for order cancel from user side.(file:///C:/Users/Sarojkumar/git/ZlaataQAsever33/src/test/resources/features/AdminFeature/emailVerify.feature:17) * Not displayable characters are replaced by '?'. </pre>	FAILED	1 m 31.211 s
3	Then Order Refund credited email should be received after admin given refund initiate.	SKIPPED	0.005 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.008 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()?		

#	Step / Hook Details	Status	Duration
	Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55833}, goog:processID: 3120, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55833/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.}		

TC_UI_Admin_OEV_03 |Verify exchange order email notifications for Exchange, Shipped, and Delivered statuses.|


"TD_UI_Admin_OEV_03"

FAILED DURATION - 6 m 16.139 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 1:54:42.974 PM // 2:00:59.113 PM /				
Verify Order Email Flow				
@Mail @TC_UI_Admin_OEV_03				

#	Step / Hook Details	Status	Duration
1	Given User exchanges a product successfully.	PASSED	0.007 s
2	When Admin accepts the exchange request, the Order Exchange email should be received. java.lang.AssertionError: ORDER LABEL MISMATCH → UI: Exchange Delivered Expected: Exchange Order Delivered at org.junit.Assert.fail(Assert.java:89) at pages.AdminEmailVerifyOrderFlowPage.verifyOrderLabelforExchange(AdminEmailVerifyOrderFlowPage.java:2662) at pages.AdminEmailVerifyOrderFlowPage.verifyOrderExchangeAllEmail(AdminEmailVerifyOrderFlowPage.java:3632) at stepDef.AdminEmailVerifyOrderFlowStepDef. admin_accepts_the_exchange_request_the_order_exchange_email_should_be_received(AdminEmailVerifyOrderFlowStepDef.java:54) at ?.Admin accepts the exchange request, the Order Exchange email should be received.(file:///C:/Users/Sarojkumar/git/ZlaataQAsever33/src/test/resources/features/AdminFeature/emailVerify.feature:28) * Not displayable characters are replaced by '?'.}	FAILED	6 m 13.671 s
3	Then After admin changes the status to Exchange Order Shipped and later to Exchange Order Delivered, respective emails should be received.	SKIPPED	0.001 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.001 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver		


#	Step / Hook Details	Status	Duration
	Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Microsoft\Edge\UserData\Default\Profile 1\Extensions\chrome-extension://efpccfjgk...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63115}, goog:processID: 16840, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63115/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.}		

TC_UI_Admin_OEV_04 |Verify return order email notifications for return statuses.| "TD_UI_Admin_OEV_04"

PASSED	DURATION - 5 m 40.410 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:00:59.135 PM // 2:06:39.545 PM /				
Verify Order Email Flow				
@Mail @TC_UI_Admin_OEV_04				

#	Step / Hook Details	Status	Duration
1	Given User returns a product successfully.	PASSED	0.003 s
2	When Admin accepts the return request, the Order Return email should be received.	PASSED	5 m 38.281 s
3	Then After the admin initiates the refund, the Order Refund Credited email should be received.	PASSED	0.002 s


TC_UI_Admin_OEV_05 |Verify emails for Order Cancelled by Admin Side.| "TD_UI_Admin_OEV_05"

PASSED	DURATION - 3 m 31.040 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 2:06:39.578 PM // 2:10:10.618 PM /				
Verify Order Email Flow				
@Mail @TC_UI_Admin_OEV_05				

#	Step / Hook Details	Status	Duration
1	Given Admin cancels the order, the Order Cancellation Confirmation email should be received.	PASSED	3 m 29.007 s

TC_UI_Admin_OEV_06 |Verify that Return Order Cancellation email is received after the user cancels the return order.

| "TD_UI_Admin_OEV_06"

FAILED DURATION - 5 m 10.472 s			Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 2:10:10.675 PM // 2:15:21.147 PM /				
Verify Order Email Flow				
@Mail @TC_UI_Admin_OEV_06				

#	Step / Hook Details	Status	Duration
1	Given User cancels the return order, the Return Order Cancellation email should be received. org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //a[contains(@class,'view_details_btn') and contains(text(),'View Order Details')]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pages.AdminEmailVerifyOrderFlowPage.returnOrderCancelFromUserSide(AdminEmailVerifyOrderFlowPage.java:1817) at pages.AdminEmailVerifyOrderFlowPage.verifyReurnOrderCancellationEmailFromUserSide(AdminEmailVerifyOrderFlowPage.java:3699) at stepDef.AdminEmailVerifyOrderFlowStepDef. user_cancels_the_return_order_the_return_order_cancellation_email_should_be_received(AdminEmailVerifyOrderFlowStepDef.java:84) at ?.User cancels the return order, the Return Order Cancellation email should be received.(file:///C:/Users/Sarojkumar/git/ZlaataQAsever33/src/test/resources/features/AdminFeature/emailVerify.feature:58) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[contains(@class,'view_details_btn') and contains(text(),'View Order Details')]"} (Session info: chrome=145.0.7632.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [405392c3f80f5fe2a21ba5bdb33ff37c, findElement {value=//a[contains(@class,'view_details_btn') and contains(text(),'View Order Details')], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57010}, goog:processID: 15828, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57010/devtoo..., se.cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 405392c3f80f5fe2a21ba5bdb33ff37c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)	FAILED	5 m 8.234 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) atjdk.internal.reflect.GeneratedMethodAccessor89.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$MxA9qCwo.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy50.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages.AdminEmailVerifyOrderFlowPage.returnOrderCancelFromUserSide(AdminEmailVerifyOrderFlowPage.java:1817) at pages.AdminEmailVerifyOrderFlowPage.verifyReurnOrderCancellationEmailFromUserSide(AdminEmailVerifyOrderFlowPage.java:3699) at stepDef.AdminEmailVerifyOrderFlowStepDef. user_cancels_the_return_order_the_return_order_cancellation_email_should_be_received(AdminEmailVerifyOrderFlowStepDef.java:84) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) * Not displayable characters are replaced by '?'.		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.002 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\chrome-win-1069621\chrome-driver\145.0.7632.77}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57010}, goog:processID: 15828,		

#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57010/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. 		

TC_UI_Admin_OEV_07 |Verify that Return Order Cancellation email is received after the admin changes the status to Product Received in Damaged State.| "TD_UI_Admin_OEV_07"

PASSED	DURATION - 5 m 2.402 s	 Steps Total - 1 Pass - 1 Fail - 0 Skip - 0 
/ 2:15:21.168 PM // 2:20:23.570 PM /		
Verify Order Email Flow		
@Mail @TC_UI_Admin_OEV_07		

#	Step / Hook Details	Status	Duration
1	Given Admin cancels the return order status to Product Received in Damaged State, the Return Order Cancellation email should be received.	PASSED	5 m 0.700 s


TC_UI_Admin_OEV_08 |Verify that Return Order Rejection email is received after the admin changes the status to Rejected with reason Product Not Available.| "TD_UI_Admin_OEV_08"

PASSED	DURATION - 5 m 45.115 s	 A bar chart with a vertical axis from 0 to 300 and a horizontal axis with a single bar labeled '1' reaching a value of approximately 350.	Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	 A donut chart that is 100% green, with the number '1' in the center.
/ 2:20:23.591 PM // 2:26:08.706 PM /				
Verify Order Email Flow				
@Mail @TC_UI_Admin_OEV_08				

#	Step / Hook Details	Status	Duration
1	Given Admin rejects the return order with reason Product Not Available, the Return Order Rejection email should be received.	PASSED	5 m 42.878 s

TC_UI_Admin_OEV_09 | Verify that Exchange Order Cancelled email is received after the user cancels the exchange

product.| "TD_UI_Admin_OEV_09"

FAILED	DURATION - 6 m 6.721 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 2:26:08.746 PM // 2:32:15.467 PM /				
Verify Order Email Flow				
@Mail @TC_UI_Admin_OEV_09				


#	Step / Hook Details	Status	Duration
1	Given User cancels the exchange product, the Exchange Order Cancelled email should be received. org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //a[contains(@class,'view_details_btn') and contains(text(),'View Order Details')]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pages.AdminEmailVerifyOrderFlowPage.exchangeOrderCancelFromUserSide(AdminEmailVerifyOrderFlowPage.java:2220) at pages.AdminEmailVerifyOrderFlowPage.verifyExchangeOrderCancelEmailFromUserSide(AdminEmailVerifyOrderFlowPage.java:3753) at stepDef.AdminEmailVerifyOrderFlowStepDef. user_cancels_the_exchange_product_the_exchange_order_cancelled_email_should_be_received(AdminEmailVerifyOrderFlowStepDef.java:100) at ?.User cancels the exchange product, the Exchange Order Cancelled email should be received.(file:///C:/Users/Sarojkumar/git/ZlaataQAsever33/src/test/resources/features/AdminFeature/emailVerify.feature:85) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[contains(@class,'view_details_btn') and contains(text(),'View Order Details')]"} (Session info: chrome=145.0.7632.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6a9a53cf4c08f1c831a68b7eb3319ebd, findElement {value=//a[contains(@class,'view_details_btn') and contains(text(),'View Order Details')], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62557}, goog:processID: 19260, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62557/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6a9a53cf4c08f1c831a68b7eb3319ebd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	FAILED	6 m 4.841 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) atjdk.internal.reflect.GeneratedMethodAccessor89.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$MRFKXjPk.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy50.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages.AdminEmailVerifyOrderFlowPage.exchangeOrderCancelFromUserSide(AdminEmailVerifyOrderFlowPage.java:2220) at pages.AdminEmailVerifyOrderFlowPage.verifyExchangeOrderCancelEmailFromUserSide(AdminEmailVerifyOrderFlowPage.java:3753) at stepDef.AdminEmailVerifyOrderFlowStepDef. user_cancels_the_exchange_product_the_exchange_order_cancelled_email_should_be_received(AdminEmailVerifyOrderFlowStepDef. java:100) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) </pre> * Not displayable characters are replaced by '?'. 		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}]	PASSED	0.004 s


#	Step / Hook Details	Status	Duration
	Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Microsoft\Edge\User Data\Default\Profile 1\Extensions\chrome-extension-...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62557}, goog:processID: 19260, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62557/devtools, se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.}		

TC_UI_Admin_OEV_10 |Verify that Exchange Out of Stock Cancellation email is received after the admin changes the status to Product Out of Stock.| "TD_UI_Admin_OEV_10"

PASSED	DURATION - 6 m 0.191 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 2:32:15.487 PM // 2:38:15.678 PM /				
Verify Order Email Flow				
@TC_UI_Admin_OEV_10 @Mail				

#	Step / Hook Details	Status	Duration
1	Given Admin changes the exchange order status to Product Out of Stock, the Exchange Out of Stock Cancellation email should be received.	PASSED	5 m 58.132 s


TC_UI_Admin_OEV_11 |Verify that Exchange Received Damage State Cancellation email is received after the admin changes the status to Product Out of Stock.| "TD_UI_Admin_OEV_11"

FAILED	DURATION - 3 m 13.292 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 2:38:15.691 PM // 2:41:28.983 PM /				
Verify Order Email Flow				
@TC_UI_Admin_OEV_11 @Mail				

#	Step / Hook Details	Status	Duration
1	Given Admin changes the exchange order status to Product Received Damage State, the Exchange Out of Stock Cancellation	FAILED	3 m 10.422 s


#	Step / Hook Details	Status	Duration
	email should be received.		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Decorated [[[ChromeDriver: chrome on windows (5644b2e9f32c4a159cd826d8695e89fa)] -> xpath: //select[@class='form-control order-status']] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$v3czXDLs Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50810}, goog:processID: 4152, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50810/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5644b2e9f32c4a159cd826d8695e89fa at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pages.AdminEmailVerifyOrderFlowPage.orderStatusShippedToDelivered(AdminEmailVerifyOrderFlowPage.java:731) at pages.AdminEmailVerifyOrderFlowPage. verifyExchangeOrderCancelReceivedDamageStateEmailFromAdminSide(AdminEmailVerifyOrderFlowPage.java:3786) at stepDef.AdminEmailVerifyOrderFlowStepDef. admin_changes_the_exchange_order_status_to_product_received_damage_state_the_exchange_out_of_stock_cancellation_email_should_be_received(AdminEmailVerifyOrderFlowStepDef.java:110) at ?.Admin changes the exchange order status to Product Received Damage State, the Exchange Out of Stock Cancellation email should be received.(file:///C:/Users/Sarojkumar/git/ZlaataQAsever33/src/test/resources/features/AdminFeature/emailVerify.feature:103) * Not displayable characters are replaced by '?'.		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50810}, goog:processID: 4152, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50810/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.	PASSED	0.008 s

TC_UI_Admin_OEV_12 |Verify that Exchange Order Cancellation email is received after the admin cancels the exchange order once it has been shipped.| "TD_UI_Admin_OEV_12"

PASSED	DURATION - 11 m 2.348 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 2:41:29.039 PM // 2:52:31.387 PM /				
Verify Order Email Flow				
@TC_UI_Admin_OEV_12 @Mail				

#	Step / Hook Details	Status	Duration
1	Given Admin cancels the exchange order after it has been shipped, the Exchange Order Cancellation email should be received.	PASSED	10 m 59.429 s


TC_UI_Admin_OEV_13 | Verify that a newsletter email is received after subscribing to the newsletter | "TD_UI_Admin_OEV_13"

FAILED DURATION - 1 m 30.571 s			Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 2:52:31.403 PM // 2:54:01.974 PM /				
Verify Order Email Flow				
@TC_UI_Admin_OEV_13 @Mail				

#	Step / Hook Details	Status	Duration
1	Given User subscribes to the newsletter and verifies that the newsletter email is received. org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@role='searchbox']"} (Session info: chrome=145.0.7632.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9218507d933325318b6b82e1dc0da9f, findElement {value="//input[@role='searchbox']", using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61780}, goog:processID: 19024, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61780/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9218507d933325318b6b82e1dc0da9f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	1 m 26.743 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at jdk.internal.reflect.GeneratedMethodAccessor89.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$nG2E6dLW.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy50.sendKeys(Unknown Source) at pages.AdminEmailVerifyOrderFlowPage.openTheNewsletterSubscribesInAdminPanel(AdminEmailVerifyOrderFlowPage.java:2742) at pages.AdminEmailVerifyOrderFlowPage.verifyNewLettermail(AdminEmailVerifyOrderFlowPage.java:3886) at stepDef.AdminEmailVerifyOrderFlowStepDef. user_subscribes_to_the_newsletter_and_verifies_that_the_newsletter_email_is_received(AdminEmailVerifyOrderFlowStepDef.java:122) at ?.User subscribes to the newsletter and verifies that the newsletter email is received.(file:///C:/Users/Sarojkumar/git/ZlaataQAsever33/src/ test/resources/features/AdminFeature/emailVerify.feature:123) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Microsoft\Edge\Sandboxing\chrome\145.0.7632.76\chrome-win32\chrome-win32.exe}, goog:chromeOptions: {debuggerAddress: localhost:61780}, goog:processID: 19024, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61780/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss </pre>	PASSED	0.003 s
	<pre> and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) * Not displayable characters are replaced by '?'. </pre>		

TC_UI_Admin_OEV_14 |Verify the RTO Order Flow before the order is delivered.| "TD_UI_Admin_OEV_14"

FAILED	DURATION - 2 m 5.483 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 2:54:02.002 PM // 2:56:07.485 PM /				
Verify Order Email Flow				
@Mail @TC_UI_Admin_OEV_14				

#	Step / Hook Details	Status	Duration
1	Given the Admin verifies the RTO order flow before the order is delivered. org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (370, 721). Other element would receive the click: ... (Session info: chrome=145.0.7632.76) Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [55a02b5558ad6c06d921b91336e9cd68, clickElement {id=f.74765E1E0F077A8E97AC95F99D84E89A.d.B1F96EF7974D1D490C80FE37BBF92E5A.e.1065}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a..., userDataDir: C:\Users\SAROJK~1\AppData\Local\Temp\chrome-remote-debugging\55a02b5558ad6c06d921b91336e9cd68}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62842}, goog:processID: 4472, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62842/devtools, se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (55a02b5558ad6c06d921b91336e9cd68)] -> xpath: //span[@data-value='save_and_back']] Session ID: 55a02b5558ad6c06d921b91336e9cd68 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) atjdk.internal.reflect.GeneratedMethodAccessor95.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)	FAILED	2 m 3.453 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$yvvL5dnQs.click(Unknown Source) at jdk.internal.reflect.GeneratedMethodAccessor95.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy50.click(Unknown Source) at objectRepo.AdminEmailVerifyOrderFlowObjRepo.click(AdminEmailVerifyOrderFlowObjRepo.java:22) at pages.AdminEmailVerifyOrderFlowPage.updateOrderStatusToShipped(AdminEmailVerifyOrderFlowPage.java:660) at pages.AdminEmailVerifyOrderFlowPage.verifyNormalRTOFlowDelivered(AdminEmailVerifyOrderFlowPage.java:3827) at stepDef.AdminEmailVerifyOrderFlowStepDef. the_admin_verifies_the_rto_order_flow_before_the_order_is_delivered(AdminEmailVerifyOrderFlowStepDef.java:128) at ?.the Admin verifies the RTO order flow before the order is delivered.(file:///C:/Users/Sarojkumar/git/ZlaataQAsever33/src/test/resources/ features/AdminFeature/emailVerify.feature:132) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.28' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.76, chrome: {chromedriverVersion: 145.0.7632.77 (da516187054a... , userDataDir: C:\Users\SAROJK~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62842}, goog:processID: 4472, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62842/devtoo..., se:cdpVersion: 145.0.7632.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.002 s

TC_UI_Admin_OEV_15 |Verify the RTO Order Flow for an exchange order before delivered.| "TD_UI_Admin_OEV_15"

PASSED

DURATION - 1.665 s

/ 2:56:07.500 PM // 2:56:09.165 PM /

Verify Order Email Flow

@Mail @TC_UI_Admin_OEV_15

A line graph with a vertical axis ranging from 0 to 0.15 in increments of 0.05. The horizontal axis has a single tick mark labeled '1'. A single data point is plotted at (1, 0.003), represented by a small black dot on the horizontal line.

Steps

Total - 1

Pass - 1

Fail - 0

Skip - 0

A donut chart that is completely filled with green. In the center of the donut is the number '1'.

#	Step / Hook Details	Status	Duration
1	Given the Admin verifies the RTO order flow for an exchange order before the order is delivered.	PASSED	0.003 s