

Cucumber Report

20-Aug-2025, 4:55:42 pm

Start : Aug 20, 4:46:09.187 pm

End : Aug 20, 4:55:41.647 pm

Duration : 9 m 32.460 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 16
SKIPPED - 0

PASSED - 4
FAILED - 16
SKIPPED - 39



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Coupon Module</u>	9 m 32.460 s	18	2	16	0	59	4	16	39


#	Feature Name	Scenario Name
1	<u>Coupon Module</u>	<u>TC_UI_Zlaata_CP_02 Verify Apply Feedback Coupon before submitting feedback "TD_UI_Zlaata_CP_02"</u>
2		<u>TC_UI_Zlaata_CP_03 Verify Apply FIRSTBUY Coupon before placing the first order "TD_UI_Zlaata_CP_03"</u>
3		<u>TC_UI_Zlaata_CP_04 Verify Apply Newsletter Coupon before subscribing to newsletter "TD_UI_Zlaata_CP_04"</u>
4		<u>TC_UI_Zlaata_CP_05 Verify applying Feedback Coupon after submitting feedback "TD_UI_Zlaata_CP_05"</u>
5		<u>TC_UI_Zlaata_CP_06 Verify applying FIRSTBUY Coupon after placing the first order "TD_UI_Zlaata_CP_06"</u>
6		<u>TC_UI_Zlaata_CP_07 Verify applying Newsletter Coupon after subscribing to the newsletter "TD_UI_Zlaata_CP_07"</u>
7		<u>TC_UI_Zlaata_CP_08 Verify applying a Normal Coupon with percentage discount "TD_UI_Zlaata_CP_08"</u>

#	Feature Name	Scenario Name
8	<u>Coupon Module</u>	<u>TC_UI_Zlaata_CP_09 Verify Apply Normal Coupon with fixed amount "TD_UI_Zlaata_CP_09"</u>
9		<u>TC_UI_Zlaata_CP_10 Verify Apply Special Coupon with percentage discount "TD_UI_Zlaata_CP_10"</u>
10		<u>TC_UI_Zlaata_CP_11 Verify Apply Special Coupon with fixed amount "TD_UI_Zlaata_CP_11"</u>
11		<u>TC_UI_Zlaata_CP_12 Verify Available Coupons when minimum purchase is reached "TD_UI_Zlaata_CP_12"</u>
12		<u>TC_UI_Zlaata_CP_13 Verify Unlock More Coupons when product does not meet minimum purchase "TD_UI_Zlaata_CP_13"</u>
13		<u>TC_UI_Zlaata_CP_14 Verify error message when user enters wrong coupon code "TD_UI_Zlaata_CP_14"</u>
14		<u>TC_UI_Zlaata_CP_16 Verify Apply and Remove button in coupon text box and in coupon pop up "TD_UI_Zlaata_CP_16"</u>


#	Feature Name	Scenario Name
15	<u>Coupon Module</u>	<u>TC_UI_Zlaata_CP_17 Verify that after refreshing the page, the applied coupon amount disappears or changes. "TD_UI_Zlaata_CP_17"</u>
16		<u>TC_UI_Zlaata_CP_18 Verify same applied coupon amount is displayed on Checkout, Address, and Payment pages "TD_UI_Zlaata_CP_18"</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TC_UI_Zlaata_CP_01	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_CP_02	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_03	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_04	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_05	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_06	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_07	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_08	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_09	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_10	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_11	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_12	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_13	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_14	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_15	1	1	0	0	1	0	1	0
@TC_UI_Zlaata_CP_16	1	0	1	0	1	0	1	0
@TC_UI_Zlaata_CP_17	1	0	1	0	1	0	1	0

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@TC_UI_Zlaata_CP_18	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Coupon Module	18	2	16	0	9 m 32.460 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Coupon Module</u>	<u>TC_UI_Zlaata_CP_01 Verify login popup is displayed when coupon apply button is clicked before user login *</u>	2	2	0	0	15.269 s
2		<u>TC_UI_Zlaata_CP_02 Verify Apply Feedback Coupon before submitting feedback "TD_UI_Zlaata_CP_02"</u>	4	0	1	3	31.438 s
3		<u>TC_UI_Zlaata_CP_03 Verify Apply FIRSTBUY Coupon before placing the first order "TD_UI_Zlaata_CP_03"</u>	4	0	1	3	31.385 s
4		<u>TC_UI_Zlaata_CP_04 Verify Apply Newsletter Coupon before subscribing to newsletter "TD_UI_Zlaata_CP_04"</u>	4	0	1	3	31.370 s
5		<u>TC_UI_Zlaata_CP_05 Verify applying Feedback Coupon after submitting feedback "TD_UI_Zlaata_CP_05"</u>	2	0	1	1	31.548 s
6		<u>TC_UI_Zlaata_CP_06 Verify applying FIRSTBUY Coupon after placing the first order "TD_UI_Zlaata_CP_06"</u>	4	0	1	3	32.331 s
7		<u>TC_UI_Zlaata_CP_07 Verify applying Newsletter Coupon after subscribing to the newsletter "TD_UI_Zlaata_CP_07"</u>	6	0	1	5	31.433 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Coupon Module	<u>TC_UI_Zlaata_CP_08 Verify applying a Normal Coupon with percentage discount "TD_UI_Zlaata_CP_08"</u>	2	0	1	1	31.308 s
9		<u>TC_UI_Zlaata_CP_09 Verify Apply Normal Coupon with fixed amount "TD_UI_Zlaata_CP_09"</u>	4	0	1	3	31.524 s
10		<u>TC_UI_Zlaata_CP_10 Verify Apply Special Coupon with percentage discount "TD_UI_Zlaata_CP_10"</u>	2	0	1	1	31.200 s
11		<u>TC_UI_Zlaata_CP_11 Verify Apply Special Coupon with fixed amount "TD_UI_Zlaata_CP_11"</u>	3	0	1	2	31.344 s
12		<u>TC_UI_Zlaata_CP_12 Verify Available Coupons when minimum purchase is reached "TD_UI_Zlaata_CP_12"</u>	3	0	1	2	31.308 s
13		<u>TC_UI_Zlaata_CP_13 Verify Unlock More Coupons when product does not meet minimum purchase *</u>	3	0	1	2	31.445 s
14		<u>TC_UI_Zlaata_CP_14 Verify error message when user enters wrong coupon code "TD_UI_Zlaata_CP_14"</u>	4	0	1	3	31.296 s



* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Coupon Module</u>	<u>TC_UI_Zlaata_CP_15 Verify user can login in coupon popup "TD_UI_Zlaata_CP_15"</u>	2	2	0	0	53.966 s
16		<u>TC_UI_Zlaata_CP_16 Verify Apply and Remove button in coupon text box and in coupon pop up *</u>	2	0	1	1	31.390 s
17		<u>TC_UI_Zlaata_CP_17 Verify that after refreshing the page, the applied coupon amount disappears or changes. *</u>	5	0	1	4	31.219 s
18		<u>TC_UI_Zlaata_CP_18 Verify same applied coupon amount is displayed on Checkout, Address, and Payment pages *</u>	3	0	1	2	31.567 s


* The feature name and/or scenario name has been cropped to fit in the available space.

Coupon Module

FAILED	DURATION - 9 m 32.460 s	Scenarios Total - 18 Pass - 2 Fail - 16 Skip - 0		Steps Total - 59 Pass - 4 Fail - 16 Skip - 39	
/ 4:46:09.187 pm // 4:55:41.647 pm /					

TC_UI_Zlaata_CP_01 | Verify login popup is displayed when coupon apply button is clicked before user login | "TD_UI_Zlaata_CP_01"



PASSED	DURATION - 15.269 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:46:09.192 pm // 4:46:24.461 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_01				

#	Step / Hook Details	Status	Duration
1	Given User clicks on the Apply button in the coupon text box Initial Screenshot 	PASSED	12.609 s
2	And User should get login popup	PASSED	0.161 s

TC_UI_Zlaata_CP_02 | Verify Apply Feedback Coupon before submitting feedback | "TD_UI_Zlaata_CP_02"

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$gIGDzx6.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:20) * Not displayable characters are replaced by '?'.		
2	And User enters the Feedback coupon code	SKIPPED	0.000 s
3	And User clicks on the Apply button in the coupon popup	SKIPPED	0.000 s
4	Then Error message should appear	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4...), userDataDir: C:\Users\GOWTHA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49932}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49932/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.	PASSED	0.000 s



TC_UI_Zlaata_CP_03 | Verify Apply FIRSTBUY Coupon before placing the first order | "TD_UI_Zlaata_CP_03"

FAILED DURATION - 31.385 s / 4:46:55.930 pm // 4:47:27.315 pm / Coupon Module @TC_UI_Zlaata_CP_03		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dc1fa249f2deb16e8233c0f3c3b69a87, findElement {value="//div[@class='navigation_cta_icon_list account_icon_btn open__popup']", using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Temp\scoped_dir1012_13907258138}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49959}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49959/devtools, se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dc1fa249f2deb16e8233c0f3c3b69a87 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$k6WP7gpQ.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:31)</pre>	FAILED	30.320 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And User enters the FIRSTBUY coupon code		
2	And User enters the FIRSTBUY coupon code	SKIPPED	0.000 s
3	And User clicks on the Apply button in the coupon popup	SKIPPED	0.000 s
4	Then Coupon should be applied successfully	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49959}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49959/devtools, se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. Then Coupon should be applied successfully	PASSED	0.000 s

TC_UI_Zlaata_CP_04 | Verify Apply Newsletter Coupon before subscribing to newsletter | "TD_UI_Zlaata_CP_04"



FAILED DURATION - 31.370 s / 4:47:27.315 pm // 4:47:58.685 pm / Coupon Module @TC_UI_Zlaata_CP_04		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on the checkout page with items in the cart org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ab1665448c7ae7398bdc269293d5a6f, findElement {value="//div[@class='navigation_cta_icon_list account_icon_btn open__popup']", using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),	FAILED	30.316 s

#	Step / Hook Details	Status	Duration
	<pre> se:cdp: ws://localhost:61186/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ab1665448c7ae7398bdc269293d5a6f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$8lr6fSuf.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/ test/resources/features/CouponModule/Coupon.feature:42) * Not displayable characters are replaced by '?'. </pre>		
2	And User enters the Newsletter coupon code	SKIPPED	0.000 s
3	And User clicks on the Apply button in the coupon popup	SKIPPED	0.000 s
4	Then Error message should appear indicating newsletter subscription is required	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.000 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6'		

#	Step / Hook Details	Status	Duration
	Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61186/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.}		



TC_UI_Zlaata_CP_05 | Verify applying Feedback Coupon after submitting feedback | "TD_UI_Zlaata_CP_05"

FAILED	DURATION - 31.548 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 4:47:58.701 pm // 4:48:30.249 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_05				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3d5308da924cbace53c96b88d6670554, findElement {value=//div[@class='navigation_cta_icon_list account_icon_btn open__popup'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57410}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57410/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3d5308da924cbace53c96b88d6670554</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	30.277 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$1xheLj3T.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:53) * Not displayable characters are replaced by '?'. </pre>		
2	And User subscribes to the feedback section	SKIPPED	0.000 s
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4... ..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57410}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57410/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.000 s



TC_UI_Zlaata_CP_06 | Verify applying FIRSTBUY Coupon after placing the first order | "TD_UI_Zlaata_CP_06"

<div>FAILED</div> <div>DURATION - 32.331 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 4:48:30.249 pm // 4:49:02.580 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_06				

#	Step / Hook Details	Status	Duration
1	<p>Given User Logged in and navigate to checkout page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [caf1c56c9869c94e93947737e7a13841, findElement {value="//div[@class='navigation_cta_icon_list account_icon_btn open__popup']", using="xpath"}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Temp\scoped_dir1012_13907258138}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58678}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58678/devtools, se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: caf1c56c9869c94e93947737e7a13841 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)</pre>	FAILED	31.288 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$30MiOdj8.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.LoginPage.userLogin(LoginPage.java:32) at stepDef.CouponFunctionality.user_logged_in_and_navigate_to_checkout_page(CouponFunctionality.java:159) at ?.User Logged in and navigate to checkout page(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:62) * Not displayable characters are replaced by '?'.		
2	And User enters the coupon code	SKIPPED	0.000 s
3	And User clicks on the Apply button	SKIPPED	0.000 s
4	Then Error message should appear indicating the coupon is not applicable after the first order	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4...), userDataDir: C:\Users\GOWTHA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58678}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58678/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.	PASSED	0.000 s



TC_UI_Zlaata_CP_07 | Verify applying Newsletter Coupon after subscribing to the newsletter | "TD_UI_Zlaata_CP_07"

FAILED DURATION - 31.433 s / 4:49:02.592 pm // 4:49:34.025 pm / Coupon Module @TC_UI_Zlaata_CP_07		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [657bda1c2762ef0412a7a1f756668aa3, findElement {value=//div[@class='navigation_cta_icon_list account_icon_btn open__popup'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Temp\scoped_dir1012_13907258138}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54337}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54337/devtools, se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 657bda1c2762ef0412a7a1f756668aa3 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$c6Hq5U2.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:73)</pre>	FAILED	30.404 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And User has subscribed to the newsletter		
2	And User has subscribed to the newsletter	SKIPPED	0.000 s
3	And User has verified their email address in Account settings	SKIPPED	0.000 s
4	When User enters the Newsletter coupon code again	SKIPPED	0.000 s
5	And User clicks on the Apply button in the coupon popup	SKIPPED	0.000 s
6	Then Coupon should be applied successfully	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54337}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54337/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. PASSED	0.000 s	

TC_UI_Zlaata_CP_08 | Verify applying a Normal Coupon with percentage discount | "TD_UI_Zlaata_CP_08"



FAILED		DURATION - 31.308 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1			
/ 4:49:34.036 pm // 4:50:05.344 pm /								
Coupon Module								
@TC_UI_Zlaata_CP_08								

#	Step / Hook Details	Status	Duration
1	Given User adding lowest product to the cart org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e1d6fc2814cbf071664dbd49a755603, findElement {value=//div[@class='navigation_cta_icon_list account_icon_btn open__popup']},	FAILED	30.286 s

#	Step / Hook Details	Status	Duration
	<div>using=xpath]] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Google\Chrome\User Data\Default\Extensions\amkbhfnh...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55206}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55206/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e1d6fc2814cbf071664dbd49a755603</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$vJZ5sdhi.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_adding_lowest_product_to_the_cart(CouponFunctionality.java:251) at ?.User adding lowest product to the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:86) * Not displayable characters are replaced by '?'. </div>		
2	And User try to apply normal percentage coupon and calculating	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.001 s
	? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6'		

#	Step / Hook Details	Status	Duration
	Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55206}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55206/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.}		



TC_UI_Zlaata_CP_09 |Verify Apply Normal Coupon with fixed amount| "TD_UI_Zlaata_CP_09"

FAILED		DURATION - 31.524 s			Steps Total - 4 Pass - 0 Fail - 1 Skip - 3			
/ 4:50:05.351 pm // 4:50:36.875 pm /								
Coupon Module								
@TC_UI_Zlaata_CP_09								

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6c6df1214b790a83162eef75a0955f5f, findElement {value=//div[@class='navigation_cta_icon_list account_icon_btn open__popup'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57768}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57768/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6c6df1214b790a83162eef75a0955f5f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	30.509 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$xfDQdiu3.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/ test/resources/features/CouponModule/Coupon.feature:96) * Not displayable characters are replaced by '?'. </pre>		
2	And User enters a valid Normal Coupon code with a fixed amount discount	SKIPPED	0.000 s
3	And User clicks on the Apply button in the coupon popup	SKIPPED	0.000 s
4	Then Normal Coupon with fixed amount should be applied successfully	SKIPPED	0.000 s
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4... ..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57768}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57768/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.000 s



TC_UI_Zlaata_CP_10 | Verify Apply Special Coupon with percentage discount | "TD_UI_Zlaata_CP_10"

<div>FAILED</div> <div>DURATION - 31.200 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:50:36.886 pm // 4:51:08.086 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_10				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup ']} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b0dcb31423f87c74154bee53a0e2bdf2, findElement {value="//div[@class='navigation_cta_icon_list account_icon_btn open__popup '], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Temp\139.0.7258.138 (884e54ea8d4..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56885}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56885/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b0dcb31423f87c74154bee53a0e2bdf2 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)</pre>	FAILED	30.238 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$RwNb8bDu.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:109) * Not displayable characters are replaced by '?'.		
2	Then Special Coupon with percentage discount should be applied successfully	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4...), userDataDir: C:\Users\GOWTHA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56885}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56885/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.	PASSED	0.000 s



TC_UI_Zlaata_CP_11 | Verify Apply Special Coupon with fixed amount | "TD_UI_Zlaata_CP_11"

FAILED DURATION - 31.344 s / 4:51:08.086 pm // 4:51:39.430 pm / Coupon Module @TC_UI_Zlaata_CP_11		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2b738bbc9d824e699b7385a80429b61a, findElement {value="//div[@class='navigation_cta_icon_list account_icon_btn open__popup']", using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Temp\scoped_dir1012_13907258138}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58588}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58588/devtools, se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2b738bbc9d824e699b7385a80429b61a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$wS8IFqI4.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:120)</pre>	FAILED	30.366 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And User enters a valid Special Coupon code with a fixed amount discount		
2	Then Special Coupon with fixed amount should be applied successfully	SKIPPED	0.000 s
3	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58588}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58588/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. Then Special Coupon with fixed amount should be applied successfully	PASSED	0.000 s

TC_UI_Zlaata_CP_12 |Verify Available Coupons when minimum purchase is reached| "TD_UI_Zlaata_CP_12"

FAILED	DURATION - 31.308 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 4:51:39.430 pm // 4:52:10.738 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_12				



#	Step / Hook Details	Status	Duration
1	Given User is on the checkout page with items in the cart org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5e02ab58b0837a2f5e514dc027dcef6, findElement {value=//div[@class='navigation_cta_icon_list account_icon_btn open__popup'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57859/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,	FAILED	30.298 s

#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5e02ab58b0837a2fbe514dc027dcef6</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$5Qk3hwNR.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:132) * Not displayable characters are replaced by '?'. </p>		
2	When User click on view coupon button	SKIPPED	0.000 s
3	Then Only the eligible coupons should be displayed	SKIPPED	0.000 s
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4.</p>	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> .., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Google\Chrome\User Data\Default, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57859/devtools, se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>		

TC_UI_Zlaata_CP_13 |Verify Unlock More Coupons when product does not meet minimum purchase|



"TD_UI_Zlaata_CP_13"

<div>FAILED</div> <div>DURATION - 31.445 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 4:52:10.753 pm // 4:52:42.198 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_13				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup ']} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors/#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0ab818f86492cc53f64323d97ab82c4, findElement {value=//div[@class='navigation_cta_icon_list account_icon_btn open__popup '], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Google\Chrome\User Data\Default}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58176}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58176/devtools, se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c0ab818f86492cc53f64323d97ab82c4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) </pre>	FAILED	30.457 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$9rtGw6Nw.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:142) * Not displayable characters are replaced by '?'. </pre>		
2	When User click on view coupon button	SKIPPED	0.000 s
3	Then A message should be displayed indicating the need to add more items to unlock additional coupons	SKIPPED	0.000 s
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4... ..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58176}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58176/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.000 s



TC_UI_Zlaata_CP_14 | Verify error message when user enters wrong coupon code | "TD_UI_Zlaata_CP_14"


<div>FAILED</div> <div>DURATION - 31.296 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 4:52:42.198 pm // 4:53:13.494 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_14				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1695552a304320e79a67560795e3cda6, findElement {value="//div[@class='navigation_cta_icon_list account_icon_btn open__popup']", using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\Temp\1695552a304320e79a67560795e3cda6}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55009}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55009/devtools, se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1695552a304320e79a67560795e3cda6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315)</pre>	FAILED	30.341 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$211kgcRb.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:152) * Not displayable characters are replaced by '?'. </pre>		
2	When User enters an invalid coupon code	SKIPPED	0.000 s
3	And User clicks on the Apply button in the coupon popup	SKIPPED	0.000 s
4	Then An error message should be displayed indicating the coupon code is invalid	SKIPPED	0.000 s
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4... ..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55009}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55009/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.000 s



TC_UI_Zlaata_CP_15 |Verify user can login in coupon popup| "TD_UI_Zlaata_CP_15"

PASSED	DURATION - 53.966 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:53:13.505 pm // 4:54:07.471 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_15				

#	Step / Hook Details	Status	Duration
1	Given User is on the checkout page with items in the cart before login Initial Screenshot 	PASSED	11.392 s
2	And User logs in using the coupon popup Apply button	PASSED	41.382 s

TC_UI_Zlaata_CP_16 | Verify Apply and Remove button in coupon text box and in coupon pop up |



"TD_UI_Zlaata_CP_16"

FAILED		DURATION - 31.390 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1		
/ 4:54:07.471 pm // 4:54:38.861 pm /							
Coupon Module							
@TC_UI_Zlaata_CP_16							

#	Step / Hook Details	Status	Duration
1	Given User is on the checkout page with items in the cart org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup']"} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8c19505a83799c7f4802d44c72b055b8, findElement {value=//div[@class='navigation_cta_icon_list account_icon_btn open__popup'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65318}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65318/devtools..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8c19505a83799c7f4802d44c72b055b8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	30.370 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$wK42yIrw.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:173) * Not displayable characters are replaced by '?'. </pre>		
2	And user checking apply and remove button	SKIPPED	0.000 s
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4... ..., userDataDir: C:\Users\GOWTHA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65318}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:65318/devtoo..., se.cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.000 s

TC_UI_Zlaata_CP_17 | Verify that after refreshing the page, the applied coupon amount disappears or changes. | "TD_UI_Zlaata_CP_17"

FAILED	DURATION - 31.219 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 4:54:38.861 pm // 4:55:10.080 pm /				
Coupon Module				
@TC_UI_Zlaata_CP_17				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on the checkout page with items in the cart</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='navigation_cta_icon_list account_icon_btn open__popup ']} (Session info: chrome=139.0.7258.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ddcf51e25a5510f8eb517f13a256c13, findElement {value="//div[@class='navigation_cta_icon_list account_icon_btn open__popup '], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58200}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58200/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ddcf51e25a5510f8eb517f13a256c13</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)</p>	FAILED	30.255 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.decorators.WebDriverDecorator.call(WebDriverDecorator.java:315) at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$2E8kKKMY.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:182) * Not displayable characters are replaced by '?'. </pre>		
2	And User applies a valid coupon code	SKIPPED	0.000 s
3	And User clicks on the Apply button in the coupon popup	SKIPPED	0.000 s
4	When User refreshes the page	SKIPPED	0.000 s
5	Then The applied coupon discount should disappear or be recalculated as per eligibility	SKIPPED	0.000 s
	<p>AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4..., userDataDir: C:\Users\GOWTHA~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58200}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58200/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'. </pre>	PASSED	0.000 s

TC_UI_Zlaata_CP_18 | Verify same applied coupon amount is displayed on Checkout, Address, and Payment pages | "TD_UI_Zlaata_CP_18"

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.decorators.DefaultDecorated.call(DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda\$createProxyFactory\$3(WebDriverDecorator.java:405) at net.bytebuddy.renamed.java.lang.Object\$ByteBuddy\$ckzWzdLS.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy50.click(Unknown Source) at basePage.BasePage.click(BasePage.java:78) at pages.NegativeSignupPages.signUp(NegativeSignupPages.java:118) at stepDef.CouponFunctionality.user_is_on_the_checkout_page_with_items_in_the_cart(CouponFunctionality.java:58) at ?.User is on the checkout page with items in the cart(file:///C:/Users/gowthamraj/git/zlaataautomation-pixel/zlaata/zlaata/zlaata/zlaata/src/test/resources/features/CouponModule/Coupon.feature:195) * Not displayable characters are replaced by '?'.		
2	And User applies a valid coupon code	SKIPPED	0.000 s
3	Then The same coupon discount amount should be displayed consistently on Checkout, Address, and Payment pages	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.afterScenario(io.cucumber.java.Scenario) ? Failed to capture screenshot in @After hook: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.34.0', revision: '707dcb4246" System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 139.0.7258.128, chrome: {chromedriverVersion: 139.0.7258.138 (884e54ea8d4... , userDataDir: C:\Users\GOWTHA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61699}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61699/devtoo..., se:cdpVersion: 139.0.7258.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} * Not displayable characters are replaced by '?'.	PASSED	0.001 s