

PY0101EN-1-1-Write_your_first_python_code

March 21, 2023

1 Writing Your First Python Code

Estimated time needed: **25** minutes

1.1 Objectives

After completing this lab you will be able to:

- Write basic code in Python
- Work with various types of data in Python
- Convert the data from one type to another
- Use expressions and variables to perform operations

Table of Contents

Say "Hello" to the world in Python

<a href="https://version/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_c

<a href="https://comments/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_c

<a href="https://errors/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_c

<a href="https://python_error/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_c

<a href="https://exercise/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_c

Types of objects in Python

<a href="https://int/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_cont

<a href="https://float/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_co

<a href="https://convert/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_c

<a href="https://bool/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_con

<a href="https://exer_type/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_c

<a href="https://#https://exp/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_con

```

        <ul>
            <li><a href="exp">Expressions</a></li>
            <li><a href="https://exer_exp/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_medium=Exinfluencer">Exercises</a></li>
            <li><a href="https://var/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_medium=Exinfluencer">Variables</a></li>
            <li><a href="https://exer_exp_var/?utm_medium=Exinfluencer&utm_source=Exinfluencer&utm_medium=Exinfluencer">Exercises</a></li>
        </ul>
    </li>
</ul>
<p>
    Estimated time needed: <strong>25 min</strong>
</p>

```

Say “Hello” to the world in Python

When learning a new programming language, it is customary to start with an “hello world” example. As simple as it is, this one line of code will ensure that we know how to print a string in output and how to execute code within cells in a notebook.

```

[11]: # Try your first Python output
print ("Hello")
print ("Hello Python, I am Zlatko")
print ('Hello Python, I am Zlatko')
type('hello')
str('hello')
type('11')
type(11)
x=55
print(x)

```

```

Hello
Hello Python, I am Zlatko
Hello Python, I am Zlatko
55

```

After executing the cell above, you should see that Python prints Hello, Python!. Congratulations on running your first Python code!

[Tip:] `print()` is a function. You passed the string `'Hello, Python!'`

What version of Python are we using?

There are two popular versions of the Python programming language in use today: Python 2 and Python 3. The Python community has decided to move on from Python 2 to Python 3, and many popular libraries have announced that they will no longer support Python 2.

Since Python 3 is the future, in this course we will be using it exclusively. How do we know that our notebook is executed by a Python 3 runtime? We can look in the top-right hand corner of this notebook and see “Python 3”.

We can also ask Python directly and obtain a detailed answer. Try executing the following code:

```
[10]: # Check the Python Version
```

```
import sys
print(sys.version)
```

3.7.6 | packaged by conda-forge | (default, Mar 23 2020, 23:03:20)
[GCC 7.3.0]

[Tip:] `sys` is a built-in module that contains many system-specific parameters and
Writing comments in Python

In addition to writing code, note that it's always a good idea to add comments to your code. It will help others understand what you were trying to accomplish (the reason why you wrote a given snippet of code). Not only does this help other people understand your code, it can also serve as a reminder to you when you come back to it weeks or months later.

To write comments in Python, use the number symbol `#` before writing your comment. When you run your code, Python will ignore everything past the `#` on a given line.

```
[31]: # Practice on writing comments
```

```
print('Hello, Python!') # This line prints a string
# print('Hi')
print('hello')
print('hello people') #this is only exercise
print('hello people')
#this is only exercise
print('exercise')
print('exercise'+ ' it right')
print((11+5+8)) #combine
```

```
Hello, Python!
hello
hello people
hello people
exercise
exercise it right
24
```

After executing the cell above, you should notice that This line prints a string did not appear in the output, because it was a comment (and thus ignored by Python).

The second line was also not executed because `print('Hi')` was preceded by the number sign (`#`) as well! Since this isn't an explanatory comment from the programmer, but an actual line of code, we might say that the programmer commented out that second line of code.

Errors in Python

Everyone makes mistakes. For many types of mistakes, Python will tell you that you have made a mistake by giving you an error message. It is important to read error messages carefully to really understand where you made a mistake and how you may go about correcting it.

For example, if you spell print as frint, Python will display an error message. Give it a try:

```
[32]: # Print string as error message
```

```
frint("Hello, Python!")
```

```

      □
↳ -----

      NameError                                Traceback (most recent call↳
↳ last)

      <ipython-input-32-313a1769a8a5> in <module>
          1 # Print string as error message
          2
----> 3 frint("Hello, Python!")

      NameError: name 'frint' is not defined
```

The error message tells you:

where the error occurred (more useful in large notebook cells or scripts), and
what kind of error it was (NameError)

Here, Python attempted to run the function frint, but could not determine what frint is since it's not a built-in function and it has not been previously defined by us either.

You'll notice that if we make a different type of mistake, by forgetting to close the string, we'll obtain a different error (i.e., a SyntaxError). Try it below:

```
[35]: # Try to see built-in error message
```

```
print('Hello, Python')
```

Hello, Python

Does Python know about your error before it runs your code?

Python is what is called an interpreted language. Compiled languages examine your entire program at compile time, and are able to warn you about a whole class of errors prior to execution. In contrast, Python interprets your script line by line as it executes it. Python will stop executing the entire program when it encounters an error (unless the error is expected and handled by the programmer, a more advanced subject that we'll cover later on in this course).

Try to run the code in the cell below and see what happens:

```
[40]: # Print string and error to see the running order
```

```
print("This will be printed")
type("This will cause an error")
```

This will be printed

[40]: str

Exercise: Your First Program

Generations of programmers have started their coding careers by simply printing “Hello, world!”. You will be following in their footsteps.

In the code cell below, use the `print()` function to print out the phrase: Hello, world!

```
[41]: # Write your code below. Don't forget to press Shift+Enter to execute the cell
print('hello world')
```

hello world

[Click here for the solution](#)

```
print("Hello, world!")
```

Now, let’s enhance your code with a comment. In the code cell below, print out the phrase: Hello, world! and comment it with the phrase Print the traditional hello world all in one line of code.

```
[42]: # Write your code below. Don't forget to press Shift+Enter to execute the cell
print('hello world') # print the traditional hello world
```

hello world

[Click here for the solution](#)

```
print("Hello, world!") # Print the traditional hello world
```

Types of objects in Python

Python is an object-oriented language. There are many different types of objects in Python. Let’s start with the most common object types: strings, integers and floats. Anytime you write words (text) in Python, you’re using character strings (strings for short). The most common numbers, on the other hand, are integers (e.g. -1, 0, 100) and floats, which represent real numbers (e.g. 3.14, -42.0).

The following code cells contain some examples.

```
[43]: # Integer

11
```

[43]: 11

```
[44]: # Float
```

```
2.14
```

```
[44]: 2.14
```

```
[45]: # String  
      "Hello, Python 101!"
```

```
[45]: 'Hello, Python 101!'
```

You can get Python to tell you the type of an expression by using the built-in `type()` function. You'll notice that Python refers to integers as `int`, floats as `float`, and character strings as `str`.

```
[ ]: # Type of 12  
     type(12)
```

```
[ ]: # Type of 2.14  
     type(2.14)
```

```
[ ]: # Type of "Hello, Python 101!"  
     type("Hello, Python 101!")
```

In the code cell below, use the `type()` function to check the object type of `12.0`.

```
[47]: # Write your code below. Don't forget to press Shift+Enter to execute the cell  
     type(12.0)
```

```
[47]: float
```

Click here for the solution

```
type(12.0)
```

Integers

Here are some examples of integers. Integers can be negative or positive numbers:

We can verify this is the case by using, you guessed it, the `type()` function:

```
[48]: # Print the type of -1  
     type(-1)
```

```
[48]: int
```

```
[49]: # Print the type of 4
```

```
type(4)
```

[49]: int

```
[50]: # Print the type of 0
```

```
type(0)
```

[50]: int

Floats

Floats represent real numbers; they are a superset of integer numbers but also include “numbers with decimals”. There are some limitations when it comes to machines representing real numbers, but floating point numbers are a good representation in most cases. You can learn more about the specifics of floats for your runtime environment, by checking the value of `sys.float_info`. This will also tell you what’s the largest and smallest number that can be represented with them.

Once again, can test some examples with the `type()` function:

```
[51]: # Print the type of 1.0
```

```
type(1.0) # Notice that 1 is an int, and 1.0 is a float
```

[51]: float

```
[52]: # Print the type of 0.5
```

```
type(0.5)
```

[52]: float

```
[53]: # Print the type of 0.56
```

```
type(0.56)
```

[53]: float

```
[54]: # System settings about float type
```

```
sys.float_info
```

```
[54]: sys.float_info(max=1.7976931348623157e+308, max_exp=1024, max_10_exp=308,  
min=2.2250738585072014e-308, min_exp=-1021, min_10_exp=-307, dig=15,  
mant_dig=53, epsilon=2.220446049250313e-16, radix=2, rounds=1)
```

Converting from one object type to a different object type

You can change the type of the object in Python; this is called typecasting. For example, you can convert an integer into a float (e.g. 2 to 2.0).

Let's try it:

```
[55]: # Verify that this is an integer  
  
type(2)
```

```
[55]: int
```

Converting integers to floats

Let's cast integer 2 to float:

```
[56]: # Convert 2 to a float  
  
float(2)
```

```
[56]: 2.0
```

```
[57]: # Convert integer 2 to a float and check its type  
  
type(float(2))
```

```
[57]: float
```

When we convert an integer into a float, we don't really change the value (i.e., the significand) of the number. However, if we cast a float into an integer, we could potentially lose some information. For example, if we cast the float 1.1 to integer we will get 1 and lose the decimal information (i.e., 0.1):

```
[58]: # Casting 1.1 to integer will result in loss of information  
  
int(1.1)
```

```
[58]: 1
```

Converting from strings to integers or floats

Sometimes, we can have a string that contains a number within it. If this is the case, we can cast that string that represents a number into an integer using `int()`:

```
[61]: # Convert a string into an integer  
  
print((1+int('1'))
```

```
File "<ipython-input-61-bde53e75a83f>", line 3  
print((1+int('1'))
```


~
SyntaxError: unexpected EOF while parsing

But if you try to do so with a string that is not a perfect match for a number, you'll get an error. Try the following:

```
[76]: # Convert a string into an integer with error

int('22')
str(2)
str(2.2)
ggd=2.2
float(ggd)
```

[76]: 2.2

You can also convert strings containing floating point numbers into float objects:

```
[77]: # Convert the string "1.2" into a float

float('1.2')
```

[77]: 1.2

[Tip:] Note that strings can be represented with single quotes (`'1.2'`) or double quotes (`"1.2"`).

Converting numbers to strings

If we can convert strings to numbers, it is only natural to assume that we can convert numbers to strings, right?

```
[78]: # Convert an integer to a string

str(1)
```

[78]: '1'

And there is no reason why we shouldn't be able to make floats into strings as well:

```
[79]: # Convert a float to a string

str(1.2)
```

[79]: '1.2'

Boolean data type

Boolean is another important type in Python. An object of type Boolean can take on one of two values: True or False:

```
[80]: # Value true  
  
True
```

[80]: True

Notice that the value True has an uppercase “T”. The same is true for False (i.e. you must use the uppercase “F”).

```
[81]: # Value false  
  
False
```

[81]: False

When you ask Python to display the type of a boolean object it will show bool which stands for boolean:

```
[82]: # Type of True  
  
type(True)
```

[82]: bool

```
[83]: # Type of False  
  
type(False)
```

[83]: bool

We can cast boolean objects to other data types. If we cast a boolean with a value of True to an integer or float we will get a one. If we cast a boolean with a value of False to an integer or float we will get a zero. Similarly, if we cast a 1 to a Boolean, you get a True. And if we cast a 0 to a Boolean we will get a False. Let’s give it a try:

```
[84]: # Convert True to int  
  
int(True)
```

[84]: 1

```
[92]: # Convert 1 to boolean  
  
bool(1)  
bool(0.96)  
bool(0.5)  
bool(-1)  
bool(0)
```

[92]: False

[93]: *# Convert 0 to boolean*

```
bool(0)
```

[93]: False

[97]: *# Convert True to float*

```
float(True)
float(False)
int(False)
```

[97]: 0

Exercise: Types

What is the data type of the result of: $6 / 2$?

[101]: *# Write your code below. Don't forget to press Shift+Enter to execute the cell*

```
print(6/2+3) # this is float
print(6//2) # this is integer
```

6.0

3

[Click here for the solution](#)

```
type(6/2) # float
```

What is the type of the result of: $6 // 2$? (Note the double slash $//$.)

[102]: *# Write your code below. Don't forget to press Shift+Enter to execute the cell*

```
print(6//2) # this is integer
```

3

[Click here for the solution](#)

```
type(6//2) # int, as the double slashes stand for integer division
```

Expression and Variables

Expressions

Expressions in Python can include operations among compatible types (e.g., integers and floats). For example, basic arithmetic operations like adding multiple numbers:

[103]: *# Addition operation expression*

```
43 + 60 + 16 + 41
```

[103]: 160

We can perform subtraction operations using the minus operator. In this case the result is a negative number:

[104]: *# Subtraction operation expression*

```
50 - 60
```

[104]: -10

We can do multiplication using an asterisk:

[105]: *# Multiplication operation expression*

```
5 * 5
```

[105]: 25

We can also perform division with the forward slash:

[106]: *# Division operation expression*

```
25 / 5
```

[106]: 5.0

[108]: *# Division operation expression*

```
int(25 / 6)
```

[108]: 4

As seen in the quiz above, we can use the double slash for integer division, where the result is rounded down to the nearest integer:

[109]: *# Integer division operation expression*

```
25 // 5
```

[109]: 5

[110]: *# Integer division operation expression*

```
25 // 6
```

[110]: 4

Exercise: Expression

Let's write an expression that calculates how many hours there are in 160 minutes:

```
[121]: # Write your code below. Don't forget to press Shift+Enter to execute the cell
print(160/60)
print("hours in 160 minutes")
```

```
2.6666666666666665
```

```
hours in 160 minutes
```

[Click here for the solution](#)

```
160/60
```

```
# Or
```

```
160//60
```

Python follows well accepted mathematical conventions when evaluating mathematical expressions. In the following example, Python adds 30 to the result of the multiplication (i.e., 120).

```
[122]: # Mathematical expression

30 + 2 * 60
```

```
[122]: 150
```

And just like mathematics, expressions enclosed in parentheses have priority. So the following multiplies 32 by 60.

```
[123]: # Mathematical expression

(30 + 2) * 60
```

```
[123]: 1920
```

Variables

Just like with most programming languages, we can store values in variables, so we can use them later on. For example:

```
[127]: # Store value into variable

x = 43 + 60 + 16 + 41
x
```

```
[127]: 160
```

To see the value of x in a Notebook, we can simply place it on the last line of a cell:

```
[126]: # Print out the value in variable
```

```
x
```

```
[126]: 160
```

We can also perform operations on x and save the result to a new variable:

```
[128]: # Use another variable to store the result of the operation between variable
      ↪ and value

y = x / 60
y
```

```
[128]: 2.6666666666666665
```

If we save a value to an existing variable, the new value will overwrite the previous value:

```
[129]: # Overwrite variable with new value

x = x / 60
x
```

```
[129]: 2.6666666666666665
```

It's a good practice to use meaningful variable names, so you and others can read the code and understand it more easily:

```
[134]: # Name the variables meaningfully

total_min = 43 + 42 + 57 # Total length of albums in minutes
total_min
print(total_min)
print('total length in min')
```

```
142
total length in min
```

```
[135]: # Name the variables meaningfully

total_hours = total_min / 60 # Total length of albums in hours
print(total_hours)
print('total length in hours')
```

```
2.3666666666666667
total length in hours
```

In the cells above we added the length of three albums in minutes and stored it in total_min. We then divided it by 60 to calculate total length total_hours in hours. You can also do it all at once in a single expression, as long as you use parenthesis to add the albums length before you divide, as shown below.

```
[138]: # Complicate expression

total_hours = (43 + 42 + 57) //60 # Total hours in a single expression
total_hours
```

[138]: 2

If you'd rather have total hours as an integer, you can of course replace the floating point division with integer division (i.e., `//`).

Exercise: Expression and Variables in Python

What is the value of x where $x = 3 + 2 * 2$

```
[144]: # Write your code below. Don't forget to press Shift+Enter to execute the cell
x=3+2*2
print(x)
print('x=7')
```

7
x=7

[Click here for the solution](#)

7

What is the value of y where $y = (3 + 2) * 2$?

```
[145]: # Write your code below. Don't forget to press Shift+Enter to execute the cell
y=(3+2)*2
print(y)
print('y=10')
```

10
y=10

[Click here for the solution](#)

10

What is the value of z where $z = x + y$?

```
[147]: # Write your code below. Don't forget to press Shift+Enter to execute the cell
z=x+y
print(z)
```

17

[Click here for the solution](#)

17

The last exercise!

Congratulations, you have completed your first lesson and hands-on lab in Python. However, there is one more thing you need to do. The Data Science community encourages sharing work. The best way to share and showcase your work is to share it on GitHub. By sharing your notebook on GitHub you are not only building your reputation with fellow data scientists, but you can also show it off when applying for a job. Even though this was your first piece of work, it is never too early to start building good habits. So, please read and follow this article to learn how to share your work.

1.2 Author

Joseph Santarcangelo

1.3 Other contributors

Mavis Zhou

1.4 Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2020-08-26	2.0	Lavanya	Moved lab to course repo in GitLab

##

© IBM Corporation 2020. All rights reserved.