

```
Activities Terminal Feb 25 16:15
zpaolson@localhost:~$ sudo mysql

zpaolson@localhost:~$ service mysql stop
Redirecting to /bin/systemctl stop mysql.service
zpaolson@localhost:~$ sudo systemctl start mariadb
sudo password for zpaolson:
zpaolson@localhost:~$ sudo mysql
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 3
Server version: 10.5.22-MariaDB MariaDB Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> CREATE DATABASE this_is_my_database;

Query OK, 1 row affected (0.002 sec)
```

```
Activities Terminal Feb 25 17:14
zpaolson@localhost:~$ sudo mysql

MariaDB [(none)]> CREATE TABLE my_table;
ERROR 1046 (30000): No database selected
MariaDB [(none)]> use this_is_my_database;
ERROR 1049 (42000): Unknown database 'this_is_my_database'
MariaDB [(none)]> use this_is_my_database;
Database changed
MariaDB [this_is_my_database]> CREATE TABLE;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '' at line 1
MariaDB [this_is_my_database]> CREATE TABLE
-> my_table
->
ERROR 1113 (42000): A table must have at least 1 column
MariaDB [this_is_my_database]> CREATE TABLE;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '' at line 1
MariaDB [this_is_my_database]> my_table
-> name STRING;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'my_table' at line 1
MariaDB [this_is_my_database]> my_table(
-> name STRING;
-> INSERT INTO my_table (name, age) VALUES ('Zack Paulson', 23);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'my_table'
INSERT INTO my_table (name, age) VALUES ('Zack Paulson', 23) at line 1
MariaDB [this_is_my_database]> INSERT INTO my_table (name, age) VALUES ('Zack Paulson', 23);
ERROR 1046 (42000): Table 'this_is_my_database.my_table' doesn't exist
MariaDB [this_is_my_database]> INSERT INTO my_table (name, age) VALUES ('Zack Paulson', 23);
ERROR 1046 (42000): Table 'this_is_my_database.my_table' doesn't exist
MariaDB [this_is_my_database]> SHOW TABLES;
Empty set (0.003 sec)

MariaDB [this_is_my_database]> USE this_is_my_database;
Database changed
MariaDB [this_is_my_database]> CREATE TABLE my_table (
-> id INT AUTO INCREMENT PRIMARY KEY,
-> name VARCHAR(50),
-> age INT
-> );
Query OK, 0 rows affected (0.003 sec)

MariaDB [this_is_my_database]> INSERT INTO my_table (name, age) VALUES ('Zack Paulson', 23);
Query OK, 1 row affected (0.020 sec)

MariaDB [this_is_my_database]> SHOW TABLES;
+-----+
| Tables_in_this_is_my_database |
+-----+
| my_table                      |
+-----+
1 row in set (0.003 sec)

MariaDB [this_is_my_database]>
```







