STUDENT VERSION (TW-2)







Meeting Agenda

- ► Icebreaking
- **▶** Questions
- ► Interview Questions
- ► Coffee Break
- ► Logical Reasoning Questions
- ► Video of the week
- ► Retro meeting
- ► Case study / project

Teamwork Schedule

Ice-breaking 10m

- Personal Questions (Study Environment, Kids etc.)
- Any challenges (Classes, Coding, studying, etc.)
- Ask how they're studying, give personal advice.
- Remind that practice makes perfect.

Ask Questions 15m

1. What is the term to describe this code in Python?

```
count, fruit, price = (2, 'apple', 3.5)
```

- A. tuple assignment
- B. tuple unpacking
- **C.** tuple matching
- D. tuple duplication

2. What built-in list method would you use to remove items from a list in Python?

- A. ".delete()" method
- **B.** pop(my_list)
- C. del(my_list)
- D. ".pop()" method

3. What buit-in Python data type is commonly used to represent a stack?

- A. set
- **B.** list
- C. dictionary
- **D.** None. You can only build a stack from scratch.

4. What would this expression return in Python?

```
college_years = ['Freshman', 'Sophomore', 'Junior', 'Senior']
print(list(enumerate(college_years, 2019)))
```

- **A.** [('Freshman', 2019), ('Sophomore', 2020), ('Junior', 2021), ('Senior', 2022)]
- **B.** [(2019, 2020, 2021, 2022), ('Freshman', 'Sophomore', 'Junior', 'Senior')]
- C. [('Freshman', 'Sophomore', 'Junior', 'Senior'), (2019, 2020, 2021, 2022)]
- **D.** [(2019, 'Freshman'), (2020, 'Sophomore'), (2021, 'Junior'), (2022, 'Senior')]

5. Given the following three list, how would you create a new list that matches the desired output printed below in Python?

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]
# Desired output
[('Apples', 5, 1.50),
('Oranges', 3, 2.25),
('Bananas', 4, 0.89)]
```

A.

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]
output=[]

fruit_tuple_0 = (fruits[0], quantities[0], prices[0])
output.append(output)
fruit_tuple_1 = (fruits[1], quantities[1], prices[1])
output.append(output)
fruit_tuple_2 = (fruits[2], quantities[2], prices[2])
output.append(output)
print(fruit_tuple_0, fruit_tuple_1, fruit_tuple_2)
```

В.

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]
i = 0
output = []
for fruit in fruits:
    temp_qty = quantities[i]
    temp_price = prices[i]
    output.append((fruit, temp_qty, temp_price))
```

```
i += 1
print(output)
```

C.

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]

groceries = zip(fruits, quantities, prices)
print(list(groceries))
```

D.

```
fruits = ['Apples', 'Oranges', 'Bananas']
quantities = [5, 3, 4]
prices = [1.50, 2.25, 0.89]
i = 0
output = []
for fruit in fruits:
    for qty in quantities:
        for price in prices:
            output.append((fruit, qty, price))
        i += 1
print(output)
```

6. What happens in the design phase of SDLC?

- **A.** The code is produced
- **B.** Making changes when the sotware has been created
- **C.** Planning the solution, look and feel of the software interface
- **D.** Ensuring the requirements are understood

7. This phase of the SDLC is known as the "ongoing phase" where the system is periodically evaluated and updated as needed

- A. Preliminary investigation
- **B.** System design
- **C.** System implementation
- **D.** System maintenance

8. Which of the following are valid step in SDLC framework?

aws-15-tw-002-student.md	8/27/2023
A. Requirement Gathering	
B. System Analysis	
C. Software Design	
D. All of the above	

9	Which of	the followin	a is not a	software deve	lopment life c	vcle model?
J.	VVIIICII OI	tile ioliowili	y is flot a s	SULLWALE GEVE	HODINEIN INE C	vcie illouel:

- A. Agile model
- B. RAD model
- **C.** Waterfall model
- **D.** Sequential model

10. Verification is the responsibility of?

- A. Developer
- B. Analyst
- C. QA Team
- **D.** Designer

11. What will show you all the subdirectories of the current directory?

- **A.** Is
- **B.** rm
- C. pwd
- **D.** cd

12. What does the pwd command do?

- A. It saves the current working directory, so that you can return there with the pwd command
- **B.** It asks the password of the current user, and the prompts for a new password
- **C.** It prints the path of the current working directory
- **D.** It launches the power management daemon

13. Which of the following command helps to create directory called test?

- A. mkdir test
- **B.** md test
- **C.** dir test
- **D.** None of the above

aws-15-tw-002-student.md	8/27/20

14. Which option of rm command is used to remove a directory with all its subdirectories?				
A. -b				
B. -p				
C. -0				
D. -r				
Interview Questions	15m			
1. What is the major difference between tuples and lists in Python?				
2. What do you understand by the Root account?				
Coffee Break	10m			
Logical Reasoning Questions	15m			
1. A man is facing west. He turns 45 degrees in the clockwise direction the same direction and then 270 degrees in the anticlockwise direction now?	<u>-</u>			
A. A. South-West				
B. West				
C. South				
D. East-South				
2. In this question, five words have been given, out of which fourArraimeaningful sequence?	nge the words given below in a			
1.Elephant 2.Cat 3.Mosquito 4.Tiger 5. Whale				

A. 5, 3, 1, 2, 4 B. 3, 2, 4, 1, 5 C. 1, 3, 5, 4, 2 D. 2, 5, 1, 4, 3	
Video of the Week	10m
How to Prepare for a Virtual Interview	
Retro Meeting on a personal and team level	10m
 Ask the questions below: What went well? What could be improved? What will we commit to do better in the next week? 	
Closing	5m
Next week's planQA Session	

8/27/2023

aws-15-tw-002-student.md