

Big_match - Testing and Small Demo

Rachael 'Rocky' Aikens, Voight Lab

August 24, 2018

This R markdown document is used for testing and demoing the current functionality of bigmatch. We'll use the sample data from the MatchIt package for basic testing.

```
require(MatchIt)
require(ggplot2)
require(ggpubr)
require(dplyr)

data("lalonge")
source('big_match.R')
source('class_functions.R')

# adding a binary outcome
lalonge$outcome <- lalonge$re78 > 15000
lalonge$re78 <- NULL

# changing name of treat column to "treated" to demonstrate that any name will suffice
names(lalonge)[names(lalonge) == "treat"] <- "treated"
```

Stratify

Manual Stratify

Testing errors and warnings

This call should return an error because “educ” is a continuous variable.

```
# manual stratification with a continuous variable
m.strat <- manual_stratify(lalonde, treat = "treated",
                           covariates = c("black", "hispan", "educ", "nodegree"))

# Error in warn_if_continuous(data[, covariates[i]], covariates[i]) :
#   There are 19 distinct values for educ. Is it continuous?

# manual stratification with a continuous variable, force = TRUE
m.strat <- manual_stratify(lalonde, treat = "treated",
                           covariates = c("black", "hispan", "educ", "nodegree"), force = TRUE)

# There are 19 distinct values for educ. Is it continuous?
```

Testing Functionality with Valid Inputs

This call should return six strata (since black and hispan seem to be mutually exclusive categories in this dataset).

```
# allowable manual stratification
m.strat <- manual_stratify(lalonde, treat = "treated",
                           covariates = c("black", "hispan", "nodegree"))
```

Auto Stratify

Testing Errors and Warnings

First, testing error handling. These should fail and/or give warnings.

```
# auto stratification with missing arguments
a.strat <- auto_stratify(lalonde, "treated", "outcome")

# Error in auto_stratify(lalonde, "treat", "outcome") :
#   At least one of covariates and prog_scores should be specified.

# auto stratification with covariates and prog scores specified, and prog_scores invalid
a.strat <- auto_stratify(lalonde, "treated", "outcome", c("age", "educ"), prog_scores = 1:4)

# covariates and prog_scores are both specified. Using prog_scores; ignoring covariates.
# Error in auto_stratify(lalonde, "treat", "outcome", c("age", "educ"), :
#   prog_scores must be the same length as the data
```

Testing Functionality with Valid Inputs

These should give valid results.

```
# auto stratification with pre-specified prognostic score
myprogscore <- runif(n = dim(lalonde)[1])
a.strat1 <- auto_stratify(data = lalonde, "treated", "outcome",
                          prog_scores = myprogscore, size = 100)

## [1] "Generating strata assignments based on prognostic score."
## [1] "Completing strata diagnostics."

# auto stratification
a.strat2 <- auto_stratify(lalonde, "treated", "outcome",
                          covariates = c("age", "educ", "hispan", "nodegree", "black"),
                          size = 100)

## [1] "Constructing a model set via subsampling."
## [1] "Fitting prognostic model: outcome~age+educ+hispan+nodegree+black"
## [1] "Generating strata assignments based on prognostic score."
## [1] "Completing strata diagnostics."

# auto stratification with a non-continuous prognostic score
a.strat3 <- auto_stratify(lalonde, "treated", "outcome",
                          covariates = c("hispan", "nodegree", "black"), size = 100)

## [1] "Constructing a model set via subsampling."
## [1] "Fitting prognostic model: outcome~hispan+nodegree+black"
## [1] "Generating strata assignments based on prognostic score."
## [1] "Completing strata diagnostics."
```

Diagnostics

Most of this is implemented with the generic functions `print`, `summary`, and `plot`.

Print

```
print(m.strat)
```

```
## manual_strata object from package big_match.
##
## Function call:
## manual_stratify(data = lalonde, treat = "treated", covariates = c("black",
##   "hispan", "nodegree"))
##
## Analysis set dimensions: 614 X 11
##
## Number of strata: 6
##
##   Min size: 17   Max size: 169
##
## Strata issue table:
## # A tibble: 6 x 6
##   Stratum Treat Control Total Control_Proporti~ Potential_Issues
##   <dbl> <int>   <dbl> <int>         <dbl> <chr>
## 1     1     9    127   136         0.934 Not enough treated samples
## 2     2     9    154   163         0.945 Not enough treated samples
## 3     3     2     15    17         0.882 Too few samples; Not enou~
## 4     4     9     46    55         0.836 Too few samples; Not enou~
## 5     5    43     31    74         0.419 Too few samples
## 6     6   113     56   169         0.331 none
```

```
print(a.strat1)
```

```
## auto_strata object from package big_match.
##
## Function call:
## auto_stratify(data = lalonde, treat = "treated", outcome = "outcome",
##   prog_scores = myprogscore, size = 100)
##
## Analysis set dimensions: 614 X 11
##
## Prognostic Scores prespecified.
##
## Number of strata: 7
##
##   Min size: 87   Max size: 88
##
## Strata issue table:
## # A tibble: 7 x 6
##   Stratum      Treat Control Total Control_Proportion Potential_Issues
##   <fct>      <int>   <dbl> <int>         <dbl> <chr>
## 1 [0.00256,0.157)    28     60    88         0.682 none
## 2 [0.15715,0.303)    20     68    88         0.773 none
```

```
## 3 [0.30350,0.447)    31      57    88          0.648 none
## 4 [0.44716,0.596)    30      57    87          0.655 none
## 5 [0.59582,0.720)    25      63    88          0.716 none
## 6 [0.72006,0.847)    25      63    88          0.716 none
## 7 [0.84719,0.998]    26      61    87          0.701 none
```

```
print(a.strat2)
```

```
## auto_strata object from package big_match.
##
## Function call:
## auto_stratify(data = lalonde, treat = "treated", outcome = "outcome",
##   covariates = c("age", "educ", "hispan", "nodegree", "black"),
##   size = 100)
##
## Analysis set dimensions: 571 X 11
##
## Model set dimensions: 43 X 10
##
## Prognostic Score Model:
##
## Call: glm(formula = formula(formula_str), family = "binomial", data = model_set)
##
## Coefficients:
## (Intercept)          age          educ          hispan          nodegree
##   -0.03212      0.07252     -0.25366      0.41276     -2.57818
##      black
##   -16.54984
##
## Degrees of Freedom: 42 Total (i.e. Null);  37 Residual
## Null Deviance:      30.91
## Residual Deviance: 25.05    AIC: 37.05
##
## Number of strata: 6
##
## Min size: 93    Max size: 97
##
## Strata issue table:
## # A tibble: 6 x 6
##   Stratum      Treat Control Total Control_Proporti~ Potential_Issues
##   <fct>      <int>   <dbl> <int>      <dbl> <chr>
## 1 [1.08e-09,2.~    69     28    97          0.289 none
## 2 [2.58e-09,1.~    62     34    96          0.354 none
## 3 [1.71e-08,2.~    28     67    95          0.705 none
## 4 [2.45e-02,1.~    14     79    93          0.849 Not enough treated ~
## 5 [1.00e-01,2.~     6     90    96          0.938 Not enough treated ~
## 6 [2.33e-01,8.~     6     88    94          0.936 Not enough treated ~
```

Summary

```
# TODO: implement summary methods
```

```
summary(m.strat)
```

```
## $call
## manual_stratify(data = lalonde, treat = "treated", covariates = c("black",
##   "hispan", "nodegree"))
##
## $issue_table
## # A tibble: 6 x 6
##   Stratum Treat Control Total Control_Proporti~ Potential_Issues
##   <dbl> <int>   <dbl> <int>          <dbl> <chr>
## 1     1     9    127   136          0.934 Not enough treated samples
## 2     2     9    154   163          0.945 Not enough treated samples
## 3     3     2     15    17          0.882 Too few samples; Not enou~
## 4     4     9     46    55          0.836 Too few samples; Not enou~
## 5     5    43     31    74          0.419 Too few samples
## 6     6   113     56   169          0.331 none
##
## $sum_before
##           Treat_Mean  Contol_Mean
## treat      0.0000000 1.000000e+00
## age      28.0303030 2.581622e+01
## educ     10.2354312 1.034595e+01
## black      0.2027972 8.432432e-01
## hispan      0.1421911 5.945946e-02
## married      0.5128205 1.891892e-01
## nodegree      0.5967366 7.081081e-01
## re74     5619.2365064 2.095574e+03
## re75     2466.4844431 1.532055e+03
## outcome      0.1678322 9.729730e-02
## stratum      2.6923077 5.200000e+00
##
## attr(,"class")
## [1] "summary.strata"
```

```
summary(a.strat1)
```

```
## Warning in mean.default(stratum): argument is not numeric or logical:
## returning NA
```

```
## Warning in mean.default(stratum): argument is not numeric or logical:
## returning NA
```

```
## $call
## auto_stratify(data = lalonde, treat = "treated", outcome = "outcome",
##   prog_scores = myprogscore, size = 100)
##
## $issue_table
## # A tibble: 7 x 6
##   Stratum      Treat Control Total Control_Proportion Potential_Issues
##   <fct>      <int>   <dbl> <int>          <dbl> <chr>
## 1 [0.00256,0.157)    28     60    88          0.682 none
## 2 [0.15715,0.303)   20     68    88          0.773 none
```

```
## 3 [0.30350,0.447)    31      57    88          0.648 none
## 4 [0.44716,0.596)    30      57    87          0.655 none
## 5 [0.59582,0.720)    25      63    88          0.716 none
## 6 [0.72006,0.847)    25      63    88          0.716 none
## 7 [0.84719,0.998]    26      61    87          0.701 none
##
## $sum_before
##      Treat_Mean  Contol_Mean
## treat      0.0000000 1.000000e+00
## age      28.0303030 2.581622e+01
## educ     10.2354312 1.034595e+01
## black     0.2027972 8.432432e-01
## hispan     0.1421911 5.945946e-02
## married    0.5128205 1.891892e-01
## nodegree   0.5967366 7.081081e-01
## re74      5619.2365064 2.095574e+03
## re75      2466.4844431 1.532055e+03
## outcome    0.1678322 9.729730e-02
## stratum      NA      NA
##
## attr("class")
## [1] "summary.strata"
summary(a.strat2)

## Warning in mean.default(stratum): argument is not numeric or logical:
## returning NA

## Warning in mean.default(stratum): argument is not numeric or logical:
## returning NA

## $call
## auto_stratify(data = lalonde, treat = "treated", outcome = "outcome",
##   covariates = c("age", "educ", "hispan", "nodegree", "black"),
##   size = 100)
##
## $issue_table
## # A tibble: 6 x 6
##   Stratum      Treat Control Total Control_Proporti~ Potential_Issues
##   <fct>      <int>   <dbl> <int>      <dbl> <chr>
## 1 [1.08e-09,2.~    69     28    97      0.289 none
## 2 [2.58e-09,1.~    62     34    96      0.354 none
## 3 [1.71e-08,2.~    28     67    95      0.705 none
## 4 [2.45e-02,1.~    14     79    93      0.849 Not enough treated ~
## 5 [1.00e-01,2.~     6     90    96      0.938 Not enough treated ~
## 6 [2.33e-01,8.~     6     88    94      0.936 Not enough treated ~
##
## $sum_before
##      Treat_Mean  Contol_Mean
## treat      0.0000000 1.000000e+00
## age      28.2849741 2.581622e+01
## educ     10.2202073 1.034595e+01
## black     0.2098446 8.432432e-01
## hispan     0.1373057 5.945946e-02
## married    0.5181347 1.891892e-01
```

```
## nodegree      0.5984456 7.081081e-01
## re74          5515.7876984 2.095574e+03
## re75          2501.6464916 1.532055e+03
## outcome       0.1735751 9.729730e-02
## stratum              NA              NA
##
## attr("class")
## [1] "summary.strata"
```


Plot


There are three types of plots: "scatter", "residual", and "hist". Any other plot options for a strata object will throw an error.

```
plot(m.strat, type = "QQ")  
# Error in plot.strata(m.strat, type = "QQ") :  
#   Not a recognized plot type.
```


Auto and Manual Stratify : Size-Balance Scatterplot

Below are the basic size \times control fraction scatterplots for (A) manual stratification by **black**, **hispan** and **nodegree**, (B) auto-stratification with a uniform random prognostic score, (C) auto-stratification with a prognostic score that is relatively continuous, and (D) auto-stratification with a prognostic score that is discontinuous (built solely from discrete variables with few distinct values). As you can see, this sample data contains a relatively small number of examples to begin with, so most strata are quite small.


```
a <- plot(m.strat, label = TRUE) # equivalently: plot(m.strat, type = "scatter")
```




```
b <- plot(a.strat1, label = TRUE)
```




```
c <- plot(a.strat2, label = TRUE)
```



```
d <- plot(a.strat3, label = TRUE)
```



```
ggarrange(a, b, c, d, ncol = 2, nrow = 2,
  labels = "AUTO")
```




Auto Stratify: Prognostic Score Residual Plot

This function is only meant for auto-stratified data for which prognostic scores were not prespecified. Running it on a `manual_strata` object or an `auto_strata` object where prognostic scores were prespecified will throw an error.

```
plot(m.strat, type = "residual")
# Error in plot.strata(m.strat, type = "residual") :
#   Prognostic score residual plots are only valid for auto-stratified data.

plot(a.strat1, type = "residual")
# Error in plot.strata(a.strat1, type = "residual"):
#   Cannot make prognostic score residual plots. Prognostic model is unknown.

# TODO: implement this plot
plot(a.strat2, type = "residual")
```



Auto Stratify: Prognostic Score Histograms

This function is only meant for auto-stratified data. Running it on a `manual_strata` object will throw an error.

```
plot(m.strat, type = "hist")
```

```
# Error in plot.strata(m.strat, type = "hist"):  
# Prognostic score histograms are only valid for auto-stratified data.
```

```
# uniformly generated prognostic score. Nicely continuous from 0 to 1
```

```
a <- plot(a.strat1, type = "hist")
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```

```
# prognostic score generated from some continuous and some discrete variables.  
# Fairly continuous
```

```
b <- plot(a.strat2, type = "hist")
```


```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```

```
# prognostic score generated from only a few discrete variables.  
# Since prog_score only takes on a few different values,  
# strata quantiles are less evenly distributed from 0 to 1
```

```
c <- plot(a.strat3, type = "hist")
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```

```
ggarrange(a, b, c, ncol = 1, nrow = 3, labels = "AUTO")
```



Matching

This is not implemented yet.