



MIDDLESEX Community College

Tools and Technologies for Tech Writers 2025

Week 11

Sample Bookmap

Middlesex Community College 2025

This document was prepared as an assignment for the Middlesex Community College Tools and Technologies for Technical Writers class, Winter semester 2025.

Prepared by Zoë Lawson.

The name is defined by the value of the author key defined in your bookmap. I set them up to be your name.

Contents

Title..... 4

Example Task Topic.....4

My first concept..... 5

Example Concept File.....5

Example Reference Topic..... 6

Title

This is a sample topic. It is in your homework folder (Zoe) and is not shared.

This is a **paragraph**. Testing change to GitHub Actions.

Now with a pull request. And another one. Authentication is annoying. Stupid Security.

Here is a <new> paragraph.

Here is a second paragraph. <http://www.google.com>

- List item 1
- List item 2
- List item 3

Insert a paragraph

Another paragraph.

- Nested list.
- Nested list 2.

1. Numbered list 1
2. Numbered list 2
3. Numbered list 3.




Table heading	Table heading
kdjafldk	jdkflas
adjkfd	

Example Task Topic

A DITA topic of type task. This is a shared topic. Task topics are the most structured.

This is the <prereq> where you list the prerequisites for this task. This section is optional.

This is the <context> where you can provide a bit of background of things you should know before performing the task.

Some people consider this a "mini concept". If you realize you need a bit of lead in, but not enough for a stand alone topic, use the <context> in the task topic instead of a stand alone concept topic. This section is optional.

1. This is a `<step>` in a task topic. It is part of the `<steps>` element. You can use `<steps>` for numbered steps or `<steps-unordered>` for a non-numbered (usually bulleted) steps.

2. These are the heart and soul of task topic.

There are many additional special elements that can be used in a step to provide more information.

3. Both the `<steps>` and `<steps-unordered>` elements are optional.

That's correct, you can have a task with no procedure.

This is the `<result>` which lets you explain what happens after you complete the steps. This element is optional.

This is `<tasktroubleshooting>` where you can provide troubleshooting information for the entire task.

Not to be confused with `<steptroubleshooting>` which can be used for troubleshooting information for specific steps.

This element is optional.

This is an `<example>` you can use to provide an example for the entire task. This is not to be confused with the `<stepxmp>` which can provide a quick example for a specific step.

This element is optional.

This is the `<postreq>` where you describe what to do after completing the procedure.

This element is optional.

That's correct, all of these elements are optional. It is possible to have a valid task topic with only a `<title>` and `<shortdesc>`. However, the order of these main elements is not optional. For example, you cannot switch the order of the `<context>` and `<prereq>` without a specialization.

My first concept

Here I am writing a paragraph.

- This is a list.

Definition Term

Definition.

Can have paragraphs in here.

- list inside of a defintion.
- fjkasdlfa

Example Concept File

An example DITA topic of type concept. This is a shared topic.

Concepts should describe things. All the background information about the thing.

Concepts are not overly structured.

Example Reference Topic

This is a DITA topic of type reference. This is a shared topic.

In general, a reference topic is used for things you look up. If you want to put it in a table, it probably should be a reference topic.

Reference topics can contain:

<section>	Generic text space.
<example>	Generic text but the intention is to hold some sort of example.
<properties>	A special list/table for properties and definitions.
<refsyn>	Syntax reference. Great for APIs.
<simpletable> or <table>	You can have a table.