

Web Design



```
<div id="tool-design">  
  <div>  
    <h1 class="introxt.xml" />  
  </div>  
</div>
```

```
<html>  
  <title>Klaus Fischer</title>  
  </head>  
  <body>  
    <div class="introxt.xml">  
      <div class="introxt.xml">  
        <h1 class="introxt.xml" />  
      </div>  
    </div>  
  </body>  
</html>
```

Klaus Fischer
klaus.fischer@fh-hagenberg.at

```
</div>  
</div>  
<body>  
  <div id="introxt.xml">  
    <div>  
      <div class="introxt.xml">  
        <h1 class="introxt.xml" />  
      </div>  
    </div>  
  </body>
```

Session 5 - Handoff to development

Klaus Fischer
klaus.fischer@fh-hagenberg.at

Warm-up & Recap

Understand **reusable** design structures

Manage **assets** (icons, images, SVG)

Component vs. instance

- Component = “Master Plan”
 - defines look and behavior
 - defines properties which can be different in each instance
 - e.g. “VW Golf 8” (**motor**, **color**)
- Instances = content-filled representations
 - override properties (Texts, Images, ...)
 - e.g. “VW Golf **1.4 TSI**, **white**” or “VW Golf **2.0 TSI**, **red**”

Variants of a button component

	Default	Default	Focus	Loading
Primary	Button label	Button label	Button label	Button label 
Primary + Icon Left	+ Button label	+ Button label		
Primary + Icon Right	Button label +	Button label +		
Secondary	Button label	Button label		Button label 
Secondary + Icon Left	+ Button label	+ Button label		
Secondary + Icon Right	Button label +	Button label +		
Icon Only				

Image Formats

JPG


SVG

PNG

WebP



Accessibility in Color & Images

- Don't rely on color alone
- Images might not load
- Icons need a title or aria-label
- Add alternative texts to images
 - Purpose of the image!



Simulation Achromatopsia (Color Blindness)


Ensure high contrast



Session 5

Handoff to development

- Why handoff matters
- What developers need
- Figma Dev Mode
- Design Tokens
- Adding Uniqueness & Personal Style



The Goals

Learn how **designers**
communicate with **developers**

Why handover matters



Why handoff matters

- Designers and developers speak different “dialects”
- Good handoff = fewer bugs, faster implementation
- Less alignments
- There are always questions, that’s okay.

Compare it to a relationship

- Better you understand each other → better collaboration
- Explain your design to someone else (Peer review)
- Explaining means understanding
- Be open for questions and changes
- “Compromises” are okay.

Two Figma Files



What devs wish designers knew



Yes, AI knows stereotypes


Developers love **predictable systems.**

Designers love **creativity! woohoo!**

What devs wish designers knew

- Variables / Reusability
- Components
- Show all variants of a component
- Responsive behaviour
- What's "easy" to implement and what's hard
- Code (obviously)

The communication triangle



Your designs are becoming
real websites now 🥰

Handoff process


Components > **Specs** > **Assets** > **Dev Mode**

What developers need

Five categories



Spacing




Typography



Color



Assets



Dev Mode


Spacing

- Spacing in design → padding / margin in CSS
- Use spacing variables in figma
- Don't use arbitrary spacing
- Consistent spacing helps developers
- Auto Layout in Figma → Flexbox in CSS



Typography

- **All** fonts and weights
- List variants in design system
- Don't use other fonts and weights
- font-size, font-weight, line-height, letter-spacing



Colors

- Colors in CSS: hex, rgba, variables
- List all colors in the design system
- Every color will be assigned to a variable
- `--primary-500` → `#E27100`
- Explicitly list opacity in case it's not a solid color
- Dark mode = token swap, not redesign





Components

- Heavily use components in your design
- Find good names (e.g. Hero, Project Teaser, Quote)
- Define a schema = properties & values
- Show all variants
- how devs interpret component boundaries



Components - Episode 2

- Edge cases: long texts, other languages, breaks
- Optional fields
- Resizing behaviour



Assets

- Icons → SVG
- Icons have the same artboard (e.g. 16px, 24px sets)
- Images → JPG / PNG / WebP
- File naming: icon-search.svg
- Asset export guidelines



Developer Happiness Checklist - Episode 1

✓ Complete & clear design files

- All screens included (happy path + edge cases)
- Responsive layouts for each breakpoint
- Components built properly (auto-layout, constraints, variants)
- No hidden, overlapping, or ungrouped stray elements
- Naming conventions clean and consistent



Developer Happiness Checklist - Episode 2



Interaction & behaviour specs

- Defined states: hover, focus, active, disabled, loading, error
- Transitions & animations documented
- Inputs & form behavior clarified (validation, messages)
- Navigation rules clearly shown (flows, back behavior, modals)



Developer Happiness Checklist - Episode 3



Implementation-ready assets

- Exportable icons, images, and illustrations
- Defined spacing, grid, and layout system
- Tokenized values (colors, typography, radii, shadows)
- Component specs match the design system



Developer Happiness Checklist - Episode 4

Documentation & context

- Clear descriptions of logic or conditional states
- Content guidelines + real text examples
- Notes for accessibility (contrast, focus order, alt text)
- Clear list of what is final vs. still pending



What's LEAST important for developers?




slido.com

#6762747




Figma Dev Mode

How you get there



What Dev Mode unlocks


- Developers can't destroy your design! (Read only)
- Easier inspecting & annotating
- "Move" tool scrolls, doesn't move elements



Basic Tools


Color picker

- Edit the color in *Design* mode → selected color model will also appear in *Dev* mode
- Hold SHIFT to copy the variable name




Measurement tool

- Permanently show measurements



Annotation tool

- Use categories
- Annotate directly on spot
- Describe edge cases



Comment tool


- Get & discuss feedback
- Summary of all comments
- Resolve discussions → comments disappear



Inspect Panel


Typography specs

- Variable sensitive
- Configure units (px, rem)



Layout specs

- Auto-Layout = Flexbox
- Spacings
 - o margin
 - o padding
- Border-radius
- Color variables




Do not trust the CSS output 100%

- Depending on the nested layers, the code may not work exactly the same
- width and height isn't hardcoded (most likely)
 - a parent container often defines size of children

Bonus experiment: MCP Server

- MCP (model context protocol) = enables LLMs to communicate
- Link other services (development, content) 🤖





Design Tokens

Named values shared between design + code

Guess what...

It's called **variables**.

Why tokens matter

- Uniform language, unambiguously
- Consistency: change the value → all occurrences change

Examples

```
--color-primary-500: #E27100;
```

```
--scale: 4px;
```

```
--spacing-8: var(--scale) * 2;
```

```
--radius-sm: var(--spacing-8);
```

**There are only two hard things
in Computer Science:**

**There are only two hard things
in Computer Science:
cache invalidation and
naming things**

– Phil Karlton

Naming design tokens / variables is hard

- Learn from people and teams who've already worked on the problem
- Material Design, Tailwind, Atlassian Design System
- Don't get too crazy about it
- Stay consistent

Tailwind



Save changes

```
<button class="bg-sky-500 hover:bg-sky-700 ..." >Save changes</button>
```

Tailwind


text-base

```
font-size: var(--text-base); /* 1rem (16px) */  
line-height: var(--text-base--line-height); /* calc(1.5 / 1) */
```

text-lg

```
font-size: var(--text-lg); /* 1.125rem (18px) */  
line-height: var(--text-lg--line-height); /* calc(1.75 / 1.125) */
```

Material Design




#E8DEF8

 md.ref.palette.secondary90


Roboto

 md.ref.typeface.plain

Material Design



Material Design



Your design is **future-proof**
if you use **variables**

A man with a mustache, wearing a dark flat cap and a grey jacket, is crawling through deep snow. He is looking directly at the camera with a determined expression. His hands are pressed against the snow in front of him. The background shows a vast, snowy mountain range under a pale, overcast sky. The overall tone is somber and adventurous.

Adding personal style



MOONRISE KINGDOM (2012)

Subscribe



THE GRAND BUDAPEST HOTEL (2014)

Symmetry, vibrant colors, horizontally moving camera

Some characteristics of director Wes Anderson

If it's **different**, you will
remember.

QOR
EEB.

[ABOUT ME]

[PORTFOLIO]

[CONTACT ME]

[LET'S CONNECT]
[LI](#) [CO](#) [IG](#) [TW](#)

CREATIVE DESIGNER

ART DIRECTION
WEB DESIGN (UI/UX)
MOTION DESIGN
FRAMER DEVELOPMENT



LATEST WORK
SOPHIE'S


AVAILABLE FOR FREELANCE
QOREEBULLAHA@GMAIL.COM

I DESIGN MEMORABLE WEB EXPERIENCES FOR BRANDS OF ALL SIZES.
I BELIEVE AUTHENTIC STORYTELLING IS THE KEY TO ENGAGING
AUDIENCES, EVOKING EMOTIONS, AND DRIVING CONVERSIONS.

[QOREEB2025]

W.

Honors




HOME

WORK


ABOUT

CONTACT



CREATIVE DEVELOPER

ROMAN JEAN-ELIE



Find your voice

- Color story
- Layout rhythm
- Illustration accents
- Icon style

Your website should
feel like **you.**

Summary

- Learn how designers communicate with developers
- Five categories
 - Spacing, Typography, Colors, Assets, Dev Mode
- Design Tokens are variables
- If it's different, you will remember

Lab Session

- File cleanup
- Extend design system
- Export and annotate
- Peer review

Thanks!