DAW ROUTING & FX



FEEDBACK EX#01

Edit
Options
View
Sends on Faders:
Off
Setting
Gain Reduction
EQ
Input
Audio FX
Sends
Output
Group
Automation
Pan
dB
Input
Bus 1
Bus 9
Chroma
B 10
Echo
B 11
Bus 2
Read
St Out
-3,4
-4,5
-4,0
-4,6
-3,0
-4,5
-6,3
0,0
-24,3
-5,3
-6,3
-3,7
-5,0
-8,4
R
I
M
S
Bnc
D
Drums
Percussion
Cymbal
Bass
Pad A
Pad B
Lead
Grp_Drums
FX_Room
FX_Hall
FX_Echo
Grp_FX
Stereo Out
Master
Input
Insert Effects
Send Assign & Level
Ausgang
Automation
Panorama / Balance
Channel Volume
DAW MIXER LAYOUT

Setting — save/load channel settings

Gain Reduction — visualise dynamics tool

EQ — visualise equalizer

Input — channel input (HW I/P or bus)

Audio FX — serial effects processing (plug-in)

Send — parallel signal output (e.g. to bus)

MIXER PARAMETERS

Output — channel output (HW O/P or bus)

Group — parameter/edit groups

Automation — keyframe animation parameters

Pan — pan/balance (left/right)

dB — fader position & peak meter

Fader — volume control

MIXER PARAMETERS


Edit
Options
View
Sends on Faders:
Off
Setting
Gain Reduction
EQ
Input
Audio FX
Sends
Output
Group
Automation
Pan
dB
Bus 1: Subgroup Drums / Bass
Bus 9-11: Aux Send FX
Bus 2: Subgroup FX
St Out: Routing to Main Out
(Stereo Out, 2Bus etc.)
MIXER ROUTING
Drums
Percussion
Cymbal
Bass
Pad A
Pad B
Lead
Grp_Drums
FX_Room
FX_Hall
FX_Echo
Grp_FX
Stereo Out
Master

Bus — overview term for bus /“summing rail”

Aux — abbreviation for auxiliary/“support route”

(Sub)group — sum audio tracks serially

Aux Send — Parallel effects route

ROUTING TERMINOLOGY

Insert Effect — serial processing

Signal Flow — from channel input to output

(i.e. top to bottom)

Categorisation — by processing type

send signal — for parallel processing

with insert effect on Aux channel

AUDIO FX


Edit
Options
View
Sends on Faders:
Off
Setting
Gain Reduction
EQ
PREVIEW
Input
Audio FX
Chan EQ
FX INSERT
Sends
Bus 9
B 10
B 11
Output
Bus 1
Group
Automation
Read
Pan
dB
-3,4
Drums
User Default
Compare
Copy
Paste
Undo
Redo
Individual Filterband Bypass
View:
100 %
Hi-Pass-Filter
Hochpassfilter
Bass-Shelve
Tiefen-Kuhschwanz
Bell-Filter
Glockenfilter
Treble-Shelve
Höhen-Kuhschwanz
Low-Pass-Filter
Tiefpassfilter
408 Hz
12 dB/Oct
0.71
75.0 Hz
0.0 dB
1.00
100 Hz
0.0 dB
0.60
250 Hz
0.0 dB
0.30
1040 Hz
0.0 dB
0.41
2500 Hz
0.0 dB
0.20
7500 Hz
0.0 dB
1.00
20000 Hz
24 dB/Oct
0.71
Gain
0.0 dB
Analyzer POST
Q-Couple
HQ
Processing:
Stereo
Attributes of Filterband
Channel EQ
EQUALISER
Drums
Percussion
Cymbal
Bass
Pad A
Pad B
Lead
Grp_Drums
FX_Room
FX_Hall
FX_Echo
Grp_FX
Stereo Out
Master

Restrict to individual bands

High/low pass — *hard* filtering starting from selected corner frequency

Shelving filter — *coarse* emphasis/reduction of bass/treble range

EQUALISER


Edit
Options
View
Sends on Faders:
Off
Setting
Gain Reduction
EQ
Input
Audio FX
Sends
Output
Group
Automation
Pan
dB
Send Target
Send Level
Send Effect
Bus 9
B 10
B 11
Chroma
Echo
Bus 1
Bus 2
St Out
Read
-3,4
-4,5
-4,0
-4,6
-3,0
-4,5
-6,3
0,0
-24,3
-5,3
-6,3
-3,7
-5,0
-8,4
Bnc
M
S
R
I
D
Drums
Percussion
Cymbal
Bass
Pad A
Pad B
Lead
Grp_Drums
FX_Room
FX_Hall
FX_Echo
Grp_FX
Stereo Out
Master
AUX-SEND

Send Routing to Aux — parallel signal structure

identical handling to audio channel

Track in Arrange window — Create Track — ^T

AUX-SEND

Frontal Lobe Layer
Frontal Lobe Layer.1
Melodious Spring Layers
Melodious Spring Layers.1
Pad A
Pad B
Lead
FX_Room
User Default
Preset Load / Save
Compare
Copy
Paste
Undo
Redo
View: 100 %
Bypass
DAMPING EQ
Dark Room
MAIN
DETAILS
Attack 0 %
Size 30 %
Density 30 %
Decay 1/2
Distance 50 %
Dry 0 %
Wet 100 %
Predelay 1/64
Freeze
ChromaVerb
AUX-EFFECT
Effectlevel-Mix
Edit
Options
View
Sends on Faders: Off
Drums
Percussion
Cymbal
Bass
Pad A
Pad B
Lead
Grp_Drums
FX_Room
FX_Hall
FX_Echo
Grp_FX
Stereo Out
Master

Mix Level — *dependent on routing*

Insert — balance between original and effect

Send — 100% Mix, *send level* controls *balance*

EFFECT MIX


Edit
Functions
View
Drums
Track
Read
Low Cut Freq
20.0 Hz
Volume
-3,4 dB
Percussion
Volume
-4,5 dB
Cymbal
-4,0 dB
Send 2 → FX_Hall
-4,0 dB
Send 1 → FX_Room
-3,1 dB
Bass
Drive
4.0 dB
Pad A
High Cut Freq
230 Hz
Pad B
-∞ dB
Lead
-1,8 dB
FX_Echo
Feedback
64 %
FX_Room
+0,0 dB
FX_Hall
+0,0 dB
Full
Verse
Chorus 1
Break
Chorus 2A
Chorus 2B
Outro
Alive and Kicking Beat
Alive and Kicking Beat.1
Remix Shaker 02
Remix Shaker 01
Remix Shaker 01_1
Remix Shaker 02.1
Long Crash Cymbal 01
Long Crash Cymbal 01.1
Trading Place
Long Crash Cy
Bombastic Line Bass 01
Bombastic Line Bass 02
Bombastic Line Bass 02.2
Bombastic Line Bass 01.1
Frontal Lobe Layer
Frontal Lobe Layer.1
Melodious Spring Layers
Melodious Spring Layers.1
Around Midnight Vox Melod
View On/Off
for Track or Region
Parameter
Mode + On/Off
Multiview per Track
AUTOMATION

Automation — Animate Parameters — A

A-Point — Create/Delete — Click

A-Points — Select — ⇧Click/Lasso

Curve Tool — ⇧^Pointer

A-Points — Create for section — ⇧^⌥Lasso

AUTOMATION

Revising the Musical Piece from Exercise #1
enriching with effects +
using parameter automation
eLearning upload as MP3

EXERCISE #2