AUDIO PRODUCTION LE2

WEEKLY RECAP

TASCAM
REW
IN ONLY
TC/PILOT
PHONES
LEVEL
BATT.
MIKES
LINE
NRS
NORMAL
SHIFT
SMPTE - EBU
TIME CODE
TEST
NO LIMITER
TAPE
DIRECT
STOP
PLAYBACK
LINE & PHONES
METER
POWER
EXECUTE
CALL TC
EXT TC
CALL UB
INT TC
ENTER
SEARCH TC
RESET TC
CLEAR
SET FROM EXT

AUDIO DEMO

FREQUENZ f[Hz]	POSITIVE	NEGATIVE
20-200	FOUNDATION	BOOMY, THUMPING
200-500	WARM, FULL	MUDDY, MUMBLY
500-3000	INTELLIGIBILITY	NASAL, SQUEAKY
3000-8000	PRESENCE	SHARP, HARSH
8000-20000	BRILLIANCE, AIR	HISSING, SHRILL

FREQUENCY ATTRIBUTES

TASCAM
REW
IN ONLY
TC/PILOT
PHONES
LEVEL
BATT.
MIKES
LINE
NRS
NORMAL
SHIFT
SMPTE - EBU
TIME CODE
TEST
NO LIMITER
TAPE
DIRECT
STOP
PLAYBACK
LINE & PHONES
METER
POWER
EXECUTE
CALL TC
EXT TC
CALL UB
INT TC
ENTER
SEARCH TC
RESET TC
CLEAR
SET FROM EXT

AUDIO DEMO


VOCALS
VOCALS, FEMALE
FULLNESS - 120 Hz, BOOMINESS - 200-240 Hz
VOCALS, MALE (PRESENCE 5k, SIBILANCE 7.5-10k)
FLUTE
CLARINET
(SAX CLOSE MIC'D
KEY NOISE SET HPF @ 200 Hz)
HONK 400 Hz
SQUAWK 2k
ALTO SAX (REED BUZZ 6-7k)
HONK 250-300 Hz
SQUAWK 1k
TENOR SAX (REED BUZZ 5-6k)
TRUMPET
WINDS
TROMBONE
TUBA
VIOLIN, MANDOLIN
CELLO
BOOMINESS - 120-200 Hz
ACOUSTIC GUITARS (HARSHNESS - 2k, CUT 7k-10k)
STRINGS
FULLNESS - 240 Hz
ELEC GUITARS (BITE - 2.5k, AIR 8k)
4 STRING BASS
BOTTOM - 60-80 Hz
5 STRING BASS (ATTACK 700-1k, STRING NOISE 2.5k)
CLANK - 200 Hz
SIZZLE 7.5k-10k
CYMBALS
DRUMS
FATNESS - 240 Hz
CRISPNESS 5k-6k
SNARE
FULLNESS - 120-240 Hz
ATTACK - 5k
TOMS
THUMP - 60-80 Hz
ATTACK - 4k
KICK DRUM
KEYS
SYNTHESIZER
PIANO
EXT RANGE
FULL RANGE
NORMAL RANGE
FULL RANGE
EXT RANGE
Middle C
20.6 Hz
27.5 Hz
55 Hz
110 Hz
220 Hz
440 Hz
880 Hz
1720 Hz
3540 Hz
7080 Hz
14.16 k
21.24 k
SUB-WOOFERS
MID-RANGE SPEAKERS
SUB-BASS FREQUENCIES
20 - 40
(More felt than heard, requires an enormous amount of energy, & Hi quality transducers)
BASS BAND
40 - 160
(where fundamentals for kick and bass are, can easily get cluttered and woofy sounding. This is where the thump comes from)
UPPER BASS BAND
160 - 300
(warmth, or a muddy, woody sound. fundamental for snare, toms, guitars, male vox)
LOW-MID
300 - 800
(this range has lots of upper resonance & droning. Think of AGT feedback)
MID RANGE
800 - 2.5k
(where clutter happens, our ears are sensitive, too much sounds hard, nasal, obnoxious)
UPP
MID-BAND
2.5k - 5k
(where our ears are most sensitive & where brittle harsh, screechie is)
HIGH FREQ
BRIGHTNESS
5k - 10k
(lots of harmonics. plus vocal sibilance, and cymbals)
FREQUENCIES
10k - 20k
(not much energy or musicality)
FREQUENCYRANGES

TASCAM
REW
IN ONLY
TC/PILOT
PHONES
LEVEL
BATT.
MIKES
LINE
NRS
NORMAL
SHIFT
SMPTE - EBU
TIME CODE
TEST
NO LIMITER
TAPE
DIRECT
STOP
PLAYBACK
LINE & PHONES
METER
POWER
EXECUTE
CALL TC
EXT TC
CALL UB
INT TC
ENTER
SEARCH TC
RESET TC
CLEAR
SET FROM EXT

AUDIO DEMO


INTENSITY
PRESENCE
BASS
MIDDLE
TREBLE
FREQUENCYRANGES





BOUBA // KIKI
(TAKETE // MALUMA)

warm, fat, large, bright, wide, dark, bassy, sharp, pointed, dry, flat, slim, distorted, thick, near, centered, bright, booming, nasal, muffled, clear, transparent, powerful, unintelligible, thin, soft, distant, phase-y, spatial, narrow, aggressive, punchy, weak, hissing, gentle, scratchy, hollow, dirty, dynamic, mushy, vegetated, ...

TIMBRE ATTRIBUTES

TASCAM
REW
IN ONLY
TC/PILOT
PHONES
LEVEL
BATT.
MIKES
LINE
NRS
NORMAL
SHIFT
SMPTE - EBU
TIME CODE
TEST
NO LIMITER
TAPE
DIRECT
STOP
PLAYBACK
LINE & PHONES
METER
POWER
EXECUTE
CALL TC
EXT TC
CALL UB
INT TC
ENTER
SEARCH TC
RESET TC
CLEAR
SET FROM EXT

AUDIO DEMO

lowest signal freq = fundamental tone = 1st harmonic

2 x f = 1st overtone = 2nd harmonic, etc.

integer multiples of the fundamental tone = harmonics

octave = frequency doubling/halving

FREQUENCY TERMS

TASCAM
REW
IN ONLY
TC/PILOT
PHONES
LEVEL
BATT.
MIKES
LINE
NRS
NORMAL
SHIFT
SMPTE - EBU
TIME CODE
TEST
NO LIMITER
TAPE
DIRECT
STOP
PLAYBACK
LINE & PHONES
METER
POWER
EXECUTE
CALL TC
EXT TC
CALL UB
INT TC
ENTER
SEARCH TC
RESET TC
CLEAR
SET FROM EXT

AUDIO DEMO