




Geek & Poke under CC BY 3.0

[The Title of the Thesis]

[Forename] [Surname]

Studienarbeit

[Forename] [Surname]:
[The Title of the Thesis]

Advisor:

[Titel Forename Surname]
Corp [...]

Studienarbeit, DHBW Heidenheim, *[2014]*.

Abstract

Besides the title, the abstract is the most important part of your thesis, as most readers will only read title and abstract. Your goal is to advertise the rest of the thesis for potential readers. For that, you briefly explain what you are focusing on in the thesis. With a misleading abstract, you will miss interested readers and maybe even attract readers with wrong assumptions about your work which will stop reading soon. The abstract should describe the general area as well as the most interesting insights of the work. It is crucial to find the right level of abstraction and length. An abstract typically consists of one paragraph that is significantly shorter than the introduction.

Abstracts typically follow the same structure. You start by describing the research area as well as the general and the specific problem you are focusing on. Then, you outline how you approach the problem in terms of concepts and evaluations. Finally, you close with the most interesting insights that you gained and why they are relevant for the research area.

[...]

Contents

List of Figures	vii
List of Tables	ix
List of Code Listings	xi
1 Introduction	1
2 Background	3
3 Example Chapter	5
3.1 Citation	5
3.2 Formulas	5
3.3 Graphics	6
3.4 Tables	6
3.5 Code Listings	6
4 Tool Support	9
5 Evaluation	11
6 Related Work	13
7 Conclusion and Future Work	15
A Appendix	17
Bibliography	19

List of Figures

3.1	A feature model representing a graph product line	6
-----	---	---

List of Tables

3.1 Mapping a feature model to a propositional formula	6
--	---

List of Code Listings

3.1 Java source code 7

1. Introduction

... to be continued ...

[...]

Goal of this Thesis

[...]

Structure of the Thesis

[...]

2. Background

[...]

3. Example Chapter

This chapter gives you some examples how to include graphics, create tables, or include code listings. But first, we start with a short description how you can efficiently cite in $\LaTeX$. The following footnote shows you how to reference URLs and where this document is available online.¹

3.1 Citation

There are several types of literature. The most citations are workshop and conference papers. Please use the `inproceedings`-tag for those citations (e.g., [KAK09]). You should have short-hands for workshop and conference names to be sure the naming is consistent and uniform (see our BibTeX files how to do that).

Slightly different are articles published in journals (e.g., [KG06]). Make sure you that the volume and number-tags are present and that no `inproceeding` is tagged as `article` or vice versa.

You might want to take a look at the example BibTeX file to find out how to cite books [CE00], technical reports [KCH⁺90], websites [CDT09], PhD theses, or master theses [Beu03, Ros09].

3.2 Formulas

There are different types of mathematical environments to set formulas. The equation $E = m \cdot c^2$ is an inline formula. But you can also have formulas at a separate line (see Equation 3.1).

$$P = \left(\mathcal{A} \Rightarrow (\mathcal{B} \Leftrightarrow \mathcal{C}) \wedge (\mathcal{B} \Leftrightarrow \mathcal{D}) \right) \wedge (\mathcal{B} \Rightarrow \mathcal{A}) \wedge (\mathcal{C} \Rightarrow \mathcal{A}) \wedge (\mathcal{D} \Rightarrow \mathcal{A}) \quad (3.1)$$

If you need multiple lines that are aligned to each other, you might want to use the following code.

¹<http://www.ovgu.de/tthuem>

GraphLibrary
 $\wedge$ (GraphLibrary $\Rightarrow$ Edges) $\wedge$ (Edges $\vee$ Algorithms $\Rightarrow$ GraphLibrary)
 $\wedge$ (Edges $\Leftrightarrow$ Directed $\vee$ Undirected) $\wedge$ ($\neg$ Directed $\vee$ $\neg$ Undirected)
 $\wedge$ (Algorithms $\Leftrightarrow$ Number $\vee$ Cycle)
 $\wedge$ (Cycle $\Rightarrow$ Directed).

3.3 Graphics

In [Figure 3.1](#), we give a small example how to insert and reference a figure.




Figure 3.1: A feature model representing a graph product line

3.4 Tables

[Table 3.1](#) shows the result of a simple tabular environment.

Group Type	Propositional Formula
And	$(P \Rightarrow C_{k_1} \wedge \dots \wedge C_{k_m}) \wedge (C_1 \vee \dots \vee C_n \Rightarrow P)$
Or	$P \Leftrightarrow C_1 \vee \dots \vee C_n$
Alternative	$(P \Leftrightarrow C_1 \vee \dots \vee C_n) \wedge \text{atmost1}(C_1, \dots, C_n)$

Table 3.1: Mapping a feature model to a propositional formula

3.5 Code Listings

In [Listing 3.1 on the next page](#), we give an example of a source code listing.

```
1 class A extends Object {  
2     A() { super(); }  
3 }  
4 class B extends Object {  
5     B() { super(); }  
6 }  
7 class Pair extends Object {  
8     Object fst;  
9     Object snd;  
10    Pair(Object fst, Object snd) {  
11        super(); this.fst=fst; this.snd=snd;  
12    }  
13    Pair setfst(Object newfst) {  
14        return new Pair(newfst, this.snd);  
15    }  
16 }
```

Listing 3.1: Java source code

4. Tool Support

Most theses in computer science are accompanied by tool support written by the author of the thesis. Such tools enable an empirical evaluation or simply serve as a proof-of-concept. In particular, tools are typically not the ultimate goal in research, but often necessary to evaluate whether proposed concepts solve real problems. Hence, it is common to write about the tool in a dedicated chapter.

The tool chapter has several goals. For supervisors, it typically helps to estimate the implementation effort of a thesis and problems faced during development. For other students, the chapter serves as the documentation of the tool support. That is, students that extend the tool support will use this chapter to get an overview on the architecture and learn from failed attempts. As researchers are typically rather interested in concepts or evaluations, this dedicated chapter on tool support helps to remove clutter from other chapters. Nevertheless, researchers may be interested to read why tool support has been build the way it is and why it is build on certain existing tools or libraries. Write the chapter such that it useful for researchers, students, and supervisors.

[...]

5. Evaluation

[...]

6. Related Work

[...]

7. Conclusion and Future Work

[...]

A. Appendix

[...]

Bibliography

- [Beu03] Danilo Beuche. *Composition and Construction of Embedded Software Families*. PhD thesis, University of Magdeburg, Germany, 2003. (cited on Page 5)
- [CDT09] The Coq Development Team. The Coq Proof Assistant. Website, September 2009. Available online at <http://coq.inria.fr/>; visited on November 9th, 2009. (cited on Page 5)
- [CE00] Krzysztof Czarnecki and Ulrich W. Eisenecker. *Generative Programming: Methods, Tools, and Applications*. ACM Press/Addison-Wesley, 2000. (cited on Page 5)
- [KAK09] Christian Kästner, Sven Apel, and Martin Kuhlemann. A Model of Refactoring Physically and Virtually Separated Features. In *Proc. Int’l Conf. Generative Programming and Component Engineering*, pages 157–166. ACM, October 2009. (cited on Page 5)
- [KCH⁺90] Kyo C. Kang, Sholom G. Cohen, James A. Hess, William E. Novak, and A. Spencer Peterson. Feature-Oriented Domain Analysis (FODA) Feasibility Study. Technical Report CMU/SEI-90-TR-21, Software Engineering Institute, 1990. (cited on Page 5)
- [KG06] Cory J. Kapser and Michael W. Godfrey. Supporting the Analysis of Clones in Software Systems: A Case Study. *J. Softw. Maint. Evol.*, 18(2):61–82, 2006. (cited on Page 5)
- [Ros09] Malte Rosenthal. Alternative Features in Colored Featherweight Java. Diplomarbeit, University of Passau, Germany, July 2009. (cited on Page 5)

Declaration of Authorship

I hereby declare that this thesis is my own unaided work. All direct or indirect sources used are acknowledged as references. This paper was not previously presented to another examination board and has not been published as of yet.

Place, Date of Submission

Signature