

-- Created by Redgate Data Modeler (<https://datamodeler.redgate-platform.com>)
-- Last modification date: 2026-02-25 00:29:55.025

-- tables

-- Table: Appointment

```
CREATE TABLE Appointment (  
    Appointment_ID bigint NOT NULL,  
    Patient_ID bigint NOT NULL,  
    Provider_User_ID bigint NOT NULL,  
    Scheduled_Start datetime NOT NULL,  
    Scheduled_End datetime NOT NULL,  
    Status varchar(20) NOT NULL COMMENT 'Allowed Values:  
SCHEDULED  
CANCELLED  
RESCHEDULED  
NO_SHOW  
COMPLETED',  
    Patient_Patient_ID bigint NOT NULL,  
    User_User_ID bigint NOT NULL,  
    CONSTRAINT Appointment_pk PRIMARY KEY (Appointment_ID)  
);
```

-- Table: Audit_Log

```
CREATE TABLE Audit_Log (  
    Audit_Log_ID bigint NOT NULL,  
    Audit_Date datetime NOT NULL,  
    Action_Type varchar(30) NOT NULL,  
    Entity_Name varchar(50) NOT NULL,  
    Entity_Record_ID bigint NOT NULL,  
    Details text NULL,  
    User_User_ID bigint NOT NULL,  
    CONSTRAINT Audit_Log_pk PRIMARY KEY (Audit_Log_ID)  
);
```

-- Table: Emergency_Contact

```
CREATE TABLE Emergency_Contact (  
    Emergency_Contact_ID bigint NOT NULL,  
    First_Name varchar(128) NOT NULL,  
    Last_Name varchar(128) NOT NULL,  
    Phone_Number varchar(20) NOT NULL,  
    CONSTRAINT Emergency_Contact_pk PRIMARY KEY (Emergency_Contact_ID)  
);
```

-- Table: Insurance_Info

```
CREATE TABLE Insurance_Info (  
    Insurance_ID bigint NOT NULL,  
    Patient_ID bigint NOT NULL,  
    Insurance_Provider varchar(255) NULL,  
    Payment_Status varchar(30) NOT NULL COMMENT 'PAID, PENDING, DENIED',  
    Date_Sent date NOT NULL,  
    Patient_Patient_ID bigint NOT NULL,  
    CONSTRAINT Insurance_Info_pk PRIMARY KEY (Insurance_ID)  
);
```

-- Table: Nurse_Assignments

```
CREATE TABLE Nurse_Assignments (  
    Assignment_ID bigint NOT NULL,  
    Nurse_User_ID bigint NOT NULL,  
    Patient_ID bigint NOT NULL,  
    User_User_ID bigint NOT NULL,  
    Patient_Patient_ID bigint NOT NULL,  
    CONSTRAINT Nurse_Assignments_pk PRIMARY KEY (Assignment_ID)  
);
```

-- Table: Patient

```
CREATE TABLE Patient (  
    Patient_ID bigint NOT NULL,  
    First_Name varchar(128) NOT NULL,  
    Last_Name varchar(128) NOT NULL,  
    Phone_Number varchar(20) NOT NULL,  
    Email varchar(255) NULL,  
    Date_Of_Birth date NOT NULL,  
    CONSTRAINT Patient_pk PRIMARY KEY (Patient_ID)  
);
```

-- Table: Patient_Emergency_Contacts

```
CREATE TABLE Patient_Emergency_Contacts (  
    Patient_ID bigint NOT NULL,  
    Emergency_Contact_ID bigint NOT NULL,  
    Relationship_To_Patient varchar(128) NOT NULL,  
    Emergency_Contact_Emergency_Contact_ID bigint NOT NULL,  
    CONSTRAINT Patient_Emergency_Contacts_pk PRIMARY KEY  
(Patient_ID, Emergency_Contact_ID)  
);
```

-- Table: Patient_Patient_Emergency_Contacts

```
CREATE TABLE Patient_Patient_Emergency_Contacts (  
    Patient_Patient_ID bigint NOT NULL,
```

```

    Patient_Emergency_Contacts_Patient_ID bigint NOT NULL,
    Patient_Emergency_Contacts_Emergency_Contact_ID bigint NOT NULL,
    CONSTRAINT Patient_Patient_Emergency_Contacts_pk PRIMARY KEY
(Patient_Patient_ID,Patient_Emergency_Contacts_Patient_ID,Patient_Emergency_Contacts_E
mergency_Contact_ID)
);

```

-- Table: Permissions

```

CREATE TABLE Permissions (
    Role_ID bigint NOT NULL,
    Table_Name varchar(50) NOT NULL,
    Can_View boolean NOT NULL,
    Can_Edit boolean NOT NULL,
    Can_Delete boolean NOT NULL,
    Can_Add boolean NOT NULL,
    CONSTRAINT Permissions_pk PRIMARY KEY (Table_Name,Role_ID)
);

```

-- Table: Provider_Schedule

```

CREATE TABLE Provider_Schedule (
    Schedule_ID bigint NOT NULL,
    Provider_User_ID bigint NOT NULL COMMENT '2 overall providers',
    Day_Of_The_Week int NOT NULL COMMENT 'Monday-Friday Schedule',
    Start_Time time NOT NULL COMMENT 'Earliest start 8:00 ',
    End_Time time NOT NULL COMMENT 'Latest Appointmet 4:30',
    User_User_ID bigint NOT NULL,
    CONSTRAINT Provider_Schedule_pk PRIMARY KEY (Schedule_ID)
) COMMENT '30 minute appointments';

```

-- Table: Roles

```

CREATE TABLE Roles (
    Role_ID bigint NOT NULL,
    Role_Name varchar(50) NOT NULL,
    CONSTRAINT Roles_pk PRIMARY KEY (Role_ID)
);

```

-- Table: User

```

CREATE TABLE User (
    User_ID bigint NOT NULL,
    First_Name varchar(128) NOT NULL,
    Last_Name varchar(128) NOT NULL,
    Phone_Number varchar(20) NOT NULL,
    Email varchar(255) NOT NULL,
    Roles_Role_ID bigint NOT NULL,

```

```
User_Login_Info_User_ID bigint NOT NULL,  
CONSTRAINT User_pk PRIMARY KEY (User_ID)  
);
```

-- Table: User_Login_Info

```
CREATE TABLE User_Login_Info (  
    User_ID bigint NOT NULL,  
    Username varchar(64) NOT NULL,  
    Password_Hash varchar(255) NOT NULL,  
    Created_At datetime NOT NULL,  
    CONSTRAINT User_Login_Info_pk PRIMARY KEY (User_ID)  
);
```

-- Table: Visit

```
CREATE TABLE Visit (  
    Visit_ID bigint NOT NULL,  
    Created_By_User_ID bigint NOT NULL,  
    Appointment_ID bigint NULL,  
    Patient_ID bigint NOT NULL,  
    Provider_User_ID bigint NOT NULL,  
    Visit_DateTime datetime NOT NULL,  
    Appointment_Appointment_ID bigint NOT NULL,  
    Patient_Patient_ID bigint NOT NULL,  
    User_User_ID bigint NOT NULL,  
    CONSTRAINT Visit_pk PRIMARY KEY (Visit_ID)  
);
```

-- Table: Visit_Notes

```
CREATE TABLE Visit_Notes (  
    Note_ID bigint NOT NULL,  
    Visit_ID bigint NOT NULL,  
    Created_By_User_ID bigint NOT NULL,  
    Visit_Note text NOT NULL,  
    Note_DateTime datetime NOT NULL,  
    Visit_Visit_ID bigint NOT NULL,  
    User_User_ID bigint NOT NULL,  
    CONSTRAINT Visit_Notes_pk PRIMARY KEY (Note_ID)  
);
```

-- foreign keys

-- Reference: Appointment_Patient (table: Appointment)

```
ALTER TABLE Appointment ADD CONSTRAINT Appointment_Patient FOREIGN KEY  
Appointment_Patient (Patient_Patient_ID)  
REFERENCES Patient (Patient_ID);
```

```

-- Reference: Appointment_User (table: Appointment)
ALTER TABLE Appointment ADD CONSTRAINT Appointment_User FOREIGN KEY
Appointment_User (User_User_ID)
REFERENCES User (User_ID);

-- Reference: Audit_Log_User (table: Audit_Log)
ALTER TABLE Audit_Log ADD CONSTRAINT Audit_Log_User FOREIGN KEY Audit_Log_User
(User_User_ID)
REFERENCES User (User_ID);

-- Reference: Insurance_Info_Patient (table: Insurance_Info)
ALTER TABLE Insurance_Info ADD CONSTRAINT Insurance_Info_Patient FOREIGN KEY
Insurance_Info_Patient (Patient_Patient_ID)
REFERENCES Patient (Patient_ID);

-- Reference: Nurse_Assignments_Patient (table: Nurse_Assignments)
ALTER TABLE Nurse_Assignments ADD CONSTRAINT Nurse_Assignments_Patient
FOREIGN KEY Nurse_Assignments_Patient (Patient_Patient_ID)
REFERENCES Patient (Patient_ID);

-- Reference: Nurse_Assignments_User (table: Nurse_Assignments)
ALTER TABLE Nurse_Assignments ADD CONSTRAINT Nurse_Assignments_User FOREIGN
KEY Nurse_Assignments_User (User_User_ID)
REFERENCES User (User_ID);

-- Reference: Patient_Emergency_Contacts_Emergency_Contact (table:
Patient_Emergency_Contacts)
ALTER TABLE Patient_Emergency_Contacts ADD CONSTRAINT
Patient_Emergency_Contacts_Emergency_Contact FOREIGN KEY
Patient_Emergency_Contacts_Emergency_Contact
(Emergency_Contact_Emergency_Contact_ID)
REFERENCES Emergency_Contact (Emergency_Contact_ID);

-- Reference: Patient_Patient_Emergency_Contacts_Patient (table:
Patient_Patient_Emergency_Contacts)
ALTER TABLE Patient_Patient_Emergency_Contacts ADD CONSTRAINT
Patient_Patient_Emergency_Contacts_Patient FOREIGN KEY
Patient_Patient_Emergency_Contacts_Patient (Patient_Patient_ID)
REFERENCES Patient (Patient_ID);

-- Reference: Patient_Patient_Emergency_Contacts_Patient_Emergency_Contacts (table:
Patient_Patient_Emergency_Contacts)

```

```
ALTER TABLE Patient_Patient_Emergency_Contacts ADD CONSTRAINT
Patient_Patient_Emergency_Contacts_Patient_Emergency_Contacts FOREIGN KEY
Patient_Patient_Emergency_Contacts_Patient_Emergency_Contacts
(Patient_Emergency_Contacts_Patient_ID,Patient_Emergency_Contacts_Emergency_Contact_
ID)
```

```
REFERENCES Patient_Emergency_Contacts (Patient_ID,Emergency_Contact_ID);
```

```
-- Reference: Permissions_Roles (table: Permissions)
```

```
ALTER TABLE Permissions ADD CONSTRAINT Permissions_Roles FOREIGN KEY
Permissions_Roles (Role_ID)
```

```
REFERENCES Roles (Role_ID);
```

```
-- Reference: Provider_Schedule_User (table: Provider_Schedule)
```

```
ALTER TABLE Provider_Schedule ADD CONSTRAINT Provider_Schedule_User FOREIGN
KEY Provider_Schedule_User (User_User_ID)
```

```
REFERENCES User (User_ID);
```

```
-- Reference: User_Roles (table: User)
```

```
ALTER TABLE User ADD CONSTRAINT User_Roles FOREIGN KEY User_Roles
(Roles_Role_ID)
```

```
REFERENCES Roles (Role_ID);
```

```
-- Reference: User_User_Login_Info (table: User)
```

```
ALTER TABLE User ADD CONSTRAINT User_User_Login_Info FOREIGN KEY
User_User_Login_Info (User_Login_Info_User_ID)
```

```
REFERENCES User_Login_Info (User_ID);
```

```
-- Reference: Visit_Appointment (table: Visit)
```

```
ALTER TABLE Visit ADD CONSTRAINT Visit_Appointment FOREIGN KEY Visit_Appointment
(Appointment_Appointment_ID)
```

```
REFERENCES Appointment (Appointment_ID);
```

```
-- Reference: Visit_Notes_User (table: Visit_Notes)
```

```
ALTER TABLE Visit_Notes ADD CONSTRAINT Visit_Notes_User FOREIGN KEY
Visit_Notes_User (User_User_ID)
```

```
REFERENCES User (User_ID);
```

```
-- Reference: Visit_Notes_Visit (table: Visit_Notes)
```

```
ALTER TABLE Visit_Notes ADD CONSTRAINT Visit_Notes_Visit FOREIGN KEY
Visit_Notes_Visit (Visit_Visit_ID)
```

```
REFERENCES Visit (Visit_ID);
```

```
-- Reference: Visit_Patient (table: Visit)
```

```
ALTER TABLE Visit ADD CONSTRAINT Visit_Patient FOREIGN KEY Visit_Patient  
(Patient_Patient_ID)  
REFERENCES Patient (Patient_ID);
```

```
-- Reference: Visit_User (table: Visit)
```

```
ALTER TABLE Visit ADD CONSTRAINT Visit_User FOREIGN KEY Visit_User (User_User_ID)  
REFERENCES User (User_ID);
```

```
-- End of file.
```