

Power-Time-Energy Model in Cycling

Summary

Despite differences between types of races, minimizing the time to cover a certain course has always been the core of cycling. In our paper, Power-Time-Energy (PTE) Model is established, including three sub-models: Power Curve Fitting, Power-Time-Energy (PTE) Equation and Optimizer. PTE model analyzes the relationship between various affecting factors during cycling and rider's optimal power output.

Firstly, power profiles of cyclists from world-class to fair level are collected, defined as the maximum duration a rider can hold on at different exercise intensity. Based on power profiles, different cyclists' power curves are well fitted, including time trialists and sprinters of different genders. Values of adjusted R^2 up to 0.98 indicate the goodness of the fit.

Then, PTE Equation is constructed to bridge the power output and energy required in competition process based on the power profile and rider's position on the track(length and elevation gain). We next use Optimizer to produce strategy which is separated into three stages: FTP-Recovery-Sprint. To verify the rationality, we make simulation: two world-class virtual time trialists are created to participate in Olympics ITT, UCI WCTT and one self-designed race, adopting tactics provided by PTE Model. It turns out that our virtual riders rank high in these games after comparing with the real result data.

Next, we conduct sensitivity analysis with respect to weather conditions (wind direction and speed) and get positive feedback. Under the framework of PTE model, we put forward and prove Wind Direction Theorem. It indicates that constant direction has no effect on the total energy cost of a closed track, and in non-closed cases, the effect is only related to the location of start and end points. Moreover, optimal tactics will change appropriately according to different wind speed in our simulation.

Besides, the model simulates different power output at each stage and provides optimal tactics separately. The result indicates that change in total time is minor as the output power deviates to some degree. Considering the difficulty for riders to execute strategies accurately, this property ensures that the cyclist can still achieve satisfactory results under the condition of deviation.

Finally, our model has strong extensibility: it can also be applied to team time trial consisting of 6 riders. The whole process is divided into three stages, with 6, 5 and 4 riders uniting the team respectively. In our basic strategy, riders take turns to block the wind to keep high constant speed and the four most energetic riders will reach the end together. Similar to PTE Model, we set up corresponding equations and constraints for each stage, together with an optimization model that customizes the best tactic for a team.

Keywords: Time Trial, Power Distribution, Nonlinear Optimization, MATLAB

Contents

1	Introduction	2
1.1	Problem background	2
1.2	Restatement of the Problem	2
1.3	Our work	2
2	Assumptions and Justification	3
3	Notations and Glossary	4
4	Solution of the First Problem	5
4.1	Model Establishment	5
4.2	Solution of Model	6
4.3	Analysis of Results	7
5	Solution of the Second Problem	7
5.1	Model Establishment	7
5.2	Application of Model	9
5.2.1	2021 Olympic Time Trial course in Tokyo	9
5.2.2	2021 UCI World Championship time trial course in Flanders	11
5.2.3	Self-designed course	12
6	Sensitivity Analysis of Weather Conditions	13
6.1	Impact of Wind Direction	13
6.2	Impact of Wind Speed	14
7	Sensitivity Analysis of Power Output	15
8	Model Extension and Evaluation	17
8.1	Extension for team time trial	17
8.2	Strengths	18
8.3	Weaknesses	18
Appendices		22
Appendix A	MATLAB Code for Power Curve Fitting	22
Appendix B	MATLAB Code for Optimization	23

1 Introduction

1.1 Problem background

Cyclists are divided into different categories, such as sprinters, pursuers, time trialists, and so on. Different types of riders may have different power curves. The power curve depicts how long an athlete can sustain a given power output, which can help cyclists plan their energy more wisely during the competition.

There are many types of cycling competitions, but the common denominator is that all cyclists complete the same distance in less time than anyone else. Therefore cyclists are always looking for how to complete a given distance in less time, and how to develop training plans and competition strategies through the power curve becomes increasingly important.

1.2 Restatement of the Problem

Build a mathematical model that describes the relationship between a cyclist's position and the energy released, which can be applied to different types of riders. The model must take into account the constraints on the total energy released by the cyclist, and the limits of both past overloading and the power curve.

- **The first problem requires to describe power profiles of two types of cyclists**, one of which is a time trial specialist, and consider different genders.
- **The second problem talks about the application of the model in various time trial races**, including 2021 Olympic Time Trial course, 2021 UCI World Championship time trial course and a self-designed course with at least four sharp turns and a nontrivial road grade.
- **The third problem argues the potential impact of different environmental conditions.** It demands us to test the sensitivity of the model.
- **The fourth problem focuses on cyclists' imperfect execution on power distribution.** It asks to provide a detailed plan for riders.
- **The fifth problem discusses the extension of the model.** The aim is to produce the best distribution of energy for teams of six in a team time trial.

1.3 Our work

In a gesture to plot the power profile, propose the optimal riding strategy and test the sensitivity of the model, several works are done to build it and then solve the problem.

- **Accessing the data.** As it's hard to get real-time speed data of a certain athlete in a formal competition, we changed our course to excavate data from standard pace, past papers and other resources. The data sources are summarized in table [1].
- **Presenting our model.** In order to investigate the problem deeper, we divide our model into three sub-models. The first one is the establishment of *Power Curve Fitting* to describe athletes' ability in different exercise intensity. The second one is about power distribution during competition process, *Power-Time-Energy Equation*, which establishes the relationship between output energy and demand energy. The third one is to solve the optimal strategy for a certain player and certain competition.

Table 1: Data Source Collection

Dataset	Website Source
Cycling power charts	https://www.trainingpeaks.com/blog/power-profiling/
UCI results	https://www.flanders2021.com/en/races
Olympics results	https://www.procyclingstats.com/race/olympic-games-itt/2021/result
Maps	https://www.openstreetmap.org/about/
Cycling details	https://www.strava.com/activities




Figure 1: Structure chart

- **Sensitivity analysis and extension.** Taking weather condition and rider deviations into account, we apply extended model with UCI data to evaluate the reliability of our model through sensitivity analysis. Also, we extend our model to team time trial.

2 Assumptions and Justification

To simplify the problem and make it convenient for us to simulate real-life conditions, we make the following basic assumptions, each of which is properly justified.

- **The rider has a limit on total energy.** Considering real-life conditions, it is reasonable and necessary to assume that a rider has a limited total energy.
- **The rider's total energy and power curve are invariable.** To simplify the model, we assume that the rider's total energy is unchangeable regardless of weather, track and other things.
- **The energy needed to finish a competition is proportionate to the athlete's weight.** To simplify the model, we consider that the energy needed to finish the same course for different athletes of the same weight is unchangeable and the needed power is only associated with weight.
- **The competition record of an athlete is divided into several uniform motions.** Though the speed of the rider is real-time changing, it is reasonable to simulate the process by dividing the whole time into several parts and calculate the average speed separately.
- **Wind direction and speed remain the same during a race.** In our analysis, race times usually last around an hour, so the changes in wind conditions tend to be small.

3 Notations and Glossary

Symbols	Description	Unit
PO	power output of an athlete per kilogram	W/kg
t	maximum duration that a rider can maintain a certain speed	s
T_i	the interval length of the i^{th} time period	s
P_i	average power per kilogram of the i^{th} time period	W/kg
W_i	work capacity one can expend of the i^{th} time period	km
σ	symbol for track model	/
$E(s)$	the energy consumed per kilometer per kilogram at the position of s	J/(kg·km)
\bar{E}	the energy consumed per kilometer per kilogram under the windless condition of a flat ground	J/(kg·km)
v	the speed of wind	m/s
$\theta(s)$	the angle between rider's forward direction and wind at the position of s	/
$\phi(s)$	the slope gradient at the position of s	/


where we define the main parameters while specific value of those parameters will be given later.

We also give out the explanation of some proper nouns:

- **Functional threshold power (FTP)** Maximum mean power that a cyclist can sustainably produce for the period of one hour which can be expressed in terms of watts per kilo.
- **Power Profile Chart** It shows how does rider's maximum power output compare to the riders of various fitness and experience level, ranging from novice to the world-class, pro road cyclists. The chart includes 4 values divided by weight reflecting one's cycling talent: sprint abilities (5s), anaerobic capacity described by 1 minute maximum power, 5 minutes to tell about maximum oxygen uptake capability and 20 min to describe FTP.
- **Power Curve** Optimal average power output from 1 second to maximum riding time measured in watts (W) or watts per kilogram (W/kg).
- **W** Work capacity one can expend above the FTP before reaching complete exhaustion.
- **Time Trialist(TT)** A road bicycle racer who can maintain high speeds for long periods of time, to maximize performance during individual or team time trials.
- **Sprinter** A road bicycle racer or track racer who can finish a race very explosively by accelerating quickly to a high speed.
- **Hors catégorie (HC)** It is the most difficult type of climb in a race. The average HC climb is 15-20 kilometers long and has a grade of 9% while the easiest category of a climb is called Category 4 with elevation gain of less than 300 meters.

4 Solution of the First Problem

As we all know, the amount of time a person can maintain high-intensity exercise is often limited, so we use power curve to describe the relationship between power output and the longest time one man can maintain output of this level. Obviously, power curve differs from person to person, and there is a significant difference between both genders and rider types, such as climber, puncheur and time trial specialist.



In this section, we establish the model of power curve, and consider people of different genders and types.

We first use the power profile chart to assess the ability of two types of rider briefly, which contains ability assessment in **four domains**: **extreme** intensity, **severe** intensity,

heavy and **moderate**, represented by **5s, 1 minute, 5 minutes and 20 minutes maximum power output** separately, as is shown on the left. Also, we plot the power curve of different athletes, showing the functional relationship between maximal time and power output per weight.

4.1 Model Establishment

In a gesture to have a general idea about the distribution of cycling levels, we turn to standard power profile and use the average cycling pace to plot the power curve. The dataset includes the riders' maximum power output during a certain period of time, ranging from novice to world-class, both men and women. Also, the power profile chart gives out the standard of different types, ensuring us to analyze the ability of riders in all domains of various types.

In the process of establishment, we discover that the profile of people of different levels, genders and rider types can vary greatly, that is to say, people of higher level have a better performance in all domains and sprinters do better in extreme intensity domain than time trialist and perform worse in other domains than TT.




Figure 2: Radar map of male riders




Figure 3: Radar map of female riders

As is shown in picture [2][3], sprinters of both genders perform best in extreme intensity

domain, while the two types of riders perform equally well in severe intensity domain. However, time trialists do much better in heavy and moderate domain.

With data from profile charts, we can sketch out the profile curve of different types of riders of different genders[4][5], and show their ability in four domains.




Figure 4: Sketch of power curve of male and female sprinters




Figure 5: Sketch of power curve of male and female time trialists

In order to reflect the distinction, we use the function to depict the relationship between power output per weight and time one man can maintain at that level:

$$P = f(t) = at^b + c \quad (b < 0) \quad (1)$$

The unknown parameters a and b represent different rider types and c represents different levels. For example, the function of sprinters have larger parameter of a and those who of world class have bigger c . In this sense, we name a and b as type parameter and c as level parameter.

In the next part, we will determine the value of parameters for functions of different rider types and genders to see whether the parameters will show how riders perform in different domains.

4.2 Solution of Model

With the help of power profile chart, we can easily obtain the ability level of an amateur, whose level is above-average. Then we use MATLAB to fit functions.

As mentioned before, we use Eq (1) to describe the relationship between power output per weight and the duration one cyclist can maintain at that level. Using data from power profile

chart, we determine the value of three equations: style parameters a and b and level parameter c, as is shown in table [2].

Table 2: Parameter estimation results

	a	b	c
Male's time trialist	23.31	-0.89	3.42
Male's sprinter	36.62	-0.98	1.56
Female's time trialist	21.57	-0.73	2.26
Female's sprinter	26.82	-0.74	0.27

With help of the results, we can easily obtain power curves of different athletes with putting parameters into Eq (1).

4.3 Analysis of Results

As stated before, parameter a and b represent the style of an athlete and c reflects his level. As we can see from table [2], for men and women of the same style, parameter c of men is larger than that of women, which shows that the average physical strength of men is higher than that of women. With respect to different rider types, it's obvious that ability in extreme intensity domain of sprinters is larger than that of trialists, which means that sprinter's extreme exercise ability exceeds that of trialists. Then we consider the goodness of fit in table [3]:

Table 3: Parameter estimation error

	Sum of Squares Error(SSE)	Adjusted R^2	RMSE
MTT	0.3001	0.9879	0.5478
MSP	0.7471	0.9870	0.8644
FTT	0.2712	0.9881	0.5208
FSP	0.5641	0.9840	0.7511

Table above shows the partial result of variance analysis where values of adjusted R^2 are all above 0.98 and SSE values are nearly zero, indicating an excellent fitting effect in our model for 4 riders.

5 Solution of the Second Problem

5.1 Model Establishment

According to our assumptions, the cyclist's entire race is described as several segments of uniform motion: $\{(P_i, T_i)\}, i = 1, 2, \dots, N$, controlled by Power-Time-Energy Equation (PTE Equation):

$$\sum_{i=1}^N P_i T_i = \int_{\sigma} E(s) ds \quad (2)$$


where P_i denotes the average power per kilogram of the i^{th} period, T_i denotes the interval length of the i^{th} time period, $E(s)$ denotes the energy consumed per kilogram per kilometer at the position of s, σ represents the track curve.

Due to the limitations of the overall force of the athlete, P_i needs to be subject to some constraints, which we describe as follows:

$$\frac{1}{10}f^{-1}(P_i) \leq T_i \leq f^{-1}(P_i) \quad (3)$$

$$P_i > FTP \Leftrightarrow \begin{cases} P_{i-1} \leq FTP \\ T_i \leq \frac{W_i}{P_i - FTP} \\ W_i = \frac{C \ln T_{i-1}}{P_{i-1} + D} \end{cases} \quad (4)$$

where f is the power curve fitted from power profile, and it is a strictly monotonically decreasing function where $f^{-1}(P_i)$ denotes the maximum length of time a cyclist can maintain P_i -power.



Constraint (3) points out that the length of each time period shall not be too small or too large, and the maximum is limited by the power curve. Constraint (4) is the mechanism of recovery, which indicates that only if a cyclist stays below the FTP power for some time and restores the extra energy W_i can he ride at a power above FTP in the next time period.

It must be pointed out that $E(s)$ may be affected by many factors, such as weather and road condition. We conclude the following mathematical model:

$$E(s) = \bar{E}(1 - k_1 v^2 \cos \theta(s))(1 + k_2 \sin \phi(s)) \quad (5)$$

where \bar{E} denotes the energy consumed per kilometer under the windless condition of flat ground, v is the speed of wind, $\theta(s)$ denotes the angle between the rider's direction and the wind at position of s , and $\phi(s)$ is the slope gradient, k_1 and k_2 are constants.

Eq (2) together with Constraint (3)(4) makes up the model which describes the competition process.

When having both rider information (Power Profile & Power Curve) and track information (each $E(s)$), it is possible to construct Optimizer to produce the best strategy for a rider. We assume that a cyclist's entire race schedule is divided into three parts: the FTP stage (P_1, T_1), the recovery stage (P_2, T_2), and the sprint stage (P_3, T_3), with power equal to, less than, and greater than FTP.

The objective function of optimization is $T_1 + T_2 + T_3$. Eq (2) and Constraint (3)(4) make up the constraints. The model of Optimizer is described as follows:

$$\min T_1 + T_2 + T_3 \quad \text{s.t.} \quad (6)$$

$$\left\{ \begin{array}{l} \sum_{i=1}^3 P_i T_i = \int_{\sigma} E(s) ds \\ \frac{1}{10} f^{-1}(P_i) \leq T_i \leq f^{-1}(P_i) \\ P_1 = FTP, P_2 < FTP, P_3 > FTP \\ T_3 \leq (\frac{\ln T_2}{p_2 + D} + C)/(P_3 - FTP) \end{array} \right. \quad (7)$$

By consulting the literature and parameter estimation, we determined that $C = 700$, $D = 0.33$, $\bar{E} = 0.44$.

To solve the optimization problem, we use the fmincon function in MATLAB, which aims to find the minimum of a constrained nonlinear multivariate function. This function include four methods: interior-point, sqp, active-set, trust-region-reflective.

5.2 Application of Model

To apply the model to real-world competitions, we construct two world-class virtual time trialists: MTT (Male Time Trialist) and FTT (Female Time Trialist), together with their power profiles. Then we use the model to simulate the process of their participation in real-world competitions. After finding the best tactic through numerical optimization, their results will be compared with real-world competitors.

Power profiles of MTT and FTT are listed as table [4]:

Table 4: Power Profiles of MTT and FTT

	MTT				FTT			
maximum duration	5 s	1 min	5 min	FT	5 s	1 min	5 min	FT
power output(W/kg)	19.69	10.01	6.98	6.40	17.48	9.29	6.33	5.61

5.2.1 2021 Olympic Time Trial course in Tokyo




Figure 6: Topographic profile of 2021 Olympic Time Trial course in Tokyo

Tracks of 2021 Olympic Time Trial in Tokyo are both around Mount Fuji, and both courses have a lot of elevation fluctuations. The women will complete one full lap for a total of 22.1 kilometers with a total elevation gain of 423 meters[6], and the men cover a distance of 44.2 kilometers, which is two laps around the women's track.

We use the power profile of MTT and FTT, and we apply our model to this course. As the terrain of the course is very undulating, it's hard to ignore the effects of altitude changes on athletes, so we take it into account. With the help of our model, we get the minimum time to cover the distance for two virtual athletes, shown in table [5].

Table 5: Minimum time to finish OITT

	T_1 (min)	T_2 (min)	T_3 (min)	Total(min)
MTT	28:41	21:15	7:16	57:12
FTT	22:39	3:17	8:42	34:38

As is shown in table [5], the virtual male rider exerts his strength at the level of FTP in the first 28:41(min), and recover for 21:16(min), controlling his average power output per kg at 6.40 W/kg. in the final sprint, he exerts all effort over the level of FTP, maintaining 7.16 power output per kg, and finally scores 57:12(min). The same goes for the analysis of women, whose power output per kg is FTP, 5.61 and 6.34 separately.

In order to verify the correctness of the model, we compare the score of MTT with that of three riders who participated in 2021 Olympic Time Trial, and find that our MTT and FTT rider rank 7 and 23 separately. As our data simulates the level of world athletes, our optimization results are reliable.




Figure 7: Our virtual riders and participants of 2021 Olympic Time Trial

5.2.2 2021 UCI World Championship time trial course in Flanders

The start of 2021 UCI World Championship time trial is situated on the North Sea beach for both men and woman elite. The women will complete course for a total of 30.30 kilometers with a total elevation gain of 54 meters and men need to finish additional lap for 13 kilometers and elevation gain of 24 meters compared with women's. The whole course is relatively flat which belongs to Cat 4 comparing with Hors Catégorie. Therefore, the energy consumption per kilometer is considered the same under the windless condition on flat ground, which means $E(s)$ always equals \bar{E} .

By applying our model, we obtain the minimum time to finish race for virtual athletes, shown in table [6].

Table 6: Minimum time to finish UCI WCTT

	T_1 (min)	T_2 (min)	T_3 (min)	Total(min)
MTT	27:23	15:07	7:05	49:35
FTT	26:21	3:17	8:49	38:27

As is shown in table [6], our virtual male cyclist applies power at the level of FTP in the first 27:23(min), the recovers for 14:07(min)and finally makes all-out effort to the end. His total result is 48:36(min). Results of female cyclist can be interpreted similarly.




Figure 8: Our virtual riders and participants of 2021 UCI World Championship time trial

In order to verify the rationality and reliability of our model, we compare the score with ITT racers in 2021 UCI World Championship time trial as the graph presented [8]—our MTT and FTT rider rank 5 and 10 respectivly.

5.2.3 Self-designed course

By researching and sifting through a large number of cycling routes, we optimize one route which satisfies almost every requirements¹. This course [9] is located in Berkeley, USA, passing through Greezly Peak and Berkeley Hills and finanlly ending up back at Berkeley. Riders will complete this course with many sharp curves and nontrivial road grades for a total of 28.26 kilometers with a total elevation gain of 564 meters.




Figure 9: Self-designed route

From the circuit profile, after setting off, riders will head on a continuous uphill reaching 4.5 per cent gradient on average[10]. Then, the rolling roads include other climbs which are gentler than the previous course. After reaching the peak, riders will face downhill of almost 10 kilometers along the twists and turns to the finish.




Figure 10: Topographic profile of self-designed course

By applying our model into our self-designed route, the optimal ride planning can be derived [11].

Also, an amateur completed the track and uploaded his ride stats on the website. We compare the simulated data to his ride data [11], and find that the rider lags behind our MTT and FTT riders. It's easy to explain: our riders are world-class athletes, while the strava user is an amateur. As a result, our model can be correctly applied and proved again.

¹<https://www.strava.com/activities/1178477346/overview>

Table 7: Minimum time to finish self-designed course

	T_1 (min)	T_2 (min)	T_3 (min)	Total(min)
MTT	28:51	5:37	7:14	41:42
FTT	32:55	5:41	8:49	47:25



Figure 11: Our virtual riders and participants of self-designed time trial

6 Sensitivity Analysis of Weather Conditions


6.1 Impact of Wind Direction

In order to characterize the effect of wind direction on the model, we will establish and prove **Wind Direction Theorem**, which indicates that under certain conditions, the wind direction has no effect on the closed circular bicycle track.

Eliminating the effect of slope, E_j can be described as follows according to Eq (5):

$$E(s) = \bar{E}(1 - k_1 v^2 \cos \theta(s)) \quad (8)$$

where v is wind speed, a constant according to our assumption.



A plane rectangular coordinate system is established with the wind direction as positive direction of the x-axis. Note that the circular track σ is a C^1 (first-order continuously differentiable) closed curve in the plane with parametric equation as left.

Theorem 1 (Wind Direction Theorem) : If σ is a C^1 closed curve, then

$$\int_{\sigma} \bar{E}(1 - k_1 v^2 \cos \theta) ds = \int_{\sigma} \bar{E} ds \quad (9)$$


where $\theta = \theta(x, y) = y'(t)/x'(t)$ denotes the angle between the tangent at (x, y) and the x-axis.

Proof:

$$\begin{aligned}
 \int_{\sigma} \bar{E}(1 - k_1 v^2 \cos \theta) ds - \int_{\sigma} \bar{E} ds &= -\bar{E} k_1 v^2 \int_{\sigma} \cos \theta(x, y) ds \\
 &= -\bar{E} k_1 v^2 \int_0^T \frac{\sqrt{x'(t)^2 + y'(t)^2}}{\sqrt{1 + (\frac{y'(t)}{x'(t)})^2}} dt \\
 &= -\bar{E} k_1 v^2 \int_0^T x'(t) dt \\
 &= -\bar{E} k_1 v^2 (x(T) - x(0)) \\
 &= 0
 \end{aligned} \tag{10}$$

For σ is a closed curve, $x(T) = x(0)$. The variable substitution formula of the first type curve integral is used at the second equal sign. \square

Wind Direction Theorem implies that the effect of wind direction on the total energy (per kilometer) required to complete the race is only relevant to the start and finish, instead of the condition of each track. The mathematical explanation is presented below:



The track is represented by σ_1 , and σ_2 denotes the line connecting start and final. Let $E_i(s)$ become the energy cost per kilometer at position s on σ_i while there exists wind, and $\Delta E_i = \int_{\sigma_i} (E_i(s) - \bar{E}) ds$.

According to Wind Direction Theorem, it is true that

$$\int_{\sigma_1} E_1(s) ds + \int_{\sigma_2} E_2(s) ds = \bar{E} \int_{\sigma_1 + \sigma_2} 1 ds. \tag{11}$$

That is to say, $\Delta E_1 = -\Delta E_2$. And since σ_2 is a straight line, ΔE_2 can be easily calculated by $-\bar{E} k_1 v^2 \cos \theta L_2$ (L_2 is the distance).

In conclusion, Wind Direction Theorem and its corollary indicate that wind direction and speed do not affect the total energy cost of a closed circular track. In non-closed cases, the change in total cost of energy can be calculated by start and end points, wind speed and direction.

6.2 Impact of Wind Speed

As discussed before, increase or decrease in total energy consumption due to wind is only related to wind speed, starting and end position. So in this part, we only talk about a non-closed route: UCI World Championship time trial course in Flanders.

Take UCI World Championship time trial course for men as an example, the straight line distance between start and end points can be calculated easily, which is important to the analysis of wind effect.

As discussed above, $E(s)$ can be described as follows according to Eq (5):

$$E(s) = \bar{E}(1 - k_1 v^2 \cos \theta(s)) \tag{12}$$

where v is a constant wind speed.

Using our virtual rider MTT and FTT, we can simulate the model of this track at different wind speeds and solve out the optimal strategy. Then we can get results as table [8][9].

Table 8: Minimum time for men to finish UCI WCTT under weather condition

	Wind Speed	T_1	T_2	T_3	Total
Downwind	15 mph	28:51	7:19	7:14	43:24
	5 mph	28:51	9:56	7:14	46:01
No wind	0	28:51	12:40	7:14	48:45
Upwind	5 mph	28:51	15:08	7:14	51:13
	15 mph	28:51	17:44	7:14	53:49

Table 9: Minimum time for women to finish UCI WCTT under weather condition

	Wind Speed	T_1	T_2	T_3	Total
Downwind	15 mph	19:25	3:17	8:49	31:31
	5 mph	22:22	3:19	8:49	34:30
No wind	0	26:20	3:18	8:49	38:27
Upwind	5 mph	28:19	3:18	8:49	40:26
	15 mph	31:17	3:18	8:49	43:24

We can conclude from the table that male riders will change the duration of recovery according to weather condition, while female riders will change FTP time(T_1).

In all conditions, the virtual male rider exerts his strength at the level of FTP in the first period T_1 , and recover for 21:16(min), controlling his average power output per kg at 6.40 W/kg. In the final sprint, he exerts all effort over the level of FTP, maintaining 7.16 power output per kg, and finally scores 57:12(min). The same goes for the analysis of women, whose power output per kg is FTP, 5.61 and 6.34 separately.


7 Sensitivity Analysis of Power Output

Because in real life, it is difficult for athletes to precisely control the riding speed, let alone the output power. As a result, we need to consider the sensitivity of the model, especially the output power.

Table 10: Strategies under different constraints for male

P_1	P_2	P_3	T_1	T_2	T_3	Total Time
FTP	6.40	7.16	28:51	12:39	7:40	48:45
FTP	6.20	6.76	28:51	6:58	13:14	49:04
FTP	6.00	7.08	28:51	12:32	8:09	49:32
FTP	6.40	7.50	28:51	15:04	4:51	48:46
FTP	6.40	8.00	28:51	16:59	3:01	48:51

In order to perform a sensitivity analysis, we change the parameter of power output for MTT, requiring the three stages of PO per kilogram to be constrained at a certain level. With new constraints, we get new results as table [10].


Figure 12: MTT Model sensitivity regarding P_2 and P_3

Through the same method, we obtain multiple sets of data and plotted the function between power output of two stages and total time for MTT [12].

As is shown in the curve, change in total time is always smaller as the output power changes at different stages, which shows that though riders does not have precise control over speed and power output, their score won't be much worse if follow our strategy. Also, the same method can be applied to the female virtual rider by changing the constraints and figuring out the optimal tactic, shown in table [11].

Table 11: Strategies under different constraints for female

P_1	P_2	P_3	T_1	T_2	T_3	Total Time
FTP	5.61	6.50	28:01	3:17	7:08	38:28
FTP	5.50	6.34	25:20	4:22	8:49	38:32
FTP	5.40	6.34	23:57	5:53	8:49	38:40
FTP	5.61	6.60	28:52	3:17	6:19	38:29
FTP	5.61	6.70	29:34	3:17	5:38	38:30

Figure 13: FTT Model sensitivity regarding P_2 and P_3

It can be inferred from the table that minor changes in power output won't cause significant difference in final scores(Total Time). Through the same method, multiple sets of data can be obtained by changing constraints, and the function is plotted between power output of two stages and total time for FTT[13].

In conclusion, although our model can vary with output power, the change in total time is continuous with respect to the change in output power. Also, the change in total time is not significant with respect to variation in power output in different stages. As a result, it can be concluded that athletes can achieve ideal results within a power output range.

8 Model Extension and Evaluation

8.1 Extension for team time trial

Team time trial (TTT) is generally composed of six drivers as a team, and the fourth-place finisher in the team will be the team result. Teams generally use a straight-line formation, with a gap of 30-50 cm between riders, so that the rider at the front can block the wind for others behind. When the team is moving at a constant speed, the required output power per kilogram decreases from the head of the row to the end [14], as does the energy per kilogram required to complete a unit of distance.




Figure 14: Team time trialist diagram

After watching some races, we find that teams generally have only four riders when they are approaching the finish line, leaving the remaining two far behind due to lack of energy. When we extend the model to team time trial, the six drivers shall be split into a stronger four and a weaker two, which will fall behind in the race.

In our model extension, riders in the team take turns taking the lead to block the wind and move forward at a constant speed ν . The entire race process is divided into three stages, with 6, 5, and 4 riders making up the team respectively, and each stage consists of several same leading cycles. A leading period refers to the period from when a rider leaves the lead position to the next lead.

Let $\sigma_j(j \leq 3)$ be the track of stage j , $p_i(i \leq 6)$ be the power output per kilogram of the i^{th} position in formation, and $e_i(s)(i \leq 6)$ be the cost of energy per kilogram to complete 1 km. Moreover, N_j is used to denote the number of leading cycles with length T_j included in stage j .

This way, we can list the corresponding PTE equations for each stage:

$$\begin{cases} N_1 p_1 T_1 = \sum_{i=1}^6 \int_{\sigma_1} e_i(s) ds \\ N_2 p_2 T_2 = \sum_{i=1}^5 \int_{\sigma_2} e_i(s) ds \\ N_3 p_3 T_3 = \sum_{i=1}^4 \int_{\sigma_3} e_i(s) ds \end{cases} \quad (13)$$

and the following constraints:

$$\begin{cases} (N_1 - 1)T_1 < f_6^{-1}(p_6) \leq N_1 T_1 \\ (N_2 - 1)T_2 < f_5^{-1}(p_5) + N_1 T_1 \leq N_2 T_2 \\ N_3 T_3 \leq f_4^{-1}(p_4) \end{cases} \quad (14)$$

where f_i is the power curve of i^{th} most energetic and powerful rider in the team.

Constraints (14) point out when the two weakest players in the team will be exhausted and fall behind. And we can give the best strategy for the team by solving an optimization problem similar to (6)(7) in our PTE model:

$$\min N_1 T_1 + N_2 T_2 + N_3 T_3 \quad \text{s.t.} \quad (15)$$

$$\begin{cases} N_j p_j T_j = \sum_{i=1}^{7-j} \int_{\sigma_j} e_i(s) ds, j = 1, 2, 3 \\ (N_1 - 1)T_1 < f_6^{-1}(p_6) \leq N_1 T_1 \\ (N_2 - 1)T_2 < f_5^{-1}(p_5) + N_1 T_1 \leq N_2 T_2 \\ N_3 T_3 \leq f_4^{-1}(p_4) \end{cases} \quad (16)$$

Of course, PTE model for TTT can take into account more factors, such as considering the movement of the team as a speed change motion, and considering environmental factors such as weather and slope, so as to induce the expression of $e_i(s)$. At the same time, we can also establish the relationship between p_i and e_i through the speed ν . Although these works require more computational resources and data, they can all be refined within the framework of our PTE model.

8.2 Strengths

- Four optimization methods are applied to find optimal power distribution during cycling in the second question and they converge to same results, which ensures robustness of our model.
- In the application, we compare results from virtual time trialists with Olympics racers and real-life riders which verifies the reliability and rationality of model in the second and third question.
- To characterize the effect of wind direction in the model, we propose and prove a theorem based on mathematical principles, which lays the scientific foundation of sensitivity analysis in the third question.
- PTE Model can be extended naturally to a variety of cycling competitions, both individual and team, which reflects broad applicability of Our model.

8.3 Weaknesses

- The analysis of rider's power profile and tactics based on our model can be more accurate if we have sufficient complete data about different kinds of riders' power output.
- Our model can be easily applied to tracks within half an hour to an hour of riding. However, for courses like Tour de France, our model has not been tested enough.

References

- [1] Leo, P., Spragg, J., Podlogar, T. et al. Power profiling and the power-duration relationship in cycling: a narrative review. *Eur J Appl Physiol* 122, 301–316 (2022).
- [2] Sanders, D., van Erp, T., & de Koning, J. J. (n.d.). Intensity and Load Characteristics of Professional Road Cycling: Differences Between Men's and Women's Races, *International Journal of Sports Physiology and Performance*, 14(3), 296-302.
- [3] Rudin W. Principles of mathematical analysis[M]. New York: McGraw-hill, 1976.
- [4] Van Erp T, Sanders D, De Koning J J. Training characteristics of male and female professional road cyclists: a 4-year retrospective analysis[J]. *International journal of sports physiology and performance*, 2019, 15(4): 534-540.
- [5] Van Erp T, Lamberts RP, Sanders D. Power Profile of Top 5 Results in World Tour Cycling Races. *Int J Sports Physiol Perform*. 2022 Feb 1;17(2):203–209.

PTE Model Guidance

—Customize Your Cycling Strategy



Cyclists' power distribution counts a lot in a time trial. In this guidance, we will introduce our Power-Time-Energy (PTE) Model, which provides customized power distribution strategies to help you organize your training and competing, depending on your performance at different exercise intensities. If you are still struggling with the power distribution in the contest, please read on!

Our model is user-friendly: first, we need the data generated by the athlete's usual training, including the maximum time an athlete can sustain at different power output levels, of course, the more detailed the better. With the help of training data, we can plot the athlete's power curve, which indicates the rider's ability in different intensity domains. Then, we can generate a plan for power distribution during a specific competition if given the basic details of the track and weather condition, including course length, elevation gain, wind direction and speed, etc. The generated plan will show you how long you need to ride at what power, in order to get the best results.

In case this statement is too abstract, we will show the analysis process for a player in a competition.




Figure: Remco Evenepoel and his power curve




Figure: Radar map

Remco Evenepoel is a professional cyclist in Belgium, who ranked 3 in 2021 UCI World Championship Time Trial. Using his riding data from STRAVA, we plot his power curve and ability radar map as follows, which indicates his capacity at different exercise intensities.

As shown in the radar map, he's very good at long rides, but



lacks in short sprints. This map can give suggestions to his daily training: he should increase his training for short sprints while maintaining the advantages of long rides.

Using his power curve, we give his optimal strategy on the UCI track as follows:

Our tactic is divided into three parts, which can be repeated for several times during a competition. Following the strategy above, Remco should exert his strength at level of FTP in the first 32:22(min), and recover for 4:59(min), controlling his average power output per weight at 6.14 W/kg. In the final sprint, he exerts all effort over the level of FTP, maintaining 6.80 power output per kilogram, and finally scores 48:14(min). Looking back on his game, he scored 48:34(min) in 2021 UCI World Championship Time Trial, which proves our model has a good performance in strategy optimization.

Also, you can see that there are several sharp turns in the UCI track, so you can flexibly arrange the recovery time in these bends to ensure the safety.

You may also be concerned about the effect of wind on game strategy. Our model also provides game strategies for different wind speed and direction conditions. Taking 2021 UCI WCTT as an example again, if wind speed and direction is put as parameters into our model, it can generate the optimal strategy under a certain weather condition.

	P_1	P_2	P_3	T_1	T_2	T_3	Total
No wind	FTP	6.14	6.80	32:22	4:59	10:53	48:14
Upwind	FTP	6.14	6.80	32:22	6:38	10:52	49:52
Downwind	FTP	6.14	6.82	32:22	4:15	10:32	47:09




Figure: Strategy under various weather condition

As you can see in the table, we provide different scenarios for windy and non-windy conditions, considering wind direction.

With the assistance of our model, you can organize your training and competing better, helping your team to achieve the best results at the same riding level.

Action is better than hesitation. Let's start with your personalized power curve and competition strategy!

Appendices

Appendix A MATLAB Code for Power Curve Fitting

fitting.m

```
% MATLAB R2021b
T = [5,60,300,3600];
lnT = log(T);
MSp = [19.96,8.28,4.08,3.73];
MTT = [15.88    8.40    5.53    5.15];
FSp = [16.19    7.75    3.93    3.31];
FTT = [15.11    8.29    5.31    4.70];
%% Initialization.
% Initialize arrays to store fits and goodness-of-fit.
fitresult = cell( 4, 1 );
gof = struct( 'sse', cell( 4, 1 ), ...
    'rsquare', [], 'dfe', [], 'adjrsquare', [], 'rmse', [] );
%% Fit: 'MTT'.
[xData, yData] = prepareCurveData( lnT, MTT );
% Set up fittype and options.
ft = fittype( 'a*exp(-b*x)+c', 'independent', 'x', 'dependent', 'y' );
opts = fitoptions( 'Method', 'NonlinearLeastSquares' );
opts.Display = 'Off';
opts.StartPoint = [0.748151592823709 0.450541598502498 0.0838213779969326];
% Fit model to data.
[fitresult{1}, gof(1)] = fit( xData, yData, ft, opts );
%% Fit: 'MSp'.
[xData, yData] = prepareCurveData( lnT, MSp );
% Set up fittype and options.
ft = fittype( 'a*exp(-b*x)+c', 'independent', 'x', 'dependent', 'y' );
opts = fitoptions( 'Method', 'NonlinearLeastSquares' );
opts.Display = 'Off';
opts.StartPoint = [0.262971284540144 0.654079098476782 0.689214503140008];
% Fit model to data.
[fitresult{2}, gof(2)] = fit( xData, yData, ft, opts );
%% Fit: 'FSp'.
[xData, yData] = prepareCurveData( lnT, FSp );
% Set up fittype and options.
ft = fittype( 'a*exp(-b*x)+c', 'independent', 'x', 'dependent', 'y' );
opts = fitoptions( 'Method', 'NonlinearLeastSquares' );
opts.Display = 'Off';
opts.StartPoint = [0.162182308193243 0.794284540683907 0.311215042044805];
% Fit model to data.
[fitresult{3}, gof(3)] = fit( xData, yData, ft, opts );
%% Fit: 'FTT'.
[xData, yData] = prepareCurveData( lnT, FTT );
% Set up fittype and options.
ft = fittype( 'a*exp(-b*x)+c', 'independent', 'x', 'dependent', 'y' );
opts = fitoptions( 'Method', 'NonlinearLeastSquares' );
opts.Display = 'Off';
opts.StartPoint = [0.469390641058206 0.0119020695012414 0.337122644398882];
% Fit model to data.
[fitresult{4}, gof(4)] = fit( xData, yData, ft, opts );
```

Appendix B MATLAB Code for Optimization

Optimization.m

```
% MATLAB R2021b
%T= [T1,T2,T3,P2,P3];
%FTP = 5.61;%FTT
FTP = 6.4;%MTT
%FTP = 6.24;%Remco
x0 = [2000,1800,800,0.9*FTP,1.001*FTP];
lb = [0.1*finv(FTP),0,0,5.7,FTP+0.0001];%lower bound
ub= [finv(FTP),3600,3600,FTP-0.1,10];%upper bound
[Tfinal,fval] = fmincon(@fun,x0,[],[],[],lb,ub,@nonlfunc);
```

fun.m

```
% MATLAB R2021b
%Optimization function
function f = fun(T)
f = T(1)+T(2)+T(3);
end
```

nonlfunc.m

```
% MATLAB R2021b
function [c,ceq] = nonlfunc(T)
ceq = [];
c = zeros(6,1);
%FTP = 5.61;%FTT
%FTP = 6.4;%MTT
FTP = 6.24;%Remco
%Different Track with different energy
c(1) = 18000 - T(1)*FTP - T(2)*T(4) - T(3)*T(5);
c(2) = T(2) - finv(T(4));
c(3) = T(3) - finv(T(5));
c(4) = 0.1*finv(T(4)) - T(2);
c(5) = 0.1*finv(T(5)) - T(3);
c(6) = T(3)-log(T(2))*700/((T(4)+0.33)*(T(5)-FTP));
end
```

nonlfunc.m

```
% MATLAB R2021b
%% Power curve inverse
function f = finv(P)
f = ((P-5.628)/31.34)^(-1/0.4967); %MTT
%f = ((P-4.676)/25.99)^(-1/0.4383); %FTT
%f = ((P-5.428)/30.99)^(-1/0.481); %Remco
end
```
