

NAME: Zohaib Hassan  
ID: 2280168  
Section – 7B  
LAB:10

## 10 - Create an Azure Policy (10 min)


In this walkthrough, we will create an Azure Policy to restrict deployment of Azure resources to a specific location.

### Task 1: Create a Policy assignment

In this task, we will configure the allowed location policy and assign it to our subscription.

1. Sign in to the [Azure portal](#).
2. From the **All services** blade, search for and select **Policy**, under the **Authoring** section click **Definitions**. Take a moment to review the list of built-in policy definitions. For example, in the **Category** drop-down select only **Compute**. Notice the **Allowed virtual machine size SKUs** definition enables you to specify a set of virtual machine SKUs that your organization can deploy.
3. Return to the **Policy** page, under the **Authoring** section click **Assignments**. An assignment is a policy that has been assigned to take place within a specific scope. For example, a definition could be assigned to the subscription scope.
4. Click **Assign Policy** at the top of the **Policy - Assignments** page.
5. On the **Assign Policy** page, keep the default Scope.

Setting	Value
Scope	Use default selected
Policy definition	click ellipses then search <b>Allowed Locations</b> then <b>Select</b>
Assignment Name	<b>Allowed Locations</b>



6. On the **Parameters** tab, select **Japan West**. Click **Review + create**, and then **Create**.

**Note:** A scope determines what resources or grouping of resources the policy assignment applies to. In our case we could assign this policy to a specific resource group, however we chose to assign the policy at subscription level. Be aware that resources can be excluded based on the scope configuration. Exclusions are optional.

**Note:** This **Allowed Locations** policy definition will specify a location into which all resources must be deployed. If a different location is chosen, deployment will not be allowed. For more information view the [Azure Policy Samples](#) page.

7. The **Allowed locations** policy assignment is now listed on the **Policy - Assignments** pane and it is now in place, enforcing the policy at the scope level we specified (subscription level).

## Task 2: Test Allowed location policy

In this task, we will test the Allowed location policy.

1. In the Azure Portal, from the **All services** blade, search for and select **Storage accounts**, and then click **+ Create**.
2. Configure the storage account (replace **xxxx** in the name of the storage account with letters and digits such that the name is globally unique). Leave the defaults for everything else.

Setting	Value
Subscription	Use the default supplied
Resource group	myRGPolicy (create new)
Storage account name	storageaccountxxxx
Location	(US) East US

3. Click **Review + create** and then click **Create**.

- You will receive the **deployment failed** error stating that resource was disallowed by policy, including the **Allowed locations** policy name.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

bsse2280168@szabist.pk  
DEFAULT DIRECTORY

Home > Storage center | Blob Storage >

### Create a storage account

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription \* Azure for Students

Resource group \* myRGPolicy  
[Create new](#)

**Instance details**

Storage account name \* storageaccount2280168

Region \* (Asia Pacific) Central India  
[Deploy to an Azure Extended Zone](#)

Allowed locations ([Policy details](#))

5.

## Task 3: Delete the policy assignment

In this task, we will remove the Allowed location policy assignment and test.


We will delete the policy assignment to ensure we are not blocked on any future work we wish to do.

- From the **All services** blade, search for and select **Policy**, and then click your **Allowed locations** policy.

**Note:** On the **Policy** blade, you can view the compliance state of the various policies you have assigned.

**Note:** The Allowed location policy may show non-compliant resources. If so, these are resources created prior to the policy assignment.

- Click **Allowed Locations** It will open an Allowed locations Policy Compliance window.
- Click **Delete Assignment** in the top menu. Confirm you wish to delete the policy assignment by clicking **Yes**



- Try to create another storage account to ensure the policy is no longer in effect.

**Note:** Common scenarios where the **Allowed locations** policy can be useful include:

- **Cost Tracking:** You could have different subscriptions for different regional locations. The policy will ensure that all resources are deployed in the intended region to help cost tracking.
- **Data Residency and Security compliance:** You could also have data residency requirements, and create subscriptions per customer or specific workloads, and define that all resources must be deployed in a particular datacenter to ensure data and security compliance requirements.

Congratulations! You have created an Azure Policy to restrict deployment of Azure resources to a particular datacenter.

**Note:** To avoid additional costs, you can optionally remove this resource group. Search for resource groups, click your resource group, and then click **Delete resource group**. Verify the name of the resource group and then click **Delete**. Monitor the **Notifications** to see how the delete is proceeding.

The screenshot displays the Microsoft Azure portal interface. At the top, the header includes the Microsoft Azure logo, a search bar, and user information for 'bsse2280168@szabist.pk'. The main content area shows the 'Overview' page for a deployment named 'storageaccount1195\_1762529343610'. A large green checkmark icon and the text 'Your deployment is complete' are prominent. Below this, deployment details are listed: 'Deployment name: storageaccount1195\_1762529343...', 'Subscription: Azure for Students', 'Resource group: CloudComputing', 'Start time: 11/7/2025, 6:29:57 AM', and 'Correlation ID: 24dcd581-2ff5-4538-a9e3-9ca96b5c7894'. A 'Go to resource' button is visible. On the right, a sidebar contains two notifications: 'Cost Management' with a link to 'Set up cost alerts' and 'Microsoft Defender for Cloud' with the text 'Secure your apps and infrastructure'. The bottom of the image features a large, stylized 'PATHFINDER' watermark.