

API Reference

FastFuel

API Version: 1.0.0

INDEX

1. ADMIN	6
1.1 GET /api/Admin/me	6
1.2 GET /api/Admin	6
1.3 POST /api/Admin	7
1.4 GET /api/Admin/{id}	8
1.5 PUT /api/Admin/{id}	9
1.6 DELETE /api/Admin/{id}	10
2. ALLERGY	11
2.1 GET /api/Allergy	11
2.2 POST /api/Allergy	11
2.3 GET /api/Allergy/{id}	12
2.4 PUT /api/Allergy/{id}	13
2.5 DELETE /api/Allergy/{id}	14
3. AUTH	15
3.1 POST /api/Auth/login	15
3.2 POST /api/Auth/refresh	15
3.3 POST /api/Auth/logout	16
4. CUSTOMER	17
4.1 GET /api/Customer/me	17
4.2 PUT /api/Customer/me	17
4.3 GET /api/Customer	18
4.4 POST /api/Customer	19
4.5 GET /api/Customer/{id}	20
4.6 PUT /api/Customer/{id}	21
4.7 DELETE /api/Customer/{id}	22
5. EMPLOYEE	23
5.1 GET /api/Employee/me	23
5.2 GET /api/Employee	23
5.3 POST /api/Employee	24
5.4 GET /api/Employee/{id}	25
5.5 PUT /api/Employee/{id}	26
5.6 DELETE /api/Employee/{id}	27
6. FOOD	29
6.1 GET /api/Food	29
6.2 POST /api/Food	29
6.3 GET /api/Food/{id}	31
6.4 PUT /api/Food/{id}	31
6.5 DELETE /api/Food/{id}	33

7. INGREDIENT	34
7.1 GET /api/Ingredient	34
7.2 POST /api/Ingredient	34
7.3 GET /api/Ingredient/{id}	35
7.4 PUT /api/Ingredient/{id}	36
7.5 DELETE /api/Ingredient/{id}	37
8. MACHINE	39
8.1 GET /api/Machine/me	39
8.2 GET /api/Machine	39
8.3 POST /api/Machine	40
8.4 GET /api/Machine/{id}	41
8.5 PUT /api/Machine/{id}	42
8.6 DELETE /api/Machine/{id}	43
9. MENU	44
9.1 GET /api/Menu	44
9.2 POST /api/Menu	44
9.3 GET /api/Menu/{id}	46
9.4 PUT /api/Menu/{id}	46
9.5 DELETE /api/Menu/{id}	47
10. ORDER	49
10.1 GET /api/Order/my	49
10.2 GET /api/Order	49
10.3 POST /api/Order	50
10.4 PUT /api/Order/{id}/status	52
10.5 GET /api/Order/{id}	53
10.6 PUT /api/Order/{id}	54
10.7 DELETE /api/Order/{id}	55
11. PAGE	56
11.1 GET /api/Page	56
12. PERMISSION	57
12.1 GET /api/Permission	57
12.2 GET /api/Permission/my	57
13. RESTAURANT	58
13.1 GET /api/Restaurant	58
13.2 POST /api/Restaurant	58
13.3 GET /api/Restaurant/{id}	60
13.4 PUT /api/Restaurant/{id}	61
13.5 DELETE /api/Restaurant/{id}	62
14. ROLE	64

14.1 GET /api/Role/my	64
14.2 GET /api/Role	64
14.3 POST /api/Role	65
14.4 GET /api/Role/{id}	66
14.5 PUT /api/Role/{id}	67
14.6 DELETE /api/Role/{id}	68
15. SHIFT	69
15.1 GET /api/Shift/my	69
15.2 GET /api/Shift	69
15.3 POST /api/Shift	70
15.4 GET /api/Shift/{id}	71
15.5 PUT /api/Shift/{id}	71
15.6 DELETE /api/Shift/{id}	72
16. STATION	74
16.1 GET /api/Station	74
16.2 POST /api/Station	74
16.3 GET /api/Station/{id}/tasks	75
16.4 GET /api/Station/{id}	77
16.5 PUT /api/Station/{id}	77
16.6 DELETE /api/Station/{id}	78
17. STATIONCATEGORY	80
17.1 GET /api/StationCategory	80
17.2 POST /api/StationCategory	80
17.3 GET /api/StationCategory/{id}	81
17.4 PUT /api/StationCategory/{id}	82
17.5 DELETE /api/StationCategory/{id}	83
18. USER	85
18.1 GET /api/User	85
18.2 GET /api/User/{id}	85
18.3 GET /api/User/me	86

Security and Authentication

SECURITY SCHEMES

KEY	TYPE	DESCRIPTION
Bearer	http, bearer, JWT	

API

1. ADMIN

1.1 GET /api/Admin/me

Gets the profile of the currently authenticated admin.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current admin profile.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the admin.

STATUS CODE - 401: Unauthorized

STATUS CODE - 404:

1.2 GET /api/Admin

Gets all admins.

Required permission: Permission:Admin:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	

NAME	TYPE	DESCRIPTION
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the admin.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

1.3 POST /api/Admin

Creates a new admin.

Required permission: Permission:Admin:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
email*	string	Email address of the admin.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.

NAME	TYPE	DESCRIPTION
email*	string	Email address of the admin.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

1.4 GET /api/Admin/{id}

Gets one admin.

Required permission: Permission:Admin:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.

NAME	TYPE	DESCRIPTION
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the admin.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

1.5 PUT /api/Admin/{id}

Updates one admin.

Required permission: Permission:Admin:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
email*	string	Email address of the admin.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

1.6 DELETE /api/Admin/{id}

Deletes one admin.

Required permission: Permission:Admin:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

2. ALLERGY

2.1 GET /api/Allergy

Gets all allergys.

Required permission: Permission:Allergy:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
ingredientIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

2.2 POST /api/Allergy

Creates a new allergy.

Required permission: Permission:Allergy:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
ingredientIds*	array	

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json		
NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
ingredientIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json		
NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json		
NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

2.3 GET /api/Allergy/{id}

Gets one allergy.

Required permission: Permission:Allergy:Read

REQUEST

PATH PARAMETERS		
NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
ingredientIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

2.4 PUT /api/Allergy/{id}

Updates one allergy.

Required permission: Permission:Allergy:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
ingredientIds*	array	

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

2.5 DELETE /api/Allergy/{id}

Deletes one allergy.

Required permission: Permission:Allergy:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

3. AUTH

3.1 POST /api/Auth/login

Authenticates a user with a username and password.

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
useCookies	boolean	Whether to use cookies for authentication.
useSessionCookies	boolean	Whether to use session cookies for authentication.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
userName*	string	The login username.
password*	string	The account password.

RESPONSE

STATUS CODE - 200: An access token response for bearer authentication, an empty result for cookie authentication, or a problem response when authentication fails.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
tokenType*	string	
accessToken*	string	
expiresIn*	integer	
refreshToken*	string	

STATUS CODE - 401: Unauthorized

3.2 POST /api/Auth/refresh

Refreshes an access token by using a refresh token.

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
refreshToken*	string	

RESPONSE

STATUS CODE - 200: A new bearer sign-in result when the refresh token is valid; otherwise a challenge response.

RESPONSE MODEL - application/octet-stream

STATUS CODE - 401: Unauthorized

3.3 POST /api/Auth/logout

Signs the current user out.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: An OK result when sign-out completes.

STATUS CODE - 401: Unauthorized

4. CUSTOMER

4.1 GET /api/Customer/me

Gets the profile of the currently authenticated customer.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current customer profile.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the customer.

STATUS CODE - 401: Unauthorized

STATUS CODE - 404:

4.2 PUT /api/Customer/me

Update the currently logged-in customer.

Required permission: Permission:Customer:UpdateSelf

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
email*	string	Email address of the customer.

RESPONSE

STATUS CODE - 204: No content when the update succeeds; otherwise an error response.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

4.3 GET /api/Customer

Gets all customers.

Required permission: Permission:Customer:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the customer.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

4.4 POST /api/Customer

Creates a new customer account.

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
email*	string	Email address of the customer.

RESPONSE

STATUS CODE - 201: The created customer, or an error response if creation fails.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the customer.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	

NAME	TYPE	DESCRIPTION
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

4.5 GET /api/Customer/{id}

Gets one customer.

Required permission: Permission:Customer:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the customer.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

4.6 PUT /api/Customer/{id}

Updates one customer.

Required permission: Permission:Customer:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
email*	string	Email address of the customer.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

4.7 DELETE /api/Customer/{id}

Deletes one customer.

Required permission: Permission:Customer:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

5. EMPLOYEE

5.1 GET /api/Employee/me

Gets the profile of the currently authenticated employee.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current employee profile.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the employee.
shiftIds*	array	
stationCategoryIds*	array	
worksAtRestaurantId*	integer	The restaurant identifier where the employee works at.

STATUS CODE - 401: Unauthorized

STATUS CODE - 404:

5.2 GET /api/Employee

Gets all employees.

Required permission: Permission:Employee:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.

NAME	TYPE	DESCRIPTION
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the employee.
shiftIds*	array	
stationCategoryIds*	array	
worksAtRestaurantId*	integer	The restaurant identifier where the employee works at.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

5.3 POST /api/Employee

Creates a new employee.

Required permission: Permission:Employee:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
email*	string	Email address of the employee.
shiftIds*	array	
stationCategoryIds*	array	
worksAtRestaurantId*	integer	The restaurant identifier where the employee works at.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the employee.
shiftIds*	array	
stationCategoryIds*	array	
worksAtRestaurantId*	integer	The restaurant identifier where the employee works at.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

5.4 GET /api/Employee/{id}

Gets one employee.

Required permission: Permission:Employee:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
------	------	-------------

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
email*	string	Email address of the employee.
shiftIds*	array	
stationCategoryIds*	array	
worksAtRestaurantId*	integer	The restaurant identifier where the employee works at.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

5.5 PUT /api/Employee/{id}

Updates one employee.

Required permission: Permission:Employee:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
email*	string	Email address of the employee.
shiftIds*	array	
stationCategoryIds*	array	

NAME	TYPE	DESCRIPTION
worksAtRestaurantId*	integer	The restaurant identifier where the employee works at.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

5.6 DELETE /api/Employee/{id}

Deletes one employee.

Required permission: Permission:Employee:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

6. FOOD

6.1 GET /api/Food

Gets all foods.

Required permission: Permission:Food:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
ingredients*	array	
ingredientId*	integer	The ingredient identifier.
quantity*	integer	The quantity of the food.
unit*	string	The unit of measurement for the quantity.
menuIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

6.2 POST /api/Food

Creates a new food.

Required permission: Permission:Food:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
ingredients*	array	
ingredientId*	integer	The ingredient identifier.
quantity*	integer	The quantity of the food.
unit*	string	The unit of measurement for the quantity.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
ingredients*	array	
ingredientId*	integer	The ingredient identifier.
quantity*	integer	The quantity of the food.
unit*	string	The unit of measurement for the quantity.
menuIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

6.3 GET /api/Food/{id}

Gets one food.

Required permission: Permission:Food:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
ingredients*	array	
ingredientId*	integer	The ingredient identifier.
quantity*	integer	The quantity of the food.
unit*	string	The unit of measurement for the quantity.
menuIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

6.4 PUT /api/Food/{id}

Updates one food.

Required permission: Permission:Food:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
ingredients*	array	
ingredientId*	integer	The ingredient identifier.
quantity*	integer	The quantity of the food.
unit*	string	The unit of measurement for the quantity.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

6.5 DELETE /api/Food/{id}

Deletes one food.

Required permission: Permission:Food:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

7. INGREDIENT

7.1 GET /api/Ingredient

Gets all ingredients.

Required permission: Permission:Ingredient:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
foodIds*	array	
allergyIds*	array	
stationCategoryIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

7.2 POST /api/Ingredient

Creates a new ingredient.

Required permission: Permission:Ingredient:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
allergyIds*	array	
stationCategoryIds*	array	

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
foodIds*	array	
allergyIds*	array	
stationCategoryIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

7.3 GET /api/Ingredient/{id}

Gets one ingredient.

Required permission: Permission:Ingredient:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
foodIds*	array	
allergyIds*	array	
stationCategoryId*	array	
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

7.4 PUT /api/Ingredient/{id}

Updates one ingredient.

Required permission: Permission:Ingredient:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
allergyIds*	array	
stationCategoryId*	array	

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

7.5 DELETE /api/Ingredient/{id}

Deletes one ingredient.

Required permission: Permission:Ingredient:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	

NAME	TYPE	DESCRIPTION
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

8. MACHINE

8.1 GET /api/Machine/me

Gets the profile of the currently authenticated machine user.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current machine profile.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
locatedAtRestaurantId*	integer	The restaurant identifier where the machine is located at.

STATUS CODE - 401: Unauthorized

STATUS CODE - 404:

8.2 GET /api/Machine

Gets all machines.

Required permission: Permission:Machine:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.

NAME	TYPE	DESCRIPTION
orderIds*	array	
id*	integer	The unique identifier.
locatedAtRestaurantId*	integer	The restaurant identifier where the machine is located at.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

8.3 POST /api/Machine

Creates a new machine.

Required permission: Permission:Machine:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
locatedAtRestaurantId*	integer	The restaurant identifier where the machine is located at.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.
locatedAtRestaurantId*	integer	The restaurant identifier where the machine is located at.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

8.4 GET /api/Machine/{id}

Gets one machine.

Required permission: Permission:Machine:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	

NAME	TYPE	DESCRIPTION
id*	integer	The unique identifier.
locatedAtRestaurantId*	integer	The restaurant identifier where the machine is located at.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

8.5 PUT /api/Machine/{id}

Updates one machine.

Required permission: Permission:Machine:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
userName*	string	The login username.
password	string	The account password.
locatedAtRestaurantId*	integer	The restaurant identifier where the machine is located at.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

8.6 DELETE /api/Machine/{id}

Deletes one machine.

Required permission: Permission:Machine:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

9. MENU

9.1 GET /api/Menu

Gets all menus.

Required permission: Permission:Menu:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the menu.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

9.2 POST /api/Menu

Creates a new menu.

Required permission: Permission:Menu:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the menu.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the menu.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	

NAME	TYPE	DESCRIPTION
detail	string	
instance	string	

9.3 GET /api/Menu/{id}

Gets one menu.

Required permission: Permission:Menu:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the menu.
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

9.4 PUT /api/Menu/{id}

Updates one menu.

Required permission: Permission:Menu:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
price*	integer	The price.
description	string	The description.
imageUrl	string	The image url.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the menu.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

9.5 DELETE /api/Menu/{id}

Deletes one menu.

Required permission: Permission:Menu:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

10. ORDER

10.1 GET /api/Order/my

Gets the orders of the currently authenticated user.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current user's orders.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
userId*	integer	The user identifier.
restaurantId*	integer	The restaurant identifier.
orderNumber*	integer	The public order number.
status*	object	
ONE:OF	object	
prop0	enum	ALLOWED:Pending, InProgress, Ready, Completed, Cancelled
createdAt*	string	The date and time when the item was created.
completedAt	string	When the order is completed at.
menus*	array	
menuId*	integer	The menu identifier.
quantity*	integer	The quantity of the menu in the order.
specialInstructions	string	Additional instructions for preparation.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the order.
specialInstructions	string	Additional instructions for preparation.
price*	integer	The final price.
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

10.2 GET /api/Order

Gets all orders with optional filters.

Required permission: Permission:Order:Read

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
status	enum ALLOWED: Pending, InProgress, Ready, Completed, Cancelled	
restaurantId	integer	

RESPONSE

STATUS CODE - 200: The matching orders, or a bad request response if a filter is invalid.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
userId*	integer	The user identifier.
restaurantId*	integer	The restaurant identifier.
orderNumber*	integer	The public order number.
status*	object	
ONE:OF	object	
prop0	enum	ALLOWED: Pending, InProgress, Ready, Completed, Cancelled
createdAt*	string	The date and time when the item was created.
completedAt	string	When the order is completed at.
menus*	array	
menuId*	integer	The menu identifier.
quantity*	integer	The quantity of the menu in the order.
specialInstructions	string	Additional instructions for preparation.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the order.
specialInstructions	string	Additional instructions for preparation.
price*	integer	The final price.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

10.3 POST /api/Order

Creates a new order.

Required permission: Permission:Order:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
restaurantId*	integer	The restaurant identifier.
menus*	array	
menuId*	integer	The menu identifier.
quantity*	integer	The quantity of the menu in the order.
specialInstructions	string	Additional instructions for preparation.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the order.
specialInstructions	string	Additional instructions for preparation.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
userId*	integer	The user identifier.
restaurantId*	integer	The restaurant identifier.
orderNumber*	integer	The public order number.
status*	object	
ONE:OF	object	
prop0	enum	ALLOWED:Pending, InProgress, Ready, Completed, Cancelled
createdAt*	string	The date and time when the item was created.
completedAt	string	When the order is completed at.
menus*	array	
menuId*	integer	The menu identifier.
quantity*	integer	The quantity of the menu in the order.
specialInstructions	string	Additional instructions for preparation.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the order.
specialInstructions	string	Additional instructions for preparation.
price*	integer	The final price.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
------	------	-------------

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

10.4 PUT /api/Order/{id}/status

Updates the status of an existing order.

Required permission: Permission:Order:UpdateStatus

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The identifier of the order to update.

REQUEST BODY - application/json

RESPONSE

STATUS CODE - 204: No content when the status update succeeds; otherwise an error response.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	

NAME	TYPE	DESCRIPTION
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

10.5 GET /api/Order/{id}

Gets one order.

Required permission: Permission:Order:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
userId*	integer	The user identifier.
restaurantId*	integer	The restaurant identifier.
orderNumber*	integer	The public order number.
status*	object	
ONE:OF	object	
prop0	enum	ALLOWED:Pending, InProgress, Ready, Completed, Cancelled
createdAt*	string	The date and time when the item was created.
completedAt	string	When the order is completed at.
menus*	array	
menuId*	integer	The menu identifier.
quantity*	integer	The quantity of the menu in the order.
specialInstructions	string	Additional instructions for preparation.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the order.
specialInstructions	string	Additional instructions for preparation.
price*	integer	The final price.
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

10.6 PUT /api/Order/{id}

Updates one order.

Required permission: Permission:Order:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
restaurantId*	integer	The restaurant identifier.
menus*	array	
menuId*	integer	The menu identifier.
quantity*	integer	The quantity of the menu in the order.
specialInstructions	string	Additional instructions for preparation.
foods*	array	
foodId*	integer	The food identifier.
quantity*	integer	The quantity of the food in the order.
specialInstructions	string	Additional instructions for preparation.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

10.7 DELETE /api/Order/{id}

Deletes one order.

Required permission: Permission:Order:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

11. PAGE

11.1 GET /api/Page

Gets static page permission metadata used by the frontend.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: All page permission requirements.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
page*	object	
ONE:OF	object	
prop0	enum	ALLOWED:StationTasks, OrderStatusDisplay, OrderCreator, OrderHistory, AdminManager, AllergyManager, CustomerManager, IngredientManager, EmployeeManager, Profile, MachineManager, FoodManager, MenuManager, OrderManager, RoleManager, ShiftManager, StationCategoryManager, StationManager, RestaurantManager, MyShifts
necessaryPermissions*	array	
recommendedPermissions*	array	
requiresDefaultRole*	array	
requiredForDefaultRole*	array	

STATUS CODE - 401: Unauthorized

12. PERMISSION

12.1 GET /api/Permission

Gets all permissions available in the system.

Required permission: Permission:Permission:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The full list of permission names.

RESPONSE MODEL - application/json

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

12.2 GET /api/Permission/my

Gets the permissions of the currently authenticated user.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current user's permission names.

RESPONSE MODEL - application/json

STATUS CODE - 401: Unauthorized

13. RESTAURANT

13.1 GET /api/Restaurant

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
description	string	The description.
latitude*	number	The latitude.
longitude*	number	The longitude.
address*	string	The address.
phone	string	The phone.
openingHours*	array	
dayOfWeek*	object	
ONE:OF	object	
prop0	enum	ALLOWED:Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday
openTime*	string	The open time.
closeTime*	string	The close time.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

13.2 POST /api/Restaurant

Creates a new restaurant.

Required permission: Permission:Restaurant:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
description	string	The description.
latitude*	number	The latitude.
longitude*	number	The longitude.
address*	string	The address.
phone	string	The phone.
openingHours*	array	
dayOfWeek*	object	
ONE:OF	object	
prop0	enum	ALLOWED:Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday
openTime*	string	The open time.
closeTime*	string	The close time.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
description	string	The description.
latitude*	number	The latitude.
longitude*	number	The longitude.
address*	string	The address.
phone	string	The phone.
openingHours*	array	
dayOfWeek*	object	
ONE:OF	object	
prop0	enum	ALLOWED:Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday
openTime*	string	The open time.
closeTime*	string	The close time.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	

NAME	TYPE	DESCRIPTION
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

13.3 GET /api/Restaurant/{id}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
description	string	The description.
latitude*	number	The latitude.
longitude*	number	The longitude.
address*	string	The address.
phone	string	The phone.
openingHours*	array	
dayOfWeek*	object	
ONE:OF	object	
prop0	enum	ALLOWED: Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday
openTime*	string	The open time.

NAME	TYPE	DESCRIPTION
closeTime*	string	The close time.
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

13.4 PUT /api/Restaurant/{id}

Updates one restaurant.

Required permission: Permission:Restaurant:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
description	string	The description.
latitude*	number	The latitude.
longitude*	number	The longitude.
address*	string	The address.
phone	string	The phone.
openingHours*	array	
dayOfWeek*	object	
ONE:OF	object	
prop0	enum	ALLOWED:Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday
openTime*	string	The open time.
closeTime*	string	The close time.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	

NAME	TYPE	DESCRIPTION
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

13.5 DELETE /api/Restaurant/{id}

Deletes one restaurant.

Required permission: Permission:Restaurant:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

14. ROLE

14.1 GET /api/Role/my

Gets the roles assigned to the currently authenticated user.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current user's roles.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
permissions*	array	
pages*	array	
userIds*	array	
isDefault*	boolean	Indicates whether this role is the default role.
arePermissionsImmutable*	boolean	Indicates whether role permissions are immutable.
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

14.2 GET /api/Role

Gets all roles.

Required permission: Permission:Role:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
permissions*	array	
pages*	array	
userIds*	array	
isDefault*	boolean	Indicates whether this role is the default role.
arePermissionsImmutable*	boolean	Indicates whether role permissions are immutable.

NAME	TYPE	DESCRIPTION
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

14.3 POST /api/Role

Creates a new role.

Required permission: Permission:Role:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
permissions*	array	
pages*	array	
userIds*	array	

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
permissions*	array	
pages*	array	
userIds*	array	
isDefault*	boolean	Indicates whether this role is the default role.
arePermissionsImmutable*	boolean	Indicates whether role permissions are immutable.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

14.4 GET /api/Role/{id}

Gets one role.

Required permission: Permission:Role:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
permissions*	array	
pages*	array	
userIds*	array	
isDefault*	boolean	Indicates whether this role is the default role.
arePermissionsImmutable*	boolean	Indicates whether role permissions are immutable.
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

14.5 PUT /api/Role/{id}

Updates one role.

Required permission: Permission:Role:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
permissions*	array	
pages*	array	
userIds*	array	

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	

NAME	TYPE	DESCRIPTION
status	integer	
detail	string	
instance	string	

14.6 DELETE /api/Role/{id}

Deletes one role.

Required permission: Permission:Role:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

15. SHIFT

15.1 GET /api/Shift/my

Gets the shifts of the currently authenticated employee.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current employee's shifts.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
startTime*	string	The shift start date and time.
endTime*	string	The shift end date and time.
employeeId*	integer	The employee identifier.
id*	integer	The unique identifier.

15.2 GET /api/Shift

Gets all shifts.

Required permission: Permission:Shift:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
startTime*	string	The shift start date and time.
endTime*	string	The shift end date and time.
employeeId*	integer	The employee identifier.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	

NAME	TYPE	DESCRIPTION
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

15.3 POST /api/Shift

Creates a new shift.

Required permission: Permission:Shift:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
startTime*	string	The shift start date and time.
endTime*	string	The shift end date and time.
employeeId*	integer	The employee identifier.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
startTime*	string	The shift start date and time.
endTime*	string	The shift end date and time.
employeeId*	integer	The employee identifier.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

15.4 GET /api/Shift/{id}

Gets one shift.

Required permission: Permission:Shift:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
startTime*	string	The shift start date and time.
endTime*	string	The shift end date and time.
employeeId*	integer	The employee identifier.
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

15.5 PUT /api/Shift/{id}

Updates one shift.

Required permission: Permission:Shift:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
------	------	-------------

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
startTime*	string	The shift start date and time.
endTime*	string	The shift end date and time.
employeeId*	integer	The employee identifier.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

15.6 DELETE /api/Shift/{id}

Deletes one shift.

Required permission: Permission:Shift:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
------	------	-------------

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

16. STATION

16.1 GET /api/Station

Gets all stations with optional filters.

Required permission: Permission:Station:Read

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
restaurantId	integer	

RESPONSE

STATUS CODE - 200: The matching stations, or a bad request response if a filter is invalid.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
restaurantId*	integer	The restaurant identifier.
stationCategoryId*	integer	The station category identifier.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

16.2 POST /api/Station

Creates a new station.

Required permission: Permission:Station:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
restaurantId*	integer	The restaurant identifier.
stationCategoryId*	integer	The station category identifier.

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
restaurantId*	integer	The restaurant identifier.
stationCategoryId*	integer	The station category identifier.
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

16.3 GET /api/Station/{id}/tasks

Gets the task list for a station.

Required permission: Permission:Station:ViewTasks

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The identifier of the station.

RESPONSE

STATUS CODE - 200: The station tasks when the station exists.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
orders*	array	
id*	integer	The unique identifier.
orderNumber*	integer	The public order number displayed on the screens.
menus*	array	
id*	integer	The unique identifier.
name*	string	The displayed name.
quantity*	integer	The quantity of the menu.
specialInstructions	string	Additional instructions for preparation.
foods*	array	
id*	integer	The unique identifier.
name*	string	The displayed name.
quantity*	integer	The quantity of the food.
specialInstructions	string	Additional instructions for preparation.
ingredients*	array	
id*	integer	The unique identifier.
name*	string	The displayed name.
quantity*	integer	The quantity of the ingredient.
unit*	string	The unit of measurement for the quantity.
isRelevant*	boolean	Indicates whether the ingredient is relevant for this task.
foods*	array	
id*	integer	The unique identifier.
name*	string	The displayed name.
quantity*	integer	The quantity of the food.
specialInstructions	string	Additional instructions for preparation.
ingredients*	array	
id*	integer	The unique identifier.
name*	string	The displayed name.
quantity*	integer	The quantity of the ingredient.
unit*	string	The unit of measurement for the quantity.
isRelevant*	boolean	Indicates whether the ingredient is relevant for this task.
createdAt*	string	The date and time when the item was created.
status*	object	
ONE:OF	object	

NAME	TYPE	DESCRIPTION
prop0	enum	ALLOWED:Pending, InProgress, Ready, Completed, Cancelled

16.4 GET /api/Station/{id}

Gets one station.

Required permission: Permission:Station:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
restaurantId*	integer	The restaurant identifier.
stationCategoryId*	integer	The station category identifier.
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

16.5 PUT /api/Station/{id}

Updates one station.

Required permission: Permission:Station:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.

NAME	TYPE	DESCRIPTION
restaurantId*	integer	The restaurant identifier.
stationCategoryId*	integer	The station category identifier.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

16.6 DELETE /api/Station/{id}

Deletes one station.

Required permission: Permission:Station:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

17. STATIONCATEGORY

17.1 GET /api/StationCategory

Gets all station categorys.

Required permission: Permission:StationCategory:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The entities.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
ingredientIds*	array	
stationIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

17.2 POST /api/StationCategory

Creates a new station category.

Required permission: Permission:StationCategory:Create

REQUEST

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.

NAME	TYPE	DESCRIPTION
ingredientIds*	array	

RESPONSE

STATUS CODE - 201: The created entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
ingredientIds*	array	
stationIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

17.3 GET /api/StationCategory/{id}

Gets one station category.

Required permission: Permission:StationCategory:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
------	------	-------------

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 200: The entity.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
ingredientIds*	array	
stationIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

17.4 PUT /api/StationCategory/{id}

Updates one station category.

Required permission: Permission:StationCategory:Update

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

REQUEST BODY - application/json

NAME	TYPE	DESCRIPTION
name*	string	The displayed name.
ingredientIds*	array	

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	

NAME	TYPE	DESCRIPTION
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

STATUS CODE - 409:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

17.5 DELETE /api/StationCategory/{id}

Deletes one station category.

Required permission: Permission:StationCategory:Delete

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The entity id.

RESPONSE

STATUS CODE - 204: No content.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

18. USER

18.1 GET /api/User

Gets all users.

Required permission: Permission:User:Read

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The list of users.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
ARRAY OF OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 400:

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
type	string	
title	string	
status	integer	
detail	string	
instance	string	

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

18.2 GET /api/User/{id}

Gets a user by id.

Required permission: Permission:User:Read

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	integer	The user identifier.

RESPONSE

STATUS CODE - 200: The user.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404:

18.3 GET /api/User/me

Gets the profile of the currently authenticated user.

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: The current user profile.

RESPONSE MODEL - application/json

NAME	TYPE	DESCRIPTION
OBJECT WITH BELOW STRUCTURE		
name*	string	The displayed name.
userName*	string	The login username.
roleIds*	array	
userType*	string	The user type.
orderIds*	array	
id*	integer	The unique identifier.

STATUS CODE - 401: Unauthorized

STATUS CODE - 404: