

Table of Contents

- ; ! 1
- 1." # \$ %, 1
- 2." # \$ %, 3
- 3." # \$ %, T U 15
- 4." # T U 7 Z ` a b 22
- 5." # \$ %, 7 Z 28

!!

1." # \$ % "

&' () *

&'

POST /admin/login

+

&'

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	phone 45	&' 6(string
Query	pwd 45	7(string

%&

HTTP8 ,	# +	\$.
200	OK	ResultÇSaasUserBaseInfoResponseVoÈ
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ application/json

> ?

¥ ^{*}/_{*}

HTTP(@AB

(@ path

/admin/login?phone=string&pwd=string

(@ header

"string"

HTTP%&AB

%& 200

```

{
  "code" : 0,
  "count" : 0,
  "data" : {
    "addTime" : "string",
    "addr" : "string",
    "email" : "string",
    "headImg" : "string",
    "id" : 0,
    "idCard" : "string",
    "modifyTime" : "string",
    "name" : "string",
    "phone" : "string",
    "saasUserPermissionList" : [ {
      "addTime" : "string",
      "descript" : "string",
      "iconPath" : "string",
      "id" : 0,
      "modifyTime" : "string",
      "name" : "string",
      "parentId" : 0,
      "requestPath" : "string",
      "saasUserPermissionList" : [ {
        "addTime" : "string",
        "descript" : "string",
        "iconPath" : "string",
        "id" : 0,
        "modifyTime" : "string",
        "name" : "string",
        "parentId" : 0,
        "requestPath" : "string",
        "saasUserPermissionList" : [ "... " ],
        "sort" : 0
      } ],
      "sort" : 0
    } ],
    "saasUserRoleId" : 0,
    "saasUserRoleName" : "string",
    "token" : "string"
  },
  "msg" : "string"
}

```

2." # \$ %"

C D E F G E) H E * + () *

\$ % " C D

POST /saasUser/add

+

\$ %, C D

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	addTime 1 !		string (date-time)
Query	addr 1 !		string
Query	email 1 !		string
Query	headImg 1 !		string
Query	id 1 !		integer (int64)
Query	idCard 1 !		string
Query	modifyTime 1 !		string (date-time)
Query	name 1 !		string
Query	phone 1 !		string
Query	pwd 1 !		string
Query	saasUserPerm issionList[0].a ddTime 1 !		string (date-time)

\$.	/ O	# +	\$.
Query	saasUserPermissionList[0].description 1 !		string
Query	saasUserPermissionList[0].iconPath 1 !		string
Query	saasUserPermissionList[0].id 1 !		integer (int64)
Query	saasUserPermissionList[0].modifyTime 1 !		string (date-time)
Query	saasUserPermissionList[0].name 1 !		string
Query	saasUserPermissionList[0].parentId 1 !		integer (int64)
Query	saasUserPermissionList[0].requestPath 1 !		string
Query	saasUserPermissionList[0].sort 1 !		integer (int32)
Query	saasUserRoleId 1 !		integer (int64)
Query	saasUserRoleName 1 !		string
Query	status 1 !		integer (int32)

%&

HTTP8 ,	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUser/add

(@ header

"string"

HTTP%&AB

%& 200

```
{
  Ê "code" : 0,
  Ê "count" : 0,
  Ê "data" : "object",
  Ê "msg" : "string"
}
```

\$%") H

POST /saasUser/delete

+

\$%,) H

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	id 4 5	\$%, id	integer (int32)

%&

HTTP 200	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ application/json

> ?

¥ */*

HTTP(@AB

(@ path

/saasUser/delete?id=0

(@ header

"string"

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

detail

```
GET /saasUser/detail
```

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	id 1 !	id	integer (int64)

%&

HTTP\$	# +	\$.
200	OK	SaaSUser
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

> ?

¥ */*

HTTP(@AB

(@ path

```
/saasUser/detail
```

(@ header

"string"

HTTP%&A B

%& 200

```

{
  "addTime" : "string",
  "addr" : "string",
  "email" : "string",
  "headImg" : "string",
  "id" : 0,
  "idCard" : "string",
  "modifyTime" : "string",
  "name" : "string",
  "phone" : "string",
  "pwd" : "string",
  "saasUserPermissionList" : [ {
    "addTime" : "string",
    "descript" : "string",
    "iconPath" : "string",
    "id" : 0,
    "modifyTime" : "string",
    "name" : "string",
    "parentId" : 0,
    "requestPath" : "string",
    "saasUserPermissionList" : [ {
      "addTime" : "string",
      "descript" : "string",
      "iconPath" : "string",
      "id" : 0,
      "modifyTime" : "string",
      "name" : "string",
      "parentId" : 0,
      "requestPath" : "string",
      "saasUserPermissionList" : [ "... " ],
      "sort" : 0
    } ],
    "sort" : 0
  } ],
  "saasUserRoleId" : 0,
  "saasUserRoleName" : "string",
  "status" : 0
}

```

J * + , \$ %"

POST /saasUser/paging

+

J - * + \$ %,

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	keywords 1 !	. / O	string
Query	limit 45	1 - 3K -	integer (int32)
Query	page 45	L M-	integer (int32)

%&

HTTP 8	# +	\$.
200	OK	ResultÇListÇSaasUserBaseInfoResponseVoÈÈ
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUser/pagi ng?l i mi t=0&page=0

(@ header

"string"

HTTP%&A B

%& 200

```

{
  "code" : 0,
  "count" : 0,
  "data" : [ {
    "addTime" : "string",
    "addr" : "string",
    "email" : "string",
    "headImg" : "string",
    "id" : 0,
    "idCard" : "string",
    "modifyTime" : "string",
    "name" : "string",
    "phone" : "string",
    "saasUserPermissionList" : [ {
      "addTime" : "string",
      "descript" : "string",
      "iconPath" : "string",
      "id" : 0,
      "modifyTime" : "string",
      "name" : "string",
      "parentId" : 0,
      "requestPath" : "string",
      "saasUserPermissionList" : [ {
        "addTime" : "string",
        "descript" : "string",
        "iconPath" : "string",
        "id" : 0,
        "modifyTime" : "string",
        "name" : "string",
        "parentId" : 0,
        "requestPath" : "string",
        "saasUserPermissionList" : [ "... " ],
        "sort" : 0
      } ],
      "sort" : 0
    } ],
    "saasUserRoleId" : 0,
    "saasUserRoleName" : "string",
    "token" : "string"
  } ],
  "msg" : "string"
}

```

\$%" FG

POST /saasUser/update

+

\$%, F G

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	addr 1 !	2 NOP	string
Query	email 1 !	3 Q	string
Query	headImg 1 !	4 R	string
Query	id 4 5	" # \$ %, 3! id	integer (int64)
Query	idCard 1 !	S 5 #	string
Query	name 1 !	/ O	string
Query	phone 4 5	&'	string
Query	pwd 4 5	7 (string
Query	saasUserRoleI d 4 5	T Uid	integer (int64)

%&

HTTP 8	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;

HTTP 8	# +	\$.
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUser/update?id=0&phone=string&pwd=string&saasUserRoleid=0

(@ header

"string"

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

3." # \$%" T U

C D E F G E) H E * + () *

" # \$%" T U C D

POST /saasUserRoleType/add

+

" # \$ %, T U C D

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	descript 1 !	VW	string
Query	name 4 5	/ O	string

%&

HTTP 8	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@A B

(@ path

/saasUserRol eType/add?name=string

(@ header

"string"

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

" # \$%" T U 3) H

```
POST /saasUserRoleType/delete
```

+

" # \$%, T U 3) H

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	id 4 5	" # \$ %, T U I id	integer (int32)

%&

HTTP 8	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ ^{*}/_{*}

HTTP(@AB

(@ path

/saasUserRol eType/delete?id=0

(@ header

"string"

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

- XTUYI

GET /saasUserRol eType/list

+

6XTUYI

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string

%&

HTTP	# +	\$.
200	OK	ResultÇListÇSaasUserRoleTypeÈÈ
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserRoleType/ list

(@ header

"string"

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : [ {
    "addTime" : "string",
    "descript" : "string",
    "id" : 0,
    "modifyTime" : "string",
    "name" : "string"
  } ],
  "msg" : "string"
}
```

" # \$ %" T U F G

POST /saasUserRoleType/update

+

" # \$ %, T U F G

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	descript 1 !	VW	string
Query	id 45	T U I id	integer (int64)
Query	name 45	/ O	string

%&

HTTP8 ,	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserRoleType/update?id=0&name=stri ng

(@ header

"string"

HTTP%&A B

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

" # \$ %" T U . Z 3 F G

POST /saasUserRoleType/updatePermission

+

" # \$ %, T U 7 Z 3 F G

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	authids 45	7 Z id[\] ,2 ^ 6 () _ 8	string
Query	rid 45	T U id	integer (int32)

%&

HTTP8 ,	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;

HTTP8 ,	# +	\$.
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserRol eType/updatePermi ssi on?authi ds=stri ng&ri d=0

(@ header

"string"

HTTP%&AB

%& 200

```
{
  Ê "code" : 0,
  Ê "count" : 0,
  Ê "data" : "object",
  Ê "msg" : "string"
}
```

4." #TU. Z` a b

&' () *

add

POST /saasUserRol ePermi ssi on/add

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	addTime 1 !		string (date-time)
Query	id 1 !		integer (int64)
Query	modifyTime 1 !		string (date-time)
Query	saasUserPerm issionId 1 !		integer (int64)
Query	saasUserRoleI d 1 !		integer (int64)

%&

HTTP 8	# +	\$.
'		
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserRol ePermi ssi on/add

(@ header

"string"

HTTP%&A B

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

delete

POST /saasUserRolePermission/delete

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	id 45	id	integer (int64)

%&

HTTP8 ,	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserRolePermission/delete?id=0

(@ header

"string"

HTTP%&AB

%& 200

```
{
  Ê "code" : 0,
  Ê "count" : 0,
  Ê "data" : "object",
  Ê "msg" : "string"
}
```

detail

GET /saasUserRolePermission/detail

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	id 4 5	id	integer (int64)

%&

HTTP 8	# +	\$.
200	OK	ResultÇSaasUserRolePermissionÈ
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserRolePermi ssi on/detail?i d=0

(@ header

"string"

HTTP%&AB

%& 200

```
{
  Ê "code" : 0,
  Ê "count" : 0,
  Ê "data" : {
    Ê "addTime" : "string",
    Ê "id" : 0,
    Ê "modi fyTime" : "string",
    Ê "saasUserPermi ssi onId" : 0,
    Ê "saasUserRoleId" : 0
  },
  Ê "msg" : "string"
}
```

update

POST /saasUserRolePermission/update

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	addTime 1 !		string (date-time)
Query	id 1 !		integer (int64)
Query	modifyTime 1 !		string (date-time)
Query	saasUserPermissionId 1 !		integer (int64)
Query	saasUserRoleId 1 !		integer (int64)

%&

HTTP 8	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ application/json

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserRolePermi ssi on/update

(@ header

"string"

HTTP%&A B

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

5." # \$%" . Z

C D E F G E) H E * + () *

C D . Z

POST /saasUserPermi ssi onLi st/add

+

C D 7 Z

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	descript 4 5	V W	string
Query	iconPath 1 !	9 @ c d	string

\$.	/ O	# +	\$.
Query	name 45	/ O	string
Query	parentId 45	e: 7 Z id	integer (int64)
Query	requestPath 1 !	9@c d	string
Query	sort 1 !	f g	integer (int32)

%&

HTTP\$,	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saaSUserPermi ssi onLi st/add?descri pt=stri ng&name=stri ng&parentId=0

(@ header

"stri ng"

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

) H. Z

POST /saasUserPermi ssi onLi st/delete

+

) H7 Z

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	id 45	7 Z I id	integer (int32)

%&

HTTP\$,	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserPermi ssi onLi st/del ete?i d=0

(@ header

"string"

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```

listByRoleId

POST /saasUserPermi ssi onLi st/l i stByRol eI d

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	saasUserRoleI d 1 !	saasUserRoleId	integer (int64)

%&

HTTP\$,	# +	\$.
200	OK	object
201	Created	9: ;

HTTP 8	# +	\$.
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserPermi ssi onLi st/ l i stByRol eId

(@ header

"string"

HTTP%&AB

%& 200

"obj ect"

J * + , \$ %" . Z

POST /saasUserPermi ssi onLi st/pagi ng

+

J - * + \$ %, 7 Z

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	keywords 1 !	hi . / O	string
Query	limit 45	1 - K -	integer (int32)
Query	page 45	L M-	integer (int32)
Query	parentId 45	e : 7 Z id	integer (int64)

%&

HTTP8 ,	# +	\$.
200	OK	ResultÇListÇSaasUs erPermissionListÈÈ
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

/saasUserPermi ssi onLi st/pagi ng?l i mi t=0&page=0&parentI d=0

(@ header

"string"

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : [ {
    "addTime" : "string",
    "descript" : "string",
    "iconPath" : "string",
    "id" : 0,
    "modifyTime" : "string",
    "name" : "string",
    "parentId" : 0,
    "requestPath" : "string",
    "saasUserPermissionList" : [ {
      "addTime" : "string",
      "descript" : "string",
      "iconPath" : "string",
      "id" : 0,
      "modifyTime" : "string",
      "name" : "string",
      "parentId" : 0,
      "requestPath" : "string",
      "saasUserPermissionList" : [ "... " ],
      "sort" : 0
    } ],
    "sort" : 0
  } ],
  "msg" : "string"
}
```

FG. Z

POST /saasUserPermissionList/update

+

FG7Z

, -

\$.	/ O	# +	\$.
Header	token 1 !	2! 3" # \$ %	string
Query	descript 4 5	VW	string
Query	iconPath 1 !	9@c d	string
Query	id 4 5	7 Z l id	integer (int64)
Query	name 4 5	/ O	string
Query	parentId 4 5	e: 7 Z id	integer (int64)
Query	requestPath 1 !	9@c d	string
Query	sort 1 !	f g	integer (int32)

%&

HTTP 8	# +	\$.
200	OK	Result
201	Created	9: ;
401	Unauthorized	9: ;
403	Forbidden	9: ;
404	Not Found	9: ;

< =

¥ appl i cati on/ j son

> ?

¥ */*

HTTP(@AB

(@ path

```
/saasUserPermissionsList/update?description=string&id=0&name=string&parentId=0
```

(@ header

```
"string"
```

HTTP%&AB

%& 200

```
{
  "code" : 0,
  "count" : 0,
  "data" : "object",
  "msg" : "string"
}
```