

CLIPFLAIR Foreign Language Learning Through Interactive Revoicing and Captioning of Clips

LIFELONG LEARNING PROGRAMME - KEY ACTIVITY 2
LANGUAGES, MULTILATERAL PROJECT

519085-LLP-1-2011-1-ES-KA2-KA2MP

D3.3a

Alpha and Beta Version of the Platform

WP No.	WP3
WP Title	Web Platform Design and Development
Activity description	Alpha and Beta Versions of the Learning Area (the ClipFlair Studio), the Virtual Workspace Area for learners and teachers (the ClipFlair Social Network) and the Virtual Workspace Area for the partner members (Collaboration platform).
Authors	Per company, if more than one company provide it together. Georgios Birmipilis, Kostantinos Gratsias, Nikolina Renieri (CTI)
Reviewers	Thanasis Hadzilacos (CTI)
Status (D: draft; RD: revised draft; F: final)	F
File Name	D3.3AlphaAndBetaVersionOfThePlatform.docx
Date	January 2013

Executive Summary

This document describes the alpha and beta Versions of the ClipFlair Web Platform, which consists of the following areas:

- the Learning Area, which is called [ClipFlair Studio](#)
- the Virtual Workspace Area for learners and teachers which is called [ClipFlair Social Network](#)
- and the Virtual Workspace Area for the partner members, the [Collaboration Area](#)

The Dissemination Area, <http://clipflair.net> , is described in the Deliverable D7.6 “Project Portal”

Table of Contents

1	The ClipFlair Studio	6
1.1	General Information.....	6
1.2	Technology overview	7
1.2.1	Smooth Streaming	7
1.2.2	Microsoft Silverlight	7
1.2.3	Zoomable User Interface	8
1.3	ClipFlair Studio Goals, Objectives and Targeted audience	8
1.4	Basic concepts.....	10
1.5	The Container	10
1.5.1	The <i>Container</i> Title bar	11
1.5.2	The Container Back-panel (options panel)	12
1.5.3	The <i>Container</i> Main Area	13
1.5.4	The <i>Container</i> Toolbar	14
1.6	The Components	15
1.6.1	The Clip Component	16
1.6.2	The Captions/Revoicing Component	19
1.6.3	Revoicing component	22
1.6.4	The Text Component	23
1.6.5	The Image Component	26
1.6.6	The Map Component.....	28
1.6.7	The Components are synchronised	30
2	The ClipFlair Social Network	32
2.1	Introduction.....	32
2.2	General Information.....	32
2.2.1	ClipFlair Social Network web address.....	32
2.2.2	Design, Development and Hosting	32
2.2.3	Maintenance & Content Updates	33
2.3	Social Network's Goals, Objectives and Targeted audience	33
2.4	Structure of the Social Network	35
2.4.1	Horizontal Menu Items	37
2.5	ClipFlair Social Platform: Main Area Content	38
2.5.1	Information under the items of the Horizontal Menu	38
2.5.2	Information presented at the Sidebar Area	42
2.5.3	Information under the Login link	44
2.5.4	Information under the Footer Horizontal Menu.....	45
2.6	ClipFlair Social Platform usage	47
2.6.1	Groups Usage	47
2.6.2	Wall usage.....	50
2.6.3	Messages usage	51
2.6.4	Gallery usage	52
2.6.5	Events (Calendar) usage	53
2.6.6	Feedback forum	54
2.6.7	Multilinguality	58
2.6.8	Share	59
3	The Collaboration and Project Management Platform	60
3.1	General information about the Platform	60
3.2	Project planning & issue tracking	61
3.3	Managing multiple users and social aspects	66
3.4	Information sharing.....	67
3.5	Repository	69

3.6	Email notifications	70
3.7	Document and file management	71
3.8	Multi-lingual support.....	72
3.9	Technology stack.....	73

List of Figures

Figure 1.	A sample activity in ClipFlair Studio	6
Figure 2.	The target audience.....	9
Figure 3.	The <i>Container</i>	11
Figure 4.	The Container Help button	11
Figure 5.	The Container Options button	12
Figure 6.	The Container Options panel (View options)	12
Figure 7.	the Container's Options panel (Content options)	13
Figure 8.	The Container Main Area	14
Figure 9.	The Container Toolbar	14
Figure 10.	Activity example.....	16
Figure 11.	Clip Component	16
Figure 12.	Clip Component title bar	17
Figure 13.	Captions/Revoicing Component.....	19
Figure 14.	Captions/Revoicing Component title bar.....	19
Figure 15.	The Captions/Revoicing Component Toolbar.....	21
Figure 16.	Captions and Revoicing Component default options	22
Figure 17.	Revoicing buttons.....	23
Figure 18.	Text Component.....	24
Figure 19.	Text Component title bar	24
Figure 20.	Text Component Toolbar.....	26
Figure 21.	Image Component.....	27
Figure 22.	Image Component title bar.....	27
Figure 23.	Map Component	29
Figure 24.	the Image Component title bar	29
Figure 25.	Components' synchronisation.....	31
Figure 26.	The targeted audience	33
Figure 27.	Header	35
Figure 28.	Main Area (one area): community.....	36
Figure 29.	Main Area (two distinct areas): A Group page	37
Figure 30.	Footer	37
Figure 31.	Home page content	39
Figure 32.	Tutorials page content	41
Figure 33.	Contact page content.....	42
Figure 34.	Login	44
Figure 35.	Privacy policy	45
Figure 36.	Terms of use	46
Figure 37.	Groups (1/2)	47
Figure 38.	New Group Form.....	48

Figure 39.	Groups (2/2)	49
Figure 40.	Photos panel	50
Figure 41.	Discussion-board panel	50
Figure 42.	Wall	51
Figure 43.	Messages Panel (1/3).....	51
Figure 44.	Messages Panel (2/3).....	52
Figure 45.	Messages Panel (3/3).....	52
Figure 46.	Gallery.....	53
Figure 47.	Events (1/2)	54
Figure 48.	Events (2/2)	54
Figure 49.	Feedback forum (1/4)	55
Figure 50.	Feedback forum (2/4)	56
Figure 51.	Feedback forum (3/4)	57
Figure 52.	Feedback forum (4/4)	58
Figure 53.	Social-Share options	59
Figure 54.	Overview	61
Figure 55.	Activity	62
Figure 56.	Updating an existing issue 1	63
Figure 57.	The issue tracker	63
Figure 58.	Gantt Chart.....	65
Figure 59.	Calendar	66
Figure 60.	Users.....	67
Figure 61.	News.....	68
Figure 62.	Forums	69
Figure 63.	Repository	70
Figure 64.	Sample email notification	71
Figure 65.	Document and file management.....	72
Figure 66.	Multilingual support in Redmine	73

1 The ClipFlair Studio

1.1 General Information

ClipFlair Studio is the web-based application (based on [Microsoft Silverlight](#)) that has been developed for creating and using Revoicing and Captioning activities for foreign language learning. In the original project proposal it is referred to as “Learning Area”.




Figure 1. A sample activity in ClipFlair Studio

It is currently at beta development stage and it is made available as OpenSource software (see “Source Code” section below) that one can launch from the web at <http://studio.clipflair.net>.

It supports authoring, saving and loading of ClipFlair activity files (with file extension .clipflair.zip). It can load activities from local files or from a URL and also supports launching a specific activity directly from the web browser address bar by visiting a URL like <http://studio.clipflair.net?activity=Rosa>, where the activity name supplied (“Rosa in this example”) is one of the activity names listed at <http://gallery.clipflair.net/activity>.

It is based on the idea of a **Container** where several **Components** can be placed. There are six component types: **Clip**, **Captions**, **Revoicing**, **Text**, **Image** and **Map components**. The Activity Container has been implemented as a component itself too, so that Activities can also be nested into other activities in future releases.

1.2 Technology overview

1.2.1 Smooth Streaming

Smooth Streaming, an IIS Media Services extension, enables adaptive streaming of media to Silverlight and other clients over HTTP. Smooth Streaming provides a high-quality viewing experience that scales massively on content distribution networks, making true HD 1080p media experiences a reality. (<http://www.iis.net/learn/media/on-demand-smooth-streaming/smooth-streaming-technical-overview>)

1.2.2 Microsoft Silverlight

After a technology research phase at the start of the ClipFlair project, the Microsoft Silverlight platform was selected to implement the ClipFlair Studio application. Silverlight is a slim cross-platform version of Microsoft .NET with web browser integration.

Compared to Adobe Flash, it was selected due to:

- - the mature enterprise-grade programming tools available (Microsoft Visual Studio), which also have free versions. This is important for an open-source project if it is to have third-party followup and contributions.
- - support for IIS Smooth Streaming technology via Silverlight Media Framework, which provides dynamic adaptive video based on server-client connection bandwidth and client CPU capabilities and instantaneous (no buffering) video seeking in time.

Compared to HTML5 it was selected due to:

- - the availability of mature development and debugging tools, still scarce in HTML5 and Javascript.
- - component-based development support and especially support for visual components in Silverlight that is essential for complex projects

- - hardware-accelerated graphics in Silverlight both for video playback and for drawing of components
- - custom UI component support and graphics scaling in Silverlight, necessary for implementing a ZUI (Zoomable User Interface) container with hosted floating windows as in ClipFlair Studio app
- - the crossplatform (Windows and MacOS-X) standard video/audio codec support in Silverlight that HTML5 doesn't have. Even on the same Operating System among different HTML5 browsers there may be different codec support due to licensing and performance concerns of browser makers and no mandate on that important issue by W3C's HTML5 spec. Regarding Silverlight media support see: <http://msdn.microsoft.com/en-us/library/cc189080%28v=vs.95%29.aspx>

1.2.3 Zoomable User Interface

To cater both for varying display sizes and flexibility regarding font and UI element sizes, and to provide users with a facility for laying out and arranging their content and ideas, we opted for implementing a Zoomable User Interface (ZUI - http://en.wikipedia.org/wiki/Zooming_User_Interface) as a zoomable window container of floating window components, inspired by the late Jef Raskin's pioneering Zoomworld UI concepts (<http://en.wikipedia.org/wiki/Zoomworld>) and by successful current ZUI software like Microsoft DeepZoom (<http://www.microsoft.com/silverlight/deep-zoom/>) and Prezi (<http://prezi.com/>).

1.3 ClipFlair Studio Goals, Objectives and Targeted audience

The **ClipFlair Studio** enables ClipFlair users to create and use language learning activities. Its main targeted audience consists of Learners, Teachers and Activity authors. Both teachers and learners can act as authors and create their own activities (see Figure 1)




Figure 2. The target audience

The ClipFlair goals and objectives by target audience category are the following:

1. Learners

a. Goals

To serve as a web tool for online Language Learning through interactive activities and assignments using different types of Media (image, video, text, audio and map)

b. Objectives. Towards this end:

The platform has the form of an interactive, zoomable web-application that can load media of different types in the form of language learning lesson activities. Minimal software installation is required: the first time the learners access the Studio, they are asked to install Silverlight. There is no need for exchanging files, as the activity can be accessed through a single URL link. All activities are listed in the [ClipFlair gallery](#) where the URL link can be copied from. Thus, the learners only need to click on a URL link, sent by their teacher by email, through a blog, etc. All the tools necessary to carry out the activity are available through the ClipFlair Studio.

2. Teachers

a. Goals

To serve as a web platform where teachers can access and correct activities completed by ClipFlair learners.

b. Objectives. Towards this end:

See objective 1b above.

3. Activity authors

a. Goals

To serve as a web platform where authors can create and share their own language learning activities combining the various different components of the application.

b. Objectives. Towards this end:

The platform combined with the free online [library of resources](#) serves as a workplace where authors can create activities from scratch, or use templates, where certain components are already inserted.

1.4 Basic concepts

ClipFlair Studio uses the concepts of **Container**, **Component** and **Activity**. The Container is the main workspace where ClipFlair users create, run or edit an Activity. Users can add one or more Components in the Container. The available Components are: **Clip**, **Captions/Revoicing**, **Text**, **Image** and **Map**. An **Activity** is a complete exercise created by activity authors and addressed to learners.

1.5 The Container

The **Container** is basically a “bucket” where all the Components are placed.




Figure 3. The *Container*

The *Container* consists of three (3) distinct areas:

1.5.1 The *Container* Title bar

The *Container* Title bar is the bar placed at the top of the *Container* and contains the **Activity Title** and the top-right panel's buttons (Help, Options and Close buttons).

The **Activity Title** is the text shown on the left and may be edited from the *Container View Options*.

The **Help button** (question mark icon) provides a direct link to the **Tutorials** section (<http://social.clipflair.net/Pages/Tutorials.aspx>) of the ClipFlair Social Platform.



Figure 4. The *Container* Help button

The **Options button** (wrench icon), when clicked, flips the container displaying the *Options panel*.



Figure 5. The Container Options button

1.5.2 The Container Back-panel (options panel)

Clicking on the *View Options label* expands and shows the following available options:

- *ID* field (non-editable)
- *Title* field: Defines the *Activity Title* as shown at the *Container Title bar*
- *Opacity* slider: Defines the opacity of the *Container*. Moving the slider towards the left would make the *Container* more transparent, whereas moving the slider to the right would make the *Container* more opaque.
- *Warn on closing* property: If checked, a Confirmation window will pop-up whenever the user pushed the **Close button** (only when ClipFlair is installed onto your computer, see below)




Figure 6. The Container Options panel (View options)

Clicking on the *Content Options label* expands and shows the following available options:

- *Time* field (not editable)

- *View Width* field (not editable)
- *View Height* field (not editable)
- *Zoom* slider: sets the zoom level of the *Container* (dragging towards the left zooms content out)
- *Content Zoomable* property: If checked, *Container's* zoom shortcuts are enabled and *Zoom to fit* button and *Zoom* slider are available. If the property is unchecked, the *Container's* zoom shortcuts are disabled and *Zoom to fit* button and *Zoom* slider are not available.
- *Content Zoom to fit* property: If checked, the *Activity* automatically zooms (on load) to fit the window. Also, it will automatically zoom to fit when the window is resized. Finally, when the property's state changes to "checked" the *Container* would zoom to fit its *Components*.
- *Options Button Visible (at Components)* property: If checked, the *Options* (wrench icon) button for each *Component* is available
- *Toolbar Visible* property: If checked, the *Container's Toolbar* (placed at the bottom of the *Container*) is visible.




Figure 7. the Container's Options panel (Content options)

1.5.3 The *Container* Main Area

The *Container Main Area* is the area reserved for the *Activity* content to be displayed. This area can host an unlimited number of ClipFlair *Components* (*image*, *text*, *video*, *audio*, *map*) that form a ClipFlair language learning *Activity*.




Figure 8. The Container Main Area

1.5.4 The *Container* Toolbar

The *Container Toolbar* is placed at the bottom and contains the *zoom* tools (*zoom to fit* button, *zoom slider*), the *Activity Load/Save* buttons and the “+” buttons (*Add Clip*, *Add Captions*, *Add Revoicing*, *Add Text*, *Add Image*, *Add Map*) that add new *Components* in the *Container Main Area*.




Figure 9. The Container Toolbar

Clicking the *Zoom to fit* button changes the *Container's* zoom level so that all the *Components* inside the *Container* would fit your screen.

The *Zoom* slider when dragged changes the zoom level of the *Container* ((dragging towards the left zooms content out).

Next to the *Zoom* slider are the *Container Save/Load* buttons. The *Container Load options from URL* button will load a new *Activity* from a web server. Upon loading, the *Container* will reset to the settings (*Components* and *Options*) of the new loaded *Activity*.

The *Load options* button will load a new *Activity* saved in the user's computer.

The *Save options* button brings up a new window requesting a destination folder for the activity to be saved.

The *Save/Load* buttons are also placed at the top-left corner of the *Container* back panel.

With the next six buttons you can add new *Components* in the *Container Main Area*. Each button adds the indicated *Component*:

- The *Add Clip* button adds a new *Clip Component*
- The *Add Captions* button adds a new *Captions Component*
- The *Add Revoicing* button adds a new *Revoicing Component*
- The *Add Text* button adds a new *Text Component*
- The *Add Image* button adds a new *Image Component*
- The *Add Map* button adds a new *Map Component*.

1.6 The Components

An *Activity* implemented with ClipFlair Studio consists of one or more *Components*. For example, if the *authors* intend to show an image and ask the *students* to describe it, they can do so by *Adding* an *Image Component* to display the image and a *Text Component* to write their question (Figure 10.). Each *Component* has unique features. The available *Components* are: **Clip Component**, **Captions/Revoicing Component**, **Text Component**, **Image Component** and **Map Component**. New *Components* can be added to the *Activity* by pressing the corresponding button at the *Container Toolbar* at the bottom of the *Container*.




Figure 10. Activity example

1.6.1 The Clip Component

The *Clip Component* is the most important *Component* in ClipFlair Studio since ClipFlair aims at learning through captioning and revoicing of CLIPS. With the *Clip Component* authors can add video or audio to an *Activity*. The *Clip Component* is basically a media player (as noticed by the Play/Pause button) where a clip can be added.




Figure 11. Clip Component

The *Clip Component* consists of the *title bar*, the *playback area*, where the video is displayed, and the *playback buttons*.

The *Clip Component title bar* is the header of the *Component* and contains the *Clip Title* and the top-right panel's buttons (Help, Options and Close buttons).



Figure 12. Clip Component title bar

The *Clip Title* is the text shown on the left and may be edited from the *Component's View Options*.

The *Help button* (question mark icon) provides a direct link to the *Tutorials* section (<http://social.clipflair.net/Pages/Tutorials.aspx>) of the ClipFlair Social Platform.

The *Options button* (wrench icon) flips the *Component* displaying the *Options panel*.

1.6.1.1 The Clip Component options panel

Clicking on the *View Options label* expands its panel and displays the following available options:

- *ID* field (non-editable)
- *Title* field: where you can set the *Component's Title* as shown at the *Title bar*
- *Position* field (non editable)
- *Width* field: where you can set the *Component's width*
- *Height* field: where you can set the *Component's height*
- *Zoom* field: where the *Component's zoom* can be set.
- *Opacity* slider: where the *Component's opacity* is set.
- *Movable* property: If checked the *Component's position* can change in the *Container*, else *Component's movement* is disabled.

- *Resizable* property: if checked the *Component's dimensions* can change by dragging it's edges.
- *Zoomable* property: if checked the *Zoom shortcuts* can be used, else they are disabled.
- *Warn on closing* property: if checked a *Confirmation* window will be shown when about to close the *Component*.

Clicking on the *Content Options label* expands its panel and displays the following available options:

- *Media Source (URL)* field: where the url of the clip is set
- *Store playlist offline* button: when this button is pressed the *Clip Component's* set of videos is saved offline
- *Load playlist previously stored offline* button: when pressed the Clip Component loads a previously saved offline playlist
- *Time field*: where the clip's current time is displayed.
- *Automatic playback* property: if this property is checked, the clip will start automatically each moment the Media Source (URL) field is edited
- *Looping* property: if checked, the *Clip Component* will replay the clip (or clips) when the playback finishes
- *Volume* slider: sets the sound level of the *Clip Component*
- *Video visible* property: when checked the *Clip Component* would show the video of the clip (if any), else no video will be displayed.
- *Controller visible* property: when checked the *playback buttons* are visible.
- *Captions visible* property: when checked the clip's captions are displayed.
- *The Troubleshooting* properties: if checked would display messages for the developers.

The *Save option* button, placed at the *Component's Options panel* header area prompts the users to save their preferences.

The *Load component* and the *Load component from URL* buttons ask the users to load a previously saved file from their computer or a web server respectively.

1.6.2 The Captions/Revoicing Component

By using the *Captions/Revoicing Component* a user can add captions and record an audio related to the clip. The *Captions/Revoicing Component* consists of the *Captions/Revoicing Component title bar*, the *Captions/Revoicing Component Toolbar* and the *Captions/Revoicing area*.




Figure 13. Captions/Revoicing Component

The *Captions/Revoicing Component title bar* is the header of the *Component* and contains the *Component's Title* and the top-right panel's buttons (*Help*, *Options* and *Close* buttons).



Figure 14. Captions/Revoicing Component title bar

The *Help button* (question mark icon) provides a direct link to the *Tutorials* section (<http://social.clipflair.net/Pages/Tutorials.aspx>) of the ClipFlair Social Platform.

The *Options button* (wrench icon) flips the *Component* displaying the *Options panel*.

1.6.2.1 Clip Component Back panel (Options)

The *View Options label* expands its panel and displays its options as described on section 1.6.1 for the *Clip Component's View options*.

The *Content Options label* expands its panel and displays the following available options:

- Time field (not editable)
- *Start Time visible* property: if the property is checked then the *Start* column will be displayed
- *End Time visible* property: if the property is checked then the *End* column will be displayed
- *Duration visible* property: if the property is checked then the *Duration* column will be displayed
- *Role visible* property: if the property is checked then the *Role* column will be displayed
- *Caption visible* property: if the property is checked then the *Caption* column will be displayed
- *WPM (Words per minute) visible* property: if the property is checked then the *WPM* column will be displayed
- *Audio visible* property: if the property is checked then the *Audio* column will be displayed
- *Comments visible* property: if the property is checked then the *Comments* column will be displayed

The *Save option* button, placed at the *Component's Options panel* header area prompts the users to save their preferences.

The *Load component* and the *Load component from URL* buttons ask the users to load a previously saved file from their computer or a web server respectively.

1.6.2.2 Clip/Revoicing Component: Front panel (main area)

The *Captions/Revoicing Component Toolbar* is the area located under the *title bar* and contains buttons that enable users to handle the captions related to the *Activity's* clip. The available buttons are:

- *Add caption at current time*: where users can add a new caption at the current time of the clip

- *Remove selected caption*: where users delete the selected caption from the Captions Component
- *Set selected caption's start time*: where users set the current time of the clip as the start time for the selected caption
- *Set selected caption's end time*: where users set the current time of the clip as the end time for the selected caption
- *Import captions from TTS, SRT and other file formats*: where users can import captions from TTS, SRT and other caption formats files
- *Export captions to TTS, SRT and other file formats*: where users can export the captions in TTS, SRT and other caption formats




Figure 15. The Captions/Revoicing Component Toolbar

The *Captions/Revoicing* area is the area located under the *Component Toolbar* and contains a table grid in which each row represents a specific caption or revoicing addition at a specific time of the clip. Users can add, delete or edit existing captions using the tools provided in the *Component Toolbar*.

Depending on the properties selected through the *Component's Options panel*, the *Component* can act only as a *Caption Component only*, as a *Revoicing Component only* or as a combined *Captions/Revoicing Component* (Figure 16.). Also, for the *author's* convenience, the *Activity Toolbar* displays two different buttons, of which the first (*Add Caption* button) adds a *Component* with the Revoicing options inactive, whereas the second (*Add Revoicing* button) adds a *Component* with the Revoicing options enabled. At any time, users can alter these predefined configurations through the *Component's Options panel*.




Figure 16. Captions and Revoicing Component default options

1.6.3 Revoicing component

In order for an audio to be recorded there is a set of buttons located in the *audio* grid column. This buttons, called the *Revoicing buttons* are:

- The *Record audio* button: By pressing the *Record audio* button the user's voice can be recorded through a connected microphone. While recording, the button's state changes to a red square symbol (*Stop Recording* button) indicating that, by pressing, the recording process stops
- The *Load audio from .WAV file* button: when pressed, a previously saved audio file can be loaded in the *Component*
- The *Play audio* button (appears only when the user has initiated a recording process by clicking the *Record audio* button): This button, when pressed plays-back the recording
- The *Save audio to .WAV file* button (appears only when the user has initiated a recording process by clicking the *Record audio* button): when pressed, prompts the user to save his recording




Figure 17. Revoicing buttons

1.6.4 The Text Component

With the *Text Component* ClipFlair users are able to write notes and tasks and also provide a text area for the students to write their answers. The *Text Component* is an advanced text editor that still keeps all the properties of a *Component*.

The *Text Component* consists of the *Text Component title bar*, the *Text area*, where the text is written and edited and the *Text Component Toolbar* where text formatting tools are provided.




Figure 18. Text Component

The *Text Component title bar* is the header of the *Component* and contains the *Component's Title* and the top-right panel's buttons (*Help*, *Options* and *Close* buttons).



Figure 19. Text Component title bar

The *Help button* (question mark icon) provides a direct link to the *Tutorials* section (<http://social.clipflair.net/Pages/Tutorials.aspx>) of the ClipFlair Social Platform.

The *Options button* (wrench icon) flips the *Component* displaying the *Options panel*.

1.6.4.1 Text Component Back Panel (Options)

Clicking on the *View Options label* expands its panel and displays its options as described on section 1.6.1 for the *Clip Component's View options*.

Clicking on the *Content Options label* expands its panel and displays the following available options:

- *Toolbar visible* property: if checked, the *Toolbar* at the top of the *Component* will be available; otherwise the *Toolbar* will not be visible.
- *Editable* property: if unchecked, the *Text Component* cannot be edited.
- *Right to Left (RTL) text Direction* property: if checked then the text's direction inside the *Text Component* will be from right to left else it is set to the default left to right direction
- *Time* field (not editable)

The *Save option* button, placed at the *Component's Options panel* header area prompts the users to save their preferences.

The *Load component* and the *Load component from URL* buttons ask the users to load a previously saved file from their computer or a web server respectively.

1.6.4.2 Text Component Front Panel (main area)

The *Text Component Toolbar* is the area located under the *title bar* and contains buttons that enable users to edit and style the content of the Text Area. The available tools are:

- *Open existing document*: where users can load a previously saved text
- *Save changes*: where users are prompt to save their text file
- *Clear*: if pressed the user is asked to verify the deletion of the current text.
- *Print document*: enables users to print the existing text document
- *Paste text*
- *Cut text*
- *Copy text*
- *Text formatting options*
- *Insert Hyperlink*
- *Insert Timestamp*: If pressed, the user's current time is pasted in the Text Area
- *Text Direction*: if Toggled, the text's direction inside the *Text Component* will change (Left to Right, Right to Left options available)

- *Highlight*: If Toggled, users can highlight certain line of the text document
- *Insert Image*
- *View / Edit mode toggle buttons*




Figure 20. Text Component Toolbar

The *Text Area*, located under the *Text Component Toolbar* is the area where the text is displayed.

1.6.5 The Image Component

With the *Image Component* users can place one or more images in their *Activity*. It consists of the *Image Component title bar* and the *image Area*, where the image is displayed and edited.




Figure 21. Image Component

The *Image Component title bar* is the header of the *Component* and contains the *Component's Title* and the top-right panel's buttons (*Help*, *Options* and *Close* buttons).




Figure 22. Image Component title bar

The *Help button* (question mark icon) provides a direct link to the *Tutorials* section (<http://social.clipflair.net/Pages/Tutorials.aspx>) of the ClipFlair Social Platform.

The *Options button* (wrench icon), when pushed, flips the *Component* displaying the *Options panel*.

1.6.5.1 Image Component Back Panel (Options)

Clicking on the *View Options label* expands its panel and displays its options as described on section 1.6.1 for the *Clip Component's View options*.

Clicking on the *Content Options label* expands its panel and displays the following available options:

- *Image Source (URL)* field: where the url of the image is set.
- *Stretch* field: this field defines the way the image is displayed in the *Component*.
Available values are: *Fill, Uniform, Uniform to fill*

The *Save option* button, placed at the *Component's Options panel* header area prompts the users to save their preferences.

The *Load component* and the *Load component from URL* buttons ask the users to load a previously saved file from their computer or a web server respectively.

1.6.6 The Map Component

The *Map Component* adds a map to the *Container*. It consists of the *Map Component title bar* and the *Map Area*, where the map is displayed.




Figure 23. Map Component

The *Map Component title bar* is the header of the *Component* and contains the *Component's Title* and the top-right panel's buttons (*Help*, *Options* and *Close* buttons).



Figure 24. the Image Component title bar

The *Help button* (question mark icon) provides a direct link to the *Tutorials* section (<http://social.clipflair.net/Pages/Tutorials.aspx>) of the ClipFlair Social Platform.

The *Options button* (wrench icon) flips the *Component* displaying the *Options panel*.

1.6.6.1 Map Component Back Panel (Options)

Clicking on the *View Options label* expands its panel and displays its options as described on section 1.6.1 for the *Clip Component's View options*.

Clicking on the *Content Options label* expands its panel and displays the following available options:

- *Navigation Visible* property: where users set whether they want the navigation buttons (top-left corner) to be visible or not
- *Scale Visible* field: where users set whether they want the scale bar (bottom-right corner) to be visible or not
- *Language-Culture* field (not editable)
- *Mode* field: where users choose whether they want *Aerial* or *Road* map style
- *Labels Visible* field: where users choose whether they want the map's labels to be visible or not
- *Labels Fading* field: where users choose whether they want the map's labels to fade when they change the zoom level or not
- *Latitude* and *Longitude* fields: where users can set the latitude and longitude of the map's center
- *Map Zoom* slider: where users can adjust the map's zoom level

The *Save option* button, placed at the *Component's Options panel* header area prompts the users to save their preferences.

The *Load component* and the *Load component from URL* buttons ask the users to load a previously saved file from their computer or a web server respectively.

1.6.7 The Components are synchronised

The *Captions/Revoicing Component* is synchronised with the *Clip Component*, as they both have a time dimension. No matter how many *Captions Only* or *Revoicing Only* or *Captions and Revoicing Combined* Components there are, they are all synchronised with each other and with the *Clip Component*. The *Revoicing Component* and *Captions Component* work together. If users have already added captions they will notice that the *Revoicing Component* will be filled with the same lines as the *Captions Component* with the same *Start* and *End* times for each caption.

Moreover, if they add, edit or delete a line in one component the change will automatically apply to the other, e.g. if they add a new captions line in the *Captions Component* a new line also will be added in the *Revoicing Component* with the same Start and End times and vice versa, or if they delete a line in the *Revoicing Component* the line for the corresponding times will be deleted from the *Captions Component*.

Finally, when a clip is played on the *Clip Component* users can notice that when a caption is shown over the clip the same caption is highlighted on the *Captions Component* and the corresponding line is also highlighted in the *Revoicing Component*.




Figure 25. Components' synchronisation

2 The ClipFlair Social Network

2.1 Introduction

This section is a description of the project Virtual Workspace Area, named ClipFlair Social Network (<http://social.clipflair.net>) developed by the Computer Technology Institute and Press “Diophantus”.

2.2 General Information

2.2.1 ClipFlair Social Network web address

The **ClipFlair** Social Network is accessible at the following web address: <http://social.clipflair.net>

When selecting to register the Internet domain ClipFlair.net, we opted for the top-level domain .net, to signify the "networking" aspect of it, both in the web-launchable ClipFlair Studio application (hosted under subdomain Studio.ClipFlair.net) and the ClipFlair Social network website (hosted under subdomain Social.ClipFlair.net). The ClipFlair Gallery with its educational resources (activities, clips, etc.) was then naturally hosted under the subdomain Gallery.ClipFlair.net.

Links from the **ClipFlair** Project Portal (<http://www.clipflair.net>) to the **ClipFlair Social Network** (<http://social.clipflair.net>) and reverse are provided.

2.2.2 Design, Development and Hosting

The portal is based on the open source Content Management System and Social-Networking Platform, MonoX. This platform was chosen because it provides tools for quick and intuitive construction of dynamic and fully editable ASP.NET portals and social networks. It supports Open ID and RPX, flexible friendship modules, a multi-user blog engine, media galleries, discussion boards, video conversion and sharing, walls, comments, ratings and tags.

The Platform is hosted on a dedicated web server located in CTI “Diophantus” premises in Patras, Greece.

2.2.3 Maintenance & Content Updates

The ClipFlair Social Network is a Platform where registered users publish, maintain and share their own content, such as news, user profile information, lesson plans, group activities and discussion board updates.

Informational content is provided by the Project Coordinator to CTI “Diophantus”, who is responsible for updating the content according to the information provided.

CTI “Diophantus” is responsible for the ongoing support of the web.

2.3 Social Network’s Goals, Objectives and Targeted audience

The **ClipFlair Social Network** aims to enable users to access and share ClipFlair Activities, Clips and other resources, listed in the **Gallery**, form online communities, and study guidelines and tutorials for activity creation and evaluation.

Its main targeted audience consists of Learners, Teachers and Activity authors. Both teachers and learners can act as authors and create their own activities (see Figure 1)




Figure 26. The targeted audience

Furthermore, the purpose of the network is to give learners and instructors the opportunity to cooperate with other users and provide their own input to the process.

The categories of targeted users and the respective network’s goals and objectives are the following:

1. General Public

c. Goals

- i. to create awareness of the goals and outcomes of the ClipFlair project

- ii. to attract new users
- d. Objectives. Towards this end, the network:
 - i. Invites potential users to form part of the ClipFlair Online Community
 - ii. Presents a Library of Language Learning Activities freely accessed (Gallery).

4. Learners

- a. Goals
 - i. To serve as a web access point for learners to share information and interests.
 - ii. To serve as a discussion board (Groups, Wall, and Forum engine) where learners can publish and share their work and get rated for their activities.
 - iii. Enable users to access a Library of Resources, called the Gallery.
- b. Objectives. Towards this end:
 - i. • The network has the form of a Social Networking Platform offering web 2.0 (blogs, wikis, tags) features that improve the learning process.

5. Teachers

- a. Goals
 - i. To serve as a web access point for teachers to share information and interests.
 - ii. To serve as a discussion board (Groups, Wall, Forum engine) where teachers can rate learners' activities.
 - iii. Enable teachers to form lesson plans and add new ClipFlair Activities.
- b. Objectives. Towards this end:
 - i. • The network has the form of a Social Networking Platform offering web 2.0 features (blogs, wikis, tags) that facilitate the collaboration between the learner and the teacher.

6. Activity authors

- a. Goals
 - i. To serve as a reference point for guidelines and tutorial lessons for activity creation and evaluation criteria.
 - ii. To serve as a Library where authors can place their activities
- b. Objectives. Towards this end:
 - i. • The network has an increasing online Library of Resources, called the Gallery and Documentation content for the purposes of Foreign Language Learning with the use of audiovisuals (video, image, audio, text).

2.4 Structure of the Social Network

The **ClipFlair Social Network** consists of three (3) distinct areas, each one serving specific functionalities and tools:

- (a) **Header:** promotes the **Project Logo**, provides a **Horizontal Menu** for accessing the various tools of the Platform (e.g. Forum, Studio etc.), offers a **search engine** and provides registered access to ClipFlair members (learners, teachers, authors) through a **Login link**




Figure 27. Header

(b) **Main Area** (the section of the Project Platform where the various tools and main content are presented)

- The **Main Area** sometimes consists of two distinct areas:
 - (a) **Main Content Area:** the sub-section where the specific tools and main content are presented
 - (b) **Sidebar Area:** where extra features [e.g. tag search, latest posts, forum updates etc.] are displayed

Participate in online communities



Create vibrant online communities. **Connect** with your friends. Kick up your own **groups** and join people that share your interests. **Post** blog articles. **Share photos** and **videos**. Write wall notes and **comment** on other people's activities. Follow **activity streams**.

Blogs

Enter blog search terms



A guide to Online LL

Here is a very good article concerning online Language Learning material and available...

Groups

Enter group search terms



Learn Catalan



Learning English



Learning Irish



Learning Polish

This group is open to learners of Polish



ClipFlair Partners

This is a closed group

Users

Enter people search terms




Figure 28. Main Area (one area): community




Figure 29. Main Area (two distinct areas): A Group page

(c) **Footer:** copyright, “privacy policy” and “Terms of use” links, **Footer Horizontal Menu**, funding program information, “share to social media” buttons, and “powered-by logo” display.



Figure 30. Footer

2.4.1 Horizontal Menu Items

The Horizontal Menu has the following structure:

- Home
- Social
 - Community
 - Groups (displayed only for registered users)

- Blogs
 - Wall (displayed only for registered users)
 - Messages (displayed only for registered users)
- Studio
- Gallery
- Forum
- Events
- Help
 - Tutorials
 - Contact
- About

2.5 ClipFlair Social Platform: Main Area Content

A detailed description of the information (content) presented in the **Main Area** of the Social Platform is given below:

2.5.1 Information under the items of the Horizontal Menu

2.5.1.1 Home

It contains a welcome message for new and existing users, provides an introduction to the project's main concepts and terms (*ClipFlair Activity, Captioning, Revoicing*) and displays active links to the Information Portal (<http://www.clipflair.net>) and to the ClipFlair Studio (<http://studio.clipflair.net>)




Figure 31. Home page content

2.5.1.2 Social

This section of the menu contains online communities of ClipFlair users (Learners, Teachers and Authors) as well as a list of active blogs.



2.5.1.3 Community

This page is a panel displaying a list of blog posts, groups and active ClipFlair users. From here, users can navigate to inner pages where user-created information such as blog-posts, comments and media is presented.

- Groups (registered user)

This page is a list of Groups in which the ClipFlair user participates.

- Blogs

This page is a list of blogs created by ClipFlair users on specific topics defined by *tags* and *categories*.

- Wall (registered user)

This page is virtual space on every user's profile or group page.

- Messages (registered user)

This page is the ClipFlair user's virtual mail box. Here users can compose, send, receive and archive messages sent to/by other ClipFlair users

2.5.1.4 Studio

Direct link to the project's Learning Area where revoicing and captioning tools are provided for activity use and creation.

2.5.1.5 Gallery

This section contains online lists of **Activities** and **Clips** which are part the project's **Library of Resources**

2.5.1.6 Events

This section contains an online calendar where registered users can display and organize events.

2.5.1.7 Feedback Forum

A **discussion-board** page where ClipFlair users can post messages and comments to the community. There are three main Forums:

- Suggest Material: a forum where users can post activities, clips and other material to be included in the Gallery.

- Feedback on Studio: users post comments, suggested and bugs concerning the ClipFlair Studio.
- Feedback on Social Network: users post comments, suggested and bugs concerning the ClipFlair Social Network.

2.5.1.8 Help

A section where ClipFlair users as well as the general public can access the ClipFlair Activities Tutorials or place questions to the development team

- Tutorials

A list of freely accessed video tutorials presenting and explaining the ClipFlair application (Studio)





Figure 32. Tutorials page content

- FAQ

A page displaying Frequently Asked Questions

- Contact

A page displaying contact information and a contact form through which visitors can place their inquiries.




The screenshot shows the ClipFlair website's contact page. At the top, there is a navigation bar with links: Home, Social, Studio, Gallery, Events, Feedback forum, Help, and About. A search bar is also present. The main content area is divided into two columns. The left column, titled 'Contact info', lists the phone number (+302610960300), fax number (+302610960490), and address (N.Kazantzaki, 26504 Patras, Greece). The right column, titled 'Send Us an E-Mail', contains form fields for 'Your name:', 'Your E-Mail address:', 'Subject:', and 'Message:'. Below these fields is a 'Send Now' button. A CAPTCHA security section is also visible, featuring a grid of characters and a text input field. At the bottom, there is a footer with copyright information (©2011 ClipFlair), links to Privacy policy and Terms of use, and logos for the European Commission and the Lifelong Learning Programme.

Figure 33. Contact page content

2.5.2 Information presented at the Sidebar Area

2.5.2.1 'My groups' page sidebar




The screenshot shows the search area of the 'My groups' page sidebar. It features a dark blue button labeled 'Search groups' at the top. Below it is a light blue input field with the placeholder text 'Enter group search keywords'. A tip in italics reads: '(Tip: To get the list of all groups leave the search box as is and click the search button)'. At the bottom is a dark blue button labeled 'Search'.


2.5.2.2 'Blogs' page sidebar



2.5.2.3 'Wall' page sidebar



2.5.2.4 'Messages' page sidebar



2.5.3 Information under the Login link

2.5.3.1 Login page

A page where visitors can login or register to the ClipFlair Social Platform by using the provided registration forms.




Figure 34. Login

2.5.4 Information under the Footer Horizontal Menu

2.5.4.1 “ClipFlair” link

Direct link to the ClipFlair Social Network FrontPage (<http://social.clipflair.net>)

2.5.4.2 Privacy policy

A page describing how the **ClipFlair Social Platform** uses and protects any information that visitors give when using this web site. ç




Figure 35. Privacy policy

2.5.4.3 Terms of use

A page describing the Terms of use of The **ClipFlair Social Platform** web site.




Figure 36. Terms of use

2.6 ClipFlair Social Platform usage

2.6.1 Groups Usage

2.6.1.1 Groups' first page




Figure 37. Groups (1/2)

In the **Groups' first page** the ClipFlair user can browse to a list of all community groups in which he/she participates.

Users have access to the following actions:

- Browse **All Groups** (where users can view a list of all the existing groups and join if they wish).
- **Add New Group** (where users can create their own group from scratch)

Group name:

Group description:

Categories:
(en-US) ▼

Note: If you choose language specific category, the group will be visible only for that language

Group image:

Open group?
☒

All users can join open groups and invite others to join. Anyone can see the group information and content. Administrators of closed groups must approve requests for new members. All users can see group descriptions, but only members can see the group content (wall posts, uploaded files, ...).

Figure 38. New Group Form

- **Leave this Group** (by pressing this button, users can cancel their participation in a specific group)
- **Edit this Group** (Similar to the action “**Add new Group**” the creator of a specific Group can directly access and edit it’s information).
- **Delete group** (by pressing this button, users can directly delete a group they have created).

2.6.1.2 Groups’ inner page

In the **Groups’ inner page** the ClipFlair users can interact with each other around a common topic.




Figure 39. Groups (2/2)

Users have access to the following modules:

- **Wall** (where users can post new comments and information directly viewable by every group member)
- **Photos** (where users can upload image content)
- **Discussion board** (where users can start up or follow a conversation on specific topics)

Learn Japanese from English




Figure 40. Photos panel

Learn Japanese from English



Figure 41. Discussion-board panel

2.6.2 Wall usage

The ClipFlair Wall is each user's own virtual space where he can post information and thoughts viewable to anyone. In addition, other users can place posts given that the owner of the wall has given permission.




Figure 42. Wall

2.6.3 Messages usage

In this page the ClipFlair user can access his/her mailing inbox and compose/send new messages.

Received		Sent			+ New message
From	Subject	Date			
Panagiotis	ClipFlair discussion board daily report [2/25/2013]	2/25/2013 12:02:43 AM			
Panagiotis	ClipFlair discussion board daily report [2/24/2013]	2/24/2013 1:52:16 AM			
Panagiotis	ClipFlair discussion board daily report [2/23/2013]	2/23/2013 1:32:39 AM			
Panagiotis	ClipFlair discussion board daily report [2/22/2013]	2/22/2013 12:36:02 AM			
Panagiotis	ClipFlair discussion board daily report [2/22/2013]	2/22/2013 12:36:02 AM			
Panagiotis	ClipFlair discussion board daily report [2/21/2013]	2/21/2013 12:59:52 AM			
Panagiotis	ClipFlair discussion board daily report [2/20/2013]	2/20/2013 12:52:47 PM			
Panagiotis	ClipFlair discussion board daily report [2/19/2013]	2/19/2013 12:45:34 AM			
Panagiotis	ClipFlair discussion board daily report [2/18/2013]	2/18/2013 12:52:37 AM			
Panagiotis	ClipFlair discussion board daily report [2/17/2013]	2/17/2013 12:46:26 PM			

Figure 43. Messages Panel (1/3)

Users have access to the following actions / tabs:

- **Received** (where users can browse, view and delete their received messages)
- **Sent** (where users can browse, view and delete their sent messages).
- **New message** (where users can compose and send a new message)




Figure 44. Messages Panel (2/3)




Figure 45. Messages Panel (3/3)

2.6.4 Gallery usage

This set of pages is the, so called, **Library of Resources** where ClipFlair users can find, display and directly use a list of **ClipFlair Activities** for Foreign Language

Learning. In addition, users can browse a similar list of **Clips** (videos, audios, images) that can use in order to compose their own Activities.

Activities

Browse the ClipFlair Gallery to find **Clips**, **Activities** or **Images**. You can use the smart **filters** below, or search using specific **tags**

Filter

any material

VIDEO



ClipFlair Tutorial

Apart from Smooth Streaming Audio/Video URLs (suffixed with .ism/Manifest), Windows Streaming URLs are also supported (those are prefixed with "mms://"). E.g. can try this video stream from TV5

> Language: *english* > Level: *C1*

[details](#) | [copy link](#) | [play](#)

Figure 46. Gallery

2.6.5 Events (Calendar) usage

In the events calendar, the user may find all scheduled or planned events in relation to the project. Users may see the events per day, week and month.

By selecting “**day**”, the user may browse through all the events of the current day. Alternatively, the user may select “**week**”, “**month**”.

Administrator and registered users can add events by pressing the “**add new event**” button.




Figure 47. Events (1/2)




Figure 48. Events (2/2)


2.6.6 Feedback forum

In the user forum, subscribed users – members of a user group may participate in discussions regarding different topics related to Language Learning Activities.

In the user forums, subscribed and authorized users have the possibility to:

- See the discussion topics
- Access the published messages
- Add a new topic or reply to a message


- Check the existing user groups
- Browse topics by *tag*
- Access a list of options (short criteria, spam deletion etc.)



The screenshot shows the ClipFlair website's feedback forum section. At the top, there's a navigation bar with links: Home, Social, Studio, Gallery, Events, Feedback forum, Help, and About. A search bar is also present. Below the navigation bar, there are tabs for 'New topics' and 'Topics you participated in', and a button to 'Add new discussion board'. The main content area displays three discussion boards:

- ClipFlair Material**: 7 topic(s), 293 post(s). Description: Please help gather ClipFlair material properly licenced for educational use, or in a form (e.g. a small clip, < 3min, from a movie) that is compatible with "fair use" concept - see more at https://www.youtube.com/t/copyright_permissions. Last post: Hi George, When I try to open from the gallery ... Posted by cristina.varga 22 minute(s) ago.
- Feedback on ClipFlair Studio application**: 36 topic(s), 105 post(s). Description: Please discuss here issues and suggestions regarding the ClipFlair Studio application (formerly known as ClipFlair Playground) - <http://studio.clipflair.net>. (There is a separate discussion board for the ClipFlair Social Network website itself). These discussions will eventually be digested and entered by the development team into our bugtracking system at <http://ClipFlair.codeplex.com> - if you prefer, you can log issues directly there (please try to avoid entering duplicate issues by searching what other items have been reported there first). Last post: I absolutely agree with Sara's comment! I find it ... Posted by Stavroula 5 day(s) ago.
- Feedback on ClipFlair Social Network website**: 56 topic(s), 131 post(s). Description: Please discuss here issues and suggestions about ClipFlair Social Network website. These discussions will eventually be digested and entered by the development team into our bugtracking system at <http://ClipFlair.codeplex.com> - if you prefer, you can log issues directly there (please try to avoid entering duplicate issues by searching what other items have been reported there first). Last post: I absolutely agree with Sara's comment! I find it ... Posted by Stavroula 5 day(s) ago.

Figure 49. Feedback forum (1/4)



The screenshot shows the ClipFlair website's feedback forum. The header includes the ClipFlair logo, a login status for 'Panagiotis', and navigation links. The forum is titled 'ClipFlair Material' and lists four discussion boards. Each board shows the last post, view count, post count, and user information.

Discussion Board	Last Post	Views	Posts	User	Time Ago	Votes
ClipFlair Activities	Last post Hi George, When I try to open from the gallery ...	1993	99	Admin	25 minute(s)	No votes yet
Video	Last post From Rocio: Hi, Could you then please upload this ...	12837	153	Admin	2 hour(s)	5.00 Votes
UAB's team activities in progress	Last post Here it is an old corrected activity. ...	87	11	rovira	3 day(s)	No votes yet
Subtitles	Last post > George, I think the pescolino subtitles did ...	292	12	Lupe	1 week, 1 day(s)	No votes yet

Figure 50. Feedback forum (2/4)


You are logged in as: Panagiotis [Log out by clicking here](#) [User profile](#)

[Home](#) [Social](#) [Studio](#) [Gallery](#) [Events](#) [Feedback forum](#) [Help](#) [About](#)

ClipFlair Material

ClipFlair Activities

Viewed 1996 time(s) , 99 post(s) 3 month(s) ago by Admin

[Back to all discussion topics](#)
[Unsubscribe](#)
[Close](#)
[Delete unapproved \(0\)](#)
[Delete spam \(1\)](#)

#1



1625

175

Reputation

Total posts

Admin 3 month(s) ago

You can post saved ClipFlair Activities (.clipflair.zip files) here

This content has not been rated yet.

☆☆☆☆☆

[Edit](#) [Delete](#) [Unpin item](#)

#2



1625

175

Reputation

Total posts

Admin 1 month(s), 3 week(s) ago

some activities (e.g. BigBackBunny and Rose) are already at the temporary ClipFlair Gallery page:
<http://social.clipflair.net/Pages/Gallery.aspx>

you can also access them directly at:
<http://gallery.clipflair.net/activity>

This content has not been rated yet.

☆☆☆☆☆

[Mark as answer](#)

[Report a post](#) [Edit](#) [Delete](#) [Report as spam](#) [Pin item](#)

#3



810

68

Reputation

Total posts

Stavroula 6 day(s) ago

You can create clickable URLs.
Like these:

<http://studio.clipflair.net/?activity=http://gallery.clipflair.net/activity/Rosa.clipflair.zip>

<http://studio.clipflair.net/?activity=http://gallery.clipflair.net/activity/tutorial.clipflair.zip>

Note that you can just write ? instead of /? since the web server will add the missing slash

This content has not been rated yet.

☆☆☆☆☆

[Mark as answer](#)

[Report a post](#) [Edit](#) [Delete](#) [Report as spam](#) [Pin item](#)

Figure 51. Feedback forum (3/4)




Figure 52. Feedback forum (4/4)

2.6.7 Multilinguality

Multilinguality functionality has been implemented and supports all UTF-8 languages. This functionality when integrated with translations from partners will allow the Platform information, menus, and functionalities to be translated into the following languages:

- Basque
- Catalan
- English
- Estonian
- Greek
- Irish
- Polish
- Portuguese
- Romanian
- Spanish

2.6.8 Share

Content -sharing to other Social Platforms (such as Facebook, Twitter) is available by clicking the corresponding buttons placed in the Content Area.




Figure 53. Social-Share options

3 The Collaboration and Project Management Platform


3.1 General information about the Platform

Redmine (<http://www.redmine.org/>) is an open source web-based collaboration and project management software package utilized to plan, track and manage projects implemented by multiple people or teams. The software includes an issue tracking system, calendar and Gantt charts to aid visual representation of projects and their various deadlines or deliverables. Among others, Redmine's main features include:

- Multiple projects support
- Issue tracking
- Gantt charts
- Calendar
- Forums
- Activity tracker
- Flexible role based access control
- Gantt chart and calendar
- News, documents & files management
- Feeds & email notifications
- Time tracking
- SCM integration (SVN, CVS, Git, Mercurial, Bazaar and Darcs)
- Issue creation via email
- Multiple LDAP authentication support
- User self-registration support
- Multilanguage support
- Multiple databases support

While those are the core functions of the platform, many more features can be added to the system via add-on plugins available through the Redmine community third-party tools page (<http://www.redmine.org/projects/redmine/wiki/ThirdPartyTools>).

Entering the overview part of the project provides a global view of the status and latest news. Also provided are the description of the project and the team members currently active in the project's development.



The screenshot shows the 'Overview' page of the ClipFlair project. The page has a dark header with navigation links: Home, My page, Projects, Administration, Help. Below the header is a light blue bar with the 'ClipFlair' logo and a navigation menu: Overview, Activity, Issues, New issue, Gantt, Calendar, News, Documents, Forums, Repository, Settings. The main content area is titled 'Overview' and includes a 'Check out this page for the latest ClipFlair project activity' section with a URL. It also features an 'Issue tracking' section with a list of tasks, bugs, features, work packages, and deliverables. On the right, there are sections for 'Members' (listing Manager, Developer, and Team) and 'Latest news' (listing recent updates and project milestones).

Overview

Check out this page for the latest ClipFlair project activity

http://colsrv.cti.gr/projects/clipflair/activity?show_issues=1&show_news=1&show_documents=1&show_messages=1

Using audiovisual material in the foreign language classroom is a common resource for teachers since it introduces variety, provides exposure to nonverbal cultural elements and, most importantly, presents linguistic and cultural aspects of communication in their context. However, teachers using this resource face the difficulty of finding active tasks that would engage learners and discourage passive viewing. One way of working with AV material in a productive and motivating way is to ask learners to revoice (e.g. dub) or caption (e.g. subtitle) a video clip (film scene, documentary, news piece, animation, song etc).

ClipFlair will develop exercises and activities, framed in lesson plans, which will enable FL learners to practice all four skills: writing, speaking, listening and reading.

The project's main outputs include:

- A web platform through which the users will be able to create, upload and access the revoicing and captioning activities. It will also support social-networking, offering Web 2.0 features (blogs, wikis, tags) that will enable users to share their work, form groups, cooperate, interact and rate activities
- A library of resources containing over 300 activities for all CEFR levels of the 15 languages targeted, accompanied by corresponding lesson plans and relevant metadata
- Guidelines for activity creation and evaluation criteria
- An online community of over 1.500 learners, teachers and activity authors.

The versatility of the platform (online access, no demand for software installation or advanced computer skills) along with its flexibility (in-class, distance or self-learning) and the highly motivating type of activity (interaction between text and video) are expected to reach a wide audience beyond the project target groups (university, adult and secondary education teachers and learners). The social networking orientation of the application, given the example of other popular social networking sites, will act as a powerful promotional element.

- Homepage: <http://clipflair.net>

Issue tracking

- Task: 0 open / 2
- Bug: 0 open / 0
- Feature: 11 open / 11
- WP: 8 open / 8
- Deliv: 28 open / 28

[View all issues](#) | [Calendar](#) | [Gantt](#)

Members

Manager: Stavroula Sokoli

Developer: George Biribilis (CTI), Panagiotis Pagiatis, Spyros Livathinos

Team: Agnieszka Szarkowska (UW), Anabel Galan (UAB), Andoni Eguiluz (UD), Barbara Albareda (UPF), Conceicao Bravo (UALG), Cristina Mariotti (Pavia), Cristina Varga (UBB), Despina Drakaki (CTI), Dorothy Ni Uigin (NUIG), EACEA Review, Ela Gajek (UW), Elena Voellmer, Eleni Anisiou, Helena Casas (UAB), Iratxe Mentxaka (UD), Iria Gonzalez Becerra (ICL), Jennifer Lertola (NUIG), Jorge Diaz Cintas (ICL), Joselia Neves (Evaluator), Kostas Konstantopoulos, Kristina Rebane, Kristina Tedremaa (TLU), Laura McLoughlin (NUIG), Lucia Molina (UAB), Lupe Romero (UAB), Marga Navarrete (ICL), Maria Fountana (CTI), Markus Oder (TLU), Noa Talavan (UNED), Olga Torres (UAB), Patricia Rodriguez-Inés (UAB), Patrick Zabalbeascoa (UPF), Rocio Baños Piñero (ICL), Rose Ni Dhubhda (NUIG), Sara Rovira (UAB), Thanasis hadzilacos, Tuuli Oder (TLU)

Team leader: Mari Luz Guenaga (UD)

Latest news

ClipFlair Studio is public
<http://studio.clipflair.net>
Added by Stavroula Sokoli about 19 hours ago

The first ClipFlair newsletter is out (2 comments)
Added by Stavroula Sokoli 10 months ago

Project presentation in Patras, Greece, 2 March 2012
To the Grundtvig Partnership Multimedia – Innovative management and presentation of results in adult educational projects by using multimedia
Added by Stavroula Sokoli 12 months ago

Coordinator in Brussels for instructions and networking
Patrick is in Brussels for the Comenius, ICT and Languages meeting, hosted by EACEA, to get help and training in Project coordination and management. 16-17 Feb 2012
Added by Patrick Zabalbeascoa (UPF) about 1 year ago

ClipFlair.net is up and running
Added by Stavroula Sokoli about 1 year ago

[View all news](#)

Powered by **Redmine** © 2006-2011 Jean-Philippe Lang

Figure 54. Overview

3.2 Project planning & issue tracking

Redmine provides a plethora of tools as far as project planning is concerned. In general, creating custom issue categories (such as tasks, deliverables etc.) and assigning them to people in the team is a first approach to planning the project's workflow. In Clipflair, the Activity feed was especially useful for an at-a-glance look on the latest developments in the project's progress.

Activity

From 27/01/2013 to 25/02/2013

24/02/2013

- 
16:16 ClipFlair Studio is public
The ClipFlair web application (known as playground during the alpha testing period) is now available at <http://studio...>
Stavroula Sokoli
- 
03:13 Revision 419:b593e3cf1807: #1287 - ClipFlair: allowing activity loading URLs from the activity ga...
George Birbilis (CTI)
- 
03:11 Revision 418:90d032d594fd: #1287 - ClipFlair: now file extension is defined by BaseWindow.CLIPFLA...
George Birbilis (CTI)

23/02/2013

- 
22:04 Revision 417:327b096b8177: #1287 - ClipFlair: not sending .XAP to repository anymore
George Birbilis (CTI)
- 
22:00 Revision 416:d31d70b2dc3a: #1234: SilverTextEditor - Added note "Links are functional only in Vie...
George Birbilis (CTI)

22/02/2013

- 
19:27 Revision 415:39495ab1fd40: #1287 - ClipFlair: added ToolbarVisible property to Captions component
George Birbilis (CTI)
- 
19:26 Revision 414:1dfb35e377f8: #1234: SilverTextEditor - removed fixed heights at toolbar elements
George Birbilis (CTI)
- 
19:24 Revision 413:3edc3dd77463: #1240 CaptionsGrid: added ToolbarVisible property
George Birbilis (CTI)
- 
19:23 Revision 412:55d753833cf1: #1234: SilverTextEditor - removed fixed heights at toolbar elements
George Birbilis (CTI)
- 
17:19 Revision 411:fce9195a4e22: #1287 - ClipFlair: writing indented XML for ClipFlair component options
George Birbilis (CTI)
- 
17:19 Revision 410:c5ac617f16eb: #1287 - ClipFlair Social: added CustomXml ASP.net control to be able t...
George Birbilis (CTI)

Figure 55. Activity

The issue tracker has numerous filtering and information control features which enable a project member to keep the information he or she needs and avoid issues pertaining to parts of the project which are not relevant to their responsibilities. While issues are the default type of responsibility-entity present in a Redmine installation, the project administrator is able to create new types, like tasks, deliverables.

A task's status can be described as "new", "closed", "in progress", "feedback" etc. There is always the option to add more status types but the default types allow for a workflow which includes a quality assurance round if needed. Priority is another point where the user creating or updating the task can announce something important to the team, or mark something as less important so as to focus on more important tasks first.

Update

Change properties [\(More\)](#)

Status *
New

Priority *
Normal

Assignee
George Biribilis (CTI)

Parent task
1131

Start date
2012-12-01

Due date

Estimated time
Hours

% Done
80 %

Log time

Spent time
Hours

Comment

Activity
--- Please select ---

Notes

B I U S H1 H2 H3 pre

Files

Browse...

Optional description

Add another file (Maximum size: 29.4 MB)

Figure 56. Updating an existing issue 1

Issues

▼ Filters

☒ Status

open ▼

Add filter

► Options

✓ Apply

🗑 Clear

💾 Save

✓ # ▼	Tracker	Parent task	Status	Priority	Subject	Assignee	Updated
☐ 1349	Deliv	WP # 1109	New	Normal	D1.2c Third Project Meeting	Stavroula Sokoli	17/02/2013 16:16
☐ 1335	Feature	Deliv # 1131	New	Normal	Map component	George Biribilis (CTI)	17/02/2013 17:24
☐ 1334	Feature	Deliv # 1131	New	Normal	Image component	George Biribilis (CTI)	17/02/2013 17:23
☐ 1287	Feature	Deliv # 1131	New	Normal	ClipFlair Social Network platform	George Biribilis (CTI)	17/02/2013 18:37
☐ 1275	Feature	Deliv # 1131	New	Normal	Standard Caption Formats support	George Biribilis (CTI)	17/02/2013 18:37
☐ 1246	Feature	Deliv # 1131	New	Normal	Clip Component	George Biribilis (CTI)	17/02/2013 18:37
☐ 1241	Feature	Deliv # 1131	New	Normal	Audio recording and playback	George Biribilis (CTI)	17/02/2013 18:37
☐ 1240	Feature	Deliv # 1131	New	Normal	Captions Component	George Biribilis (CTI)	17/02/2013 18:40
☐ 1238	Feature	Deliv # 1131	New	Normal	ClipFlair Studio - Activity Container / Component	George Biribilis (CTI)	17/02/2013 18:38
☐ 1234	Feature	Deliv # 1131	New	Normal	Text Component	George Biribilis (CTI)	17/02/2013 18:38
☐ 1221	Feature	Deliv # 1131	New	Normal	Runtime Property Pages	George Biribilis (CTI)	17/02/2013 17:09
☐ 1220	Feature	Deliv # 1131	New	Normal	Zoomable container	George Biribilis (CTI)	17/02/2013 18:34
☐ 1152	Deliv	WP # 1151	In Progress	Normal	D8.1 Exploitation Plan	Stavroula Sokoli	17/02/2013 18:41
☐ 1151	WP		In Progress	Normal	WP8. Exploitation	Stavroula Sokoli	17/02/2013 18:41
☐ 1150	Deliv	WP # 1144	Summary	Normal	D7.6 Project portal	Panagiotis Pagiatas	21/02/2013 12:02
☐ 1149	Deliv	WP # 1144	In Progress	Normal	D7.5 Final Conference	Lupe Romero (UAB)	13/12/2011 16:37
☐ 1148	Deliv	WP # 1144	In Progress	Normal	D7.4 Publications		17/02/2013 16:41
☐ 1147	Deliv	WP # 1144	In Progress	Normal	D7.3 Demonstration video entitled "ClipFlair in 2 minutes"	Stavroula Sokoli	17/02/2013 16:44
☐ 1146	Deliv	WP # 1144	Summary	Normal	D7.2 Promotional Leaflet/Poster	Stavroula Sokoli	21/02/2013 12:03
☐ 1145	Deliv	WP # 1144	Summary	Normal	D7.1 Dissemination Plan	Jorge Diaz Cintas (ICL)	24/02/2013 16:32
☐ 1144	WP		In Progress	Normal	WP7. Dissemination	Jorge Diaz Cintas (ICL)	24/02/2013 16:32
☐ 1143	Deliv	WP # 1138	In Progress	Normal	D6.5 Summative Evaluation Report	Joselia Neves (Evaluator)	18/09/2012 12:34
☐ 1142	Deliv	WP # 1138	In Progress	Normal	D6.4 Project Process Evaluation Report	Mari Luz Guenaga (UD)	24/02/2013 15:59
☐ 1141	Deliv	WP # 1138	In Progress	Normal	D6.3 System Testing Report	Mari Luz Guenaga (UD)	11/02/2013 18:00
☐ 1140	Deliv	WP # 1138	Summary	Normal	D6.2 Evaluation Plan	Mari Luz Guenaga (UD)	21/02/2013 12:02

1 2

Next > (1-25/47) | Per page: 25, 50, 100

Also available in: [Atom](#) | [CSV](#) | [JSON](#)

Figure 57. The issue tracker

The Gantt chart is another tool which is very important for the planning and overview of a project's deadlines and milestones. Every feature, issue, bug or deliverable has a progress bar which gets filled while time goes by and the relevant progress proceeds closer to 100% completion. This provides a convenient way to see at a glance which issues are going to be completed on time and which ones are falling behind.

While planning ahead and especially for big picture tasks like work packages and deliverables, the Gantt chart was particularly revealing about what kind of milestones were up ahead for the team and gave the opportunity for the Project Manager to engage project members who needed to complete tasks in time in a very straight forward manner.




Figure 58. Gantt Chart

Redmine provides a calendar which presents upcoming issue deadlines, milestones and failed or succeeded targets. Filtering is also supported on the issues that will be visible.




Figure 59. Calendar

3.3 Managing multiple users and social aspects

User management in Redmine is done via the general administration panel. While users can be added to specific teams and groups, the admin has a general overview and has all the classic add, delete, and update functions available for all users in his Redmine installation.

Users						
Filters Status: active (57) User: Apply Clear						
Login	First name	Last name	Email	Administrator	Created	Last connect
 achilleopoulos	Nikoç	Αχιλλεόπουλος	achilleop@cti.gr		03/06/2011 12:50	05/02/2013 10:00
 admin	Redmine	Admin	livathinos@cti.gr	✓	19/05/2011 16:33	16/10/2012 13:00
 albareda	Barbara	Albareda (UPF)	barbara.albareda@upf.edu		24/04/2012 15:20	05/02/2013 10:00
 anisios	Giorgos	Anisios	anisios@cti.gr		03/04/2012 12:39	30/01/2013 10:00
 anisiou	Eleni	Anisiou	anisiou@cti.gr		17/01/2013 11:44	12/02/2013 10:00
 birbilis	George	Birbilis (CTI)	birbilis@kagi.com		03/11/2011 15:36	24/02/2013 10:00
 bravo	Conceicao	Bravo (UALG)	cbravo@ualg.pt		11/11/2011 14:10	20/02/2013 10:00
 burczynska	Paulina	Burczynska	p.burczynska87@googlemail.com		19/12/2012 12:28	10/01/2013 10:00
 casas	Helena	Casas (UAB)	Helena.Casas@uab.cat		19/12/2011 16:30	22/02/2013 10:00
 chaume	Frederic	Chaume (UJI)	chaume@trad.uji.es		08/01/2013 19:45	14/02/2013 20:00
 diaz-cintas	Jorge	Diaz Cintas (ICL)	j.diaz-cintas@imperial.ac.uk		11/11/2011 13:58	09/02/2013 20:00
 drakaki	Despina	Drakaki (CTI)	ddrakaki@cti.gr		08/09/2011 15:01	21/02/2013 10:00
 EACEA	EACEA	Review	ssokoli@gmail.com		08/11/2012 15:07	24/02/2013 10:00
 eguiluz	Andoni	Eguiluz (UD)	andoni.eguiluz@deusto.es		11/11/2011 14:02	04/02/2013 10:00
 fountana	Maria	Fountana (CTI)	fountana@cti.gr		01/06/2011 15:30	21/02/2013 10:00
 gajek	Ela	Gajek (UW)	e.gajek@uw.edu.pl		11/11/2011 14:09	17/02/2013 09:00
 galan	Anabel	Galan (UAB)	Isabel.Galan@uab.cat		11/11/2011 14:06	21/02/2013 10:00
 garvanitis	Gerasimos	Arvanitis	garvanitis@cti.gr		29/03/2012 16:07	01/10/2012 10:00
 gonzalez-becerra	Iria	Gonzalez Becerra (ICL)	i.gonzalez-becerra@imperial.ac.uk		11/11/2011 14:14	20/02/2013 20:00
 guenaga	Mari Luz	Guenaga (UD)	mlguenaga@deusto.es		11/11/2011 14:03	25/02/2013 10:00
 kalantzi	Maria	Kalantzi	mkalantzi@cti.gr		11/02/2013 16:03	
 kanavos	Kanavos	Andreas	kanavos@cti.gr		21/11/2012 15:31	
 karaisk	Διονύσης	Κοροϊσκός	karaisk@cti.gr	✓	19/05/2011 17:09	03/04/2012 10:00
 kindyni	Έλενα	Κινδύνη	kindynie@hotmail.com		29/09/2011 13:49	04/04/2012 10:00
 konstantopoulos	Kostas	Konstantopoulos	kostask@cti.gr		13/11/2012 12:23	08/12/2012 20:00

Figure 60. Users

3.4 Information sharing

In order to keep up to date with the latest developments in a project a user is participating in, there are numerous feeds and parts of the Redmine installation that a user can keep track of. There are always RSS atom feeds available on each page as well, for people using RSS clients. One such example is the news page, the forums and the activity feed page.

News


ClipFlair Studio is public

Added by Stavroula Sokoli about 20 hours ago

The ClipFlair web application (known as playground during the alpha testing period) is now available at <http://studio.clipflair.net>


The first ClipFlair newsletter is out (2 comments)

Added by Stavroula Sokoli 10 months ago

<http://clipflair.net/361/clipflair-newsletter-may-2012/>


Project presentation in Patras, Greece, 2 March 2012

Added by Stavroula Sokoli 12 months ago

Stavroula Sokoli presented the ClipFlair project to the members of the Grundtvig Partnership "Multimedia – Innovative management and presentation of results in adult educational projects by using multimedia" during the 5th Workshop 29th February - 2nd March 2012, Patras (Greece)


Coordinator in Brussels for instructions and networking

Added by Patrick Zabalbeascoa (UPF) about 1 year ago

Patrick is in Brussels for the Comenius, ICT and Languages meeting, hosted by EACEA, to get help and training in Project coordination and management.


ClipFlair.net is up and running

Added by Stavroula Sokoli about 1 year ago

Our project portal is ready.
 ClipFlair.net presents the project overview and information about the consortium, partners, outcomes and upcoming events.
 Please disseminate, like, follow!


Dissemination

Added by Laura McLoughlin (NUIG) about 1 year ago

I will be announcing the launch of the ClipFlair project at the Italian Studies Roundtable in Cork (Ireland) on Feb 3rd, where innovations in FL teaching and learning will be discussed. Great to have the logo too!
 Laura


Kick-off meeting was a success!

Added by Stavroula Sokoli about 1 year ago

25 ClipFlair members from all partner institutions attended the meeting where an overview of the project was presented and the action plan was discussed.
 All our meeting presentations, the agenda and the minutes have been uploaded in the "Documents" area at <http://colsrv.cti.gr/documents/11>

Also available in: [Atom](#)

Figure 61. News

The Forums are a big aspect of how Redmine contributed to the progress of Clipflair as an ambitious and multi-member project. The team's meet ups act as a way to solve long term problems and discuss features, but being few in number and far apart, there needed to be a way where the project members could continue the public discussion even in between those meetings. The Redmine forums provided this kind of environment, where many of the issues at hand, new ideas and user experience discussions were held.

Forums				
	Forum	Topics	Messages	
Tasks to do	This is a list of the tasks to be performed by all project members	7	44	Added by Rose Ni Dhu RE: Upload your activi
General	Includes everything that is difficult to categorise	9	41	Added by Mari Luz Gu RE: Project managem
Manual and Tutorial	D3.2 User Manual and Tutorial (updated with each software version)	1	1	Added by Stavroula Sc FAQ
Pilot use	D5.1a Pilot use report first stage	3	16	Added by Stavroula Sc RE: Activities with stud
Financial reports	D1.2 Progress and Final report	4	62	Added by Laura McLou RE: Official Progress R
Third project meeting	D1.3c Third project meeting in Galway, Ireland	1	8	Added by Laura McLou RE: Proposed dates fo
Web platform - beta	D3.3a Web platform design and development - beta version	7	152	Added by George Birbi RE: Feedback on ClipF
Conceptual framework	D2.1 This discussion is a follow-up to the kick-off meeting session 7. But it also includes all discussions on theory, framework, platform design	17	301	Added by George Birbi RE: What is a ClipFlair
Dissemination	D7.4 Publications, Participation in Conferences	34	105	Added by Marga Navar RE: Forms
Activities	D4.1 Development of revoicing and captioning activities for 15 languages	7	172	Added by Rocio Baños RE: Instructions for ac
Dissemination Plan (Ideas)	D7.1 Dissemination Plan	11	20	Added by Noa Talavan CFP 4th WorldCALL Co
Leaflet/Poster	D7.2 Promotional leaflet/poster	4	59	Added by Patrick Zaba RE: Bookmark
Web platform-alpha version	D3.3a Web platform design and development - alpha version	5	175	Added by George Birbi RE: Playground
Project portal	D7.6 Project portal	4	42	Added by Stavroula Sc Translation
Exploitation	D8.1 Mainstreaming & multiplication. Transferring the results to appropriate decision-makers; and convincing individual end-users to adopt and/or apply the results.	2	12	Added by Stavroula Sc RE: Imperative to get
Quality Assurance & Evaluation	WP6	2	21	Added by Stavroula Sc RE: ClipFlair platform
Online meetings	Online meetings	1	35	Added by Laura McLou RE: Live tutorial - 15 J
Second project meeting	D1.3b Second project meeting in Tallinn, Estonia	8	91	Added by Iratxe Ment Second meeting evalu
Kick-off meeting	D1.3a Preparing the kick-off meeting	9	45	Added by Iratxe Ment kick-off meeting evalu

Figure 62. Forums

3.5 Repository

A very helpful feature of Redmine is the support of SCM systems like Git, Mercurial, SVM, Bazaar etc. Redmine can be used as a repository source code browser. The repository component integrates into other Redmine components such as the issue tracker and Wiki by providing the user the option to link their code repository with their Redmine project. Once the link is established, issues, bugs and features documented in the project's main activity feeds are connected to specific commits in the repository. For example, committing new code with the summary description of “#1234 fixed bug” will automatically resolve the issue number 1234 while giving proper credit to the user who submitted the commit to the repository.

The Source Code Repository in Redmine automatically clones the Mercurial repository of <http://ClipFlair.codeplex.com> OpenSource project, hosted at <https://hg.codeplex.com/ClipFlair>

root

Name	Size	Revision	Age	Author	
Client					
Audio					
Captions					
ClipFlair.UI					
ClipFlair.Windows					
ClipFlair					
Converters					
FlipPanel					
FloatingWindow					
FloatingWindowZUI					
MediaPlayer					
SilverTextEditor					
WPF_Compatibility					
ZoomAndPan					
Models					
ClipFlair_UML					
Server					
ClipFlair.Social					
ClipFlair.Web					
Components					
.hgignore	362 Bytes	417:327b096b8177	1 day	George Birbilis (CTI)	#1287 - ClipFlair: not sending .XAP t
ClipFlair.sln	16.6 kB	415:39495ab1fd40	3 days	George Birbilis (CTI)	#1287 - ClipFlair: added ToolbarVisib
ClipFlair.sln.docstates.suo	64 kB	347:0db884792ad6	2 months	George Birbilis (CTI)	#1238 ClipFlair: Fixed Playground w
ClipFlair.suo	515.5 kB	418:90d032d594fd	1 day	George Birbilis (CTI)	#1287 - ClipFlair: now file extension

Latest revisions

#	Date	Author	Comment
419:b593e3cf1807	24/02/2013 03:13	George Birbilis (CTI)	#1287 - ClipFlair: allowing activity loading URLs from the activity gallery w
418:90d032d594fd	24/02/2013 03:11	George Birbilis (CTI)	#1287 - ClipFlair: now file extension is defined by BaseWindow.CLIPFLAIR
417:327b096b8177	23/02/2013 22:04	George Birbilis (CTI)	#1287 - ClipFlair: not sending .XAP to repository anymore
416:d31d70b2dc3a	23/02/2013 22:00	George Birbilis (CTI)	#1234: SilverTextEditor - Added note "Links are functional only in View m
415:39495ab1fd40	22/02/2013 19:27	George Birbilis (CTI)	#1287 - ClipFlair: added ToolbarVisible property to Captions component
414:1dfb35e377f8	22/02/2013 19:26	George Birbilis (CTI)	#1234: SilverTextEditor - removed fixed heights at toolbar elements
413:3edc3dd77463	22/02/2013 19:24	George Birbilis (CTI)	#1240 CaptionsGrid: added ToolbarVisible property
412:55d753833cf1	22/02/2013 19:23	George Birbilis (CTI)	#1234: SilverTextEditor - removed fixed heights at toolbar elements
411:fce9195a4e22	22/02/2013 17:19	George Birbilis (CTI)	#1287 - ClipFlair: writing indented XML for ClipFlair component options
410:c5ac617f16eb	22/02/2013 17:19	George Birbilis (CTI)	#1287 - ClipFlair Social: added CustomXml ASP.net control to be able to re

View differences

View all revisions | View revisions

Figure 63. Repository

3.6 Email notifications

An important feature of Redmine, which keeps its users inside the information flow at all times is its email notification system. There are numerous options for filtering the messages that the system will send to the user, but just keeping the default preferences in mind, a user will be notified by mail:

- When a new issue is assigned to them
- When some user replies to a forum thread they have started
- When an update is done on an issue they are either watching or are assigned to

Etc.

As said above, while people will be notified for important tasks and developments, they can always turn off email notification for some features or altogether, if they seem to have a problem with a “spammy” project.

ClipFlair - Activities: RE: MATERIAL DESCRIPTION

Laura McLoughlin (NUIG)

I couldn't reply under Task [#1337](#) so I am replying here.

I think we should have the 0-4 options and create a document which is formally/graphically consistent (as much as possible at least) with the Activity Table 1 could form part of the document, it makes it easier to tick the boxes. In the case of Verab Audio I would also ask to specify the language(s) I am not sure about the TIME element, maybe I am not clear about it. How would Changes be indicated?

Laura

You have received this notification because you have either subscribed to it, or are involved in it.
To change your notification preferences, please click here: <http://colsrv.cti.gr/my/account>

Figure 64. Sample email notification

3.7 Document and file management

Redmine offers a system for keeping track of, uploading and administering a multitude of documents and files. This way, members are able to share documents with each other and have a centralized way of knowing where to find older designs, discussion examples etc.

Documents

User documentation

Activity Profile Template

16/02/2013 15:31

Here is the revised Activity Profile Template. This form should be filled in for every activity we create. Please use the form and not the doc attached (only for reference)

version dated 13/11/2012*

<http://webanketa.com/forms/6csk4dhp5xjpcd1r6dgp4rr/...>

Material Template

02/11/2012 17:17

Coming soon

AV Literacy by Patrick

10/11/2012 04:48

Prompting and eliciting AV literacy components and dynamics. 4 skills may be too restrictive. A proposal for type-of-response.

Issues concerned in activity template (and design)

For an activity it may be important (either as part of the tagging, the design, or later feedback or activity-analysis or reporting)—for us (others?)—to be explicit or somehow aware of the type of communication in terms of whether their response is to repeat, rephrase, or react otherwise (see verbatim, gist and react, below). Further, there may be cases where the learner wants/ needs to know this, or may even wish to exercise by this parameter (type of response).

...

Learner types by Patrick


10/11/2012 04:53

Clipflair is based largely on the notion of "activities". So, I propose the following revision of our "learner-types" to include Learner Types as they relate to learning activities. What is important to realize is that the presence can combine in different ways, so there is no real determinism between each type of teacher-dependence and whether we are dealing with e-learning, hybrid, or no-e-learning, just as "face-to-face" presence of computers in a classroom. ...

Figure 65. Document and file management

3.8 Multi-lingual support

Redmine provides localization for over 20 languages. This means that each user can modify their profile in order to enjoy Redmine in their native language. This feature is especially helpful for projects with members from different countries, which is also true for Clipflair. For example, a user wanting to see their dashboard and controls in German, would opt for 'Deutsch' as their default language with every part of Redmine (apart from the user-generated content) being transformed into German.



Hauptseite Meine Seite Projekte Administration Hilfe

CTI projects Suche:

Konto wurde erfolgreich aktualisiert.

Mein Konto Kennwort ändern

Informationen

Vorname * Spyros

Nachname * Livathinos

E-Mail * livathinos.spyros@gmail.com

Sprache Deutsch

Speichern

Mailbenachrichtigung

Für alle Ereignisse in den ausgewählten Projekten...

☒ Excellence

☐ ClipFlair

Für nicht ausgewählte Projekte werden Sie nur Benachrichtigungen für Dinge erhalten, die Sie beobachten oder an denen Sie beteiligt sind (z. B. Tickets, deren Autor Sie sind oder die Ihnen zugewiesen sind).

Ich möchte nicht über Änderungen benachrichtigt werden, die ich selbst durchführe. ☐

Präferenzen

E-Mail-Adresse nicht anzeigen ☐

Zeitzone (GMT+02:00) Athens

Kommentare anzeigen in zeitlicher Reihenfolge

vor dem Verlassen einer Seite mit ungesichertem Text im Editor warnen ☒

Figure 66. Multilingual support in Redmine

3.9 Technology stack

Redmine is built with Ruby using the Ruby on Rails framework. This has the added advantage of the project management system benefitting from the very active and flourishing RoR community, with plugins for it being published every day. As its core functionality is largely database agnostic, Redmine can be used with MySQL, Postgres and SQLite database backend. Which of those will be used is up to the server administrator and the maintainer of the Redmine installation.

As far as the web server goes, Redmine can be run under Apache or nginx with Phusion's Passenger acting as a proxy module.

In general, Redmine is using a cutting edge technology stack as far as web applications are concerned, providing great performance and usability for insignificant cost.