

Data Structure

Lab Session #8: Internal Sorting

U Kang Seoul National University



Goals

- Implement "Stable Selection Sort"
 - We recommend you to implement with following steps
 - print()
 - setItems()
 - check()
 - doStableSelectionSort()
- Optional "Sorting Sequence visualization"



Build a project


Download the project for this lab from eTL.

Extract the project, and import it using IntelliJ



Selection sort

■ The sorting algorithm that sorts an array by repeatedly finding the minimum element from unsorted part and putting it at the beginning.







Stable sorting algorithm

A sorting algorithm is said to be stable if two objects with equal keys appear in the same order in sorted output as they appear in the input array to be sorted.





print

| Input format | Output format |
|--------------|---------------|
| print | |
| Description | |

- Print the list of nodes in the 'this.items'.
- You should use 'Node.toString()' when you print key and item of the nodes.

| Example Input | Example Output |
|---------------|----------------|
| print() | [1 A] [2 B] |

U Kang (2019)



setItems

| Input format | Output format |
|------------------------------------|---------------|
| <pre>setItems (n) (itemLine)</pre> | |
| Description | |

- Set items in the itemLine to the 'this.items'.
- Print list of items by calling 'print' function at the end.

| Example Input | Example Output |
|---------------|----------------|
| SET_ITEMS 2 | [1 A] [2 B] |

U Kang (2019)



Output format

check

Innut format

are no duplicate items.

| Input format | Output for mat |
|---|--|
| check | |
| Description | |
| - Check if the SortManager has the sorted and stable items. | |
| - Print "Unsorted" if 'this.items" are not sorted. | |
| - Print "Sorted, but not stable" if "this.items" are sorted but not | |
| stable. | |
| - Print "Sorted and stable" if "tl | nis.items" are both sorted and stable. |

| Example Input | Example Output |
|---------------|-------------------|
| CHECK | Sorted and stable |

Assume, all items are given lexicographical order at first and there



doStableSelectionSort

| Input format | Output format | |
|--|----------------|--|
| doStableSelectionSort | | |
| Description | | |
| - Sort the items in the "this.items" by comparing key. | | |
| - You have to implement stable selection sorting algorithm. | | |
| - Print list of items by calling 'print' function at the end. | | |
| - Note that we cannot use the node's item when we sort "this.items." | | |
| Example Input | Example Output | |
| STABLE_SORT | [1 A] [2 B] | |

U Kang (2019)



Sample Input & Output

<Input>

<Output>

```
SET ITEMS 3
                                   SET ITEMS 3
3_A 2_B 1_C
                                   [ 3 A] [ 2 B] [ 1 C]
CHECK
                                   CHECK
                                   Unsorted.
SET ITEMS 4
1_A 2_C 2_B 3_D
                                   SET ITEMS 4
CHECK
                                   [ 1 A] [ 2 C] [ 2 B] [ 3 D]
SET ITEMS 4
                                   CHECK
1 A 2_B 2_C 4_D
                                   Sorted, but not stable.
CHECK
                                   SET ITEMS 4
SET ITEMS 10
                                   [1A][2B][2C][4D]
50 A 15 B 15_C 1_D 10_E 36_F 1
                                   CHECK
5_G 1_H 3_I 37_J
                                   Sorted and stable.
STABLE SORT
                                   SET ITEMS 10
CHECK
                                   [50 A] [15 B] [15 C] [ 1 D] [10 E] [36 F] [15 G] [ 1 H] [ 3 I] [37 J]
                                   STABLE SORT
                                   [ 1 D] [ 1 H] [ 3 I] [10 E] [15 B] [15 C] [15 G] [36 F] [37 J] [50 A]
                                   CHECK
```

Sorted and stable.

^{*} These files are in the testcase folder!



Sorting Sequence visualization

- This problem is optional, you don't have to check this problem to T.A..
- Can you visualize the sequence of sorting by printing them?
 - Print format
 - For unsorted item
 - [(Item)/[][][][][]...[] (number of boxes = key value)
 - For sorted item
 - \Box (Item)/[*][*][*][*]...[*] (number of boxes = key value)



Sorting Sequence visualization


- Input: SHOW
- Print

```
E/ [*]
B/ [ ] [ ] [ ] [ ] [ ]
C/ [ ] [ ]
D/ [ ] [ ] [ ] [ ] [ ] [ ]
A/ [ ] [ ]
```

```
E/ [*]
A/ [*] [*]
C/ [ ] [ ]
D/ [ ] [ ] [ ] [ ] [ ]
B/ [ ] [ ] [ ] [ ] [ ]
```

```
E/ [*]
A/ [*] [*]
C/ [*] [*]
D/ [ ] [ ] [ ] [ ] [ ]
B/ [ ] [ ] [ ] [ ]
```

```
E/ [*]
A/ [*] [*]
C/ [*] [*]
B/ [*] [*] [*] [*]
D/ [ ] [ ] [ ] [ ] [ ]
```





Questions?