

EMKAY TOOLS

Effective from 26th March 2026

PRICE LIST



PRICE LIST

(Effective from 26th March 2026)

HIGH PERFORMANCE TAPS (HSS-E)

FLUTELESS WITHOUT OIL GROOVE

and

FLUTELESS WITH OIL GROOVE



EMKAY TOOLS LTD

Factory : B-27 & B-27/1, M.I.D.C. Industrial Area, Hingna, Nagpur.

Telephone No. : 91-9226071464

E-mail : hq@emkaytools.com

www.emkaytools.com

CONTENTS

PAGE NO.

BRIGHT, TiN and TiCN/TiALN

METRIC COARSE : SHORT AND LONG SHANK MACHINE TAPS

i)	ISO 529, IS-6175-I, IS-6175-II, and IS-6175-III	1
ii)	ISO 2283, IS-6175-IV (IS-7821) and DIN-371	2
iii)	DIN 376	3

METRIC FINE : SHORT AND LONG SHANK MACHINE TAPS

i)	IS-6175-II, and DIN-371	3
ii)	IS-6175-III	4
iii)	ISO 2283, IS-6175-IV (IS-7821)	5
iv)	DIN-374	6

FRACTIONAL SIZES (UNC/UNF/BSW/BSF)

SHORT AND LONG SHANK MACHINE TAPS UNC and UNF

i)	ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821), DIN-371	7
ii)	DIN-376,	8

SHORT AND LONG SHANK MACHINE TAPS BSW and BSF


i)	ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821)	9
ii)	DIN-371, DIN-376	10

PIPE TAPS

BS 949	i)	BSP FLUTELESS OIL GROOVE.	10
---------------	----	---------------------------	----

HELICOIL STI TAPS

i)	FLUTELESS and FLUTELESS OIL GROOVE.	11
----	-------------------------------------	----



Effective from 26th March 2026

PRICE LIST



EMKAY TOOLS



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TIN-COATED		TiCN/TiAlN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE ISO-529, IS-6175-I						
1.6 X 0.35	2640	3036	2775	3176	2859	3263
1.8 X 0.35	2527	2902	2665	3063	2772	3151
2 X 0.4	1552	1786	1666	1904	1751	1990
2.2 X 0.45	1555	1635	1555	1751	1646	1834
2.3 X 0.4	1555	1635	1555	1751	1646	1834
2.5 X 0.45	1424	1635	1536	1751	1624	1834
2.6 X 0.45	1555	1635	1651	1751	1741	1834
METRIC COARSE ISO-529, IS-6175-II						
3 X 0.5	1071	1180	1175	1286	1265	1374
3.5 X 0.6	1071	1180	1175	1286	1265	1374
4 X 0.7	1071	1180	1175	1286	1265	1374
5 X 0.8	1071	1180	1175	1286	1265	1374
6 X 1	1071	1180	1175	1286	1265	1374
7 X 1	1236	1293	1358	1415	1456	1515
8 X 1.25	1236	1293	1358	1415	1456	1515
9 X 1.25	1513	1579	1659	1729	1777	1847
10 X 1.5	1513	1579	1659	1729	1777	1847
METRIC COARSE ISO-529, IS-6175-III						
3 X 0.5	1231	1355	1340	1467	1427	1552
3.5 X 0.6	1231	1355	1340	1467	1427	1552
4 X 0.7	1231	1355	1340	1467	1427	1552
5 X 0.8	1231	1355	1340	1467	1427	1552
6 X 1	1231	1355	1340	1467	1427	1552
7 X 1	1423	1487	1548	1616	1646	1713
8 X 1.25	1423	1487	1548	1616	1646	1713
9 X 1.25	1739	1817	1890	1970	2007	2088
10 X 1.5	1739	1817	1890	1970	2007	2088
11 X 1.5	3150	3441	3419	3633	3630	3846
12 X 1.75	2334	2547	2588	2726	2799	2937
14 X 2		3589		3898		4136
16 X 2		3843		4156		4398
18 X 2.5		5774		6073		6271
20 X 2.5		7603		8012		8282
22 X 2.5		9745		10641		11358
24 X 3		10877		11795		12511
25 X 3		13255		14218		14934
27 X 3		16468		17922		19072
30 X 3.5		18428		19921		21069
33 X 3.5		22435		24490		26133
36 X 4		31220		35045		38292

1. SPECIAL TOLERANCE : 10% extra.



EMKAY TOOLS

PRICE LIST



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiAlN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE ISO-2283, IS-6175-IV (IS-7821)						
5 X 0.8	1576	1735	1782	1951	1913	2080
6 X 1	1576	1735	1782	1951	1913	2080
7 X 1	1815	1899	2056	2138	2206	2290
8 X 1.25	1815	1899	2056	2138	2206	2290
9 X 1.25	2223	2325	2512	2616	2689	2796
10 X 1.5	2223	2325	2512	2616	2689	2796
12 X 1.75	3433	3555	3921	4048	4240	4368
14 X 2		4973		5404		5591
16 X 2		4973		5404		5591
18 X 2.5		9614		10214		10436
20 X 2.5		11823		12587		12889
22 X 2.5		13231		14433		15119
24 X 3		14367		15735		16547
25 X 3		18017		19528		20338
27 X 3		20248		22335		23634
30 X 3.5		23767		25991		27291
33 X 3.5		39501		42896		44751
36 X 4		48542		54110		57781
METRIC COARSE DIN-371						
1.6 X 0.35	2930	3370	3166	3627	3264	3724
1.8 X 0.35	2805	3222	3042	3497	3164	3597
2 X 0.4	1723	1983	1903	2174	1999	2271
2.2 X 0.45	1726	1814	1775	1999	1878	2093
2.3 X 0.4	1726	1814	1775	1999	1878	2093
2.5 X 0.45	1580	1814	1753	1999	1855	2093
2.6 X 0.45	1726	1814	1775	1999	1878	2093
3 X 0.5	1188	1309	1342	1468	1445	1568
3.5 X 0.6	1188	1309	1342	1468	1445	1568
4 X 0.7	1188	1309	1342	1468	1445	1568
5 X 0.8	1188	1309	1342	1468	1445	1568
6 X 1	1188	1309	1342	1468	1445	1568
7 X 1	1425	1491	1594	1661	1709	1779
8 X 1.25	1425	1491	1594	1661	1709	1779
9 X 1.25	1744	1822	1948	2029	2085	2167
10 X 1.5	1744	1822	1948	2029	2085	2167



EMKAY TOOLS

PRICE LIST



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE DIN-376						
5 X 0.8	1605	1767	1814	1986	1947	2117
6 X 1	1605	1767	1814	1986	1947	2117
7 X 1	1922	2009	2152	2239	2311	2399
8 X 1.25	1922	2009	2152	2239	2311	2399
9 X 1.25	2353	2463	2629	2740	2815	2928
10 X 1.5	2353	2463	2629	2740	2815	2928
12 X 1.75	3498	3622	3991	4119	4315	4446
14 X 2		5067		5499		5691
16 X 2		5067		5499		5691
18 X 2.5		9794		10396		10621
20 X 2.5		12045		12811		13119
22 X 2.5		13478		14691		15388
24 X 3		14635		16017		16843
25 X 3		18352		19875		20700
27 X 3		20626		22732		24053
30 X 3.5		24210		26455		27776
33 X 3.5		40239		43659		45548
36 X 4		49449		55072		58811
METRIC FINE DIN-371						
3 X .35	1810	1992	1997	2187	2098	2288
4 X .5	1810	1992	1997	2187	2098	2288
4 X .75	1747	1925	1930	2117	2035	2220
5 X .5/.75	1686	1856	1865	2045	1970	2147
6 X .5	1686	1856	1865	2045	1970	2147
6 X .75	1686	1856	1865	2045	1970	2147
7 X .75	1925	2015	2078	2168	2195	2287
8 X .5/.75	2077	2168	2232	2326	2349	2445
8 X 1.0	1780	1858	1929	2012	2046	2129
9 X 1.0	2355	2465	2541	2648	2685	2791
10 X 1.0	1813	1894	1987	2071	2129	2212
10 X 1.25	1813	1894	1942	2071	2130	2212
METRIC FINE ISO-529, IS-6175-II						
3 X .35	1552	1710	1666	1825	1751	1911
4 X .5	1552	1710	1666	1825	1751	1911
4 X .75	1498	1651	1610	1767	1698	1853
5 X .5/.75	1446	1592	1556	1707	1645	1793
6 X .5	1446	1592	1556	1707	1645	1793
6 X .75	1446	1592	1556	1707	1645	1793
7 X .75	1605	1681	1734	1810	1833	1909
8 X .5/.75	1732	1809	1863	1942	1961	2041
8 X 1.0	1485	1550	1609	1679	1709	1777
9 X 1.0	1964	2056	2122	2211	2241	2330
10 X 1.0	1513	1579	1659	1729	1777	1847
10 X 1.25	1513	1579	1622	1729	1778	1847

1. SPECIAL TOLERANCE : 10% extra.



EMKAY TOOLS

PRICE LIST



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE ISO-529, IS-6175-III						
3 X .35	1786	1965	1904	2085	1989	2173
4 X .5	1786	1965	1904	2085	1989	2173
4 X .75	1721	1897	1840	2020	1926	2105
5 X .5/.75	1663	1831	1779	1949	1865	2035
6 X .5	1663	1831	1779	1949	1865	2035
6 X .75	1663	1831	1779	1949	1865	2035
7 X .75	1847	1932	1981	2068	2079	2165
8 X .5/.75	1990	2082	2127	2219	2225	2319
8 X 1.0	1707	1783	1836	1916	1935	2015
9 X 1.0	2259	2362	2421	2525	2540	2644
10 X 1.0	1739	1817	1890	1970	2007	2088
10 X 1.25	1739	1817	1852	1970	2009	2088
11 X 1.0	3150	3441	3419	3633	3630	3847
12 X 1.0/1.25	2569	2802	2826	2984	3036	3196
12 X 1.50	2334	2418	2588	2673	2799	2884
14 X 1.0	3241	3589	3493	3898	3686	4136
14 X 1.25		3589		3898		4136
14 X 1.50		3589		3898		4136
16 X 1.0		4034		4353		4593
16 X 1.50		3843		4156		4398
18 X 1.0/2.0		8791		9622		10293
18 X 1.5		7489		8295		8964
20 X 1.0/2.0		11688		12822		13740
20 X 1.5		9447		10540		11460
22 X 1.0/2.0		12799		14119		15200
22 X 1.5		10308		11581		12663
24 X 1.0/2.0		12084		13390		14473
24 X 1.5		12983		14307		15389
25 X 1.0/2.0		14808		16165		17247
25 X 1.5		13819		15159		16242
26 X 1.0		19268		21362		23098
27 X 1.0/2.0		19409		21504		23240
27 X 1.5		18116		20186		21924
30 X 1.0/2.0		21830		23968		25704
30 X 1.5		20374		22487		24222
33 X 1.0/2.0		26654		29629		32109
33 X 1.5		24878		27819		30298
36 X 1.0/2.0		36975		42568		47478
36 X 1.5		34509		40059		44967

1. SPECIAL TOLERANCE : 10% extra.



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE ISO-2283, IS-6175-IV (IS-7821)						
5 X .5/.75	1891	2080	2113	2312	2242	2440
6 X .5	1735	1906	1951	2128	2080	2220
6 X .75	1735	1906	1951	2128	2080	2220
7 X .75	2181	2281	2439	2542	2589	2692
8 X .5/.75	2000	2090	2248	2341	2397	2492
8 X 1.0	2000	2090	2248	2341	2397	2492
9 X 1.0	2448	2558	2744	2862	2922	3039
10 X 1.0	2448	2558	2746	2863	2924	3042
10 X 1.25	2448	2558	2746	2863	2924	3042
11 X 1.0	4463	4623	5001	5170	5320	5490
12 X 1.0/1.25	3433	3555	3921	4048	4240	4368
12 X 1.50	3433	3555	3921	4048	4240	4368
14 X 1.0		4973		5770		6038
14 X 1.25		4973		5770		5743
14 X 1.50		5279		5901		6264
16 X 1.0		5470		6192		6512
16 X 1.50		5470		6192		6512
18 X 1.0/2.0		11094		12285		13042
18 X 1.5		7208		8248		9003
20 X 1.0/2.0		13447		15011		16046
20 X 1.5		11222		12698		13736
22 X 1.0/2.0		13952		15721		16946
22 X 1.5		15916		17762		18985
24 X 1.0/2.0		15569		17402		18627
24 X 1.5		16147		18001		19228
25 X 1.0/2.0		17626		19537		20761
25 X 1.5		17626		19537		20761
26 X 1.0		18917		21617		23581
27 X 1.0/2.0		19072		21778		23743
27 X 1.5		19072		21778		23743
30 X 1.0/2.0		22744		25594		27559
30 X 1.5		22744		25594		27559
33 X 1.0/2.0		27501		31377		34181
33 X 1.5		27501		31377		34181
36 X 1.0/2.0		33278		40128		45680
36 X 1.5		33278		40128		45680



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE D-374						
5 X .5/.75	1926	2120	2150	2353	2283	2484
6 X .5	1767	1943	1986	2166	2117	2259
6 X .75	1767	1943	1986	2166	2117	2259
7 X .75	2331	2435	2577	2686	2735	2845
8 X .5/.75	2136	2233	2376	2474	2533	2632
8 X 1.0	2136	2233	2376	2474	2533	2632
9 X 1.0	2614	2732	2899	3023	3086	3210
10 X 1.0	2614	2732	2900	3024	3088	3216
10 X 1.25	2614	2732	2900	3024	3088	3216
11 X 1.0	4545	4709	5089	5261	5414	5590
12 X 1.0/1.25	3498	3622	3991	4119	4315	4446
12 X 1.50	3563	3688	4066	4197	4397	4532
14 X 1.0		5067		5873		6145
14 X 1.25		5067		5873		5846
14 X 1.50		5378		6007		6375
16 X 1.0		5573		6303		6627
16 X 1.50		5573		6303		6627
18 X 1.0/2.0		11302		12506		13274
18 X 1.5		7344		8395		9166
20 X 1.0/2.0		13698		15278		16330
20 X 1.5		11431		12923		13979
22 X 1.0/2.0		14211		16000		17247
22 X 1.5		16214		18077		19323
24 X 1.0/2.0		15859		17712		18958
24 X 1.5		16449		18323		19571
25 X 1.0/2.0		17956		19886		21131
25 X 1.5		17956		19886		21131
26 X 1.0		19272		22003		24001
27 X 1.0/2.0		19429		22166		24166
27 X 1.5		19429		22166		24166
30 X 1.0/2.0		23168		26051		28049
30 X 1.5		23168		26051		28049
33 X 1.0/2.0		28014		31936		34792
33 X 1.5		28014		31936		34792
36 X 1.0/2.0		33900		40843		46495
36 X 1.5		33900		40843		46495



EMKAY TOOLS

PRICE LIST



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
BS-949 & ISO 529 UNIFIED COARSE (UNC)/UNIFIED FINE (UNF)						
No. 2	1552	1786	1666	1904	1751	1990
No. 4	1424	1635	1536	1751	1624	1834
No. 6	1071	1180	1175	1286	1265	1374
No. 8	1071	1180	1175	1286	1265	1374
No. 10	1071	1180	1175	1286	1265	1374
1/4"	1071	1180	1175	1286	1265	1374
5/16"	1236	1293	1358	1415	1456	1515
3/8"	1513	1579	1659	1729	1777	1847
7/16"	2334	2418	2588	2673	2799	2884
1/2"	2334	2418	2588	2673	2799	2884
5/8"	3435	3843	3742	4156	3984	4398
3/4"	5631	6625	6090	7167	6444	7582
7/8"	9019	9921	10170	11108	11155	12113
1"	11325	12460	12521	13694	13505	14698
1.1/8"	18428	20274	20351	22257	21927	23870
1.1/4"	22435	24679	25106	27434	27360	29734
1.3/8"	31220	34342	34922	38165	38049	41355
1.1/2"	36652	40317	41795	45617	46257	50169
1.5/8"	42720	46994	49147	53613	54786	59362
1.3/4"	57543	63298	64244	70219	69880	75967
ISO 2283 IS-6175-IV (IS-7821) UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 10	1734	1907	1874	2057	1931	2117
1/4"	1734	1907	1874	2057	1931	2117
5/16"	1998	2090	2160	2259	2229	2326
3/8"	2444	2559	2648	2764	2731	2848
7/16"	3775	3909	4067	4206	4170	4312
1/2"	4344	4498	4683	4846	4813	4976
5/8"	5279	5470	5714	5914	5892	6093
3/4"	11823	13004	12559	13786	12833	14059
7/8"	13231	14552	14461	15837	15173	16549
1"	20248	22272	21751	23853	22464	24567
DIN-371 UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 2	1723	1983	1903	2174	1999	2271
No. 4	1580	1814	1753	1999	1855	2093
No. 6	1188	1309	1342	1468	1445	1568
No. 8	1188	1309	1342	1468	1445	1568
No. 10	1188	1309	1342	1468	1445	1568
1/4"	1188	1309	1342	1468	1445	1568
5/16"	1425	1491	1594	1661	1709	1779
3/8"	1744	1822	1948	2029	2085	2167

1. SPECIAL TOLERANCE : 10% extra.



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
D-374/DIN-376 UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 10	1766	1944	1907	2093	1967	2153
1/4"	1766	1944	1907	2093	1967	2153
5/16"	2134	2233	2283	2387	2353	2458
3/8"	2611	2734	2796	2921	2884	3009
7/16"	3846	3982	4140	4281	4245	4389
1/2"	4424	4580	4766	4934	4899	5065
5/8"	5378	5573	5816	6020	5998	6201
3/4"	12045	13248	12782	14033	13061	14311
7/8"	13478	14825	14718	16118	15445	16845
1"	20626	22688	22139	24278	22864	25007



EMKAY TOOLS

PRICE LIST



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
BS-949 & ISO 529 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/8"	1071	1180	1175	1286	1265	1374
5/32"	1071	1180	1175	1286	1265	1374
3/16"	1071	1180	1175	1286	1265	1374
1/4"	1071	1180	1175	1286	1265	1374
5/16"	1236	1293	1358	1415	1456	1515
3/8"	1513	1579	1659	1729	1777	1847
7/16"	2334	2418	2588	2673	2799	2884
1/2"	2334	2418	2588	2673	2799	2884
5/8"	3435	3843	3742	4156	3984	4398
3/4"	5631	6625	6090	7167	6444	7582
7/8"	9019	9921	10170	11108	11155	12113
1"	11325	12460	12521	13694	13505	14698
1.1/8"	18428	20274	20351	22257	21927	23870
1.1/4"	22435	24679	25106	27434	27360	29734
1.3/8"	31220	34342	34922	38165	38049	41355
1.1/2"	36652	40317	41795	45617	46257	50169
1.5/8"	42720	46994	49147	53613	54786	59362
1.3/4"	57543	63298	64244	70219	69880	75967
ISO 2283 IS-6175-IV (IS-7821) British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/4"	1734	1907	1874	2057	1931	2117
5/16"	1998	2090	2160	2259	2229	2326
3/8"	2444	2559	2648	2764	2731	2848
7/16"	3775	3909	4067	4206	4170	4312
1/2"	4344	4498	4683	4846	4813	4976
5/8"	5279	5470	5714	5914	5892	6093
3/4"	11823	13004	12559	13786	12833	14059
7/8"	13231	14552	14461	15837	15173	16549
1"	20248	22272	21751	23853	22464	24567



EMKAY TOOLS

PRICE LIST



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiAlN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
DIN-371 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/8"	1188	1309	1342	1468	1445	1568
5/32"	1188	1309	1342	1468	1445	1568
3/16"	1188	1309	1342	1468	1445	1568
1/4"	1188	1309	1342	1468	1445	1568
5/16"	1439	1505	1608	1677	1725	1795
3/8"	1761	1839	1966	2047	2104	2187
DIN-374/DIN-376 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/4"	1766	1944	1907	2093	1967	2153
5/16"	2134	2233	2283	2387	2353	2458
3/8"	2611	2734	2796	2921	2884	3009
7/16"	3846	3982	4140	4281	4245	4389
1/2"	4424	4580	4766	4934	4899	5065
5/8"	5378	5573	5816	6020	5998	6201
3/4"	12045	13248	12782	14033	13061	14311
7/8"	13478	14825	14718	16118	15445	16845
1"	20626	22688	22139	24278	22864	25007
BSP (BS 949)						
1/8" - 28		2570		2988		
1/4" - 19		4005		4584		
3/8" - 19		6449		7282		
1/2" - 14		9968		11302		


1. SPECIAL TOLERANCE : 10% extra.

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

STI TAP (HSS-E)

DIA & PITCH (mm)	FLUTELESS TIN		FLUTELESS OIL GROOVE TIN	
3 X 0.5	2585	2691	2849	2955
4 X 0.7	2585	2691	2849	2955
5 X 0.8	2585	2691	2849	2955
6 X 1.0	2585	2691	2849	2955
8 X 1.25	3039	3230	3181	3373
10 X 1.50	3717	4044	3889	4214
12 X 1.75	6071	6560	6621	7110
14 X 2.00	8428	9090	9329	9994
16 X 2.00	8934	9710	10080	10857



NOTE :

- 1) TAPS TO JAPANESE STANDARD, DIN 352, AMERICAN STANDARD also available in some sizes. Prices on request.
- 2) Please refer to us for items/sizes not covered in this Price List.
- 3) For Left Hand taps 35% extra will be charged.
- 4) **CX Series 20% extra will be charged.**

TERMS & CONDITIONS :

- 1) **GST & OTHER GOVT. LEVIES WILL BE CHARGED EXTRA AS APPLICABLE.**
- 2) **PRICES ARE SUBJECT TO REVISION WITHOUT PRIOR NOTICE.**
- 3) **THIS PRICE LIST SUPERCEDES ALL OUR EARLIER PRICE LISTS.**
- 4) **THE PRICES QUOTED IN THIS PRICE LIST ARE THE MAXIMUM RETAIL PRICE AND THE DEALERS / STOCKISTS ARE FREE TO SELL THE GOODS AT PRICES LOWER THAN THE PRICES FIXED BY THE COMPANY.**
- 5) **ALL LEGAL PROCEEDINGS ARE SUBJECT TO NAGPUR JURISDICTION.**



EMKAY TOOLS LTD

www.emkaytools.com