
M0616- Projecte de desenvolupament web
PROJECTE 1
GRUP :DAW 2n
Nom i cognoms: Zoya Ahmed


https://github.com/ZoyaIT/devtasks-web-project.git

PAS 1. Preparar l'Entorn de Treball (VS Code)


Cmd + I




PAS 2. Crear les Instruccions Personalitzades del Repositori (.github/copilot-instructions.md)





PAS 3. Crear el Template per a les Pull Requests (.github/PULL_REQUEST_TEMPLATE.md)





PAS 4. Crear una Nova Funcionalitat Assistida per Copilot





devtasks-web-project
Update
Explorer
index.html
taskManager.js
PULL_REQUEST_TEMPLATE.md
copilot-instructions.md
devtasks-web-project
.github
workflows
copilot-instructions...
dependabot.yml
PULL_REQUEST_T...
.vscode
css
js
app.js
taskManager.js
node_modules
tests
index.html
package-lock.json
package.json
function isValidTask(task) {
if (!task) return false;
return typeof task.title === 'string' && task.title.trim().length > 0;
}
function filterTasks(tasks, criteria) {
if (criteria === 'completed') return tasks.filter(t => t.completed);
if (criteria === 'pending') return tasks.filter(t => !t.completed);
return tasks;
}
function clearCompletedTasks(tasks) {
return tasks.filter(task => !task.completed);
}
function getTaskStats(tasks) {
const total = tasks.length;
const completed = tasks.filter(t => t.completed).length;
return {
total,
completed,
pending: total - completed
};
}
// Exportamos las funciones para Node.js (Tests) y el navegador
if (typeof module !== 'undefined' && module.exports) {
module.exports = { createTask, isValidTask, filterTasks, getTaskStats };
module.exports = { createTask, isValidTask, filterTasks, clearCompletedTasks, getTaskStats };
}



devtasks-web-project
Update
Explorer
index.html
taskManager.js
taskManager.test.js
app.test.js
PULL_REQUEST_TEMPLATE.md
copilot-instructions.md
Generate code
Keep
Undo
import { describe, expect, it } from 'vitest';
import { clearCompletedTasks } from '../src/app.js';
describe('clearCompletedTasks', () => {
it('removes completed tasks and keeps incomplete tasks', () => {
const tasks = [
{ id: 1, title: 'First task', completed: false },
{ id: 2, title: 'Second task', completed: true },
{ id: 3, title: 'Third task', completed: false },
];
expect(clearCompletedTasks(tasks)).toEqual([
{ id: 1, title: 'First task', completed: false },
{ id: 3, title: 'Third task', completed: false },
]);
});
});
Problems
Output
Terminal
Ports
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % npm test
SyntaxError: Cannot use import statement outside a module
at ModuleExecutor.compile (node_modules/jest-runtime/build/index.js:3081:44)
PASS tests/taskManager.test.js
Test Suites: 1 failed, 1 passed, 2 total
Tests: 5 passed, 5 total
Snapshots: 0 total
Time: 0.345 s
Ran all test suites.
zoyaahmed@zoyas-MacBook-Air devtasks-web-project %
Outline
Timeline
Connect
Ln 18, Col 1
Spaces: 4
UTF-8
JavaScript
Port : 5502



devtasks-web-project
Update
Explorer
devtasks-web-project
index.html
taskManager.js
taskManager.test.js
app.test.js
PULL_REQUEST_TEMPLATE.md
copilot-instructions.md
Generate code
Auto Balance
Keep
Undo
import { describe, expect, it } from 'vitest';
import { clearCompletedTasks } from '../src/app.js';
describe('clearCompletedTasks', () => {
it('removes completed tasks and keeps incomplete tasks', () => {
const tasks = [
{ id: 1, title: 'First task', completed: false },
{ id: 2, title: 'Second task', completed: true },
{ id: 3, title: 'Third task', completed: false },
];
expect(clearCompletedTasks(tasks)).toEqual([
{ id: 1, title: 'First task', completed: false },
{ id: 3, title: 'Third task', completed: false },
]);
});
Problems
Output
Terminal
Ports
zsh
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git add .
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git commit -m "feat: afegida funció clearCompletedTasks i tests unitaris amb Copilot"
[feature/copilot-clear-completed 88c96f2] feat: afegida funció clearCompletedTasks i tests unitaris amb Copilot
5 files changed, 46 insertions(+), 2 deletions(-)
create mode 100644 Desktop/devtasks-web-project/.github/PULL_REQUEST_TEMPLATE.md
create mode 100644 Desktop/devtasks-web-project/.github/copilot-instructions.md
create mode 100644 Desktop/devtasks-web-project/tests/app.test.js
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git push -u origin feature/copilot-clear-completed
Enumerating objects: 7237, done.
Counting objects: 100% (7237/7237), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5787/5787), done.
Writing objects: 100% (7237/7237), 9.53 MiB | 7.72 MiB/s, done.
Total 7237 (delta 1120), reused 7222 (delta 1117), pack-reused 0
remote: Resolving deltas: 100% (1120/1120), done.
remote:
remote: Create a pull request for 'feature/copilot-clear-completed' on GitHub by visiting:
remote: https://github.com/ZoyaIT/devtasks-web-project/pull/new/feature/copilot-clear-completed
remote:
To https://github.com/ZoyaIT/devtasks-web-project.git
* [new branch] feature/copilot-clear-completed -> feature/copilot-clear-completed
branch 'feature/copilot-clear-completed' set up to track 'origin/feature/copilot-clear-completed'.
zoyaahmed@zoyas-MacBook-Air devtasks-web-project %
Outline
Timeline
Connect
Ln 9, Col 54
Spaces: 4
UTF-8
JavaScript
Port : 5502



devtasks-web-project
Update
Explorer
devtasks-web-project
index.html
taskManager.js
app.test.js
taskManager.test.js
package.json
PULL_REQUEST_TEMPLATE.md
copilot-instructions.md
import { describe, test, expect } from 'vitest';
import { createTask, isValidTask, filterTasks, getTaskStats } from '../js/taskManager.js';
describe('Pruebas unitarias para taskManager.js', () => {
test('Debería crear un objeto tarea con los campos correctos y estado inicial pendiente', () => {
const task = createTask('Aprender GitHub Actions', 'Completar el PAS 4 del proyecto');
expect(task).toHaveProperty('id');
expect(task.title).toBe('Aprender GitHub Actions');
expect(task.completed).toBe(false);
});
test('Debería validar correctamente una tarea válida y rechazar títulos vacíos', () => {
const validTask = { title: 'Hacer la compra', completed: false };
const invalidTask = { title: ' ', completed: false };
expect(isValidTask(validTask)).toBe(true);
expect(isValidTask(invalidTask)).toBe(false);
});
test('Debería filtrar las tareas correctamente por su estado (completadas / pendientes)', () => {
const mockTasks = [
Problems
Output
Terminal
Ports
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % npm test
✓ tests/app.test.js (1 test) 1ms
✓ tests/taskManager.test.js (5 tests) 2ms
Test Files 2 passed (2)
Tests 6 passed (6)
Start at 11:42:59
Duration 82ms (transform 63%, import 22%, tests 8%, worker 8%)
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git add .
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git commit -m "fix: corregidas rutas de imports y entorno de Vitest en los tests"
[main 1e5f960] fix: corregidas rutas de imports y entorno de Vitest en los tests
9 files changed, 1640 insertions(+), 11 deletions(-)
create mode 100644 Desktop/devtasks-web-project/.github/PULL_REQUEST_TEMPLATE.md
create mode 100644 Desktop/devtasks-web-project/.github/copilot-instructions.md
create mode 100644 Desktop/devtasks-web-project/tests/app.test.js
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git push origin feature/copilot-clear-completed
Everything up-to-date
zoyaahmed@zoyas-MacBook-Air devtasks-web-project %
Outline
Timeline
Connect
Ln 11, Col 41
Spaces: 2
UTF-8
LF
JavaScript
Port : 5502

PAS 5. Crear la Pull Request i Documentar amb IA






devtasks-web-project
Update
Source Control
A Git repository was found in the parent folders of the workspace or the open file(s).
Open Repository
Use the git.openRepositoryInPar setting to control whether Git repositories in parent folders of workspaces or open files are opened. To learn more read our docs.
Chat
"Genera un resum executiu en format *Markdown...
Sessions
New Session
Today 1
"Genera un resum exe...
Input needed.
@taskManager.js , @copilot-instructions.md
"Fes...
instructions.md. Indica si compleix
l'arquitectura i suggereix possibles millores."
9:50 PM
Finished with 5 steps
Considering tool usage options
I'm thinking about how to use the rg command with line numbers, but the tool doesn't show those numbers. I might be able to provide line details using the nl command instead. Additionally, I could inspect the package manifest to discuss the current module's type and tests. It seems that making a parallel call could be useful here too. I want to ensure everything's clear and easy to follow!
Read package.json
Confirm reviewed revision git -C /Users/zoyaahmed/Desktop/devtasks-web-proje...
git -C /Users/zoyaahmed/Desktop/devtasks-web-project status --short --untracked-files=no && git -C /Users/zoyaahmed/Desktop/devtasks-web-project --no-pager log -1 --oneline
M .github/PULL_REQUEST_TEMPLATE.md
1e5f960 fix: corregidas rutas de imports y entorno de Vitest en los tests
This is taking a little longer than usual
Run in terminal?
nl -ba /Users/zoyaahmed/Desktop/devtasks-web-project/js/taskManager.js && printf '\n--- app ---\n' && nl -ba /Users/zoyaahmed/Desktop/devtasks-web-project/js/app.js | sed -n '1,55p' && printf '\n--- tests ---\n' && nl -ba /Users/zoyaahmed/Desktop/devtasks-web-project/tests/app.test.js
Allow in this Session
Skip
Chat with Copilot
Agent
Auto Balance
Interactive
Manual permissions
Terminal
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git commit -m "fix: corregidas rutas de imports y entorno de Vitest en los tests"
create mode 100644 Desktop/devtasks-web-project/.github/PULL_REQUEST_TEMPLATE.md
create mode 100644 Desktop/devtasks-web-project/.github/copilot-instructions.md
create mode 100644 Desktop/devtasks-web-project/tests/app.test.js
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git push origin feature/copilot-clear-completed
Everything up-to-date
zoyaahmed@zoyas-MacBook-Air devtasks-web-project %
Connect
Port : 5502


devtasks-web-project
Update
Explorer
PULL_REQUEST_TEMPLATE.md
.github > PULL_REQUEST_TEMPLATE.md > ## Verificació de Tests i Qualitat
Text Editor
5 ## Verificació de Tests i Qualitat
6 - [ ] Els tests unitaris s'executen localment amb `npm test` i passen
7 correctament.
8 - [ ] El codi generat respecta les regles de `.github/copilot-instructions.md`.
.github
workflows
copilot-instructio...
dependabot.yml
PULL_REQUEST_...
.vscode
css
js
app.js
taskManager.js
node_modules
tests
app.test.js
taskManager.test.js
.gitignore
index.html
package-lock.json
package.json
README.md
Outline
Timeline
Problems
Output
Terminal
Ports
zsh
Terminal
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git commit -m "fix: corregidas rutas de imports y entorno de Vitest en los tests"
create mode 100644 Desktop/devtasks-web-project/.github/PULL_REQUEST_TEMPLATE.md
create mode 100644 Desktop/devtasks-web-project/.github/copilot-instructions.md
create mode 100644 Desktop/devtasks-web-project/tests/app.test.js
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % git push origin feature/copilot-clear-completed
Everything up-to-date
zoyaahmed@zoyas-MacBook-Air devtasks-web-project % npm test
> devtasks-web-project@1.0.0 test
> vitest run
RUN v5.0.5 /Users/zoyaahmed/Desktop/devtasks-web-project
✓ tests/app.test.js (1 test) 1ms
✓ tests/taskManager.test.js (5 tests) 2ms
Test Files 2 passed (2)
Tests 6 passed (6)
Start at 22:00:47
Duration 73ms (import 42%, transform 26%, tests 16%, worker 16%, environment 1%)
zoyaahmed@zoyas-MacBook-Air devtasks-web-project %
Connect
Ln 8, Col 80
Spaces: 4
UTF-8
LF
Markdown
Port : 5502